

3 1761 1155863 7




Digitized by the Internet Archive
in 2022 with funding from
University of Toronto

Canada. Dept. of National Health and Welfare
Hospital morbidity statistics 1967-68

742
A 9
HOSPITAL MORBIDITY STATISTICS

Based on the Experience of
Provincial Hospital Insurance Plans in Canada
January 1 - December 31, 1967-68

mem
Biostatistics Division
Research and Statistics Directorate



Canada
Published by authority of
the Honourable John Munro
Minister of National Health and Welfare

J. Maurice LeClair, M.D.
Deputy Minister of National Health

Joseph W. Willard,
Deputy Minister of National Welfare

April 1971

HOSPITAL MORBIDITY STATISTICS

Based on the Experience of
Provincial Hospital Insurance Plans in Canada
January 1 - December 31, 1967

FOREWORD

This report, based on Canadian hospital morbidity experience for the year 1967, is the seventh of its type to be produced by the Department of National Health and Welfare.

The national tables have been compiled and consolidated from data prepared by the Provincial and Territorial Insurance Plans. In some instances, the provincial data have already been published, in full or in part, by the provinces in their individual annual reports; in others, the data have been submitted directly to this Department in the form of tables or were processed centrally by the Biostatistics Division and the Dominion Bureau of Statistics, using original records or duplicate cards or tapes provided by the provinces to the Dominion Bureau of Statistics.

Hospital admission-separation forms provide the source material from which the tables for each province are prepared. The content and format, in general, follow the uniform outline for hospital morbidity statistics approved in 1961 by the Advisory Committee on Hospital Insurance and Diagnostic Services. Some provinces were unable to provide the information for certain tables, as indicated by the various footnotes.

Separation rates and patient-day rates are based on the estimated 1967 Canadian population as published by the Dominion Bureau of Statistics.

This report was prepared in the Research and Statistics Directorate by Mr. A.C. McKenzie, Supervisor, Medical Care Statistics, under the direction of Mr. C.B. Walker, Principal Research Officer (Biostatistics). Sections of the report were produced through our standard computer program as revised by Mr. P. Dumouchel, programmer. Mr. R. Bélanger was responsible for the preparation of the tables and many of the calculations.

A handwritten signature in dark ink, reading "John E. Osborne". The signature is fluid and cursive, with the first name "John" and last name "Osborne" clearly legible, and "E." in the middle.

John E. Osborne, Director,
Research and Statistics.

INTRODUCTION

The information in this report is contained in tables covering the following aspects of hospitalization in Canada:

1. Summary of separations and the patient-days of these separations by the agency responsible for payment of hospitalization, by province.
2. Separations and patient-days by sex and age groups, separation rates and patient-day rates per 1,000 population, average length of stay and the percentage distributions of separations and patient-days, by province.
3. Separations and patient-days of these separations by age group and length of stay in hospital, by province.
4. Separations, patient-days of these separations, separation rates and patient-day rates per 100,000 population, average length of stay, "expected" separations and days standardized to 1961 census population, and case rate and day rate comparisons with the year 1962 rate = 100, by sex and age group, by the Canadian List of 98 diagnoses, Canada.
5. Separations, patient-days, average length of stay, separation rates and patient-day rates per 1,000 population, by age group for the ten most common diagnoses, by province.
6. Separations, and separation rates per 100,000 population, and the rate per 1,000 separations for the twenty-five most common operations, by province.
7. Separations and patient-days for the 75 categories in the "Temporary List of Operations and Treatments", by province.
8. Separations and patient-days for the categories in a special list of infant diagnoses, for newborn infants and for infants under one year of age, by province.

When using the information in this bulletin, certain reservations should be kept in mind. The data are not meant to represent a true measure of the actual amount of illness in each province or in Canada. They reflect only the morbidity experience of persons admitted to hospitals. Data concerning sick persons who are treated at home, in a physician's office, or in out-patient clinics are not included.

It must also be recognized that the counts of cases and patient-days apply to "separations". A separation is defined as a "discharge or death" occurring during the year. No account has been taken of multiple separations of an individual for the same illness, or multiple separations of an individual for different illnesses during the year.

The number of "separations" is, therefore, somewhat greater than the number of individuals involved. A special study carried out in one province revealed that approximately 77 per cent of the individual patients hospitalized in 1965 were hospitalized once only, 15 per cent were hospitalized twice and slightly over 4 per cent were hospitalized three times.

In the Oxford, England, Record Linkage Study⁽¹⁾ patients with certain conditions such as carcinoma of the bronchus, carcinoma of the breast, diabetes, cataract, nervousness and debility, schizophrenia, and neurotic depressive reaction, were often hospitalized more than once during a year, so that rates based on the number of discharges for a specific condition were somewhat higher than the corrected in-patient morbidity rates based on individuals discharged. For other conditions, such as hypertrophy of tonsils and adenoids, acute appendicitis, and broncho-pneumonia, the rates based on discharges are close to the corrected rates based on individuals.

Hospital caseloads also tend to reflect those disease conditions which receive some benefit from hospital facilities and services, with particular emphasis on surgery and intensive medical treatment. Examples of such conditions are acute appendicitis and coronary attacks. Alternatively, illnesses which can often be treated at home, or in the physician's office, such as upper respiratory illnesses and rheumatism, are less likely to appear in hospital morbidity statistics. Hospitalization data, therefore, may be a fair indicator of morbidity for some conditions but a poor indicator for others.

The data represent hospital utilization, or the amount of care provided. The provinces differ somewhat in their arrangements to provide this care, such as in the number of hospital beds available in relation to provincial population, the number of chronic facilities available, and the extent to which they are included in the hospital insurance program. Alternative forms of care, such as the care provided by nursing homes, will vary from province to province. Comparisons of the effect of these factors on hospital utilization are beyond the scope of this publication.

It should be noted that Table 6 now includes supplementary information comparing the 1967 morbidity experience, with the base year 1962, to indicate changes over a six-year period for each diagnostic category, by age group and sex.

For convenience, the Canadian List of 98 Diagnoses has been included as an Appendix. This list, which was developed in 1961, will be phased out and replaced by a new list of 188 categories developed in 1968, together with a new group of recommended tables. Copies of the 188 List, and the new tables, are available from the Biostatistics Division, Department of National Health and Welfare, Ottawa.

(1) Acheson, E.D. Medical Record Linkage. Oxford University Press, 1967. London, New York, Toronto, p. 114.

LIST OF TABLES

1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Prince Edward Island, 1967.	1
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Nova Scotia, 1967.	2
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, New Brunswick, 1967.	3
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Quebec, 1967.	4
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Ontario, 1967.	5
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Manitoba, 1967.	6
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Saskatchewan, 1967.	7
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Alberta, 1967.	8
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, British Columbia, 1967.	9
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Yukon, 1967.	10
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Northwest Territories, 1967.	11
2a(i)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Number of Separations, Male.	12

<u>Table Number</u>		<u>Page</u>
2a(ii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Number of Separations, Female.	13
2a(iii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Number of Separations, Both Sexes.	14
2b(i)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Patient-Days since Admission, Male.	15
2b(ii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Patient-Days since Admission, Female.	16
2b(iii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Patient-Days since Admission, Both Sexes.	17
2c(i)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Average Length of Stay, Male.	18
2c(ii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Average Length of Stay, Female.	19
2c(iii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Average Length of Stay, Both Sexes.	20
2d(i)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Separation Rate per 1,000 Population, Male.	21
2d(ii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Separation Rate per 1,000 Population, Female.	22

<u>Table Number</u>		<u>Page</u>
2d(iii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Separation Rate per 1,000 Population, Both Sexes.	23
2e(i)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Patient-Day Rate per 1,000 Population, Male.	24
2e(ii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Patient-Day Rate per 1,000 Population, Female.	25
2e(iii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Patient-Day Rate per 1,000 Population, Both Sexes.	26
2f(i)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Percentage Distribution of Separations, Male.	27
2f(ii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Percentage Distribution of Separations, Female.	28
2f(iii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Percentage Distribution of Separations, Both Sexes.	29
2g(i)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Percentage Distribution of Patient-Days, Male.	30
2g(ii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Percentage Distribution of Patient-Days, Female.	31

<u>Table Number</u>		<u>Page</u>
2g(iii)	HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1967. Percentage Distribution of Patient-Days, Both Sexes.	32
5a(i)	SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1967.	34
5a(ii)	PERCENTAGE DISTRIBUTION OF SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1967.	35
5a(iii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1967. Number of Separations, Male.	36
5a(iv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1967. Number of Separations, Female.	37
5a(v)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1967. Number of Separations, Male.	38
5a(vi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1967. Number of Separations, Female.	39
5a(vii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1967. Number of Separations, Male.	40
5a(viii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1967. Number of Separations, Female.	41
5a(ix)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1967. Number of Separations, Male.	42
5a(x)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1967. Number of Separations, Female.	43
5a(xi)	SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1967.	44

<u>Table Number</u>		<u>Page</u>
5a(xii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1967. Number of Separations, Male.	45
5a(xiii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1967. Number of Separations, Female.	46
5a(xiv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1967. Number of Separations, Male.	47
5a(xv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1967. Number of Separations, Female.	48
5a(xvi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1967. Number of Separations, Male.	49
5a(xvii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1967. Number of Separations, Female.	50
5a(xviii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1967. Number of Separations, Male.	51
5a(xix)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1967. Number of Separations, Female.	52
5a(xx)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1967. Number of Separations, Male.	53
5a(xxi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1967. Number of Separations, Female.	54
5a(xxii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1967. Number of Separations, Male.	55
5a(xxiii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1967. Number of Separations, Female.	56

<u>Table Number</u>		<u>Page</u>
5b(i)	PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1967.	57
5b(ii)	PERCENTAGE DISTRIBUTION OF PATIENT-DAYS BOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1967.	58
5b(iii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1967. Patient-Days of Separations, Male.	59
5b(iv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1967. Patient-Days of Separations, Female.	60
5b(v)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1967. Patient-Days of Separations, Male.	61
5b(vi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1967. Patient-Days of Separations, Female.	62
5b(vii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1967. Patient-Days of Separations, Male.	63
5b(viii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1967. Patient-Days of Separations, Female.	64
5b(ix)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1967. Patient-Days of Separations, Male.	65
5b(x)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1967. Patient-Days of Separations, Female.	66
5b(xi)	PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN, ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1967.	67
5b(xii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1967. Patient-Days of Separations, Male.	68

<u>Table Number</u>		<u>Page</u>
5b(xiii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1967. Patient-Days of Separations, Female.	69
5b(xiv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1967. Patient-Days of Separations, Male.	70
5b(xv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1967. Patient-Days of Separations, Female.	71
5b(xvi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1967. Patient-Days of Separations, Male.	72
5b(xvii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1967. Patient-Days of Separations, Female.	73
5b(xviii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1967. Patient-Days of Separations, Male.	74
5b(xix)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1967. Patient-Days of Separations, Female.	75
5b(xx)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1967. Patient-Days of Separations, Male.	76
5b(xxi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1967. Patient-Days of Separations, Female.	77
5b(xxii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1967. Patient-Days of Separations, Male.	78
5b(xxiii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1967. Patient-Days of Separations, Female.	79
6	SEPARATIONS, PATIENT-DAYS OF SEPARATIONS, AVERAGE STAY, SEPARATION RATE AND PATIENT- DAY RATE PER 100,000 POPULATION, "EXPECTED" CASES AND DAYS STANDARDIZED TO 1961 CENSUS POPULATION, CASE RATE AND DAY RATE COM- PARISON WITH 1962 CANADA RATE - 100, FOR EACH DIAGNOSIS AND EACH AGE GROUP, CANADA, 1967.	80

<u>Table Number</u>		<u>Page</u>
7(a)	NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1967.	179
7(b)	RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1967.	181
7(c)	PATIENT-DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS, BOTH SEXES AND ALL AGES, FOR TEN PROVINCES AND TWO TERRITORIES, 1967.	182
7(d)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Newfoundland, 1967.	183
7(e)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Prince Edward Island, 1967.	185
7(f)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, ALL AGES, BY SEX, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE, Nova Scotia, 1967.	187
7(g)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, New Brunswick, 1967.	188
7(h)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Quebec, 1967.	190
7(i)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Ontario, 1967.	192
7(j)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Manitoba, 1967.	194
7(k)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Saskatchewan, 1967.	196

<u>Table Number</u>		<u>Page</u>
7(l)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Alberta, 1967.	198
7(m)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND EXCLUDING OUT-OF-PROVINCE HOSPITALIZATION), British Columbia, 1967.	200
7(n)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND INCLUDING OUT-OF-PROVINCE HOSPITALIZATION), Yukon, 1967.	202
7(o)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Northwest Territories, 1967.	204
8(a)	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Newfoundland, 1967.	206
8(b)	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Prince Edward Island, 1967.	207
8(c)	SEPARATIONS AND CORRESPONDING RATES FOR THE TEN MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Nova Scotia, 1967.	208
8(d)	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), New Brunswick, 1967.	209
8(e)	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Quebec, 1967.	210
8(f)	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Ontario, 1967.	211
8(g)	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Manitoba, 1967.	212
8(h)	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Saskatchewan, 1967.	213
8(i)	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Alberta, 1967.	214

<u>Table Number</u>		<u>Page</u>
8(j)	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), British Columbia, 1967.	215
8(k)	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Yukon, 1967.	216
8(l)	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1967.	217
9(a)	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN- PATIENTS (EXCLUDING NEWBORN), Newfoundland, 1967.	218
9(b)	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Prince Edward Island, 1967.	223
9(c)	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), New Brunswick, 1967.	228
9(d)	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Quebec, 1967.	233
9(e)	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Ontario, 1967.	238
9(f)	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR MANITOBA RESIDENT IN-PATIENTS (EXCLUDING NEWBORN), Manitoba, 1967.	242
9(g)	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Saskatchewan, 1967.	247
9(h)	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR ALBERTA RESIDENTS (EXCLUDING NEWBORN), Alberta, 1967.	252

<u>Table Number</u>		<u>Page</u>
9(i)	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN, AND OUT-OF-PROVINCE SEPARATIONS), British Columbia, 1967.	257
9(j)	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR YUKON PLAN IN-PATIENTS (EXCLUDING NEWBORN), Yukon, 1967.	262
9(k)	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1967.	267
10	SEPARATIONS AND PATIENT-DAYS FOR THE CATEGORIES IN THE LIST OF INFANT DIAGNOSES, BY SEX, FOR NEWBORN PATIENTS AND FOR INFANTS UNDER ONE YEAR OF AGE WHO ARE PROVINCIAL PLAN IN-PATIENTS (INCLUDING OUT-OF-PROVINCE HOSPITALIZATION) FOR EIGHT PROVINCES AND TWO TERRITORIES, 1967.	272
APPENDIX 1	THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955).	281
APPENDIX 2	CANADA POPULATION 1967 (EXCLUDING NEWFOUNDLAND AND NOVA SCOTIA) UTILIZED IN TABLE 6, BY SEX AND AGE GROUP.	283
APPENDIX 3	ESTIMATED POPULATION BY SEX AND AGE GROUP, FOR CANADA AND PROVINCES, 1967. SOURCE: DOMINION BUREAU OF STATISTICS.	284

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, PRINCE EDWARD ISLAND, 1967⁽¹⁾

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province	17,024	1,853	18,877	175,311	11,633	186,944
2. Hospitalized in other provinces	-	-	-	-	-	-
3. Hospitalized in other countries	-	-	-	-	-	-
Sum of A	17,024	1,853	18,877	175,311	11,633	186,944
B. <u>Not Responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Department of Veterans Affairs	94	-	94	2,642	-	2,642
2. Workmen's Compensation Board	122	-	122	1,445	-	1,445
3. Uninsured residents	-	-	-	-	-	-
4. Non-residents	450	53	503	3,392	464	3,856
5. Insured residents not the responsibility of Provincial Plan	60	-	60	98	-	98
Sum of B	726	53	779	7,577	464	8,041
Sum of A and B	17,750	1,906	19,656	182,888	12,097	194,985
C.						

(1) NOTE: Excludes out-of-province hospitalization of Provincial Plan in-patients. This point should be noted in making year-to-year comparisons.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NOVA SCOTIA, 1967

Item	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province						
i Active treatment hospitals	111,158	14,255	125,413	1,224,149	96,572	1,320,721
ii Chronic and convalescent hospitals	668	-	668	21,995	-	21,995
2. Hospitalized in other provinces	1,244	152	1,406	13,114	1,197	14,311
3. Hospitalized in other countries	195	4	199	2,502	18	2,520
Sum of A	113,265	14,421	127,686	1,261,760	97,787	1,359,547
B. <u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Department of Veterans Affairs						
i in D.V.A. hospitals	748	-	748	75,298	-	75,298
ii in other hospitals	433	-	433	9,551	-	9,551
2. Workmen's Compensation Board	1,614	-	1,614	20,702	-	20,702
3. Uninsured residents and non-residents	2,790	241	3,031	21,185	2,296	23,481
4. Insured residents not the responsibility of N.S.H.I.C.	34	32	66	6,256	49	6,305
5. Other agencies	14	6	20	95	65	160
6. U.S.A.F.						
Sum of B	5,633	279	5,912	133,087	2,410	135,497
Sum of A and B	118,898	14,700	133,598	1,394,847	100,197	1,495,044
C.						

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NEW BRUNSWICK(1), 1967

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province	95,076	11,781	106,857	908,164	73,303	981,467
2. Hospitalized in other provinces		Not Available			Not Available	
3. Hospitalized in other countries		Not Available			Not Available	
Sum of A	95,076	11,781	106,857	908,164	73,303	981,467
B. <u>Not the Responsibility of Provincial Plan</u>						
1. Department of Veterans Affairs	57	-	57	717	-	717
2. Workmen's Compensation Board	1,416	-	1,416	13,651	-	13,651
3. Uninsured residents	594	-	594	4,333	-	4,333
4. Non-residents	328	29	357	2,303	195	2,498
5. Insured residents not the responsibility of Provincial Plan	3,748	408	4,156	31,647	2,960	34,607
6. Other agencies	648	70	718	4,554	438	4,992
Sum of B	6,791	507	7,298	57,205	3,593	60,798
Sum of A and B	101,867	12,288	114,155	965,369	76,896	1,042,265

(1) NOTE: Excludes out-of-province hospitalization of Provincial Plan in-patients. This point should be noted in making year-to-year comparisons.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS.

Items		Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	Responsibility of Provincial Plan						
1.	Hospitalized in the province						
ii	Chronic and convalescent hospitals (subdivided where applicable)						
	a) Chronic units attached to general hospitals	745,568	37,362	782,930	7,810,608	551,412	8,362,020
	b) Public chronic hospitals	506	-	506	77,740	-	77,740
	c) Private hospitals giving chronic care	3,407	-	3,407	981,218	-	981,218
	d) Other chronic facilities	1,402	-	1,402	557,591	-	557,591
	e) Public convalescent units and hospitals	-	-	-	247,691	-	247,691
	Institut de Rehabilitation - Montreal	726	-	726	28,527	-	28,527
2.	Hospitalized in other provinces	14,407	1,582	15,989	166,858	11,957	178,815
3.	Hospitalized in other countries	1,516	142	1,658	14,224	733	14,957
	Sum of A	774,823	103,592	878,420	9,884,477	664,102	10,548,579
B.	Not responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs						
i	In D.V.A. hospitals } Federal Government	85	-	85	1,083	-	1,083
ii	In other hospitals }	347	-	347	3,154	-	3,154
2.	Workmen's Compensation Boards	12,073	-	12,073	128,259	-	128,259
3.	Uninsured residents						
4.	Non-residents	9,277	511	9,788	110,986	3,271	114,257
5.	Insured residents not the responsibility of the Provincial Plan	195	58	253	1,384	335	1,719
6.	Other agencies	144	25	169	1,871	148	2,019
	Sum of B	22,121	594	22,715	246,737	3,754	250,491
C.	Sum of A and B	796,949	104,186	901,135	10,131,214	667,856	10,799,070

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, ONTARIO, 1967

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province						
i Active treatment hospitals						
ii Chronic and Convalescent hospitals						
2. Hospitalized in other provinces						
3. Hospitalized in other countries						
	NOT AVAILABLE	NOT AVAILABLE		NOT AVAILABLE	AVAILABLE	
Sum of A						
B. <u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Department of Veterans Affairs						
i In D.V.A. hospitals (not included)						
ii In other hospitals						
2. Workmen's Compensation Boards						
3. Uninsured residents						
4. Non-residents						
5. Insured residents not the responsibility of Provincial Plan						
6. Other agencies						
	NOT AVAILABLE	AVAILABLE		NOT AVAILABLE	AVAILABLE	
Sum of B						
Sum of A and B	1,095,060	129,734	1,224,794	14,135,883	917,069	15,052,952
C.						

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, MANITOBA, 1967

	Place	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province						
i	Active treatment hospitals	158,815	16,828	175,643	1,499,748	107,751	1,607,499
ii	Extended treatment hospitals	2,323	-	2,323	252,935	-	252,935
2.	Hospitalized in other provinces	2,397	279	2,676	22,545	1,791	24,336
3.	Hospitalized in other countries	619	40	659	5,893	218	6,111
	Sum of A	164,154	17,147	181,301	1,781,121	109,760	1,890,881
B.	<u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs						
i	In D.V.A. hospitals	1,120	-	1,120	14,268	-	14,268
ii	In other hospitals	121	1	122	1,732	15	1,747
2.	Workmen's Compensation Boards	1,883	-	1,883	20,096	-	20,096
3.	Uninsured residents	10	1	11	90	3	93
4.	Non-residents	8,074	745	8,820	84,869	6,068	90,937
5.	Insured residents not the responsibility of the Provincial Plan	341	-	341	1,054	-	1,054
6.	Other agencies	-	-	-	-	-	-
	Sum of B	11,549	748	12,297	122,109	6,086	128,195
C.	Sum of A and B	175,703	17,895	193,598	1,903,230	115,846	2,019,076

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, ONTARIO, 1967

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province						
i Active treatment hospitals						
ii Chronic and Convalescent hospitals						
2. Hospitalized in other provinces						
3. Hospitalized in other countries						
Sum of A						
B. <u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Department of Veterans Affairs						
i In D.V.A. hospitals (not included)						
ii In other hospitals						
2. Workmen's Compensation Boards						
3. Uninsured residents						
4. Non-residents						
5. Insured residents not the responsibility of Provincial Plan						
6. Other agencies						
Sum of B						
Sum of A and B						
C.	1,095,060	129,734	1,224,794	14,135,883	917,069	15,052,952

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, MANITOBA, 1967

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province	158,815	16,828	175,643	1,499,748	107,751	1,607,499
i	Active treatment hospitals	2,323	-	2,323	252,935	-	252,935
ii	Extended treatment hospitals	2,397	279	2,676	22,545	1,791	24,336
2.	Hospitalized in other provinces	619	40	659	5,893	218	6,111
3.	Hospitalized in other countries						
	Sum of A	161,154	17,147	181,301	1,781,121	109,760	1,890,881
B.	<u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs						
i	In D.V.A. hospitals	1,120	-	1,120	14,268	-	14,268
ii	In other hospitals	121	1	122	1,732	15	1,747
2.	Workmen's Compensation Boards	1,883	-	1,883	20,096	-	20,096
3.	Uninsured residents	10	1	11	90	3	93
4.	Non-residents	8,074	746	8,820	94,869	6,068	90,937
5.	Insured residents not the responsibility of the Provincial Plan	341	-	341	1,054	-	1,054
6.	Other agencies	-	-	-	-	-	-
	Sum of B	11,549	748	12,297	122,109	6,086	128,195
C.	Sum of A and B	175,703	17,895	193,598	1,903,230	115,846	2,019,076

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, SASKATCHEWAN, 1967

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. Responsibility of Provincial Plan						
1. Hospitalized in the province						
i Active treatment hospitals						
ii Chronic and convalescent hospitals (subdivided where applicable)						
a) Chronic units attached to general hospitals						
b) Public chronic hospitals						
c) Private hospitals giving chronic care						
d) Other chronic facilities(1)	515	-	515	173,216	-	173,216
e) Public convalescent units and hospitals						
2. Hospitalized in other provinces	4,964	572	5,536	53,424	4,303	57,727
3. Hospitalized in other countries	596	26	622	9,356	97	9,453
Sum of A	200,784	17,959	218,743	2,083,758	116,742	2,200,500
B. Not responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1. Department of Veterans Affairs						
i In D.V.A. hospitals						
ii In other hospitals	545	-	545	6,574	-	6,574
2. Workmen's Compensation Boards	1,830	-	1,830	15,461	-	15,461
3. Uninsured residents	1,052	83	1,135	5,562	356	5,918
4. Non-residents	2,815	207	3,022	20,186	1,365	21,551
5. Insured residents not the responsibility of the Provincial Plan	4	-	4	2,135	-	2,135
6. Other agencies	76	2	78	432	10	442
Sum of B	6,322	292	6,614	50,350	1,731	52,081
Sum of A and B	207,106	18,251	225,357	2,134,108	118,473	2,252,581

(1) Geriatric Hospitals at Regina, Saskatoon, Melfort and Swift Current.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, ALBERTA, 1967(1)

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province	294,458	30,245	324,703	2,545,456	223,349	2,768,805
i	Active treatment hospitals	3,299	-	3,299	603,665	-	603,665
ii	Chronic and convalescent hospitals	3,351	413	3,764	25,615	2,588	28,203
2.	Hospitalized in other provinces	322	25	347	2,793	98	2,891
3.	Hospitalized in other countries						
	Sum of A	301,430(1)	30,683	332,113(1)	3,177,529(1)	226,035	3,403,564(1)
B.	<u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Federal		4	1,760	89,770	198	89,968
i	In federal hospitals	1,756		973	20,971	-	20,971
ii	In other hospitals	973	-	5,673	64,777	-	64,777
2.	Workmen's Compensation Boards	5,673	-	7,688	83,643	5,248	88,891
3.	Non-residents	7,061	627				
4.	Insured residents not the responsibility of the Provincial Plan	6	-	6	21	-	21
	Sum of B	15,469	631	16,100	259,182	5,446	264,628
C.	Sum of A and B	316,899(1)	31,314	348,213(1)	3,436,711(1)	231,481	3,668,192(1)

(1) NOTE: If comparisons are made with previous years, it should be noted that data from "nursing homes" are excluded in 1967.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, BRITISH COLUMBIA, 1967

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province						
a) Active treatment hospitals ⁽¹⁾	315,956	31,847	347,803	2,983,339	221,375	3,204,714
b) Chronic (Rehabilitation) hospitals	3,928	-	3,928	127,858	-	127,858
2. Hospitalized in other provinces	4,022	319	4,341	41,664	2,152	43,816
3. Hospitalized in other countries	685	25	710	5,984	333	6,317
Sum of A	324,591	32,191	356,782	3,158,845	223,860	3,382,705
B. <u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Federal Government (D.V.A. and Indian) documented cases only	590	1	591	5,035	12	5,047
2. Workmen's Compensation Boards	7,147	-	7,147	70,264	-	70,264
3. Uninsured residents						
4. Non-residents						
5. Insured residents not the responsibility of the Provincial Plan	7,611	936	8,547	67,094	16,072	83,166
6. Other agencies						
Sum of B	15,348	937	16,285	142,393	16,084	158,477
C. Sum of A and B	339,939	33,128	373,067	3,301,238	239,944	3,541,182

(1) Statistics relating to a number of cases for which no documents are received by the British Columbia Hospital Insurance Service are not included in this table.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, YUKON, 1967

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Yukon Plan</u>						
1. Hospitalized in Yukon	2,103	336	2,439	15,499	2,068	17,567
2. Hospitalized in other provinces	354	13	372	5,128	109	5,237
3. Hospitalized in other countries	5	-	5	49	-	49
Sum of A	2,462	354	2,816	20,676	2,177	22,853
B. <u>Not responsibility of Yukon Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Workmen's Compensation Boards	98	-	98	649	-	649
2. Department of Veterans Affairs	2	-	2	8	-	8
3. Department of National Defence	23	-	23	90	-	90
4. Royal Canadian Mounted Police	2	-	2	35	-	35
5. Self	88	-	88	436	-	436
6. Other Provincial Plans	327	42	369	2,427	251	2,678
7. Indian and Northern Health Services	182	22	204	2,108	192	2,300
8. Other agencies	11	2	13	48	7	55
Sum of B	733	66	799	5,801	450	6,251
Sum of A and B	3,195	420	3,615	26,477	2,627	29,104
C.						

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NORTHWEST TERRITORIES, 1967

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Territorial Plan</u>						
	1. Hospitalized in Territories	5,667	862	6,529	37,979	5,530	43,509
	2. Hospitalized in other provinces	1,404	186	1,590	26,167	1,427	27,594
	3. Hospitalized in other countries	6	-	6	43	-	43
	Sum of A	7,077	1,048	8,125	64,189	6,957	71,146
B.	<u>Not responsibility of Territorial Plan</u> (excluding patients of mental and tuberculosis institutions)						
	1. Workmen's Compensation Boards	152	-	152	1,136	-	1,136
	2. Department of Veterans Affairs	7	-	7	78	-	78
	3. Department of National Defence	11	-	21	118	-	118
	4. Royal Canadian Mounted Police	12	1	13	91	5	96
	5. Self	80	4	84	484	19	503
	6. Other Provincial Plans	297	31	328	2,414	263	2,677
	7. Indian and Northern Health Services	257	4	261	3,040	27	3,067
	8. Other agencies	53	2	55	555	61	616
	9. Responsibility for Payment Unspecified	50	3	53	871	19	890
	Sum of B	929	45	974	8,787	394	9,181
C.	Sum of A and B	8,006	1,093	9,099	72,976	7,351	80,327

TABLE 2a (i) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN ⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

NUMBER OF SEPARATIONS											
AGE GROUP	N.F.D.	P.E.I.	N.S.	N.B.	Q.B.E.	ONT.	MAN.	B.C.	YUKON	N.W.T.	CANADA ⁽²⁾
MALES											
NEWBORN	1,043 ⁽³⁾	954	7,314	6,014	53,157	66,898	8,754	9,215	15,672	16,316	119,128
UNDER 1	2,915	556	2,828	2,411	16,674	17,533	4,047	2,759	7,003	6,132	45,815
1 - 4	3,832	771	1,976	1,025	52,991	52,164	7,134	10,510	11,283	14,878	96,800
5 - 9	2,801	616	4,165	3,594	30,795	44,126	6,025	8,345	12,427	13,856	82,975
10 - 14	2,060	423	2,750	2,628	17,911	23,110	3,025	3,100	3,175	7,314	50,635
15 - 19	1,721	385	2,300	2,261	17,709	42,034	3,456	4,580	7,328	6,338	46,271
20 - 24	1,390	208	1,741	1,513	18,113	42,034	3,868	3,150	6,337	5,445	41,648
25 - 29	1,027	199	1,287	1,077	14,752	79,987	2,160	2,290	5,077	4,640	32,721
30 - 34	1,058	201	1,273	1,164	14,967	79,987	2,155	2,408	5,176	4,618	33,188
35 - 39	1,084	222	1,385	1,565	16,991	79,987	2,171	2,939	5,824	5,808	38,261
40 - 44	1,191	209	2,003	1,608	19,520	80,123	2,977	3,468	6,327	6,869	44,375
45 - 49	1,402	306	2,390	1,955	19,452	80,123	3,458	3,856	6,448	6,805	46,210
50 - 54	1,392	367	2,711	1,965	20,163	80,123	3,920	4,138	6,801	7,499	49,116
55 - 59	1,303	400	3,120	2,202	20,142	80,123	4,265	4,744	7,064	7,675	51,077
60 - 64	1,110	421	2,751	2,049	18,464	26,711	4,357	4,526	7,139	7,786	48,726
65 - 69	963	473	2,628	1,898	15,436	46,407	4,244	4,792	6,788	7,262	44,605
70 - 74	898	476	2,645	1,931	12,639	46,407	4,278	4,936	6,031	6,885	40,777
75 - 79	639	343	2,252	1,689	9,161	35,316	4,308	4,985	6,074	6,560	36,063
80 - 84	413	260	1,548	1,113	5,188	35,316	2,973	3,934	4,353	5,252	25,069
85+	192	220	1,063	763	2,932	1,303	2,002	2,783	2,655	3,375	16,015
UNKNOWN	11	-	-	-	-	1,303	-	-	-	-	34
ALL AGES	28,457	8,045	53,110	43,855	377,658	516,342	80,077	95,585	146,982	151,313	989,509
										3,224	

(2) Excludes Ontario.
(3) Sick newborns only.

TABLE 2a (ii) HOSPITALIZATION OF SEX AND AGE FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

NUMBER OF SEPARATIONS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN	938 (3)	899	6,941	5,767	51,029	62,836	8,395	8,744	15,015	15,535	174	533	113,970
UNDER 1	2,059	347	1,986	1,839	11,174	12,049	2,928	2,042	5,065	4,313	55	365	32,173
1 - 4	2,759	592	3,644	3,407	24,559	38,605	5,914	9,555	11,037	11,626	112	434	73,639
5 - 9	1,977	528	3,446	3,104	25,051	36,973	5,263	7,122	10,710	11,901	94	256	69,452
10 - 14	1,724	486	2,395	2,369	15,071	20,456	3,633	4,904	7,316	6,418	50	159	44,525
15 - 19	4,592	747	5,666	5,104	29,962	[129,355]	6,796	7,748	13,919	13,241	107	378	88,260
20 - 24	7,549	1,091	8,972	7,528	70,736	[129,355]	11,464	12,870	23,125	23,207	233	636	167,411
25 - 29	5,247	885	6,620	5,692	58,899	[209,329]	9,353	10,124	18,062	18,576	216	521	134,195
30 - 34	3,765	763	4,681	4,299	43,309	[209,329]	6,639	7,685	13,836	14,008	142	481	99,608
35 - 39	2,991	613	4,174	3,932	37,614	[209,329]	6,004	6,968	11,987	12,250	90	340	86,963
40 - 44	2,185	525	3,617	3,214	29,878	[87,557]	5,370	6,140	10,478	11,234	72	210	72,923
45 - 49	1,697	465	3,158	2,756	24,015	[87,557]	4,872	5,866	9,404	10,579	70	161	63,043
50 - 54	1,375	420	2,855	2,483	20,984	[87,557]	4,420	5,487	8,457	9,393	45	102	56,021
55 - 59	1,109	419	2,531	2,193	18,650	[23,224]	3,965	4,703	6,730	7,584	35	93	48,012
60 - 64	957	322	2,329	1,971	16,914	[23,224]	3,701	4,307	6,102	6,275	38	61	42,977
65 - 69	989	376	2,392	1,971	15,104	[44,468]	3,790	4,104	5,881	5,938	18	54	40,617
70 - 74	812	427	2,537	1,816	12,723	[44,468]	3,792	4,319	5,438	5,884	15	50	37,813
75 - 79	669	344	2,262	1,626	9,459	[42,041]	3,697	4,223	5,123	5,691	10	20	33,157
80 - 84	309	273	1,485	1,165	5,375	[42,041]	2,732	3,349	3,541	3,969	11	16	22,225
85 +	168	277	1,280	766	2,971	[1,559]	1,973	2,385	2,317	2,800	5	9	14,951
UNKNOWN	6	-	-	-	-	1,559	-	-	-	-	19	13	38
ALL AGES	43,877	10,832	72,971	63,002	523,477	708,452	104,701	122,645	193,543	200,422	1,611	4,892	1,341,973

(2) Excludes Ontario.
(3) Sick newborns only.

TABLE 2a (iii) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

NUMBER OF SEPARATIONS													
AGE GROUP	N.B.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN	1,981	(3)	14,255	11,781	104,186	129,734	17,149	17,939	30,687	31,851	354	1,112	233,098
UNDER 1	4,974	903	4,814	4,250	27,848	29,582	4,075	4,001	12,068	10,445	113	797	77,988
1 - 4	6,597	1,507	8,620	8,052	57,350	91,069	15,448	12,101	25,320	26,504	211	956	170,439
5 - 9	4,778	1,144	7,011	6,698	55,646	81,099	11,283	10,167	23,137	25,757	179	522	152,427
10 - 14	3,784	944	5,125	4,997	33,022	45,896	7,358	10,054	15,491	13,732	105	518	95,160
15 - 19	6,313	1,132	7,966	7,365	47,671	171,389	10,252	12,528	21,247	19,579	147	551	134,531
20 - 24	8,945	1,299	10,713	9,071	89,509		16,332	16,029	29,462	28,652	269	778	209,059
25 - 29	6,274	1,084	7,907	6,709	75,651		11,515	12,414	23,159	23,216	275	674	166,916
30 - 34	4,823	964	5,954	5,463	58,276	289,516	8,794	10,093	19,012	18,626	199	592	132,796
35 - 39	4,075	835	5,559	5,297	54,606		8,475	9,907	17,811	18,058	144	457	125,224
40 - 44	3,376	734	5,620	4,822	49,398		8,347	9,608	16,805	18,103	141	344	117,298
45 - 49	3,099	771	5,548	4,711	43,467		8,530	9,722	15,852	17,384	120	249	109,253
50 - 54	2,767	787	5,566	4,448	41,147	167,680	8,340	9,625	15,258	16,892	108	199	105,137
55 - 59	2,412	819	5,651	4,395	38,792		8,230	9,447	13,794	15,259	102	188	99,089
60 - 64	2,067	743	5,080	4,020	35,378	49,935	8,058	8,853	13,241	14,061	92	130	91,703
65 - 69	1,952	849	5,020	3,869	30,540	90,875	8,034	8,896	12,669	13,200	77	116	85,222
70 - 74	1,710	903	5,182	3,747	25,362		8,070	9,255	11,469	12,769	34	89	78,590
75 - 79	1,308	720	4,514	3,315	18,620	77,357	8,005	9,208	11,197	12,251	25	57	69,220
80 - 84	722	533	3,035	2,278	10,563		5,705	7,283	7,894	9,221	26	36	47,294
85+	360	497	2,343	1,529	5,903		5,975	5,168	4,972	6,175	20	24	30,966
UNKNOWN	17	-	-	-	-	2,862	-	-	-	-	38	17	72
ALL AGES	72,334	18,877	126,081	106,857	901,135	1,224,794	184,778	218,228	340,525	351,735	2,816	8,116	2,331,482

(2) Excludes Ontario.

(3) Sick newborns only.

TABLE 2b (i) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

PATIENT-DAYS SINCE ADMISSION

AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
MALES													
NEWBORN	14,145	5,884	49,834	37,550	339,999	473,442	56,179	59,788	115,273	114,862	1,135	3,390	798,039
UNDER 1	29,812	5,297	30,678	23,175	231,722	182,236	38,641	25,366	62,966	60,034	438	4,357	512,486
1 - 4	36,304	5,043	36,628	34,127	264,106	310,175	45,136	90,545	85,867	96,976	791	4,503	700,026
5 - 9	26,372	3,917	26,280	23,640	186,973	219,522	28,574	41,328	65,377	74,490	705	2,194	479,850
10 - 14	19,880	3,225	19,666	18,753	128,939	156,457	20,958	29,132	53,293	46,012	643	1,159	341,660
15 - 19	17,764	3,004	19,881	16,871	148,937	370,418	23,697	28,354	53,136	49,786	308	1,260	362,998
20 - 24	13,447	1,243	16,195	11,379	161,119	21,061	21,079	21,079	43,502	40,892	129	845	330,891
25 - 29	12,610	2,251	11,484	8,791	131,606	17,342	18,941	17,342	38,808	35,495	788	1,263	279,379
30 - 34	11,162	1,733	12,152	9,802	147,348	857,450	22,287	18,059	45,834	36,381	378	1,223	306,359
35 - 39	13,549	2,135	15,384	13,103	183,335	22,521	22,521	25,471	55,015	49,067	480	1,186	381,294
40 - 44	15,317	1,628	26,315	16,554	235,331	34,987	34,987	30,254	68,078	62,749	633	1,662	493,508
45 - 49	20,958	3,596	33,246	22,461	255,534	1,232,736	47,475	39,355	69,381	72,594	414	998	557,857
50 - 54	22,868	4,102	38,548	24,663	300,622	1,232,736	47,475	43,771	82,498	91,190	749	1,179	657,665
55 - 59	20,375	4,976	50,377	29,261	319,855	499,434	58,661	58,223	93,861	101,803	807	1,121	759,356
60 - 64	18,995	5,717	44,436	27,894	351,499	499,434	65,622	61,338	104,491	107,125	591	813	788,521
65 - 69	17,974	7,506	45,641	26,013	350,159	1,040,658	68,403	68,754	113,095	117,102	934	958	818,553
70 - 74	19,183	8,063	46,957	31,427	312,809	1,040,658	82,223	75,288	117,580	125,088	354	437	817,790
75 - 79	13,102	5,077	43,357	23,356	307,726	1,040,658	85,693	86,116	148,992	118,421	282	594	853,910
80 - 84	8,574	4,664	31,475	17,555	196,837	1,097,811	66,945	73,292	123,891	99,675	266	323	623,497
85+	4,762	4,149	18,292	12,018	141,185	15,769	49,173	65,069	120,011	66,036	246	348	479,299
UNKNOWN	68	-	-	-	-	15,769	-	-	-	-	385	33	486

ALL AGES 357,861 83,061 616,803 435,207 4,715,491 6,456,088 897,873 955,904 1,660,949 1,563,778 11,456 29,846 11,528,229

(2) Excludes Ontario.
(3) Sick newborns only.

TABLE 2b (ii) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN (1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

PATIENT-DAYS SINCE ADMISSION													
AGE GROUP	N.F.L.	P.E.I.	A.S.	N.B.	QUE.	ONT.	MAN.	S.A.S.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN	14,134	5,749	46,738	35,753	317,857	443,627	53,599	50,954	110,960	106,624	1,042	3,516	762,986
UNDER 1	22,035	3,264	11,967	18,014	159,657	128,501	30,368	18,094	45,953	46,330	426	3,602	365,779
1 - 4	25,951	4,539	26,719	25,804	207,114	240,780	30,566	68,046	64,835	77,877	811	4,082	543,344
5 - 9	18,879	3,712	19,992	18,595	150,787	170,684	24,316	36,217	54,230	55,607	430	2,681	385,446
10 - 14	16,549	3,006	17,373	15,727	106,536	130,629	19,262	26,619	44,655	59,293	206	1,575	290,618
15 - 19	33,494	4,573	38,198	31,739	207,863	[861,852]	39,315	44,332	83,878	80,227	609	2,839	567,122
20 - 24	17,422	6,224	56,239	43,011	437,554		64,228	72,546	139,665	138,782	1,272	3,948	1,031,941
25 - 29	54,210	5,539	44,314	35,454	414,560	[1,772,208]	53,772	60,192	117,725	118,872	1,328	3,302	890,877
30 - 34	26,807	5,032	35,635	30,054	353,064		43,044	48,845	98,668	99,050	1,206	3,753	745,167
35 - 39	25,725	4,817	36,501	31,347	364,056	[1,288,281]	47,079	50,566	94,168	95,955	546	2,949	753,709
40 - 44	23,074	4,458	39,282	29,169	362,337		48,841	51,055	94,428	97,791	595	1,830	752,860
45 - 49	22,342	4,867	58,628	29,301	333,063	[1,190,938]	48,299	54,015	95,846	101,590	739	2,004	730,692
50 - 54	21,238	5,214	49,468	28,939	330,671		50,405	56,955	99,013	99,859	363	1,082	733,207
55 - 59	17,442	5,367	57,514	28,419	326,467	[1,877,699]	50,903	54,082	87,762	93,517	557	1,156	703,186
60 - 64	19,066	4,683	36,868	26,727	347,574		58,613	56,929	92,398	88,943	386	756	732,940
65 - 69	19,764	6,094	41,722	28,874	362,700	[17,508]	65,229	57,485	104,325	93,531	185	698	780,627
70 - 74	15,346	7,483	46,920	28,425	379,014		75,177	66,919	108,747	97,458	162	732	826,383
75 - 79	13,378	7,089	44,173	26,989	385,057	[1,288,281]	82,317	71,404	138,191	102,246	85	233	871,162
80 - 84	9,498	5,417	29,540	20,097	265,454		82,067	62,889	135,632	77,875	191	189	688,849
85 +	6,906	6,956	28,072	13,822	242,575	[1,288,281]	58,859	55,188	107,273	57,458	69	133	577,311
UNKNOWN	20	-	-	-	-		17,508	-	-	-	-	189	103
ALL AGES	433,280	103,883	725,913	546,260	6,083,579	8,596,864	1,030,266	1,071,380	1,918,352	1,768,965	11,397	41,223	13,734,498

(2) Excludes Ontario.
(3) Sick newborns only.

TABLE 2b (iii) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

PATIENT-DAYS SINCE ADMISSION

AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA ⁽²⁾
BOTH SEXES													
NEWBORN	28,279 ⁽³⁾	11,633	96,572	73,303	667,856	917,069	109,778	116,742	226,233	221,546	2,177	6,906	1,561,025
UNDER 1	51,847	8,561	52,645	41,189	391,379	310,737	65,009	43,460	108,919	106,373	864	8,019	878,265
1 - 4	62,255	9,582	63,347	59,931	471,220	550,964	81,702	159,591	150,702	174,853	1,602	8,585	1,243,370
5 - 9	45,251	7,629	46,272	42,235	337,760	390,206	52,890	77,545	119,607	130,097	1,135	4,875	865,296
10 - 14	36,429	6,231	37,039	34,480	235,285	287,086	40,227	55,751	97,948	85,305	849	2,734	632,278
15 - 19	51,258	7,577	58,079	48,610	356,800	[1,232,270]	63,012	72,739	137,014	130,015	917	4,099	930,120
20 - 24	60,869	7,467	72,484	54,390	618,673	[]	85,289	94,625	183,167	179,674	1,401	4,793	1,362,832
25 - 29	46,820	7,590	55,798	44,245	545,975	[]	74,713	77,534	156,533	154,367	2,116	4,565	1,170,256
30 - 34	37,969	6,765	47,787	39,856	500,412	[2,629,658]	65,331	66,904	144,502	135,440	1,584	4,976	1,051,526
35 - 39	39,274	7,000	51,885	44,450	547,391	[]	69,600	76,037	149,183	145,022	1,026	4,135	1,135,003
40 - 44	38,391	6,086	65,597	45,723	597,668	[]	83,828	81,309	162,506	160,540	1,228	3,492	1,246,368
45 - 49	43,340	8,463	71,876	51,762	588,417	[]	87,777	93,348	165,227	174,184	1,153	3,002	1,288,549
50 - 54	44,106	9,316	78,016	53,602	631,293	[2,521,017]	97,880	100,726	181,511	191,049	1,112	2,261	1,390,872
55 - 59	37,817	10,343	87,891	57,680	666,352	[]	109,570	112,305	181,623	195,320	1,364	2,277	1,462,542
60 - 64	38,061	10,400	81,304	54,621	699,073	[]	124,235	118,264	196,889	196,068	977	1,569	1,521,461
65 - 69	37,738	13,403	87,367	56,897	712,859	[2,231,576]	133,634	126,239	217,420	210,633	1,119	1,656	1,598,965
70 - 74	35,129	15,546	93,853	59,652	691,823	[]	157,405	142,207	226,327	220,546	516	1,169	1,644,173
75 - 79	26,480	12,166	87,525	55,344	692,783	[]	169,210	157,520	287,183	220,667	367	827	1,710,072
80 - 84	18,072	10,081	61,015	37,652	462,291	[2,975,510]	149,012	136,181	259,523	177,550	457	512	1,312,346
85+	11,668	11,105	46,364	25,845	383,760	[]	108,037	118,257	227,284	123,494	315	481	1,056,610
UNKNOWN	88	-	-	-	-	33,277	-	-	-	-	574	136	798
ALL AGES	791,141	186,944	1,342,716	981,467	10,799,070	15,052,952	1,928,139	2,027,284	3,579,301	3,332,743	22,853	71,069	25,062,727

(2) Excludes Ontario.

(3) Sick newborns only.

TABLE 2c (1) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAC(1) PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

AVERAGE LENGTH OF STAY													
AGE GROUP	WFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(2)
MALES													
NEWBORN	13.6	6.2	6.8	6.2	6.1	7.1	6.4	6.3	7.4	7.2	6.3	6.7	6.7
UNDER 1	10.2	9.5	10.8	9.6	13.9	10.4	9.5	9.2	9.0	9.8	7.6	10.1	11.2
1 - 4	9.5	6.5	7.4	7.4	8.1	5.9	6.1	7.2	6.0	6.5	5.8	8.6	7.2
5 - 9	9.4	6.4	6.3	6.6	6.1	5.0	4.7	5.0	5.3	5.4	8.3	8.2	5.8
10 - 14	9.6	7.0	7.2	7.1	7.2	6.7	5.3	5.8	6.5	6.3	11.7	7.3	6.7
15 - 19	10.3	7.8	8.6	7.5	8.1	[8.8]	6.9	6.2	7.3	7.2	7.7	8.2	7.8
20 - 24	9.6	6.0	9.3	7.4	8.6		7.3	6.1	6.9	7.5	3.6	6.0	7.9
25 - 29	12.3	11.3	8.9	8.2	8.3	[10.7]	8.8	7.6	7.6	7.6	13.4	8.3	8.5
30 - 34	10.6	8.6	9.5	8.4	9.3		10.3	7.5	8.9	7.9	6.6	11.0	9.2
35 - 39	12.5	9.8	11.1	9.6	10.3	[15.4]	9.1	8.7	9.4	8.4	8.9	10.1	10.0
40 - 44	12.9	7.8	13.1	10.3	12.1		11.8	8.1	10.8	9.1	9.2	12.4	11.1
45 - 49	15.0	11.8	13.9	11.5	13.1	[18.7]	11.4	10.2	10.8	10.7	8.3	11.3	12.0
50 - 54	16.4	11.2	14.2	12.6	14.9		12.1	10.6	12.1	12.2	11.9	12.2	13.4
55 - 59	15.6	12.4	16.1	13.3	16.9	[22.4]	13.8	12.3	13.3	13.3	12.0	11.8	14.8
60 - 64	17.1	13.6	16.2	13.6	19.0		15.1	13.6	14.6	13.8	10.9	11.8	16.2
65 - 69	18.7	15.5	17.4	14.8	22.7	[31.1]	16.1	14.3	16.7	16.1	15.8	15.5	18.3
70 - 74	22.0	16.9	17.7	16.2	24.7		19.2	15.3	19.5	17.9	18.6	11.2	20.0
75 - 79	20.5	14.8	19.2	16.8	33.6	[12.1]	20.2	17.3	24.5	18.1	18.8	16.1	23.2
80 - 84	20.8	17.9	20.3	15.8	37.9		22.5	18.6	28.5	19.0	17.7	16.2	23.2
85+	24.8	18.9	17.2	15.8	48.2		24.6	22.7	45.2	19.6	16.4	8.2	29.9
UNKNOWN	6.2	-	-	-	-		-	-	-	-	20.3	-	14.3
ALL AGES	12.6	10.3	11.6	9.9	12.5	12.5	11.2	10.0	11.3	10.3	9.5	9.3	11.4

(2) Excludes Ontario.
(3) Sick newborns only.

TABLE 2c (ii) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

AVERAGE LENGTH OF STAY													
AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(2)
FEMALES													
NEWBORN	15.1(3)	6.4	6.7	6.2	6.4	7.1	6.4	6.5	7.4	6.9	6.0	6.6	6.7
UNDER 1	10.7	9.4	11.1	9.8	14.3	10.7	9.0	8.9	9.1	10.7	7.7	10.0	11.4
1 - 4	9.4	7.7	7.3	7.6	8.4	6.2	6.2	7.2	5.8	6.7	7.2	9.4	7.4
5 - 9	9.5	7.0	5.8	6.0	6.0	4.6	4.6	5.1	5.1	4.7	4.6	10.5	5.5
10 - 14	9.6	6.2	7.3	6.6	7.1	6.4	5.3	5.4	6.1	6.1	4.1	9.9	6.5
15 - 19	7.3	6.1	6.7	6.2	6.9	[6.7]	5.8	5.7	6.0	6.1	5.7	7.5	6.4
20 - 24	6.3	5.7	6.3	5.7	6.5	[8.5]	5.6	5.7	6.0	6.0	5.5	6.2	6.2
25 - 29	6.5	6.0	6.7	6.2	7.0	[14.7]	6.0	5.9	6.5	6.4	6.1	6.3	6.6
30 - 34	7.1	6.6	7.6	7.0	8.2	[20.4]	6.5	6.4	7.1	7.1	8.5	7.8	7.5
35 - 39	8.6	7.9	8.7	8.0	9.7	[26.8]	7.8	7.3	7.9	7.8	6.1	8.7	8.7
40 - 44	10.6	8.5	10.9	9.1	12.1	[44.7]	9.1	8.3	9.0	8.7	8.3	8.7	10.3
45 - 49	13.2	10.5	12.2	10.6	13.9	11.2	9.9	9.2	10.2	9.6	10.6	12.4	11.6
50 - 54	15.4	12.4	13.8	11.7	15.8		11.4	10.4	11.7	10.6	8.1	10.6	13.1
55 - 59	15.7	12.8	14.8	13.0	17.5		12.8	11.5	13.0	12.3	15.9	12.4	14.6
60 - 64	19.9	14.5	15.8	13.6	20.5		15.8	13.2	15.1	14.2	10.2	12.4	17.0
65 - 69	20.0	16.2	17.4	14.6	24.0		17.2	14.0	17.7	15.8	10.3	12.9	19.2
70 - 74	18.9	17.5	18.5	15.7	29.8		19.8	15.5	20.0	16.6	10.8	14.6	21.8
75 - 79	20.0	18.8	19.5	16.6	40.7		22.3	16.9	27.0	18.0	8.5	11.7	26.3
80 - 84	30.7	19.8	19.9	17.2	49.4		30.0	18.8	38.3	19.6	17.4	11.8	31.0
85+	41.1	25.1	21.9	18.0	81.6		29.8	23.1	46.3	20.5	13.8	14.8	38.6
UNKNOWN	3.3	-	-	-	-	11.2	-	-	-	-	9.9	7.9	8.2
ALL AGES	9.9	9.6	9.9	8.7	11.6	12.1	9.8	8.7	9.9	8.8	7.1	8.4	10.2

(2) Excludes Ontario.
(3) Sick newborns only.

TABLE 2c (iii) HOSPITALIZATION BY SEX AND AGE FOR PROTECTORIAL PLAN (1) DISTRICTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

AVERAGE LENGTH OF STAY													
AGE GROUP	N.F.D.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN	14.3 (3)	6.3	6.3	6.2	6.4	7.1	6.1	6.5	7.4	7.0	6.1	6.6	6.7
UNDER 1	10.4	9.5	10.9	9.7	14.1	10.5	9.1	9.1	9.0	10.2	7.6	10.1	11.3
1 - 4	9.4	7.0	7.3	7.5	8.2	6.0	6.1	7.2	6.0	6.6	6.5	9.0	7.3
5 - 9	9.5	6.7	8.1	6.3	6.0	4.8	4.1	5.0	5.2	5.1	6.3	9.3	5.7
10 - 14	9.6	6.6	7.2	6.9	7.1	6.5	5.3	5.5	6.3	6.2	8.1	8.6	6.6
15 - 19	8.1	6.7	7.3	6.6	7.5	[7.2]	6.3	5.9	6.4	6.6	6.2	7.7	6.9
20 - 24	6.8	5.7	6.8	6.0	6.9		6.0	5.9	6.2	6.3	5.2	6.2	6.5
25 - 29	7.5	7.0	7.1	6.5	7.4	[9.1]	6.5	6.2	6.8	6.6	7.7	6.8	7.0
30 - 34	7.9	7.0	8.0	7.3	8.6		7.1	6.6	7.6	7.3	8.0	8.4	7.9
35 - 39	9.6	8.4	9.3	8.4	10.0	[15.0]	8.1	7.7	8.4	8.0	7.1	9.0	9.1
40 - 44	11.4	8.3	11.7	9.5	12.1		10.0	8.5	9.7	8.9	8.7	10.2	10.6
45 - 49	14.0	11.0	13.0	11.0	13.5	[19.5]	10.5	9.6	10.4	10.0	9.6	12.1	11.8
50 - 54	15.9	11.8	14.0	12.1	15.3		11.7	10.5	11.9	11.3	10.3	11.4	13.2
55 - 59	15.7	12.6	15.6	13.1	17.2	[24.6]	13.3	11.9	13.2	12.8	13.4	12.1	14.8
60 - 64	18.4	14.0	16.0	13.6	19.8		15.4	13.4	14.9	13.9	10.6	12.1	16.6
65 - 69	19.3	15.8	17.4	14.7	23.5	[38.5]	16.8	14.2	17.2	16.0	14.5	14.3	18.8
70 - 74	20.5	17.2	18.1	15.9	27.3		19.5	15.4	19.7	17.3	15.2	13.1	20.9
75 - 79	20.2	16.9	19.4	16.7	37.2	[11.6]	21.1	17.1	25.6	18.0	14.7	14.5	24.7
80 - 84	25.0	18.9	20.1	16.5	43.8		26.1	18.7	32.9	19.3	17.6	14.2	27.7
85+	32.4	22.3	19.8	16.9	65.0		27.3	22.9	45.7	20.0	15.8	20.0	34.1
UNKNOWN	5.2	-	-	-	-	11.6	-	-	-	-	15.1	8.0	11.1
ALL AGES	10.9	9.9	10.6	9.2	12.0	12.3	10.4	9.3	10.5	9.5	8.1	8.8	10.7

(2) Excludes Ontario.
(3) Sick newborns only.

TABLE 2d (i) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

SEPARATION RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA (2)
MALES													
NEWBORN													
UNDER 1	410.6	556.0	382.2	370.9	312.2	265.7	459.9	299.9	454.7	365.0	290.0	864.0	362.7
1 - 4	138.1	151.2	145.1	156.8	127.3	170.4	181.8	290.4	203.2	190.0	151.1	237.3	164.1
5 - 9	81.7	93.3	93.4	92.9	88.7	110.2	112.2	149.6	133.8	130.0	85.0	120.9	105.9
10 - 14	63.4	73.9	65.2	70.5	54.7	64.2	77.0	96.6	97.4	74.5	68.8	106.0	68.9
15 - 19	60.4	66.4	59.3	65.7	60.5	[72.4]	75.8	98.3	107.4	74.0	66.7	117.7	71.4
20 - 24	73.5	54.7	62.2	66.5	75.9		81.0	94.6	120.0	75.1	60.0	101.4	80.5
25 - 29	71.3	68.6	59.0	63.7	74.2		76.9	86.4	108.9	73.4	84.3	117.7	77.7
30 - 34	81.4	69.3	61.8	74.6	80.1	[85.1]	80.1	92.6	106.7	74.0	95.0	92.5	82.0
35 - 39	83.4	82.2	68.6	86.4	90.6		89.2	106.9	116.7	89.4	90.0	117.0	93.1
40 - 44	96.0	74.6	97.2	96.9	108.9		103.4	125.7	138.4	109.9	138.0	167.5	111.6
45 - 49	115.9	113.3	116.6	123.7	128.4	[149.3]	127.1	143.9	160.0	122.6	100.0	146.7	130.7
50 - 54	125.4	135.9	135.6	132.8	149.7		151.4	162.3	193.2	142.0	210.0	194.0	151.8
55 - 59	143.2	160.0	178.3	170.7	178.7		190.4	209.9	240.3	173.6	223.3	190.0	186.3
60 - 64	168.2	210.5	210.0	207.0	212.0	217.9	239.4	242.0	287.9	219.3	270.0	230.0	225.2
65 - 69	185.2	262.8	252.7	240.3	240.1	[279.1]	298.9	337.5	359.2	262.2	295.0	310.0	270.3
70 - 74	219.0	317.3	307.6	288.2	269.5		568.8	401.3	418.8	308.7	190.0	195.0	316.8
75 - 59	228.2	311.8	363.2	367.2	309.5		478.7	493.6	542.3	360.4	150.0	370.0	387.8
80 - 84	258.1	371.4	418.4	397.5	330.4	[401.8]	560.9	596.1	640.1	434.0	(2)	(2)	453.3
85 +	213.3	550.0	442.9	476.9	357.6		690.3	795.1	737.5	496.3	(2)	(2)	528.5
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	111.4	145.7	139.5	140.8	128.9	144.5	165.6	195.2	193.7	153.4	147.0	204.1	148.2

(2) Excludes Ontario.

TABLE 2d (ii) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

SEPARATION RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN													
UNDER 1	307.3	347.0	283.7	301.5	221.7	191.9	348.6	234.7	349.3	269.6	275.0	730.0	269.2
1 - 4	104.9	120.8	112.1	123.4	101.0	132.3	150.9	231.9	164.5	156.9	160.0	217.0	131.8
5 - 9	60.1	83.8	80.5	83.7	75.1	96.4	102.8	132.4	120.2	115.7	94.0	121.9	92.3
10 - 14	54.6	81.0	60.2	66.0	48.2	58.6	74.4	96.5	92.1	68.6	62.5	106.0	63.5
15 - 19	163.4	131.1	150.3	151.9	103.8	226.7	152.4	171.0	208.4	161.9	214.0	315.0	139.2
20 - 24	385.2	303.1	325.1	334.6	280.6	399.7	331.3	399.7	422.8	331.1	466.0	636.0	322.9
25 - 29	374.8	316.1	307.9	340.8	293.5	389.4	338.9	389.4	378.7	303.5	360.0	521.0	319.7
30 - 34	311.2	293.5	234.1	272.1	232.7	225.1	254.4	308.6	300.8	247.5	284.0	534.4	254.4
35 - 39	251.3	235.8	203.6	242.7	198.5	225.1	215.2	266.0	259.5	205.9	180.0	485.7	216.5
40 - 44	195.1	194.4	170.6	189.1	163.5	225.7	179.0	225.7	232.8	180.0	180.0	350.0	182.1
45 - 49	155.7	172.2	149.7	171.2	154.5	219.7	174.0	219.7	237.5	181.8	233.3	322.0	175.4
50 - 54	137.5	155.6	145.7	172.4	152.4	222.1	169.3	222.1	249.5	176.6	150.0	255.0	173.4
55 - 59	140.4	190.5	159.2	179.8	162.3	226.1	179.4	226.1	243.8	177.6	175.0	310.0	180.0
60 - 64	156.9	178.9	180.5	195.1	180.7	181.7	204.5	257.9	276.1	185.7	380.0	305.0	199.4
65 - 69	190.2	221.2	213.6	226.6	205.8	223.6	256.1	306.3	338.0	208.4	180.0	540.0	232.8
70 - 74	188.8	251.2	253.7	242.1	229.7	223.6	294.0	375.6	396.9	232.6	150.0	500.0	265.4
75 - 79	223.0	290.0	314.2	306.8	256.3	330.0	389.2	464.1	497.4	283.1	(2)	200.0	322.5
80 - 84	181.8	303.3	322.8	342.6	267.4	330.0	463.1	598.0	553.3	307.7	(2)	(2)	361.4
85+	168.0	461.7	387.9	333.0	256.1	548.1	548.1	681.4	626.2	354.4	(2)	(2)	398.7
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	179.5	201.3	193.9	204.2	178.1	198.1	218.4	261.9	264.7	208.6	236.9	370.6	203.9

(2) Excludes Ontario.

TABLE 2d (iii) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

SEPARATION RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN													
UNDER 1	-	-	-	-	-	-	-	-	-	-	-	-	-
1 - 4	360.4	451.5	334.3	337.3	268.3	229.7	405.5	268.2	403.6	318.4	282.5	797.0	317.3
5 - 9	121.9	136.3	129.0	140.7	114.5	151.9	166.6	261.9	184.3	173.9	155.0	227.6	148.4
10 - 14	71.1	88.7	87.1	88.4	82.1	103.4	107.6	141.1	127.1	122.9	89.5	121.4	99.2
15 - 19	59.0	73.4	62.7	68.3	51.5	61.5	75.7	96.6	94.9	71.6	105.0	106.0	66.3
20 - 24	111.5	98.4	104.1	108.3	82.0	[148.9]	113.7	134.1	157.4	117.0	133.6	212.4	104.9
25 - 29	231.7	175.5	192.7	198.5	179.2		204.7	244.3	274.1	200.9	244.5	324.2	201.8
30 - 34	220.9	190.2	182.6	201.5	184.4		206.7	236.5	245.4	186.6	211.5	293.0	198.5
35 - 39	192.2	175.3	146.7	174.0	156.2	[154.7]	165.9	198.3	201.2	156.5	180.9	281.9	166.8
40 - 44	163.7	157.5	136.6	165.5	144.8		152.4	184.5	185.3	145.0	130.9	268.8	154.1
45 - 49	143.1	133.5	134.4	143.5	136.5		142.0	175.3	185.3	144.9	156.7	245.7	147.0
50 - 54	134.7	142.8	133.4	147.7	141.6	[156.6]	150.9	181.7	198.4	152.9	150.0	226.4	153.2
55 - 59	131.1	145.7	140.6	152.3	151.1		160.4	191.7	220.8	159.4	180.0	221.1	162.6
60 - 64	141.9	174.3	169.2	175.1	170.4		184.9	217.7	242.0	175.6	204.0	235.0	183.2
65 - 69	162.8	195.5	195.4	201.0	195.8	199.4	222.0	249.5	282.3	202.9	306.7	260.0	212.3
70 - 74	187.7	242.6	232.4	233.1	221.8	[248.8]	277.0	322.3	349.0	234.9	256.7	386.7	251.0
75 - 79	203.6	282.2	278.6	263.9	247.9		329.4	338.9	408.1	268.3	170.0	296.7	289.8
75 - 79	225.5	300.0	336.9	334.8	280.0		432.7	479.6	520.8	319.9	250.0	285.0	353.5
80 - 84	218.8	333.1	365.4	367.4	295.1	[359.3]	509.4	597.0	598.0	368.8	(2)	(2)	404.9
85+	189.5	497.0	411.1	392.1	298.1		611.5	738.3	681.1	420.1	(2)	(2)	456.7
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	144.7	173.2	166.6	172.4	153.6	171.3	191.9	227.8	228.5	180.7	187.7	279.9	175.9

(2) Excludes Ontario.

TABLE 2e (i) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

PATIENT-DAY RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
MALES													
NEWBORN													
UNDER 1	4,199	5,297	4,146	3,565	4,339	2,761	4,391	2,757	4,089	3,573	2,190	8,714	4,058
1 - 4	1,306	989	1,068	1,157	1,026	1,007	1,104	2,096	1,221	1,239	879	2,047	1,186
5 - 9	769	593	589	611	539	548	532	741	704	699	705	997	612
10 - 14	612	520	469	503	393	429	411	544	635	469	804	773	465
15 - 19	623	518	512	490	509	[638]	520	608	779	582	513	969	560
20 - 24	708	327	578	490	652	[]	595	631	824	564	215	604	640
25 - 29	876	776	527	520	662	[]	674	654	833	562	1,126	972	663
30 - 34	859	598	590	628	788	912	829	695	945	583	630	1,019	757
35 - 39	1,042	809	762	829	978	[]	813	926	1,103	755	800	1,186	928
40 - 44	1,235	581	1,277	997	1,312	[]	1,215	1,096	1,490	1,004	1,266	2,078	1,241
45 - 49	1,735	1,332	1,622	1,422	1,686	[]	1,451	1,468	1,722	1,308	828	1,663	1,578
50 - 54	2,060	1,519	1,927	1,666	2,232	2,298	1,833	1,717	2,344	1,727	2,497	2,358	2,033
55 - 59	2,239	1,990	2,879	2,268	3,016	[]	2,619	2,576	3,193	2,303	2,690	2,242	2,770
60 - 64	2,878	2,858	3,392	2,818	4,036	4,074	3,606	3,280	4,213	3,018	2,955	2,710	3,644
65 - 69	3,457	4,061	4,389	3,547	5,446	[]	4,817	4,842	5,984	4,228	4,670	4,790	4,960
70 - 74	4,825	5,375	5,457	4,661	6,670	[]	7,089	6,121	8,165	5,520	3,540	2,185	6,354
75 - 79	4,679	4,615	6,992	6,164	10,396	[]	9,655	8,526	13,303	6,507	2,820	5,940	9,021
80 - 84	5,359	6,663	8,507	6,270	12,537	12,489	12,631	11,105	18,219	8,238	(2)	(2)	11,275
85+	5,291	10,372	7,622	7,514	17,218	[]	16,958	18,020	33,336	9,711	(2)	(2)	15,818
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	1,401	1,505	1,621	1,397	1,610	1,807	1,857	1,952	2,189	1,586	1,397	1,889	1,697

(2) Excludes Ontario.

TABLE 2e (ii) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

PATIENT-DAY RATE PER 1,000 POPULATION

AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	Canada (2)
FEMALES													
NEWBORN													
UNDER 1	3,289	3,264	3,138	2,953	3,168	2,046	3,139	2,080	3,169	2,896	2,130	7,324	3,061
1 - 4	987	926	822	935	852	825	933	1,676	966	1,051	1,159	2,041	972
5 - 9	574	589	467	501	452	445	475	673	609	540	430	1,277	512
10 - 14	524	501	437	438	340	374	395	524	562	420	258	1,050	415
15 - 19	1,192	802	1,013	945	720	1,511	882	980	1,256	980	1,218	2,366	895
20 - 24	2,419	1,729	2,039	1,912	1,815		1,856	2,284	2,553	1,980	2,544	3,948	1,990
25 - 29	2,444	1,907	2,061	2,123	2,065		2,021	2,315	2,468	1,942	2,213	3,302	2,122
30 - 34	2,215	1,935	1,782	1,902	1,897		1,649	1,962	2,145	1,750	2,412	4,170	1,903
35 - 39	2,162	1,853	1,781	1,935	1,921	1,906	1,687	1,930	2,038	1,613	1,092	4,213	1,876
40 - 44	2,060	1,651	1,853	1,716	1,983		1,628	1,877	2,098	1,567	1,488	3,050	1,880
45 - 49	2,050	1,803	1,831	1,820	2,143		1,725	2,023	2,420	1,746	2,463	4,008	2,033
50 - 54	2,124	1,931	2,014	2,010	2,401	2,412	1,931	2,306	2,921	1,877	1,210	2,705	2,270
55 - 59	2,208	2,440	2,359	2,329	2,841		2,303	2,600	3,180	2,190	2,785	3,853	2,636
60 - 64	3,126	2,602	2,858	2,646	3,713	3,710	3,238	3,409	4,181	2,631	3,860	3,780	3,401
65 - 69	3,801	3,585	3,725	3,319	4,941		4,407	4,290	5,996	3,282	1,850	6,980	4,473
70 - 74	3,569	4,402	4,692	3,790	6,841	5,988	5,828	5,819	7,938	3,852	1,620	7,320	5,799
75 - 79	4,459	5,453	6,135	5,092	10,435		8,665	7,847	13,417	5,087	(2)	2,330	8,474
80 - 84	5,587	6,019	6,422	5,911	13,207	14,739	13,910	11,230	21,193	6,037	(2)	(2)	11,201
85 +	6,906	11,593	8,507	6,010	20,912		16,350	15,768	28,993	7,273	(2)	(2)	15,395
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	1,772	1,931	1,929	1,771	2,070	2,404	2,149	2,288	2,624	1,841	1,676	3,123	2,087

(2) Excludes Ontario.

TABLE 2e (iii.) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL (1) AND FEDERAL (2) HOSPITALIZATION, 1967

(1) See notes on page 33 for details

PATIENT-DAY RATE PER 1,000 POPULATION

AGE	INF.	P.	N.S.	N.B.	Q.B.	S.B.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES											
NEWBORN											
UNDER 1	3,757	4,250	3,626	3,269	3,771	3,790	2,642	3,243	2,160	8,019	3,573
1 - 4	836	958	1,050	1,050	941	1,020	1,097	1,147	1,001	2,044	1,082
5 - 9	542	591	557	557	496	504	657	621	568	1,134	563
10 - 14	800	511	453	471	367	403	600	445	849	911	440
15 - 19	1,077	689	750	715	514	600	1,015	777	834	1,640	725
20 - 24	1,217	1,030	1,304	1,190	1,229	1,212	1,704	1,250	1,274	1,997	1,316
25 - 29	1,331	1,332	1,283	1,317	1,327	1,301	1,660	1,241	1,628	1,985	1,392
30 - 34	1,565	1,350	1,177	1,552	1,342	1,333	1,529	1,138	1,440	2,370	1,321
35 - 39	1,542	1,221	1,275	1,389	1,452	1,252	1,552	1,165	933	2,432	1,397
40 - 44	1,836	1,207	1,569	1,361	1,691	1,426	1,792	1,285	1,364	2,494	1,562
45 - 49	1,918	1,567	1,728	1,623	1,917	1,570	2,068	1,532	1,441	2,729	1,807
50 - 54	1,792	1,715	1,970	1,836	2,316	1,982	2,627	1,802	1,853	2,512	2,151
55 - 59	2,239	2,201	2,631	2,298	2,928	2,462	3,186	2,248	2,728	2,846	2,704
60 - 64	2,971	2,737	3,127	2,731	3,869	3,422	4,198	2,829	3,257	3,133	3,523
65 - 69	3,378	3,529	4,045	3,428	5,177	4,603	5,990	3,748	3,730	5,520	4,710
70 - 74	3,152	4,258	5,046	4,201	6,763	5,425	8,054	4,633	2,580	3,897	6,063
75 - 79	3,116	5,069	6,532	5,590	10,418	8,146	13,357	5,762	3,670	4,135	8,734
80 - 84	3,536	6,301	7,351	6,073	12,913	13,305	19,661	7,102	(2)	(2)	11,236
85+	46	11,105	8,134	6,627	19,382	16,621	31,135	8,401	(2)	(2)	15,584
UNKNOWN											
ALL AGES	1,582	1,715	1,774	1,583	1,840	2,002	2,402	1,712	1,524	2,451	1,891

(2) Excludes Ontario.

TABLE 2f (i) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS														
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(2)	
MALES														
NEWBORN	3.7(3)	11.9	13.8	13.7	14.1	13.0	10.9	9.6	10.7	10.8	14.9	15.8	12.0	
UNDER 1	10.2	6.9	5.3	5.5	4.4	3.4	5.1	2.9	4.8	4.1	4.8	13.4	4.6	
1 - 4	13.5	9.6	9.4	10.5	8.7	10.2	9.3	13.1	9.7	9.8	11.3	16.2	9.8	
5 - 9	9.8	7.7	7.8	8.2	8.2	8.5	7.5	8.7	8.5	9.2	7.1	8.3	8.4	
10 - 14	7.2	5.7	5.1	6.0	4.8	4.5	4.9	5.4	5.6	4.8	4.6	4.9	5.1	
15 - 19	6.0	4.8	4.3	5.2	4.7	[8.1]	4.3	4.8	5.0	4.2	3.3	4.7	4.7	
20 - 24	4.9	2.6	3.3	3.5	5.0	[15.5]	3.6	3.3	4.3	3.6	3.0	4.4	4.2	
25 - 29	3.6	2.5	2.4	2.5	3.9		2.7	2.4	3.5	3.1	4.7	3.4	3.3	
30 - 34	3.7	2.5	2.4	2.7	4.0		2.7	2.5	3.5	3.1	4.7	3.4	3.4	
35 - 39	3.8	2.8	2.6	3.1	4.5	[15.5]	3.1	3.1	4.0	3.8	4.5	3.6	3.9	
40 - 44	4.2	2.6	3.8	3.7	5.2		3.7	3.6	4.3	4.5	5.7	4.2	4.5	
45 - 49	4.9	3.8	4.5	4.5	5.2		4.3	4.0	4.4	4.5	4.1	2.7	4.7	
50 - 54	4.9	4.6	5.1	4.5	5.3	[5.2]	4.9	4.3	4.6	5.0	5.2	3.0	5.0	
55 - 59	4.6	5.0	5.9	5.0	5.3		5.3	5.0	4.8	5.1	5.6	2.9	5.2	
60 - 64	3.9	5.2	5.2	4.7	4.9		5.4	4.7	4.9	5.1	4.5	2.1	4.9	
65 - 69	3.4	5.9	4.9	4.3	4.1	[9.0]	5.3	5.0	4.6	4.8	4.9	1.9	4.5	
70 - 74	3.2	5.9	5.0	4.4	3.3		5.3	5.2	4.1	4.6	1.6	1.2	1.2	4.1
75 - 79	2.2	4.3	4.2	3.9	2.4		5.4	5.2	4.1	4.3	1.2	1.1	1.1	3.6
80 - 84	1.5	3.2	2.9	2.5	1.4	[6.8]	3.7	4.1	3.0	3.5	1.2	0.6	2.5	
85+	0.7	2.7	2.0	1.7	0.8		2.5	2.9	1.8	2.2	1.2	1.2	0.5	1.6
UNKNOWN	..	-	-	-	-	0.3	-	-	-	-	1.6	0.1	..	
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

.. Less than 0.05

(2) Excludes Ontario.

(3) Sick newborns.

TABLE 2f (ii) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS												
AGE GROUP	ALTA.	N.S.	N.B.	ONT.	M.N.	MAN.	E.C.	YUKON	N.W.T.	CANADA ⁽²⁾		
FEMALES	2.1(3)	9.5	9.2	8.9	8.0	7.1	7.8	10.8	10.9	8.5		
NEWBORN	4.7	2.7	2.9	1.7	2.8	1.7	2.2	3.4	7.5	2.4		
UNDER 1	5.1	5.0	5.4	5.4	5.6	7.8	5.8	7.0	8.9	5.5		
1 - 4	5.5	4.1	4.9	5.2	5.0	5.8	5.9	5.8	5.2	5.2		
5 - 9	1.5	3.3	3.8	2.9	3.5	4.0	3.2	3.1	3.2	3.3		
10 - 14	3.9	7.3	8.1	2.9	6.5	6.3	6.6	6.6	7.7	6.6		
15 - 19	10.5	12.3	11.9	18.3	10.9	10.5	11.6	14.5	13.0	12.5		
20 - 24	17.2	9.1	9.0	11.3	8.9	8.3	9.3	13.4	10.6	10.0		
25 - 29	12.0	6.4	6.8	29.5	6.3	6.3	7.0	8.8	9.8	7.4		
30 - 34	6.8	5.7	6.2	7.2	5.7	5.7	6.1	5.6	7.0	6.5		
35 - 39	5.0	5.0	5.1	5.7	5.1	5.0	5.6	4.5	4.3	5.4		
40 - 44	3.9	4.3	4.4	4.6	4.7	4.8	5.3	4.3	3.3	4.7		
45 - 49	3.1	3.3	3.9	4.0	4.2	4.5	4.7	2.8	2.1	4.2		
50 - 54	3.5	3.5	3.5	3.6	3.8	3.8	3.8	2.2	1.9	3.6		
55 - 59	2.2	3.2	3.1	3.2	3.5	3.5	3.1	2.4	1.2	3.2		
60 - 64	2.3	3.3	3.1	3.2	3.6	3.3	3.0	1.1	1.1	3.0		
65 - 69	1.9	3.5	2.9	2.4	3.6	3.5	2.9	0.9	1.0	2.8		
70 - 74	1.5	3.1	2.6	1.8	3.5	3.4	2.8	0.6	0.4	2.5		
75 - 79	0.7	2.0	1.8	1.0	2.6	2.7	2.0	0.7	0.3	1.7		
80 - 84	0.4	1.8	1.2	0.6	1.9	1.9	1.4	0.3	0.2	1.1		
85+	..	-	-	0.2	-	-	-	1.2	0.3	..		
UNKNOWN	..	-	-	-	-	-	-	-	-	-		
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		

.. Less than 0.05

(2) Excludes Ontario.

(3) Sick newborns only.

TABLE 2f (iii) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS													
AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(2)
BOTH SEXES													
NEWBORN	2.7(3)	9.8	11.3	11.0	11.6	10.6	9.3	8.2	9.0	9.1	12.6	12.8	10.0
UNDER 1	6.9	4.8	3.8	4.0	3.1	2.4	3.8	2.2	3.5	3.0	4.0	9.8	3.3
1 - 4	9.1	7.2	6.8	7.5	6.4	7.4	7.2	10.1	7.4	7.5	8.8	11.8	7.3
5 - 9	6.6	6.1	6.0	6.3	6.2	6.6	6.1	7.1	6.8	7.3	6.4	6.4	6.5
10 - 14	5.2	5.0	4.1	4.7	3.7	3.6	4.1	4.6	4.5	3.9	3.7	3.9	4.1
15 - 19	8.7	6.0	6.3	6.9	5.3	[14.0]	5.5	5.6	6.2	5.6	5.2	6.5	5.8
20 - 24	12.4	6.9	8.5	8.5	9.9		7.8	7.3	8.7	8.1	9.6	9.6	9.0
25 - 29	8.7	5.7	6.3	6.3	8.2	[23.6]	6.2	5.7	6.8	6.6	9.8	8.3	7.2
30 - 34	6.7	5.1	4.7	5.1	6.5		4.8	4.6	5.6	5.3	7.1	7.1	5.7
35 - 39	5.6	4.4	4.4	5.0	6.1	[13.7]	4.6	4.5	5.2	5.1	5.1	5.6	5.4
40 - 44	4.7	3.9	4.5	4.5	5.5		4.5	4.4	4.9	5.1	5.0	5.0	4.2
45 - 49	4.3	4.1	4.4	4.4	4.8	[7.4]	4.5	4.5	4.7	4.9	4.3	3.1	4.7
50 - 54	3.8	4.2	4.4	4.2	4.6		4.5	4.4	4.5	4.5	4.8	3.8	2.5
55 - 59	3.3	4.3	4.5	4.1	4.3	[6.3]	4.5	4.3	4.1	4.3	3.6	2.3	4.2
60 - 64	2.9	3.9	4.0	3.8	3.9		4.4	4.0	4.0	3.9	4.0	3.3	1.6
65 - 69	2.7	4.5	4.0	3.6	3.4	[0.2]	4.3	4.1	3.7	3.8	2.7	1.4	3.7
70 - 74	2.4	4.8	4.1	3.5	2.8		4.4	4.2	3.4	3.6	3.6	1.2	1.1
75 - 79	1.8	3.8	3.6	3.1	2.1	[0.7]	4.3	4.2	3.3	3.5	0.9	0.7	3.0
80 - 84	1.0	2.8	2.4	2.1	1.2		3.1	3.3	2.3	2.6	2.6	0.9	0.4
85+	0.5	2.6	1.9	1.4	0.7	[0.2]	2.2	2.4	1.5	1.8	0.7	0.3	1.3
UNKNOWN	..	-	-	-	-		-	-	-	-	-	1.3	0.2
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.05

(2) Excludes Ontario.

(3) Sick newborns only.

TABLE 2g (1) HOSPITALIZATION, BY SEX AND AGE FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS

AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(2)
MALES											
NEWBORN	4.0	7.1	3.1	8.6	7.2	7.3	6.3	7.3	9.9	11.4	7.0
UNDER 1	5.3	6.4	5.0	5.3	4.9	2.8	2.7	3.8	3.8	14.6	4.5
1 - 4	10.1	6.1	5.7	7.3	5.6	4.8	9.5	6.2	6.9	15.1	6.2
5 - 9	7.4	4.7	4.3	5.4	4.0	3.4	4.3	4.8	6.2	7.4	4.2
10 - 14	5.6	3.9	3.2	4.3	2.7	2.4	3.0	2.9	5.6	3.9	3.0
15 - 19	5.0	3.6	3.2	3.3	3.2	[5.7]	3.0	3.2	2.7	4.2	3.2
20 - 24	3.8	1.5	2.6	2.6	3.4		2.2	2.6	1.1	2.8	2.9
25 - 29	3.5	2.7	1.9	2.0	2.8	[13.3]	1.8	2.3	6.9	4.2	2.5
30 - 34	3.1	2.1	2.0	2.3	3.1		1.9	2.3	3.3	4.1	2.7
35 - 39	3.8	2.6	2.5	3.0	3.9	[19.1]	2.7	3.1	4.2	4.0	3.4
40 - 44	4.3	2.0	4.3	3.8	5.0		3.2	4.0	5.5	5.6	4.4
45 - 49	5.9	4.3	5.4	5.2	5.4	[16.1]	4.1	4.6	3.6	3.3	4.9
50 - 54	6.4	4.9	6.2	5.7	6.4		4.6	5.8	6.5	4.0	5.8
55 - 59	5.7	6.0	8.2	6.7	7.2	[17.0]	6.1	6.5	7.0	3.8	6.7
60 - 64	5.3	6.9	7.2	6.4	7.5		6.4	6.8	5.2	2.7	7.0
65 - 69	5.0	8.8	7.4	6.4	7.4	[0.2]	7.2	7.5	8.2	3.2	7.2
70 - 74	5.5	9.7	7.6	7.2	6.6		7.9	7.9	3.1	1.5	7.4
75 - 79	3.7	6.1	7.0	6.5	6.5	[0.2]	9.0	7.6	2.5	2.0	5.5
80 - 84	2.4	5.6	5.1	4.0	4.2		7.7	6.4	2.3	1.1	4.2
85+	1.3	5.0	3.0	2.8	3.0	0.2	6.6	4.2	2.1	1.2	4.2
UNKNOWN	..	-	-	-	-	-	-	-	3.4	0.1	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.05

(2) Excludes Ontario.

(3) Sick newborns only.

TABLE 2g (ii) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS													
AGE GROUP	N.F.L.D.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(2)
FEMALES													
NEWBORN	3.3(3)												
UNDER 1	5.1	5.5	6.4	6.5	5.4	5.2	5.2	5.3	5.8	6.0	9.1	8.5	5.6
1 - 4	6.0	3.1	3.0	3.3	2.6	1.5	2.6	1.7	2.4	2.6	3.7	8.9	2.7
5 - 9	4.4	4.4	3.7	4.7	3.4	2.8	3.5	6.4	3.4	4.4	7.1	9.9	4.0
10 - 14	3.8	3.6	2.8	3.4	2.5	2.0	2.4	3.4	2.8	3.1	3.8	6.5	2.8
15 - 19	7.7	2.9	2.4	2.9	1.7	1.5	1.9	2.5	2.3	2.2	1.8	3.8	2.1
20 - 24	10.9	4.4	5.3	5.8	3.4	10.0	3.8	4.1	4.4	4.5	5.3	6.9	4.1
25 - 29	7.9	6.0	7.8	7.9	7.5	6.2	6.2	6.9	7.3	7.8	11.2	9.6	7.5
30 - 34	6.2	5.1	6.1	6.5	6.8	5.4	5.4	5.6	6.1	6.7	11.7	8.0	6.5
35 - 39	5.9	4.8	4.9	5.5	5.8	20.6	4.2	4.6	5.1	5.6	10.6	9.1	5.4
40 - 44	5.3	4.6	5.0	5.7	6.0	4.6	4.6	4.7	4.9	5.4	4.8	7.2	5.5
45 - 49	5.2	4.3	5.4	5.3	5.5	15.0	4.7	4.8	4.9	5.5	5.2	4.4	5.5
50 - 54	4.9	4.7	5.3	5.4	5.4	15.0	4.9	5.0	5.2	5.7	6.5	4.9	5.3
55 - 59	4.0	5.0	5.4	5.2	5.4	5.5	4.9	5.0	5.2	5.6	3.2	2.6	5.1
60 - 64	4.4	4.5	5.2	5.2	5.7	5.5	4.9	5.0	4.6	5.3	4.9	2.8	5.3
65 - 69	4.6	5.9	5.1	4.9	5.7	5.5	5.7	5.3	4.8	5.0	3.4	1.8	5.3
70 - 74	3.5	7.2	5.7	5.3	6.0	13.9	6.3	5.4	5.4	5.3	1.6	1.7	5.7
75 - 79	3.0	6.8	6.5	5.2	6.2	21.8	7.3	6.2	5.7	5.5	1.4	1.8	6.0
80 - 84	2.2	5.2	6.1	4.9	6.3	21.8	8.0	6.7	7.2	5.8	0.7	0.6	6.3
85+	1.6	6.7	4.1	3.7	4.4	21.8	8.0	5.9	7.1	4.4	1.7	0.5	5.0
UNKNOWN	..	-	-	-	-	0.2	5.7	5.2	5.6	3.2	0.6	0.3	4.2
							-	-	-	-	1.7	0.2	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.05

(2) Excludes Ontario.

(3) Sick newborns only.

TABLE 2g (iii) HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS

AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	Que.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(2)
BOTH SEXES													
NEWBORN	3.6(3)	6.2	7.2	7.5	6.2	6.1	5.7	5.8	6.3	6.6	5.5	9.7	6.2
UNDER 1	6.6	4.1	3.9	4.2	3.6	2.1	3.4	2.1	3.0	3.2	3.8	11.3	3.5
1 - 4	7.9	5.1	4.7	6.1	4.4	3.7	4.2	7.9	4.2	5.2	7.0	12.1	5.0
5 - 9	5.7	4.1	3.4	4.3	3.1	2.6	2.7	3.8	3.3	3.9	5.0	6.9	3.5
10 - 14	4.6	3.3	2.8	3.5	2.2	1.9	2.1	2.8	2.7	2.6	3.7	3.8	2.5
15 - 19	6.5	4.0	4.3	5.0	3.3	[8.2]	3.3	3.6	3.8	3.9	4.0	5.8	3.7
20 - 24	7.7	4.0	5.4	5.5	5.7		4.4	4.7	5.1	5.4	5.1	6.7	5.4
25 - 29	5.9	3.6	4.2	4.5	5.1	[17.5]	3.9	3.8	4.4	4.6	3.3	6.4	4.7
30 - 34	4.8	3.6	3.6	4.5	4.6		3.4	3.3	4.0	4.1	6.9	7.0	4.2
35 - 39	5.0	3.7	3.9	4.5	5.1	[16.7]	3.6	3.8	4.2	4.4	4.5	5.8	4.5
40 - 44	4.9	3.3	4.9	4.7	5.5		4.3	4.0	4.5	4.8	5.4	4.9	5.0
45 - 49	5.5	4.5	5.4	5.3	5.4	[6.5]	4.6	4.6	4.6	5.2	5.0	4.2	5.1
50 - 54	5.6	5.0	5.8	5.5	5.8		5.1	5.0	5.1	5.7	5.9	3.2	5.5
55 - 59	4.8	5.5	6.5	5.9	6.2	[14.8]	6.4	5.8	5.5	5.9	6.0	3.2	5.8
60 - 64	4.8	5.6	6.1	5.6	6.5		6.9	6.2	6.1	6.3	4.3	2.2	6.1
65 - 69	4.4	7.2	6.5	5.8	6.6	[19.8]	8.2	7.0	6.3	6.6	4.9	1.6	6.4
70 - 74	3.3	8.3	7.0	6.1	6.4		8.8	7.8	8.0	6.6	2.3	1.2	6.6
75 - 79	2.3	6.5	6.5	5.6	6.4	[0.2]	7.7	6.7	7.3	5.3	2.0	0.7	5.2
80 - 84	1.5	5.4	4.5	3.8	4.3		5.6	5.8	6.3	3.7	1.4	0.7	4.2
85+	..	5.9	3.5	2.6	3.6	0.2	-	-	6.3	-	2.5	0.2	-
UNKNOWN	..	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.05

(2) Excludes Ontario.

(3) Sick newborns only.

NOTES

BASICALLY, TABLE 2 PRESENTS DATA ON PROVINCIAL OR TERRITORIAL PLAN IN-PATIENTS INCLUDING OUT-OF-PROVINCE OR OUT-OF-TERRITORY HOSPITALIZATION, WITH THE FOLLOWING EXCEPTIONS:

- a) Newfoundland: Also includes some non-plan separations and patient-days. Data on newborns include "sick newborns" only.
- b) Prince Edward Island: Excludes out-of-province hospitalization. This point should be noted in making year-to-year comparisons.
- c) Nova Scotia: Excludes out-of-province hospitalization.
- d) New Brunswick: Excludes out-of-province hospitalization. This point should be noted in making year-to-year comparisons.
- e) Quebec: Also includes all non-plan separations and patient-days.
- f) Ontario: Data are based on "claims processed" during the year and include out-of-province residents hospitalized in Ontario hospitals, as well as insured Ontario residents hospitalized in out-of-province hospitals. Totals also include all patients hospitalized in Federal (including D.V.A.) hospitals for whom the Ontario Hospital Services Commission was responsible for payment. Totals exclude patients in D.V.A. hospitals for whom the Department of Veterans Affairs was responsible.
- g) Manitoba: Includes non-plan separations and patient-days, but excludes non-resident separations and days.
- h) Saskatchewan: Excludes plan separations and patient-days from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.
- i) Alberta: Also includes non-plan separations and patient-days but excludes non-resident separations and patient-days.
- j) British Columbia: Excludes out-of-province separations and patient-days which were the responsibility of the Provincial Plan.

TABLE 5a (1) SEPARATIONS BY LENGTH OF STAY, AND BOTH SEXES AND ALL AGES, (1) PROVINCIAL PLAN IN-PATIENTS, (2) BY PROVINCE, (3) 1967

LENGTH OF STAY IN DAYS(4)	NUMBER OF SEPARATIONS, BOTH SEXES											
	Nfld.	P. E. I.	N. B.	Q. B.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA(3)
1	4,527	962	5,245	74,527	102,418	13,676	15,773	46,949	23,755	231	781	269,551
2	6,010	1,503	8,047	58,462	121,449	25,263	27,213	43,100	50,478	393	837	340,755
3	6,938	1,532	7,896	47,630	80,582	14,348	13,243	29,892	27,673	259	628	235,651
4 - 6	19,398	4,555	26,402	195,614	257,298	43,782	50,937	77,597	75,381	663	1,883	753,510
7 - 10	12,650	3,646	20,352	152,862	204,229	29,836	36,835	59,023	60,887	401	1,402	582,125
11 - 14	6,807	1,880	10,632	91,438	104,801	14,374	18,187	27,090	28,503	177	577	304,466
15 - 29	9,657	2,126	12,797	126,043	143,358	18,532	22,337	30,598	35,795	206	594	402,093
30 - 59	3,334	622	3,063	37,323	57,483	6,823	7,303	10,638	13,450	71	250	140,360
60+	1,015	196	639	13,050	23,442	2,995	2,356	4,952	4,262	23	105	53,035
TOTAL	70,336	17,024	95,376	796,949	1,095,060	167,629	200,269	309,838	319,884	2,424	7,057	3,081,546

1) Excludes newborn and separations where age was unspecified, except that Ontario data include 2,862 separations for which age was unspecified.
 See Table 2a (iii).
 2) See footnotes at the end of Table 2.
 3) Excludes Nova Scotia.
 4) In this table, length-of-stay data have been consolidated into nine categories to facilitate comparison between provinces. For data by province, age group, and sex, see Table 5a (iii) and subsequent tables.

TABLE 5a (ii) PERCENTAGE DISTRIBUTION OF SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, (1)
PROVINCIAL PLAN IN-PATIENTS, (2) BY PROVINCE, (3) 1967

LENGTH OF STAY IN DAYS(4)	PERCENTAGE DISTRIBUTION OF SEPARATIONS, BOTH SEXES											
	NFLD.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(3)
1	6.4	5.7	5.5	9.4	9.4	8.2	8.4	8.7	7.3	9.5	11.1	8.7
2	8.5	8.8	8.5	7.3	11.1	13.9	13.6	13.9	15.8	16.2	11.9	11.1
3	9.9	9.0	8.3	6.0	7.4	8.6	9.1	9.6	8.6	10.7	8.9	7.6
4 - 6	27.6	26.8	27.8	24.5	23.5	26.1	25.4	25.0	23.6	27.4	26.7	24.5
7 - 10	18.0	21.4	21.4	19.2	18.6	17.8	18.4	19.0	19.0	16.5	19.9	18.9
11 - 14	9.7	11.0	11.2	11.5	9.6	8.6	9.1	8.7	8.9	7.3	8.2	9.9
15 - 29	13.7	12.5	13.5	15.8	13.1	11.1	11.2	9.9	11.2	8.5	8.4	13.0
30 - 59	4.7	3.7	3.2	4.7	5.2	4.1	3.6	3.4	4.2	2.9	3.5	4.6
60+	1.4	1.2	0.7	1.6	2.1	1.8	1.2	1.6	1.3	0.9	1.5	1.7
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(1) Excludes newborn and separations where age was unspecified, except that Ontario data include 2,862 separations for which age was unspecified.
See Table 2a (iii).

(2) See footnotes at the end of Table 2.

(3) Excludes Nova Scotia.

(4) In this table, length-of-stay data have been consolidated into nine categories to facilitate comparison between provinces. For data by province, age group, and sex, see Table 5a (iii) and subsequent tables.

TABLE 5a. (iii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEWFOUNDLAND, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	STOCK NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	132	2,088	160	366	430	323	374	281	88	55
2	47	2,493	227	497	731	311	351	263	69	44
3	43	2,275	241	406	579	328	344	252	72	53
4	70	2,036	281	357	448	267	295	259	74	55
5	105	1,722	255	326	268	218	266	260	80	49
6	58	1,535	197	265	303	163	238	248	73	43
7	56	1,642	231	252	328	203	243	254	81	50
8	44	1,409	191	202	258	161	210	257	77	53
9	45	1,253	154	174	201	143	217	231	84	49
10	45	1,037	139	132	155	103	180	219	67	42
11 - 14	97	2,969	354	330	381	302	537	690	228	147
15 - 19	65	2,257	184	180	263	231	430	588	228	153
20 - 29	116	2,405	162	147	251	203	402	743	306	191
30 - 59	93	1,741	101	157	192	113	207	525	258	188
60 - 89	19	320	23	28	48	27	32	84	52	26
90+	8	221	15	19	25	16	32	57	25	32
TOTAL	1,043	27,403	2,915	3,838	4,861	3,112	4,358	5,211	1,862	1,246

(1) Includes out-of-province hospitalization. Also includes some NON-PLAN separations.

(2) Newfoundland reported a total of 1,043 "male sick newborn" only. Data on the other male newborns are not available.

TABLE 5a (iv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEWFOUNDLAND, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	SICK(2) NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	88	2,439	73	250	293	704	714	261	85	59
2	32	3,517	181	326	551	990	1,086	284	60	39
3	42	4,663	203	317	490	1,505	1,756	268	77	47
4	63	5,416	193	265	349	2,066	2,155	260	86	42
5	85	5,272	176	233	258	2,080	2,142	253	82	48
6	68	3,417	153	205	216	1,227	1,248	263	65	40
7	38	2,494	168	204	228	791	761	198	92	52
8	35	1,905	138	148	190	518	574	208	85	44
9	28	1,568	100	101	154	396	484	217	78	38
10	40	1,342	85	85	115	305	456	204	56	36
11 - 14	86	3,838	230	217	290	702	1,166	827	262	144
15 - 19	83	2,711	128	140	201	378	744	753	226	141
20 - 29	131	2,284	120	113	174	264	552	629	259	173
30 - 59	101	1,593	78	113	130	183	305	414	203	167
60 - 89	14	264	14	30	36	20	29	56	43	36
90+	4	210	19	12	26	12	16	43	42	40
TOTAL	938	42,933	2,059	2,759	3,701	12,141	14,188	5,138	1,801	1,146

(1) Includes out-of-province hospitalization. Also includes some NON-PLAN separations.

(2) Newfoundland reported a total of 938 "female sick newborn" only. Data on the other female newborns are not available.

TABLE 5a (v) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLANT IN-PATIENTS, (1) PRINCE EDWARD ISLAND, 1967

LENGTH OF STAY IN DAYS	LENGTH OF STAY									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	16	445	18	75	57	83	66	75	33	38
2	2	638	25	98	206	72	86	83	30	38
3	40	655	35	106	203	69	75	93	41	33
4	81	526	48	62	88	59	83	102	48	36
5	387	489	33	67	85	49	68	96	46	45
6	237	466	48	59	83	45	56	97	39	39
7	92	461	44	62	69	43	66	73	51	53
8	26	485	62	48	76	30	63	105	62	39
9	16	360	41	36	38	33	52	80	46	34
10	9	331	41	38	26	20	32	66	59	49
11 - 14	18	815	90	63	67	55	82	204	129	125
15 - 19	8	520	29	34	35	15	53	152	117	85
20 - 29	17	506	26	14	24	11	34	153	134	110
30 - 59	4	319	14	9	8	6	9	106	93	74
60 - 89	1	38	1	0	6	0	2	3	13	13
90+	0	37	1	0	3	3	4	6	8	12
TOTAL	954	7,091	556	771	1,074	593	831	1,494	949	823

(1) Excludes out-of-province hospitalization. This point should be noted in making year-to-year comparisons.

TABLE 5a (vi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) PRINCE EDWARD ISLAND, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	11	517	14	31	52	136	181	47	21	35
2	5	865	14	74	192	150	252	118	36	29
3	24	877	21	92	190	171	235	112	30	26
4	84	786	28	55	94	177	242	109	30	51
5	405	1,247	24	55	84	385	497	119	42	41
6	190	1,041	30	56	90	288	410	89	41	37
7	98	721	37	35	74	190	208	91	42	44
8	22	552	28	52	53	107	148	80	41	43
9	7	410	30	24	24	63	109	76	38	46
10	5	328	17	18	26	39	75	89	30	34
11 - 14	12	1,065	55	63	68	71	236	293	138	141
15 - 19	10	597	29	21	24	29	96	174	114	110
20 - 29	16	503	13	12	20	21	65	130	99	143
30 - 59	11	303	6	1	17	9	21	75	73	101
60 - 89	1	69	0	1	4	1	6	10	23	24
90+	0	52	1	2	2	1	5	14	5	22
TOTAL	899	9,933	347	592	1,014	1,838	2,786	1,626	803	927

(1) Excludes out-of-province hospitalization. This point should be noted in making year-to-year comparisons.

TABLE 5a (vii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEW BRUNSWICK, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	102	2,262	59	241	404	409	402	412	176	159
2	96	3,556	110	685	1,204	396	407	468	159	127
3	350	3,175	175	513	789	429	460	494	169	146
4	1,125	2,953	186	424	650	391	442	500	195	165
5	1,900	2,743	194	409	555	338	390	504	192	161
6	1,144	2,479	211	356	411	289	359	474	199	180
7	432	2,496	214	361	430	276	382	458	190	185
8	224	2,284	185	302	368	227	358	478	185	181
9	139	1,891	180	232	238	165	279	445	183	169
10	92	1,573	132	186	196	129	231	371	158	170
11 - 14	181	4,465	372	458	439	349	619	1,133	552	543
15 - 19	97	3,053	197	238	245	212	394	876	464	427
20 - 29	79	2,938	152	151	176	128	324	940	582	485
30 - 59	40	1,644	37	59	96	51	142	538	350	371
60 - 89	13	220	6	6	13	6	19	55	48	67
90+	-	109	1	4	8	9	6	25	27	29
TOTAL	6,014	37,841	2,411	4,625	6,222	3,804	5,214	8,171	3,829	3,565

(1) Excludes out-of-province hospitalization. This point should be noted in making year-to-year comparisons.

TABLE 5a (viii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEW BRUNSWICK, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE							
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64
1	83	2,986	42	143	303	971	941	333
2	79	4,491	84	451	1,071	1,000	1,203	455
3	376	4,721	116	342	761	1,169	1,420	619
4	1,185	5,620	129	321	565	1,694	2,029	570
5	1,861	6,896	162	311	480	2,409	2,639	556
6	1,020	5,711	197	291	458	1,834	2,019	553
7	369	4,157	171	305	369	1,075	1,284	558
8	217	3,033	132	240	291	638	905	472
9	124	2,647	124	207	249	431	773	500
10	78	2,271	107	141	180	286	711	484
11 - 14	134	6,167	261	334	390	619	1,693	1,704
15 - 19	81	3,737	152	148	176	268	849	1,167
20 - 29	99	3,069	119	117	123	170	486	960
30 - 59	56	1,419	36	48	46	56	158	408
60 - 89	4	229	6	6	7	9	19	48
90+	1	81	1	2	4	3	8	16
TOTAL	5,767	57,235	1,839	3,407	5,473	12,632	17,137	9,403
								3,787
								3,557

(1) Excludes out-of-province hospitalization. This point should be noted in making year-to-year comparisons.

TABLE 3a (ix) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) QUEBEC, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,481	11,712	351	4,000	10,000	1,160	4,314	1,389	788	
2	421	27,177	680	4,921	9,398	4,225	2,767	702	425	
3	2,076	19,856	824	2,421	3,986	3,519	3,221	784	477	
4	9,956	19,926	847	2,010	3,467	3,245	3,906	924	527	
5	18,562	19,425	919	1,997	3,129	2,853	4,948	1,038	576	
6	8,586	17,921	958	1,702	2,652	2,519	4,480	1,088	587	
7	4,161	18,440	1,094	1,738	2,422	2,268	4,587	1,240	679	
8	2,079	16,565	1,033	1,573	2,054	1,854	3,999	4,152	673	
9	1,158	14,835	909	1,439	1,614	1,445	3,489	3,961	687	
10	700	12,979	887	1,170	1,323	1,109	2,991	3,717	623	
11 - 14	1,471	35,328	2,556	3,158	3,330	2,949	8,232	11,562	4,194	2,347
15 - 19	976	28,527	1,925	1,908	1,883	1,868	5,154	9,745	3,847	2,197
20 - 29	908	28,286	1,801	1,658	1,519	1,445	4,452	10,074	4,511	2,826
30 - 59	531	18,100	1,085	909	889	1,021	2,359	6,081	3,327	2,429
60 - 89	64	3,277	192	105	127	215	421	1,017	652	548
90+	27	3,103	111	62	104	172	268	792	702	892
TOTAL	53,157	324,501	16,674	32,791	48,746	36,482	66,231	78,221	28,075	17,281

(1) Includes out-of-province hospitalization. Also includes all separations not the responsibility of the Provincial Plan.

TABLE 5a (x) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) QUEBEC, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,192	36,771	445	4,857	9,796	7,543	9,202	3,236	1,075	617
2	389	31,285	372	3,399	8,026	7,695	8,542	2,396	509	346
3	2,191	27,774	434	1,431	2,948	8,062	10,832	3,037	631	399
4	10,217	39,534	532	1,343	2,542	13,024	17,385	3,428	807	473
5	17,963	57,044	581	1,416	2,361	20,636	27,111	3,593	826	520
6	8,317	41,764	654	1,264	2,039	13,070	19,675	3,609	881	572
7	3,771	30,142	779	1,313	1,849	7,692	13,049	3,711	1,136	613
8	1,498	22,460	696	1,226	1,627	4,822	8,551	3,798	1,120	620
9	914	19,601	665	1,075	1,352	3,460	7,379	3,853	1,130	687
10	620	17,840	631	929	1,138	2,603	6,590	4,109	1,190	650
11 - 14	1,339	53,110	1,892	2,530	2,743	5,913	18,296	14,606	4,635	2,495
15 - 19	1,021	37,153	1,285	1,571	1,637	3,057	10,908	12,114	4,152	2,429
20 - 29	909	32,077	1,223	1,327	1,173	1,858	7,793	11,013	4,763	2,927
30 - 59	593	19,223	779	719	677	963	3,628	6,351	3,482	2,624
60 - 89	79	3,205	139	97	121	183	478	958	655	574
90+	16	3,465	67	62	93	117	281	751	835	1,259
TOTAL	51,029	472,448	11,174	24,559	40,122	100,698	169,700	80,563	27,827	17,805

(1) Includes out-of-province hospitalization. Also includes all separations not the responsibility of the Provincial Plan.

TABLE 2a (xi) SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR INFANTS, AND ADULTS AND CHILDREN OF ALL AGES,
IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, (1) BOTH SEXES AND ALL AGES			
	NUMBER OF SEPARATIONS	TOTAL SEPARATIONS, ADULTS AND CHILDREN, FROM ACTIVE AND CONVALESCENT AND CHRONIC HOSPITALS	SEPARATIONS, ADULTS AND CHILDREN FROM ACTIVE AND CONVALESCENT HOSPITALS	SEPARATIONS, ADULTS AND CHILDREN FROM CHRONIC HOSPITALS
1	2,114	102,418	102,302	116
2	619	121,449	121,353	96
3	1,997	80,582	80,492	90
4 - 6	82,548	257,298	257,009	289
7 - 10	31,056	204,229	203,847	382
11 - 14	4,709	104,801	104,464	337
15 - 29	4,989	143,358	142,271	1,087
30 - 59	1,452	57,483	56,038	1,445
60 - 89	198	11,838	10,805	1,033
90+	52	11,604	6,960	4,644
TOTAL (2)	129,734	1,095,060	1,085,541	9,519

(1) See footnotes at the end of Table 2.

(2) Includes 2,862 separations for which age was unspecified.

TABLE 5a (xii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) MANITOBA, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	159	6,740	238	797	1,253	1,109	1,111	1,158	617	457
2	50	10,029	335	1,886	3,468	1,157	1,188	1,202	447	346
3	176	6,270	396	857	1,154	775	1,039	1,162	459	428
4	1,301	5,746	403	758	929	613	943	1,178	444	478
5	3,797	4,818	386	590	680	511	762	1,029	415	445
6	1,371	4,147	364	489	488	348	632	976	408	442
7	611	3,979	307	430	418	316	587	909	493	519
8	271	3,274	241	313	304	251	482	800	445	438
9	200	2,804	190	253	235	174	384	773	354	441
10	118	2,336	161	191	149	146	302	687	337	363
11 - 14	318	6,607	428	411	355	319	841	1,944	1,133	1,176
15 - 19	178	4,799	246	210	204	214	572	1,395	918	1,040
20 - 29	116	4,611	184	141	164	179	454	1,445	963	1,081
30 - 59	76	3,631	126	87	121	145	329	980	760	1,083
60 - 89	12	810	27	12	18	34	72	206	180	261
90+	-	722	15	9	10	33	65	156	149	285
TOTAL	8,754	71,323	4,047	7,434	9,950	6,324	9,763	16,000	8,522	9,283

(1) Includes NON-PLAN separations, but excludes non-resident separations.

TABLE 3 (cont.) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, RESIDENTIAL STATUS OF PATIENTS, (1) MAINTENANCE, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	15	6,936	175	628	1,033	1,663	1,987	830	282	333
2	26	13,234	234	1,392	3,339	2,434	3,348	1,792	372	323
3	200	8,078	309	654	918	1,656	2,339	1,457	409	336
4	1,428	8,584	318	602	823	1,941	2,755	1,206	475	464
5	3,748	12,047	301	500	583	3,864	4,864	1,133	421	381
6	1,220	8,440	262	425	477	2,432	3,061	990	406	387
7	484	5,812	216	354	395	1,325	1,779	874	435	434
8	230	4,403	157	249	251	736	1,333	880	368	429
9	160	3,860	137	209	185	511	1,146	858	424	390
10	109	3,368	125	146	146	357	916	917	380	381
11 - 14	311	7,767	277	344	320	629	1,777	2,237	1,096	1,087
15 - 19	153	4,763	161	193	185	306	876	1,411	765	866
20 - 29	102	4,359	139	130	134	230	684	1,250	793	999
30 - 59	80	3,192	92	71	80	137	392	839	641	940
60 - 89	14	699	17	8	19	19	65	153	159	259
90+	3	764	8	9	8	15	44	131	156	393
TOTAL	8,395	96,306	2,928	5,914	8,896	18,260	27,366	16,958	7,582	8,402

(1) Includes NON-PLAN separations, but excludes non-resident separations.

TABLE 5a (xiv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, SASKATCHEWAN, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	191	7,912	171	945	1,685	1,323	1,513	1,326	472	477
2	71	11,821	201	2,399	4,162	1,304	1,379	1,369	495	512
3	266	8,297	267	1,407	1,779	1,000	1,292	1,362	550	640
4	1,300	7,100	256	1,230	1,232	802	1,029	1,299	606	646
5	3,491	5,961	241	1,080	924	603	770	1,130	572	641
6	1,847	5,286	241	928	754	466	700	1,053	533	611
7	779	5,072	204	833	671	438	673	1,063	546	644
8	322	4,226	164	642	470	337	557	954	514	588
9	236	3,618	167	508	325	230	455	878	495	560
10	126	2,847	132	384	234	159	341	658	445	494
11 - 14	197	8,026	276	973	550	458	928	1,989	1,306	1,546
15 - 19	137	5,637	194	552	327	248	598	1,470	1,027	1,221
20 - 29	138	5,428	146	398	216	196	488	1,485	1,093	1,406
30 - 59	95	3,889	80	208	154	130	295	993	854	1,175
60 - 89	13	704	13	28	29	29	59	138	145	263
90+	6	544	6	31	13	16	28	97	75	278
TOTAL	9,215	86,368	2,759	12,546	13,525	7,739	11,105	17,264	9,728	11,702

(1) Includes out-of-province hospitalization. Excludes PLAN separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

TABLE 5: (xv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, SENIORS PLAN (1) IN-PATIENTS, SASKATCHEWAN, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-64	65-74	75+		
1	147	4,500	122	737	1,272	5,005	327	440		
2	73	5,338	171	1,752	4,053	2,719	422	393		
3	291	7,970	104	983	1,588	3,067	463	412		
4	4,385	10,022	214	1,009	1,124	2,135	525	523		
5	3,456	12,566	135	850	847	3,531	514	510		
6	1,622	10,002	175	718	659	2,777	479	528		
7	606	7,550	180	612	586	1,711	507	563		
8	292	5,468	120	496	412	963	438	554		
9	201	4,439	112	402	271	649	427	426		
10	99	3,815	77	344	221	401	387	432		
11 - 14	177	10,161	124	747	446	851	1,240	1,361		
15 - 19	123	5,223	135	387	271	340	922	1,120		
20 - 29	137	5,099	91	300	167	242	892	1,229		
30 - 39	101	3,414	72	175	101	135	673	997		
40 - 49	24	632	10	28	17	21	124	247		
50 - 59	6	476	1	15	21	23	83	222		
TOTAL	8,744	113,901	2,042	9,555	12,026	20,618	8,423	9,957		

(1) Includes out-of-province hospitalization. Excludes PLAN separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

TABLE 5a (xvi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) ALBERTA, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	221	12,833	355	1,372	2,640	2,332	2,786	2,094	668	586
2	78	19,032	567	3,570	6,496	2,273	2,745	2,144	693	544
3	244	13,168	653	1,817	2,860	1,856	2,497	2,168	697	620
4	1,547	10,878	652	1,465	1,868	1,378	2,028	2,118	728	641
5	4,366	9,424	694	1,222	1,377	1,149	1,728	1,865	755	634
6	3,716	7,928	608	924	1,066	795	1,519	1,684	685	647
7	2,278	7,238	559	811	864	749	1,281	1,559	718	697
8	813	6,233	444	619	646	526	1,171	1,532	666	629
9	508	5,220	375	442	447	409	978	1,347	649	573
10	389	4,306	319	341	361	312	743	1,126	550	554
11 - 14	611	11,871	790	789	751	721	1,918	3,324	1,823	1,755
15 - 19	352	7,823	434	373	410	395	1,182	2,309	1,303	1,417
20 - 29	309	7,219	336	277	346	346	969	2,113	1,364	1,468
30 - 59	188	5,581	173	200	288	262	627	1,579	1,037	1,415
60 - 89	40	1,234	32	34	119	87	124	255	232	351
90+	12	1,322	12	27	63	75	108	235	251	551
TOTAL	15,672	131,310	7,003	14,283	20,602	13,665	22,404	27,452	12,819	13,082

(1) Includes out-of-province hospitalization. Also includes NON-PLAN separations, but excludes non-resident separations.

TABLE 5a (xvii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, ALBERTA, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1	160	14,115	232	1,118	1,977	3,476	4,507	1,966	453	386
2	60	24,068	328	2,714	6,124	4,343	6,318	3,240	580	421
3	244	16,724	490	1,353	2,540	3,618	4,843	2,769	657	454
4	1,673	15,043	513	1,111	1,621	3,711	4,700	2,184	669	534
5	4,273	17,895	486	928	1,239	5,726	6,401	1,905	649	561
6	3,522	16,429	460	740	1,133	5,291	5,130	1,710	633	522
7	2,045	13,078	400	612	779	3,728	4,728	1,616	656	559
8	730	9,432	306	457	559	2,121	3,315	1,549	621	504
9	440	7,376	287	375	387	1,268	2,520	1,505	534	500
10	365	6,140	232	271	277	833	2,034	1,501	491	501
11 - 14	645	15,219	599	629	649	1,496	4,419	4,269	1,628	1,530
15 - 19	314	8,566	325	341	359	612	1,994	2,560	1,240	1,135
20 - 29	275	5,990	252	217	240	414	1,418	2,048	1,170	1,231
30 - 59	212	5,057	120	139	185	299	812	1,425	884	1,193
60 - 89	41	1,064	25	18	72	58	129	243	197	322
90+	16	1,332	10	14	83	42	95	203	257	628
TOTAL	15,015	178,528	5,065	11,037	18,026	37,044	54,363	30,693	11,319	10,981

(1) Includes out-of-province hospitalization. Also includes NON-PLAN separations, but excludes non-resident separations.

TABLE 5a (xviii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) BRITISH COLUMBIA, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	238	11,275	300	1,104	2,102	1,797	2,889	1,774	633	676
2	58	21,942	427	4,458	8,377	1,982	2,777	2,437	810	674
3	211	11,707	511	1,592	2,360	1,555	2,346	2,098	654	591
4	1,593	10,014	575	1,289	1,641	1,189	2,069	2,041	615	595
5	4,485	8,991	595	1,133	1,181	976	1,787	1,998	672	649
6	4,144	7,799	483	909	970	772	1,484	1,834	726	621
7	2,234	7,552	506	857	818	618	1,337	1,887	779	750
8	839	6,200	408	621	675	462	1,019	1,665	714	636
9	589	5,240	349	510	489	304	795	1,458	694	641
10	452	4,419	286	369	358	250	677	1,236	587	656
11 - 14	591	12,504	696	879	902	687	1,793	3,540	1,925	2,082
15 - 19	318	8,652	393	486	469	410	1,083	2,517	1,509	1,785
20 - 29	285	9,193	369	357	393	330	1,006	2,825	1,785	2,128
30 - 59	234	7,193	179	238	298	282	650	1,946	1,548	2,052
60 - 89	34	1,405	32	38	77	79	132	323	310	414
90+	8	911	23	38	60	90	91	186	186	237
TOTAL	16,313	134,997	6,132	14,878	21,170	11,783	21,935	29,765	14,147	15,187

(1) Excludes out-of-province separations which were the responsibility of the Provincial Plan.

TABLE 5a (xix) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL FARM INFANTRY, (1) BRITISH COLUMBIA, 1967

LENGTH OF STAY IN DAYS		NUMBER OF SEPARATIONS, FEMALE									
		NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1		154	12,180	174	884	1,607	2,875	3,927	1,737	469	507
2		50	28,536	291	3,399	7,885	4,315	7,216	4,255	694	481
3		341	15,966	355	1,168	2,040	3,522	4,935	2,806	617	523
4		1,918	13,925	405	972	1,312	3,589	4,464	2,113	552	518
5		4,596	17,740	417	898	1,084	5,816	6,552	1,918	530	525
6		3,643	16,912	360	709	813	5,685	6,404	1,792	582	567
7		1,843	13,161	333	666	650	3,639	4,936	1,652	645	640
8		701	9,562	283	502	512	2,010	3,394	1,704	587	570
9		532	8,032	248	415	408	1,226	2,764	1,825	583	563
10		422	6,721	190	291	268	803	2,362	1,787	538	482
11 - 14		501	15,999	501	730	699	1,478	4,361	4,738	1,773	1,719
15 - 19		306	9,508	287	413	402	674	2,085	2,857	1,345	1,445
20 - 29		299	8,442	245	315	325	451	1,583	2,479	1,366	1,678
30 - 59		191	6,257	166	202	228	276	876	1,697	1,188	1,624
60 - 89		26	1,147	33	27	50	55	126	294	202	360
90+		11	799	25	35	36	34	83	177	151	258
TOTAL		15,534	184,887	4,313	11,626	18,319	36,448	56,068	33,831	11,822	12,460

(1) Excludes out-of-province separations which were the responsibility of the Provincial Plan.

TABLE 5a (xx) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS(1), YUKON, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	2	110	1	18	11	17	30	21	7	5
2	3	138	9	35	37	19	25	10	2	1
3	7	108	9	17	25	9	16	24	6	2
4	38	84	3	8	12	4	33	20	1	3
5	82	60	8	10	5	3	17	13	2	2
6	18	62	3	5	8	7	17	16	4	2
7	7	60	5	9	6	3	14	16	4	3
8	3	58	3	7	1	3	21	14	8	1
9	2	34	5	5	3	2	7	7	3	2
10	4	25	1	1	1	1	4	15	2	-
11-14	5	88	4	10	6	3	25	20	13	7
15-19	2	61	4	6	8	1	9	22	6	5
20-29	4	58	2	3	8	3	12	20	6	4
30-59	3	46	1	2	5	-	5	15	11	7
60-89	-	8	-	-	1	1	3	1	2	-
90+	-	6	-	-	3	-	1	-	1	1
TOTAL	180	1,006	58	136	140	76	239	234	78	45

(1) Includes out-of-Territory hospitalization.

TABLE 5a (cont) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORY 1, YUKON, 1957

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+		
1	5	18	17	32	40	8	1	-	2	-
2	8	25	53	49	83	34	1	1	1	-
3	6	19	24	36	42	22	1	1	1	-
4	4	11	12	48	58	10	-	1	1	-
5	3	6	12	75	97	6	4	2	2	-
6	5	6	5	26	50	9	6	1	1	-
7	9	4	5	26	36	10	4	2	2	-
8	3	5	2	12	23	10	-	4	4	-
9	2	3	2	3	13	8	2	-	-	-
10	3	6	1	6	14	4	-	2	6	-
11 - 14	2	3	5	12	29	23	9	2	2	-
15 - 19	1	2	2	4	12	18	2	1	2	-
20 - 29	3	3	2	6	13	14	1	2	-	-
30 - 59	-	-	2	5	6	10	-	-	1	-
60 - 89	-	-	-	-	1	1	-	-	1	-
90+	1	1	-	-	3	1	-	-	-	-
TOTAL	55	112	144	340	520	188	33	26		

(1) Includes out-of-Territory hospitalization.

TABLE 5a (xxii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, (1) NORTHWEST TERRITORIES, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	20	322	46	57	68	56	59	28	5	3
2	7	355	35	84	98	43	62	25	8	-
3	33	236	33	45	49	29	49	20	5	6
4	68	207	34	36	32	25	42	28	7	3
5	163	199	20	45	29	26	39	32	4	4
6	85	183	33	45	20	15	36	27	5	2
7	51	207	41	29	29	27	38	24	4	3
8	13	127	24	23	12	6	23	23	9	7
9	9	84	17	13	10	16	13	9	3	3
10	10	109	28	21	9	7	20	13	10	1
11 - 14	18	249	42	48	26	15	45	45	12	16
15 - 19	10	135	29	20	12	7	28	22	10	7
20 - 29	15	125	19	17	13	9	28	25	8	6
30 - 59	6	127	26	23	10	12	22	19	8	7
60 - 89	1	31	5	1	5	2	8	5	3	2
90+	-	15	-	3	3	-	3	4	-	2
TOTAL	509	2,711	432	522	425	295	515	349	101	72

(1) Includes out-of-Territories hospitalization.

TABLE 5a (xxiii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE TERRITORIES, (1) NORTHWEST TERRITORIES, 1967

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	16-17	18-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90+
1	16	459	28	54	46	120	153	43	10	5
2	18	482	28	53	83	102	171	34	6	5
3	32	392	35	45	37	90	144	30	10	1
4	68	345	21	33	23	91	144	26	6	1
5	170	522	33	32	28	158	242	23	5	1
6	91	427	41	31	18	137	158	30	8	4
7	55	378	36	45	31	110	122	28	5	1
8	18	219	21	24	17	52	71	27	4	3
9	9	154	16	19	13	27	52	16	8	3
10	8	124	10	18	20	15	39	15	4	3
11 - 14	22	328	33	36	35	41	115	47	14	7
15 - 19	8	169	24	10	23	24	53	26	7	2
20 - 29	9	165	16	12	15	27	48	35	8	4
30 - 59	9	123	15	15	17	13	26	28	4	5
60 - 89	-	36	7	3	4	5	7	8	2	-
90+	-	23	1	4	5	2	7	1	3	-
TOTAL	533	4,346	365	434	415	1,014	1,552	417	104	45

(1) Includes out-of-Territories hospitalization.

TABLE 5b (i) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES⁽¹⁾, PROVINCIAL PLAN
IN-PATIENTS⁽²⁾, BY PROVINCE, 1967

LENGTH OF STAY IN DAYS ⁽⁴⁾	PATIENT-DAYS OF SEPARATIONS, BOTH SEXES											
	NFLD.	P. E. I.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA ⁽³⁾
1	4,527	962	5,248	74,527	102,418	13,676	16,778	26,948	23,455	231	781	269,551
2	12,020	3,006	16,094	116,924	242,898	46,526	54,426	86,200	100,956	786	1,674	681,510
3	20,814	4,596	23,688	142,890	241,746	43,044	54,819	89,676	83,019	777	1,884	706,953
4 - 6	94,490	22,970	131,627	978,295	1,290,392	217,167	252,851	386,421	377,633	3,257	9,473	3,764,576
7 - 10	104,643	30,090	168,389	1,270,388	1,689,201	246,969	303,639	485,356	501,841	3,241	11,335	4,815,092
11 - 14	84,005	23,209	130,969	1,130,166	1,291,061	176,951	224,139	328,796	350,656	2,157	7,118	3,749,227
15 - 29	194,368	42,555	255,689	2,530,340	2,917,633	373,516	447,679	603,434	723,795	4,195	11,934	8,105,138
30 - 59	132,926	24,655	121,788	1,471,898	2,293,940	271,110	289,619	419,244	533,620	2,852	9,875	5,571,527
60+	114,981	23,268	54,672	2,415,786	4,066,594	429,402	266,592	926,993	416,229	2,606	9,953	8,727,076
TOTAL	762,774	175,311	908,164	10,131,214	14,135,883	1,818,361	1,910,542	3,353,068	3,111,204	20,102	64,027	36,390,650

- (1) Excludes newborn and days of separations where age was unspecified, except that Ontario data include 33,277 patient-days of 2,862 separations with age unspecified. See Table 2b(iii).
- (2) See footnotes at the end of Table 2.
- (3) Excludes Nova Scotia.
- (4) In this table, length-of-stay data have been consolidated into nine categories to facilitate comparison between provinces. For data by province, age group and sex, see Table 5b(iii) and subsequent tables.

TABLE 5c (11) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES(1), PROVINCIAL PLAN
IN-PATIENTS(2), BY PROVINCE, 1967

LENGTH OF STAY IN DAYS(4)	PERCENTAGE DISTRIBUTION OF PATIENT-DAYS, BOTH SEXES											
	N.F.L.D.	P. E. I.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA(3)
1	0.6	0.5	0.6	0.7	0.7	0.8	0.9	0.8	0.8	1.1	1.2	0.7
2	1.6	1.7	1.8	1.2	1.7	2.6	2.8	2.6	3.2	3.9	2.6	1.9
3	2.7	2.6	2.6	1.4	1.7	2.4	2.9	2.7	2.7	3.9	2.9	1.9
4 - 6	12.4	13.1	14.5	9.7	9.1	11.9	13.2	11.5	12.1	16.2	14.8	10.3
7 - 10	13.7	17.2	18.5	12.5	11.9	13.6	15.9	14.5	16.1	16.1	17.7	13.2
11 - 14	11.0	13.2	14.4	11.2	9.1	9.7	11.7	9.8	11.3	10.7	11.1	10.3
15 - 29	25.5	24.3	28.2	25.0	20.6	20.5	23.4	18.0	23.3	20.9	18.6	22.3
30 - 59	17.4	14.1	13.4	14.5	16.2	14.9	15.2	12.5	17.2	14.2	15.4	15.3
60+	15.1	13.3	6.0	23.8	28.8	23.6	14.0	27.6	13.4	13.0	15.5	24.0
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

See Table 5b (1) for footnotes.

TABLE 5b (iii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), NEWFOUNDLAND, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	SICK(2) NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	132	2,088	160	366	430	323	374	281	88	66
2	94	4,986	454	994	1,462	622	702	526	138	88
3	129	6,825	723	1,218	1,737	984	1,032	756	216	159
4	280	8,144	1,124	1,428	1,792	1,068	1,180	1,036	296	220
5	525	8,610	1,275	1,630	1,340	1,090	1,330	1,300	400	245
6	348	9,210	1,182	1,590	1,818	978	1,428	1,488	438	288
7	392	11,494	1,617	1,764	2,296	1,421	1,701	1,778	567	350
8	352	11,272	1,528	1,616	2,064	1,288	1,680	2,056	616	424
9	405	11,277	1,386	1,566	1,809	1,287	1,953	2,079	756	441
10	450	10,370	1,390	1,320	1,550	1,030	1,800	2,190	670	420
11 - 14	1,194	36,661	4,321	4,038	4,692	3,734	6,648	8,567	2,835	1,826
15 - 19	1,098	37,827	3,075	3,037	4,395	3,846	7,206	9,892	3,812	2,564
20 - 29	2,720	57,331	3,871	3,493	6,041	4,783	9,589	17,732	7,291	4,531
30 - 59	3,462	69,292	4,137	6,289	7,808	4,485	8,112	20,424	10,478	7,559
60 - 89	1,376	23,148	1,702	2,002	3,459	1,945	2,271	6,195	3,719	1,855
90+	1,188	35,113	1,867	3,953	3,559	2,327	5,632	6,936	5,437	5,402
TOTAL	14,145	343,648	29,812	36,304	46,252	31,211	52,638	83,236	37,757	26,438

(1) Includes out-of-province hospitalization. Also includes some NON-PLAN patient-days.

(2) Newfoundland reported separations and days for "sick newborn". Data on length of stay for other male newborns are not available.

TABLE 50 (iv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, FAMILIAL PLAN IN-PATIENTS (1), NEWFOUNDLAND, 1967

LENGTH OF STAY IN DAYS	MALE PATIENTS	73	250	293	704	25-44	45-64	65-74	75+
1	88	2,439	250	293	704	714	261	85	59
2	64	7,034	652	1,102	1,980	2,172	568	120	78
3	126	13,989	951	1,470	4,515	5,268	804	231	141
4	252	21,664	1,060	1,396	8,264	8,620	1,040	344	168
5	425	26,360	1,165	1,290	10,400	10,710	1,265	410	240
6	408	20,502	1,230	1,296	7,362	7,488	1,578	390	240
7	266	17,458	1,428	1,596	5,537	5,327	1,386	644	364
8	280	15,240	1,184	1,520	4,144	4,592	1,664	680	352
9	252	14,112	909	1,386	3,564	4,356	1,953	702	342
10	400	13,420	850	1,150	3,050	4,560	2,040	560	360
11-14	1,571	17,314	2,656	7,770	8,576	10,340	3,266	3,266	1,793
15-19	1,500	17,308	2,004	7,114	6,000	10,500	1,791	1,791	2,372
20-29	3,12	11,124	2,660	4,142	7,000	10,000	8,113	8,113	4,177
30-39	7,031	11,654	7,240	5,000	7,000	10,000	8,026	8,026	4,535
40-49	17	13,500	1,060	2,000	1,000	2,000	3,037	3,037	1,001
50-59	1,311	10,122	1,044	1,000	1,000	1,000	1,000	1,000	1,000
60+									
TOTAL	14,134	419,126	25,951	35,428	80,916	109,816	80,088	35,110	29,782

(1) Includes out-of-province hospitalization. Also includes some NON-PLAN patient-days.

(2) Newfoundland reported separations and days for "sick newborn". Data on length of stay for other female newborns are not available.

TABLE 5b (v) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS⁽¹⁾, PRINCE EDWARD ISLAND, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	16	445	18	75	57	83	66	75	33	38
2	4	1,276	50	196	412	144	172	166	60	76
3	120	1,965	105	318	609	207	225	279	123	99
4	324	2,104	192	248	352	236	332	408	192	144
5	1,935	2,445	165	335	425	245	340	480	230	225
6	1,422	2,796	288	354	498	270	336	582	234	234
7	644	3,227	308	434	483	301	462	511	357	371
8	208	3,880	496	384	608	240	504	840	496	312
9	144	3,240	369	324	342	297	468	720	414	306
10	90	3,310	410	380	260	200	320	660	590	490
11 - 14	225	10,080	1,107	784	824	669	999	2,539	1,613	1,545
15 - 19	128	8,716	492	559	580	258	873	2,550	1,990	1,414
20 - 29	393	12,071	620	330	589	261	791	3,633	3,225	2,622
30 - 59	153	12,463	509	322	341	279	315	4,020	3,653	3,024
60 - 89	78	2,696	77	0	440	0	158	197	901	923
90+	0	6,463	91	0	322	557	1,434	731	1,261	2,067
TOTAL	5,884	77,177	5,297	5,043	7,142	4,247	7,795	18,391	15,372	13,890

(1) Excludes out-of-province hospitalization. This point should be noted in making year-to-year comparisons.

TABLE 5b (vi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS⁽¹⁾, PRINCE EDWARD ISLAND, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS BY SEX AND AGE, 1967										
	TOTAL	MALE	FEMALE	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	11	517	14	31	52	136	181	47	21	35	
2	6	1,730	23	148	384	300	504	236	72	58	
3	72	2,631	63	276	570	513	705	336	90	78	
4	336	3,144	112	220	376	708	968	436	120	204	
5	2,025	6,235	120	275	420	1,925	2,485	595	210	205	
6	1,140	6,246	180	336	540	1,728	2,460	534	246	222	
7	686	5,047	259	245	513	1,330	1,456	637	294	308	
8	176	4,416	224	416	424	856	1,184	640	328	344	
9	63	3,690	270	216	216	567	981	684	342	414	
10	50	3,280	170	180	260	390	750	890	300	340	
11 - 14	152	13,129	683	780	839	860	2,864	3,618	1,722	1,763	
15 - 19	172	9,954	495	341	404	472	1,615	2,910	1,901	1,816	
20 - 29	366	11,814	293	273	450	493	1,522	3,084	2,324	3,375	
30 - 59	434	12,192	242	41	746	363	760	2,922	2,969	4,149	
60 - 89	60	4,942	0	73	275	66	454	689	1,649	1,736	
90+	0	9,167	111	688	244	90	757	1,873	989	4,415	
TOTAL	5,749	98,134	3,264	4,539	6,710	10,797	19,646	20,131	13,577	19,462	

(1) Excludes out-of-province hospitalization. This point should be noted in making year-to-year comparisons.

TABLE 5b (vii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS⁽¹⁾ NEW BRUNSWICK, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	102	2,262	59	241	404	409	402	412	176	159
2	192	7,112	220	1,370	2,408	792	814	936	318	254
3	1,050	9,525	525	1,539	2,591	1,287	1,380	1,482	507	458
4	4,500	11,812	744	1,696	2,603	1,564	1,768	2,000	780	660
5	9,500	13,715	970	2,045	2,775	1,690	1,950	2,520	960	805
6	6,864	14,874	1,266	2,136	2,466	1,734	2,154	2,844	1,194	1,080
7	3,024	17,472	1,498	2,527	3,010	1,932	2,674	3,206	1,330	1,295
8	1,792	13,272	1,480	2,416	2,944	1,816	2,864	3,824	1,480	1,448
9	1,251	17,019	1,620	2,088	2,142	1,485	2,511	4,005	1,647	1,521
10	920	15,730	1,320	1,860	1,960	1,290	2,310	3,710	1,580	1,700
11 - 14	2,181	54,989	4,556	5,584	5,412	4,268	7,611	14,011	6,820	6,727
15 - 19	1,636	51,153	3,296	3,951	4,115	3,555	6,602	14,660	7,788	7,138
20 - 29	1,896	69,708	3,570	3,522	4,178	2,978	7,648	22,282	13,903	11,627
30 - 39	1,692	65,275	1,489	2,306	3,784	2,039	5,556	21,198	13,986	14,917
40 - 49	950	15,533	436	395	904	438	1,362	3,787	3,395	4,816
50+	-	13,206	126	451	926	973	644	3,402	3,386	3,298
TOTAL	37,550	397,657	23,175	34,127	42,393	28,250	48,250	104,279	59,250	57,933

(1) Excludes out-of-province hospitalization. This point should be noted in making year-to-year comparisons.

TABLE 5b (viii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAY IN-PATIENTS⁽¹⁾, NEW BRUNSWICK, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS BY SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	83	2,986	42	143	303	971	941	333	123	130
2	158	8,982	168	902	2,142	2,000	2,406	910	266	188
3	1,128	14,163	348	1,026	2,283	3,507	4,260	1,857	504	378
4	4,740	22,480	516	1,284	2,260	6,776	8,116	2,280	704	544
5	9,305	34,480	810	1,555	2,400	12,045	13,195	2,780	925	770
6	6,120	34,266	1,182	1,746	2,748	11,004	12,114	3,318	1,212	942
7	2,583	29,099	1,197	2,135	2,583	7,525	8,988	3,906	1,372	1,393
8	1,736	24,264	1,056	1,920	2,328	5,104	7,240	3,776	1,472	1,368
9	1,116	23,823	1,116	1,863	2,241	3,879	6,957	4,500	1,710	1,557
10	780	22,710	1,070	1,410	1,800	2,860	7,110	4,840	2,000	1,620
11 - 14	1,651	75,980	3,207	4,076	4,761	7,564	20,723	21,157	7,195	7,297
15 - 19	1,357	62,408	2,548	2,456	2,942	4,440	14,045	19,516	8,552	7,909
20 - 29	2,385	72,420	2,800	2,712	2,860	3,897	11,349	22,691	13,627	12,484
30 - 59	2,201	56,513	1,389	1,897	1,767	2,235	6,116	16,342	11,683	15,084
60 - 89	286	16,377	454	442	512	635	1,362	3,291	3,923	5,760
90+	124	9,554	111	237	392	308	1,102	1,889	2,031	3,484
TOTAL	35,753	510,507	18,014	25,804	34,322	74,750	126,024	113,386	57,299	60,908

(1) Excludes out-of-province hospitalization. This point should be noted in making year-to-year comparisons.

TABLE 5b (ix) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS⁽¹⁾, QUEBEC, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,481	37,756	853	6,020	10,849	5,775	7,168	4,914	1,389	788
2	842	54,354	1,360	9,842	18,796	8,450	8,118	5,534	1,404	850
3	6,228	59,568	2,472	7,263	11,958	10,557	13,872	9,663	2,352	1,431
4	39,824	79,704	3,388	8,040	13,868	12,980	20,000	15,624	3,696	2,108
5	92,810	97,125	4,595	9,985	15,645	14,265	24,740	19,825	5,190	2,880
6	51,516	107,521	5,746	10,212	13,912	15,114	26,880	23,610	6,528	3,522
7	29,127	129,050	7,658	12,105	15,915	15,515	22,159	30,884	8,680	4,753
8	16,632	132,520	8,264	12,584	16,432	14,832	31,992	33,216	9,816	5,384
9	10,422	133,515	8,181	12,951	14,526	13,005	31,401	35,649	11,619	6,183
10	7,000	129,790	8,870	11,700	13,230	11,090	29,910	37,170	11,590	6,230
11 - 14	18,021	473,658	31,594	38,807	40,815	36,326	101,508	143,215	52,158	29,235
15 - 19	16,442	477,925	32,289	31,711	31,296	31,247	86,041	163,652	64,694	36,995
20 - 29	21,341	671,536	42,654	39,172	35,712	34,180	105,386	238,894	107,720	67,818
30 - 59	20,720	716,044	42,424	35,074	34,951	41,438	93,233	239,322	132,065	97,537
60 - 89	4,534	234,220	13,565	7,536	9,033	15,479	29,973	72,589	46,652	39,393
90+	3,059	841,171	17,807	11,043	15,935	29,442	55,289	173,599	197,415	340,641
TOTAL	559,999	7,375,492	231,722	282,102	333,422	310,055	627,680	1,247,360	687,453	609,753

(1) Includes out-of-province hospitalization. Also includes all patient-days not the responsibility of the Provincial Plan.

TABLE 5b (x) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS⁽¹⁾, QUEBEC, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE								
	NEWBORN	TOTAL	UNDER 1	1-14	15-24	25-44	45-64	65-74	75+
1	1,192	36,771	445	4,857	9,796	7,543	9,202	3,236	1,075
2	173	62,570	744	6,708	16,052	15,390	17,084	4,792	1,018
3	6,573	83,305	4,302	4,273	3,844	24,186	32,406	2,111	1,893
4	40,808	153,132	2,126	5,372	10,163	52,006	69,540	13,712	3,228
5	39,815	285,220	2,507	7,080	11,305	103,180	135,555	17,965	4,130
6	49,902	250,554	3,024	7,594	12,234	78,420	113,050	21,654	5,286
7	26,397	210,934	5,451	9,151	12,941	53,844	91,343	25,977	7,952
8	11,984	179,680	5,565	7,803	13,016	38,576	63,403	30,384	8,960
9	8,226	176,409	5,985	3,675	12,163	11,140	56,411	34,677	10,170
10	6,200	178,400	6,310	9,290	11,380	26,050	65,900	41,090	11,900
11 - 14	16,449	656,503	23,443	31,124	33,601	72,272	215,283	181,711	57,876
15 - 19	17,183	621,494	21,606	25,143	27,253	50,763	161,833	203,053	69,341
20 - 29	21,583	759,387	29,050	31,411	27,643	43,579	163,114	260,858	113,361
30 - 59	23,350	755,854	30,639	27,872	23,440	33,000	141,063	248,556	157,622
60 - 89	5,532	229,123	3,921	6,814	8,714	13,148	33,895	68,423	46,696
90+	1,825	1,111,266	10,234	9,802	15,025	17,100	54,644	172,570	260,706
TOTAL	327,857	5,755,722	159,657	207,114	257,133	665,417	1,443,826	1,337,775	893,006

(1) Includes out-of-province hospitalization. Also includes all patient-days not the responsibility of the Provincial Plan.

TABLE 5b (xi) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, (1) BOTH SEXES AND ALL AGES			
	NEWBORN	TOTAL PATIENT-DAYS, ADULTS AND CHILDREN FROM ACTIVE, CONVALESCENT, AND CHRONIC HOSPITALS	PATIENT-DAYS, ADULTS AND CHILDREN FROM ACTIVE AND CONVALESCENT HOSPITALS	PATIENT-DAYS, ADULTS AND CHILDREN FROM CHRONIC HOSPITALS
1	2,114	102,418	102,302	116
2	1,238	242,898	242,706	192
3	5,991	241,746	241,476	270
4 - 6	428,253	1,290,392	1,288,960	1,432
7 - 10	244,788	1,689,201	1,685,994	3,207
11 - 14	57,263	1,291,061	1,286,841	4,220
15 - 29	100,299	2,917,633	2,894,111	23,522
30 - 59	56,751	2,293,940	2,231,136	62,804
60 - 89	14,129	847,835	772,031	75,804
90+	6,243	3,218,759	973,300	2,245,459
TOTAL (2)	917,069	14,135,883	11,718,857	2,417,026

(1) See footnotes at the end of Table 2.

(2) Includes 33,277 patient-days of separations for which age was unspecified.

TABLE 56 (xii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS⁽¹⁾, MANITOBA, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS BY LENGTH OF STAY									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	159	6,740	238	797	1,253	1,109	1,111	1,158	617	457
2	100	20,058	670	3,772	6,936	2,314	2,376	2,404	894	692
3	528	18,810	1,188	2,571	3,462	2,325	3,117	3,486	1,377	1,284
4	5,204	22,984	1,612	3,032	3,716	2,452	3,772	4,712	1,776	1,912
5	18,985	24,090	1,930	2,950	3,400	2,555	3,810	5,145	2,075	2,225
6	8,226	24,882	2,184	2,934	2,928	2,088	3,792	5,856	2,448	2,652
7	4,277	27,853	2,149	3,010	3,026	3,212	4,109	6,363	3,451	3,633
8	2,168	26,192	1,928	2,504	2,432	2,008	3,856	6,400	3,560	3,504
9	1,800	25,236	1,710	2,277	2,115	1,566	3,456	6,957	3,186	3,969
10	1,180	23,360	1,610	1,910	1,490	1,460	3,020	6,870	3,370	3,630
11 - 14	4,013	81,698	5,274	5,015	4,347	3,947	10,364	24,101	14,086	14,564
15 - 19	2,931	80,417	4,114	3,528	3,412	3,641	9,551	23,321	15,427	17,423
20 - 29	2,797	109,752	4,376	3,358	3,815	4,270	10,780	34,338	22,889	25,926
30 - 59	3,008	144,610	4,954	3,376	4,859	5,837	12,886	38,765	30,333	43,600
60 - 89	803	57,924	1,865	814	1,225	3,422	5,226	14,725	12,982	18,675
90+	-	147,088	2,839	3,288	1,216	4,562	17,510	26,641	32,162	58,870
TOTAL	56,179	841,694	38,641	45,136	49,532	44,758	98,736	211,242	150,633	203,016

(1) Includes NON-PLAN patient-days, but excludes non-resident patient-days.

TABLE 5b (xiii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS⁽¹⁾, MANITOBA, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	127	6,936	175	628	1,033	1,668	1,987	830	282	333
2	52	26,468	468	2,784	6,678	4,868	6,696	3,584	744	646
3	600	24,234	927	1,962	2,754	4,968	7,017	4,371	1,227	1,008
4	5,712	34,336	1,272	2,408	3,292	7,764	11,020	4,824	1,900	1,856
5	18,740	60,235	1,505	2,500	2,915	19,320	24,320	5,665	2,105	1,905
6	7,320	50,640	1,572	2,550	2,862	14,592	18,366	5,940	2,436	2,322
7	3,388	40,684	1,512	2,478	2,765	9,275	12,453	6,118	3,045	3,038
8	1,840	35,224	1,256	1,992	2,008	5,888	10,664	7,040	2,944	3,432
9	1,440	34,740	1,233	1,881	1,665	4,599	10,314	7,722	3,816	3,510
10	1,090	33,680	1,250	1,460	1,460	3,570	9,160	9,170	3,800	3,810
11 - 14	3,917	95,253	3,402	4,229	3,912	7,655	21,581	27,511	13,512	13,451
15 - 19	2,476	79,683	2,684	3,208	3,081	5,103	14,610	23,643	12,821	14,533
20 - 29	2,420	103,664	3,255	3,025	3,162	5,366	16,237	29,591	19,040	23,988
30 - 59	3,108	126,500	3,469	2,761	3,344	5,347	14,930	33,062	25,579	38,008
60 - 89	969	50,196	1,165	572	1,331	1,402	4,665	10,994	11,387	18,680
90+	400	174,194	1,223	2,128	1,323	2,158	10,716	28,155	35,768	92,723
TOTAL	53,599	976,667	26,363	66,566	45,735	103,543	194,736	208,220	140,406	223,243

(1) Includes NON-PLAN patient-days, but excludes non-resident patient-days.

TABLE 5b (xiv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS⁽¹⁾, SASKATCHEWAN, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	191	7,912	171	945	1,685	1,323	1,513	1,326	472	477
2	142	23,642	402	4,798	8,324	2,608	2,758	2,738	990	1,024
3	798	24,891	801	4,221	5,337	3,000	3,876	4,086	1,650	1,920
4	5,200	28,400	1,024	4,920	4,928	3,208	4,116	5,196	2,424	2,584
5	17,455	29,805	1,205	5,400	4,620	3,015	3,850	5,650	2,860	3,205
6	11,082	31,716	1,446	5,558	4,524	2,706	4,200	6,318	3,198	3,666
7	5,453	35,504	1,428	5,831	4,697	3,066	4,711	7,441	3,822	4,508
8	2,576	33,808	1,312	5,136	3,760	2,696	4,456	7,632	4,112	4,704
9	2,124	34,562	1,503	4,572	2,925	2,070	4,095	7,902	4,455	5,040
10	1,260	43,470	1,320	3,340	2,340	1,530	3,410	6,580	4,450	4,940
11 - 14	2,391	98,951	3,388	11,894	6,717	5,598	11,422	24,660	16,191	19,081
15 - 19	2,315	94,517	3,251	9,207	5,457	4,147	9,939	24,689	17,336	20,491
20 - 29	3,265	123,858	3,489	9,352	5,114	4,647	11,561	35,207	25,997	33,491
30 - 59	3,775	154,404	3,133	8,228	6,196	5,383	11,688	38,731	33,733	47,350
60 - 89	914	50,671	871	1,923	2,086	2,141	4,325	9,772	10,555	18,998
90+	847	92,005	622	4,710	1,788	2,145	5,206	14,739	11,797	50,998
TOTAL	59,788	896,116	25,366	90,545	70,460	49,433	91,126	202,667	144,042	222,477

(1) Includes out-of-province hospitalization. Excludes PLAN patient-days of separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

TABLE 5b (xv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS⁽¹⁾, SASKATCHEWAN, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	147	8,866	119	737	1,272	2,023	2,700	1,248	327	440
2	146	30,784	342	3,504	8,046	5,438	7,354	4,470	844	786
3	885	29,928	612	2,949	4,764	6,138	8,241	4,599	1,389	1,236
4	5,540	40,088	856	4,036	4,496	8,540	12,004	5,964	2,100	2,092
5	17,280	62,830	925	4,250	4,235	17,910	23,700	6,690	2,570	2,550
6	9,732	60,012	1,050	4,308	3,954	16,662	20,832	7,164	2,874	3,168
7	4,242	51,450	1,120	4,284	4,102	11,977	14,819	7,658	3,549	3,941
8	2,336	43,744	960	3,968	3,296	7,704	11,592	8,288	3,504	4,432
9	1,809	39,951	1,008	3,618	2,439	5,841	10,593	8,775	3,843	3,834
10	990	38,150	790	3,440	2,210	4,010	10,110	9,400	3,870	4,320
11 - 14	2,176	125,188	2,382	9,163	5,460	10,294	30,227	35,419	15,386	16,857
15 - 19	2,053	103,802	2,245	6,429	4,508	5,661	20,050	30,721	15,420	18,768
20 - 29	3,280	120,502	2,097	7,045	3,983	5,671	16,473	34,835	21,097	29,301
30 - 59	3,890	135,215	2,801	6,766	4,040	5,451	14,299	35,269	26,537	40,052
60 - 89	1,714	45,055	679	1,957	1,252	1,446	4,186	9,144	8,765	17,626
90+	734	78,861	108	2,592	4,779	3,165	3,478	12,332	12,329	40,078
TOTAL	56,954	1,014,426	18,094	69,046	62,836	117,931	210,658	221,976	124,404	189,481

(1) Excludes PLAIN patient-days of separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

TABLE 5b (xvi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, ALBERTA, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	221	12,833	355	1,372	2,640	2,332	2,786	2,094	668	586
2	156	38,064	1,134	7,140	12,992	4,546	5,490	4,288	1,386	1,088
3	732	39,504	1,957	5,451	8,530	5,568	7,491	6,504	2,091	1,860
4	6,188	43,512	2,603	5,960	7,472	5,512	3,112	8,472	2,912	2,564
5	21,830	47,120	3,470	6,110	6,885	5,745	8,640	9,325	3,775	3,170
6	22,296	47,568	3,648	5,544	6,376	4,770	9,114	10,104	4,110	3,882
7	15,946	50,666	3,913	5,677	6,048	5,243	8,967	10,913	5,026	4,879
8	6,504	49,864	3,552	4,952	5,168	4,208	9,368	12,256	5,328	5,032
9	4,572	46,980	3,375	3,978	4,023	3,681	8,802	12,123	5,841	5,157
10	3,890	43,060	3,190	3,410	3,610	3,120	7,430	11,260	5,500	5,540
11 - 14	7,603	143,656	9,572	9,116	8,866	8,640	23,313	40,492	22,214	21,443
15 - 19	6,073	128,960	7,123	5,856	6,596	6,459	19,539	38,333	21,503	23,551
20 - 29	7,454	168,835	7,774	6,191	7,837	8,051	22,639	49,605	32,009	34,729
30 - 59	7,519	219,777	6,734	7,470	11,324	10,168	24,615	61,993	40,599	56,874
60 - 89	2,751	87,477	2,177	2,292	8,472	6,218	8,905	18,043	16,583	24,787
90+	1,538	377,800	2,382	5,448	11,761	12,377	32,524	54,426	61,130	197,752
TOTAL	115,273	1,545,676	62,966	85,867	118,670	96,638	207,735	350,231	230,675	392,894

(1) Includes out-of-province hospitalization. Also includes NON-PLAN patient-days, but excludes non-resident patient-days.

TABLE 5b (xviii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS⁽¹⁾, BRITISH COLUMBIA, 1967

LENGTH OF STAY IN DAYS		PATIENT-DAYS OF SEPARATIONS, MALE									
		NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1		238	11,275	300	1,104	2,102	1,797	2,889	1,774	633	676
2		116	43,883	854	8,916	16,754	3,964	5,553	4,874	1,620	1,348
3		632	35,117	1,533	4,772	7,072	4,865	7,032	6,290	1,962	1,773
4		6,372	40,056	2,300	5,156	6,564	4,756	8,276	8,164	2,460	2,380
5		22,412	44,955	2,971	5,665	5,905	4,880	8,933	9,989	3,360	3,245
6		24,846	46,794	2,898	5,451	5,820	4,632	8,902	11,004	4,356	3,726
7		15,602	52,845	3,542	5,999	5,713	4,324	8,356	13,203	5,453	5,250
8		6,622	49,597	3,264	4,968	5,397	3,696	8,152	13,320	5,712	5,088
9		4,834	47,145	3,141	4,572	4,401	2,735	7,155	13,119	6,246	5,769
10		3,623	44,173	2,860	3,635	3,520	2,500	6,765	12,359	5,864	6,560
11 - 14		5,863	154,382	8,532	10,753	11,114	8,461	22,118	43,704	23,831	25,862
15 - 19		4,737	145,151	6,550	8,111	7,844	6,339	13,124	42,336	25,218	30,129
20 - 29		6,270	219,614	8,689	8,399	9,341	7,890	23,768	67,619	42,787	51,121
30 - 59		9,245	285,702	6,998	9,228	12,180	11,327	25,060	76,022	62,051	82,836
60 - 89		2,367	99,943	2,311	2,666	5,586	5,732	9,434	23,045	22,202	28,965
90+		927	128,298	3,232	7,519	11,117	12,480	12,173	25,888	26,435	29,404
TOTAL		114,706	1,448,921	60,034	96,976	120,502	90,678	183,696	372,712	240,190	284,132

(1) Excludes patient-days of out-of-province separations which were the responsibility of the Provincial Plan.

TABLE 19 (xix) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS⁽¹⁾, BRITISH COLUMBIA, 1967

LENGTH OF STAY IN DAYS		PATIENT-DAYS OF SEPARATION, FEMALE									
		NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1		154	12,180	174	884	1,609	2,875	3,927	1,737	469	507
2		100	57,072	581	6,798	15,770	8,630	14,432	8,510	1,388	962
3		1,023	47,898	1,065	3,503	6,120	10,565	14,804	8,418	1,851	1,569
4		7,669	55,695	1,620	3,885	5,248	14,356	17,854	8,452	2,208	2,072
5		22,970	88,692	2,085	4,490	5,420	29,077	32,755	9,590	2,650	2,625
6		21,822	101,455	2,159	4,254	4,878	34,107	38,413	10,750	3,492	3,402
7		12,848	92,109	2,331	4,662	4,549	25,467	34,541	11,564	4,515	4,480
8		5,543	76,489	2,264	4,016	4,096	16,080	27,152	13,632	4,689	4,560
9		4,427	72,283	2,230	3,734	3,672	11,032	24,876	16,425	5,247	5,067
10		3,320	67,200	1,900	2,908	2,680	8,027	23,617	17,868	5,380	4,820
11 - 14		4,829	196,274	6,204	8,957	8,591	17,857	53,047	58,259	21,998	21,361
15 - 19		4,467	158,832	4,755	6,866	5,736	11,152	34,617	47,757	22,634	24,315
20 - 29		6,598	200,198	5,798	7,405	7,678	10,516	37,220	59,015	32,476	40,081
30 - 59		7,643	247,918	6,567	7,871	9,291	10,828	34,296	66,354	47,103	65,608
60 - 89		1,800	81,415	2,305	1,995	3,629	4,020	8,844	21,050	14,153	25,419
90+		1,456	106,573	4,301	5,649	4,924	4,422	11,282	24,528	20,736	30,731
TOTAL		106,669	1,662,283	46,339	77,877	94,900	219,011	411,677	383,909	190,989	237,579

(1) Excludes patient days of out-of-province separations which were the responsibility of the Provincial Plan.

TABLE 5b (xx) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, (1) YUKON, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	2	110	1	18	11	17	30	21	7	5
2	6	276	18	70	74	38	50	20	4	2
3	21	324	27	51	75	27	48	72	18	6
4	152	336	12	32	48	16	132	80	4	12
5	410	300	40	50	25	15	85	65	10	10
6	108	372	18	30	48	42	102	96	24	12
7	49	420	35	63	42	21	98	112	28	21
8	24	464	24	56	8	24	168	112	64	8
9	18	306	45	45	27	18	63	63	27	18
10	40	250	10	10	10	10	40	150	20	-
11 - 14	61	1,066	49	116	72	33	306	244	156	90
15 - 19	35	1,020	66	98	130	18	148	375	98	87
20 - 29	92	1,400	49	71	201	75	271	478	145	110
30 - 59	117	1,846	44	81	177	-	203	587	443	311
60 - 89	-	579	-	-	65	83	195	86	150	-
90+	-	867	-	-	335	-	340	-	90	102
TOTAL	1,135	9,936	438	791	1,348	437	2,279	2,561	1,288	794

(1) Includes out-of-Territory hospitalization.

TABLE 5b (xxi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, (1) YUKON, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE							
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64
1	3	121	5	18	17	32	40	8
2	2	510	16	50	106	98	166	68
3	27	453	18	57	72	108	126	66
4	172	576	16	44	48	192	232	40
5	360	1,025	15	30	60	375	485	30
6	102	648	30	36	30	156	300	54
7	56	672	63	28	35	182	252	70
8	64	472	24	40	16	96	184	80
9	-	297	18	27	18	27	117	72
10	30	360	30	60	10	60	140	40
11 - 14	38	1,091	22	34	65	145	343	291
15 - 19	35	715	15	31	32	68	207	295
20 - 29	21	1,060	63	71	46	142	318	344
30 - 59	132	1,006	-	-	81	200	244	412
60 - 89	-	230	-	-	-	-	62	80
90+	-	930	91	285	-	-	459	95
TOTAL	1,042	10,166	426	811	636	1,881	3,675	2,045
								347
								345

(1) Includes out-of-Territory hospitalization.

TABLE 5b (xxii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS⁽¹⁾, NORTHWEST TERRITORIES, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	20	322	46	57	68	56	59	28	5	3
2	14	710	70	135	196	36	124	50	16	-
3	99	708	99	135	147	87	147	60	15	18
4	272	828	136	144	138	100	168	112	28	12
5	815	995	100	225	145	130	195	160	20	20
6	510	1,098	198	270	120	90	216	162	30	12
7	357	1,449	287	287	203	139	266	168	28	21
8	104	1,016	192	184	96	48	184	184	72	56
9	81	756	153	117	90	144	117	81	27	27
10	100	1,090	280	210	90	70	200	130	100	10
11 - 14	227	3,069	527	583	321	185	551	555	148	199
15 - 19	173	2,260	488	337	196	113	461	381	167	117
20 - 29	361	2,955	465	390	312	214	659	590	188	137
30 - 59	193	4,961	992	947	412	448	847	707	318	290
60 - 89	64	2,181	324	81	326	145	572	357	233	143
90+	-	2,025	-	368	503	-	568	386	-	200
TOTAL	3,390	26,423	4,357	4,503	3,353	2,105	5,334	4,111	1,395	1,265

(1) Includes out-of-Territories hospitalization.

TABLE 50 (xxiii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS⁽¹⁾, NORTHWEST TERRITORIES, 1967

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	16	459	28	54	46	120	153	43	10	5
2	36	964	56	106	166	204	342	68	12	10
3	96	1,176	105	135	111	270	432	90	30	3
4	272	1,380	84	132	92	364	576	104	24	4
5	850	2,610	165	160	140	790	1,210	115	25	5
6	546	2,562	246	186	108	822	948	180	48	24
7	385	2,646	252	315	217	770	854	196	35	7
8	144	1,752	168	192	136	416	568	216	32	24
9	81	1,386	144	171	117	243	468	144	72	27
10	80	1,240	100	180	200	150	390	150	40	30
11 - 14	269	4,049	407	437	435	501	1,437	571	168	93
15 - 19	135	2,820	406	161	380	405	881	432	125	30
20 - 29	229	3,899	380	268	359	632	1,147	823	189	101
30 - 59	377	4,914	576	583	694	539	995	1,186	149	192
60 - 89	-	2,589	441	229	348	362	487	580	142	-
90+	-	3,158	104	773	707	199	946	100	329	-
TOTAL	3,516	37,604	3,662	4,082	4,256	6,787	11,834	4,998	1,430	555

(1) Includes out-of-Territories hospitalization.

TABLE 61 SEPARATIONS, PATIENT-DAYS, AVERAGE STAY, SEPARATION RATE PER 100,000 POPULATION,
 PATIENT-DAY RATE PER 100,000 POPULATION,
 EXPECTED SEPARATIONS AND DAYS STANDARDIZED TO THE 1961 CANADA CENSUS POPULATION,
 AND A COMPARISON WITH 1962 HOSPITALIZATION EXPERIENCE,
 BY DIAGNOSIS, AGE GROUP AND SEX, CANADA(1), 1967.

- (1) Excluding Newfoundland and Nova Scotia
- (2) Excluding Diagnoses 96 and 97, for newborn
- (3) See notes on page 178

Table 6 is a summary table prepared from detailed information submitted by the provincial and territorial hospital insurance plans. Each diagnosis in the Canadian List of 98 Diagnoses(2) is considered separately. Data for each diagnosis include the number of separations in Canada during the year, the number of patient-days of these separations, the average length of stay, the separation rate and the patient-day rate per 100,000 population, the "expected" separations (cases) and days standardized to the 1961 Census population, and a comparison of the 1967 separation (case) rate and patient-day (day) rate for each age group with comparable rates for 1962, assuming the 1962 rates for each age group = 100. This "case" rate and "day" rate comparison between the 1967 and 1962 experience is particularly useful, as it indicates the general trend in Canada over a 6 year period for a particular disease or disease group by sex and age group.

1967

DIAGNOSIS 1 - TUBERCULOSIS, ALL FORMS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	1905	11	70	99	149	468	553	356	179
F	1424	18	58	108	155	456	300	217	112
PATIENT DAYS									
M	39524	472	1164	1605	2619	8105	14571	7163	3325
F	32375	566	869	1859	4964	7559	6637	5494	4427
AVERAGE STAY									
M	20.7	42.9	16.6	16.2	17.6	17.3	25.9	19.6	21.4
F	22.7	31.4	15.0	17.2	32.0	16.6	22.1	25.3	39.5
SEPARATION RATE PER 100,000 POPULATION									
M	19.8	6.2	8.4	4.6	9.1	19.2	40.3	48.7	71.9
F	14.9	10.7	7.3	5.3	9.6	18.9	21.5	26.8	36.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	411	265	139	75	161	332	1043	954	1537
F	339	336	110	91	308	314	475	679	1435
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	1828	15	77	94	121	471	533	355	172
F	1347	25	65	102	126	459	272	200	96
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	37890	631	1274	1510	2120	8132	13774	6949	3664
F	30576	763	963	1751	4005	7604	6003	5056	3782
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	88	41	76	62	57	77	120	96	112
F	77	73	77	76	55	75	86	93	88
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	65	92	44	58	20	40	163	96	63
F	70	146	35	56	90	74	109	85	34

81

1967

DIAGNOSIS 2 - POLIOMYELITIS AND ENCEPHALITIS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX ALL AGES UNDER 1 1 - 4 5 - 14 15 - 24 25 - 44 45 - 59 60 - 74 75 +

SEPARATIONS DURING YEAR

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	858	23	74	345	191	130	73	20	2
F	808	18	51	261	198	159	96	20	5

PATIENT DAYS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	27150	311	1007	5144	3499	14575	1952	631	31
F	34323	252	695	5026	3401	10777	8128	5691	353

AVERAGE STAY

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	11.5	13.5	13.8	14.5	18.3	13.1	20.1	14.5	15.5
F	42.5	14.0	13.6	19.3	17.2	67.8	84.7	284.5	70.6

SEPARATION RATE PER 100,000 POPULATION

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	8.9	12.9	8.9	16.2	11.7	5.3	5.2	2.7	0.8
F	8.5	10.7	6.4	12.8	12.3	6.6	6.9	2.5	1.6

PATIENT DAY RATE PER 100,000 POPULATION

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	232	175	120	241	214	598	140	84	12
F	360	149	88	246	211	447	581	703	114

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	823	31	82	328	152	131	59	20	2
F	765	25	57	247	160	160	87	19	5

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	23993	417	1100	4849	2917	14528	1849	612	29
F	32470	339	771	4732	2744	10825	7343	5235	301

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	53	56	33	43	98	61	84	76	0
F	56	78	29	41	76	74	127	52	71

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	45	27	10	26	36	114	38	70	0
F	43	14	7	26	46	83	182	25	148

1967

DIAGNOSIS 3 - INFECTIOUS HEPATITIS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
-----	----------	---------	-------	--------	---------	---------	---------	---------	------

M	2224	25	134	728	444	575	194	82	42
F	2122	4	113	687	468	552	187	81	30

SEPARATIONS DURING YEAR

M	31089	388	1606	8719	6065	8282	3546	1736	747
F	31396	85	1553	8592	6382	8717	3737	1567	763

PATIENT DAYS

M	14.0	15.5	12.0	12.0	13.7	14.4	18.3	21.2	17.8
F	14.8	21.3	13.7	12.5	13.6	15.8	20.0	19.3	25.4

AVERAGE STAY

M	23.1	14.1	16.0	34.2	27.2	23.6	13.9	10.9	16.9
F	22.3	2.4	14.3	33.7	29.1	22.9	13.4	10.0	9.7

SEPARATION RATE PER 100,000 POPULATION

M	323	218	192	409	372	340	254	231	300
F	329	50	196	421	396	362	267	194	247

PATIENT DAY RATE PER 100,000 POPULATION

M	2124	34	147	683	352	578	184	80	41
F	2007	6	125	649	378	555	170	75	26

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	29778	519	1760	8230	4897	3328	3355	1683	716
F	29674	114	1716	8099	5149	8767	3375	1445	651

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	50	77	76	46	41	50	64	70	74
F	46	29	83	44	33	48	64	65	60

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	52	52	75	47	43	51	67	69	84
F	49	19	97	47	36	49	70	60	79

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

DIAGNOSIS 4 - OTHER DISEASES ATTRIBUTABLE TO VIRUSES

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	3,372	335	2557	2276	1190	734	239	294	297
F	7850	791	2253	1947	1179	607	375	432	266
				PATIENT DAYS					
M	74035	9672	23083	15901	9985	5775	2745	3654	3280
F	72786	7833	20405	13873	10062	5018	3932	7010	4653
				AVERAGE STAY					
M	8.7	10.3	9.0	7.0	8.5	7.9	9.5	12.4	15.8
F	9.3	9.9	9.1	7.1	8.5	8.3	10.5	16.2	17.5
				SEPARATION RATE PER 100,000 POPULATION					
M	88.1	525.9	305.9	106.8	72.3	30.1	20.7	39.1	83.2
F	32.3	469.2	284.5	95.5	73.2	25.2	26.8	53.4	86.3
				PATIENT DAY RATE PER 100,000 POPULATION					
M	771	5440	2762	746	612	237	196	487	1318
F	763	4646	2577	680	625	208	281	866	1509
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	8126	1251	2804	2150	952	738	274	286	199
F	7425	1066	2491	1837	953	610	339	398	228
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	71273	12241	25306	15010	8055	5006	2539	3547	3142
F	68818	10551	22555	13080	8126	5037	3552	6449	3977
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	103	137	115	105	97	103	98	100	111
F	100	128	113	101	95	104	103	99	84
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	100	151	111	97	91	101	93	92	95
F	96	131	112	96	87	99	91	113	70

1967

"CANADA"
DIAGNOSIS 5 - OTHER INFECTIVE BACTERIAL, SPIROCHAETAL, RICKETTSIAL OR PARASITIC DISEASES

ADULTS AND CHILDREN, BY AGE IN YEARS									
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	7940	1103	1647	1875	895	1105	633	474	208
F	8335	1068	1696	2044	1028	1203	701	425	170
PATIENT DAYS									
M	102412	18127	21715	17502	7167	11815	8553	2853	3080
F	100222	19327	24450	18411	7941	12116	3990	6451	2956
AVERAGE STAY									
M	12.9	17.0	13.2	9.3	8.0	10.7	13.5	18.7	38.8
F	12.0	17.8	14.4	9.0	7.7	10.1	12.8	15.2	17.4
SEPARATION RATE PER 100,000 POPULATION									
M	62.6	62.4	127.1	38.0	54.9	45.3	45.3	63.1	33.6
F	87.4	633.5	214.2	100.2	63.9	49.9	50.1	52.5	55.1
PATIENT DAY RATE PER 100,000 POPULATION									
M	1055	10533	2598	821	439	485	612	1179	3246
F	1052	11285	3085	903	493	503	643	797	958
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	7616	1476	1806	1771	723	1110	599	460	200
F	7884	1439	1875	1929	831	1209	634	391	146
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	98182	25056	23804	16519	5779	11880	8082	8588	7738
F	94884	25626	27001	17370	6410	12181	8127	5935	2525
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	93	110	119	95	90	86	91	93	111
F	95	122	112	100	81	93	92	100	106
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	81	122	107	91	83	96	36	83	90
F	84	129	118	88	79	95	93	37	60

1967

DIAGNOSIS 7 - MALIGNANT NEOPLASM OF STOMACH

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS									
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	3048	0	0	0	1	135	642	1458	812
F	1623	0	0	2	3	102	312	658	546
SEPARATIONS DURING YEAR									
M	84220	0	0	0	20	3651	15427	41275	23847
F	48908	0	0	68	58	2645	8808	19401	17928
PATIENT DAYS									
M	27.6	0.0	0.0	0.0	20.0	27.0	24.0	28.3	29.4
F	30.1	0.0	0.0	34.0	19.3	25.9	28.2	29.5	32.8
AVERAGE STAY									
M	31.7	0.0	0.0	0.0	0.1	5.5	45.9	194.1	326.2
F	17.0	0.0	0.0	0.1	0.2	4.2	22.3	81.3	177.0
SEPARATION RATE PER 100,000 POPULATION									
M	876	0	0	0	1	150	1104	5496	9581
F	513	0	0	3	4	110	630	2397	5813
PATIENT DAY RATE PER 100,000 POPULATION									
M	2924	0	0	0	1	136	607	1414	778
F	1536	0	0	2	3	103	283	606	467
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	80758	0	0	0	14	3675	14580	40030	22837
F	46270	0	0	58	53	2664	7962	17848	15319
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	94	0	0	0	25	101	84	101	91
F	107	0	0	0	100	86	112	97	108
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	94	0	0	0	25	101	84	101	91
F	107	0	0	0	100	86	112	97	108
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	94	0	0	0	9	107	84	101	90
F	109	0	0	0	30	90	117	98	105

1967

"CANADA"

DIAGNOSIS 9 - MALIGNANT NEOPLASM OF LARGE INTESTINE EXCEPT RECTUM

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	3653	0	1	4	11	190	879	1519	1049
F	4123	0	0	3	16	288	989	1636	1191
SEPARATIONS DURING YEAR									
M	111256	0	23	46	201	4725	22231	47132	36898
F	155416	0	0	49	229	7352	28863	57277	61646
PATIENT DAYS									
M	30.5	0.0	23.0	11.5	18.3	24.9	25.3	31.0	35.2
F	37.7	0.0	0.0	16.3	14.3	25.5	29.2	35.0	51.8
AVERAGE STAY									
SEPARATION RATE PER 100,000 POPULATION									
M	38.0	0.0	0.1	0.2	0.7	7.8	62.9	202.3	421.5
F	43.2	0.0	0.0	0.1	1.0	11.9	70.7	202.1	386.2
PATIENT DAY RATE PER 100,000 POPULATION									
M	1158	0	3	2	12	194	1591	6276	14824
F	1630	0	0	2	14	305	2064	7076	19989
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	3504	0	2	4	9	191	831	1474	1005
F	3900	0	0	3	13	290	894	1505	1018
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	106755	0	26	41	153	4752	21011	45710	35334
F	147016	0	0	39	183	7386	26085	52687	52676
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	123	0	200	100	59	110	134	115	132
F	117	0	0	59	162	98	103	113	123
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	115	0	59	151	47	86	127	115	114
F	129	0	0	68	121	90	104	110	161

1967

DIAGNOSIS 9 - MALIGNANT NEOPLASM OF RECTUM

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	2492	0	0	0	10	118	562	1146	656
F	1799	0	2	1	4	152	467	711	462
PATIENT DAYS									
M	86544	0	0	0	398	3635	19071	36524	26916
F	65062	0	53	8	109	4522	14232	26106	20032
AVERAGE STAY									
M	34.7	0.0	0.0	0.0	39.8	30.8	33.9	31.9	41.0
F	36.2	0.0	26.5	8.0	27.3	29.8	30.5	36.7	43.4
SEPARATION RATE PER 100,000 POPULATION									
M	25.9	0.0	0.0	0.0	0.6	4.8	40.2	152.6	263.6
F	18.9	0.0	0.3	0.0	0.2	6.3	33.4	87.8	149.8
PATIENT DAY RATE PER 100,000 POPULATION									
M	900	0	0	0	24	149	1365	4863	10814
F	682	0	7	0	7	188	1018	3225	6495
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	2391	0	0	0	9	119	532	1112	629
F	1702	0	3	1	4	153	423	654	395
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	82971	0	0	0	316	3650	18026	35419	25776
F	61512	0	62	1	92	4553	12866	24013	17116
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	116	0	0	0	300	106	115	122	111
F	117	0	0	0	100	137	101	110	120
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	109	0	0	0	518	117	118	112	100
F	112	0	0	0	75	138	86	109	120

1967

"CANADA"

DIAGNOSIS 10 - MALIGNANT NEOPLASM OF BROADHEAD, THYROID, AND UNSPECIFIED AS TO WHETHER PRIMARY OR SECONDARY

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	7676	0	0	7	12	345	2266	3956	1090
F	1441	0	0	0	8	128	524	540	241
PATIENT DAYS									
M	199756	0	0	31	190	8006	56473	102967	32089
F	40581	0	0	0	146	3463	13472	15043	8457
AVERAGE STAY									
M	26.0	0.0	0.0	4.4	15.8	23.2	24.9	26.0	29.4
F	28.2	0.0	0.0	0.0	18.3	27.1	25.7	27.9	35.1
SEPARATION RATE PER 100,000 POPULATION									
M	79.9	0.0	0.0	0.3	0.7	14.1	162.2	526.8	437.9
F	15.1	0.0	0.0	0.0	0.5	5.3	37.5	66.7	78.1
PATIENT DAY RATE PER 100,000 POPULATION									
M	2078	0	0	1	12	328	4042	13711	12892
F	426	0	0	0	9	144	964	1858	2742
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	7363	0	0	7	10	347	2142	3837	1044
F	1363	0	0	0	7	129	474	497	206
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	191569	0	0	21	158	8034	53378	99862	30729
F	38423	0	0	0	118	3488	12183	13835	7226
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	148	0	0	700	90	159	142	150	157
F	135	0	0	0	116	127	134	124	142
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	141	0	0	161	64	147	122	144	160
F	133	0	0	0	112	124	131	117	154

1967

DIAGNOSIS II - MALIGNANT NEOPLASM OF BREAST

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	143	0	0	0	14	47			30
F	11474	0	0	0	16	2078	4567	3393	1420
				PATIENT DAYS					
M	4422	0	0	0	179	1060		1235	1948
F	275137	0	0	0	130	36255	100299	85660	52793
				AVERAGE STAY					
M	30.5	0.0	0.0	0.0	12.8	22.6		23.9	64.3
F	24.0	0.0	0.0	0.0	17.4	22.0		25.2	57.2
				SEPARATION RATE PER 100,000 POPULATION					
M	1.5	0.0	0.0	0.0	0.2	3.4		8.9	12.1
F	120.3	0.0	0.0	0.0	86.2	226.7		419.1	460.4
				PATIENT DAY RATE PER 100,000 POPULATION					
M	46	0	0	0	7	76		164	783
F	2835	0	0	0	8	7174		10582	17118
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	138	0	0	0	15	45		51	29
F	10853	0	0	0	13	2088	4129	3121	1214
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	4241	0	0	0	172	1004		1195	1867
F	260209	0	0	0	105	36422	90663	78792	45110
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	89	0	0	0	0	214		84	59
F	119	0	0	0	72	108	119	116	121
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	86	0	0	0	0	179		78	79
F	102	0	0	0	40	90	103	93	108

1967

"CANADA"

DIAGNOSIS 12 - MALIGNANT NEOPLASM OF CERVIX UTERI

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	0	0	0	0	0	0	0	0	0
F	10041	0	1	0	283	5244	2868	1276	369
PATIENT DAYS									
M	0	0	0	0	0	0	0	0	0
F	143244	0	15	0	2144	57960	43438	26215	13472
AVERAGE STAY									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	14.3	2.0	15.0	0.0	7.8	11.1	15.1	20.5	36.5
SEPARATION RATE PER 100,000 POPULATION									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	105.3	0.0	0.1	0.0	17.6	217.5	205.1	157.6	119.6
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	0	0	0	0	0	0	0	0
F	1502	0	2	0	133	2404	3107	3238	4368
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	9497	0	2	0	229	5268	2593	1174	316
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	135471	0	18	0	1730	58216	39266	24110	11511
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	165	0	0	0	416	219	133	110	117
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	125	0	0	0	233	161	104	96	133

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
M	0	0	0	0	0	0	0	0	0
F	2997	0	3	4	27	289	1116	1183	375
SEPARATIONS DURING YEAR									
M	0	0	0	0	0	0	0	0	0
F	63795	0	22	10	514	4246	16223	28852	13928
PATIENT DAYS									
M	0	0	0	0	0	0	0	0	0
F	21.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AVERAGE STAY									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	31.4	0.0	7.3	2.5	19.0	14.7	14.5	24.4	37.1
SEPARATION RATE PER 100,000 POPULATION									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	31.4	0.0	0.4	0.2	1.7	12.0	79.8	146.1	121.6
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	0	0	0	0	0	0	0	0
F	669	0	3	0	32	176	1160	3564	4516
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	2835	0	4	4	22	291	1009	1089	321
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	60340	0	27	1	417	4263	14660	26537	11901
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	117	0	0	79	219	104	110	114	127
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	122	0	0	0	297	38	99	131	127

1967

DIAGNOSIS 14 - MALIGNANT NEOPLASM OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	0	0	0	0	0	0	0	0	0
F	2122	0	0	11	44	335	804	714	214
PATIENT DAYS									
M	0	0	0	0	0	0	0	0	0
F	54253	0	0	143	674	6390	19673	19349	7519
AVERAGE STAY									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	25.6	0.0	0.0	13.0	15.3	20.6	24.5	27.1	35.1
SEPARATION RATE PER 100,000 POPULATION									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	22.3	0.0	0.0	0.5	2.7	13.9	57.5	88.2	69.4
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	0	0	0	0	0	0	0	0
F	569	0	0	7	42	286	1407	2390	2438
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	2007	0	0	11	36	337	727	657	183
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	51321	0	0	135	547	6926	17782	17796	6425
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	117	0	0	183	119	108	109	121	118
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	111	0	0	184	126	104	106	108	109

DIAGNOSIS 15 - MALIGNANT NEOPLASM OF PROSTATE

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
M	6835	0	3	0	1	15	475	2830	3511
F	0	0	0	0	0	0	0	0	0
SEPARATIONS DURING YEAR									
M	209699	0	79	0	91	868	10984	73844	123833
F	0	0	0	0	0	0	0	0	0
PATIENT DAYS									
M	30.7	0.0	26.3	0.0	91.0	57.9	23.1	26.1	35.3
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AVERAGE STAY									
M	71.1	0.0	0.4	0.0	0.1	0.6	34.0	376.8	1410.6
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SEPARATION RATE PER 100,000 POPULATION									
M	2182	0	9	0	6	36	786	9833	49752
F	0	0	0	0	0	0	0	0	0
PATIENT DAY RATE PER 100,000 POPULATION									
M	6556	0	4	0	1	16	449	2745	3363
F	0	0	0	0	0	0	0	0	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	201157	0	83	0	79	882	10380	71617	118587
F	0	0	0	0	0	0	0	0	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	122	0	0	0	100	123	131	116	128
F	0	0	0	0	0	0	0	0	0
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	120	0	0	0	23	547	103	106	133
F	0	0	0	0	0	0	0	0	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									

1967

"CANADA"
DIAGNOSIS 16 - MALIGNANT NEOPLASM OF KIDNEY, BLADDER AND OTHER URINARY ORGANS

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
-----	----------	---------	-------	--------	---------	---------	---------	---------	------

M	5114	2	71	34	13	225	1055	2314	1400
F	2118	7	46	51	20	97	383	813	701

		PATIENT DAYS		SEPARATIONS DURING YEAR					
M	110716	14	999	523	260	3584	21635	47480	36221
F	51543	174	599	702	541	2250	8935	17990	20851

		AVERAGE STAY		SEPARATION RATE PER 100,000 POPULATION					
M	21.6	7.0	14.1	15.4	20.0	15.3	20.5	20.9	25.9
F	24.5	24.9	15.2	13.8	27.0	21.1	23.3	22.1	29.7

		SEPARATION RATE PER 100,000 POPULATION							
M	53.2	1.1	8.5	1.6	0.8	9.2	75.5	306.1	562.5
F	22.2	4.2	5.8	2.5	1.2	4.0	27.4	100.4	227.3

		PATIENT DAY RATE PER 100,000 POPULATION							
M	1152	8	120	25	16	147	1548	6322	14552
F	545	103	88	34	34	85	639	2222	6761

		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	4905	3	78	33	11	227	598	2245	1341
F	2004	10	51	49	17	98	347	748	599

		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	106202	20	1100	504	211	3601	20443	46046	34686
F	49156	234	771	654	443	2059	8076	16545	17817

		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	117	59	251	97	122	124	109	119	118
F	128	1000	175	158	850	83	116	114	139

		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	102	16	146	76	178	138	110	94	106
F	126	2127	92	103	1640	76	119	101	152

1967

DIAGNOSIS 17 - LEUKAEMIA AND ALEUKAEMIA

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS									
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	2875	12	403	487	169	242	372	661	529
F	1805	11	200	337	100	179	302	396	280
PATIENT DAYS									
M	56304	168	5301	6327	2918	4386	6791	13386	16527
F	37217	225	3031	3888	1753	3318	6344	9635	9023
AVERAGE STAY									
M	19.6	14.0	14.4	13.0	17.3	18.1	18.3	20.3	31.2
F	20.6	20.5	15.2	11.5	17.5	18.5	21.0	24.3	32.2
SEPARATION RATE PER 100,000 POPULATION									
M	29.9	6.7	48.2	22.9	10.4	9.9	26.6	88.0	212.5
F	18.9	6.5	25.3	16.5	6.2	7.4	21.6	48.9	90.8
PATIENT DAY RATE PER 100,000 POPULATION									
M	586	94	694	297	179	180	486	1782	6640
F	390	133	383	191	109	138	454	1190	2926
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	2758	17	442	460	137	244	352	642	507
F	1708	15	222	318	81	180	273	365	240
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	54023	224	6359	5976	2356	4409	6418	12979	15827
F	35176	303	3353	3674	1418	3342	5738	8861	7711
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	127	100	212	174	150	111	87	104	146
F	120	136	138	162	139	88	107	104	131
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	129	44	203	143	127	117	77	96	233
F	121	97	124	137	130	80	108	110	160

1967

"CANADA"
DIAGNOSES 13 - OTHER MALIGNANT NEOPLASMS AND NEOPLASMS OF LYMPHATIC AND HAEMATOPOIETIC TISSUES

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
-----	----------	---------	-------	--------	---------	---------	---------	---------	------

M	14667	40	221	392	706	1899	3892	4982	2535
F	12508	18	174	344	454	1660	3311	4247	2300

SEPARATIONS DURING YEAR

M	372871	660	5312	8941	15693	38287	91318	131626	81034
F	341625	361	3648	7507	8016	31564	81950	125506	83073

PATIENT DAYS

M	25.4	16.5	24.0	22.8	22.2	20.2	23.5	25.4	32.0
F	27.3	20.1	21.0	21.8	17.7	19.0	24.9	29.6	36.1

AVERAGE STAY

M	152.6	22.5	26.4	18.4	43.3	77.9	278.5	663.4	1018.5
F	131.2	10.7	22.0	15.9	28.2	68.5	236.3	524.6	745.8

SEPARATION RATE PER 100,000 POPULATION

M	3879	371	636	420	962	1570	6535	17527	32557
F	3582	214	461	368	493	1309	5852	15504	26937

PATIENT DAY RATE PER 100,000 POPULATION

M	14068	54	243	371	570	1908	3679	4832	2428
F	11830	25	193	325	367	1668	2993	3907	1966

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	357601	833	5323	8451	12662	38456	85309	127655	77602
F	323074	486	4035	7079	6475	31700	74083	115440	70985

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	122	105	122	94	123	114	132	120	124
F	120	92	126	118	111	111	113	116	122

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	122	92	144	101	121	102	125	122	135
F	113	66	34	102	100	97	103	120	122

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

1967
DIAGNOSIS 19 - BENIGN NEOPLASM OF UTERUS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	0	0	0	0	0	0	0	0	0
F	27052	0	1	10	496	13468	11769	1137	171

SEPARATIONS DURING YEAR

M	0	0	0	0	0	0	0	0	0
F	27052	0	1	10	496	13468	11769	1137	171

PATIENT DAYS

M	0	0	0	0	0	0	0	0	0
F	273370	0	22	83	2943	133237	122653	12193	2239

AVERAGE STAY

M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	10.1	0.0	22.0	8.3	5.9	9.9	10.4	10.7	13.1

SEPARATION RATE PER 100,000 POPULATION

M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	203.7	0.0	0.1	0.5	30.8	558.6	841.8	140.5	55.4

PATIENT DAY RATE PER 100,000 POPULATION

M	0	0	0	0	0	0	0	0	0
F	2867	0	3	4	183	5526	8773	1506	726

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	0	0	0	0	0	0	0	0	0
F	25586	0	2	10	401	13528	10639	1046	147

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	0	0	0	0	0	0	0	0	0
F	258585	0	27	77	2380	133819	110871	11214	1914

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	0	0	0	0	0	0	0	0	0
F	112	0	66	71	79	109	120	110	115

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	0	0	0	0	0	0	0	0	0
F	107	0	38	65	66	106	113	102	124

1967

DIAGNOSIS 20 - BENIGN NEOPLASM OF OVARY

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	0	0	0	0	0	0	0	0	0
F	7979	0	4	149	2116	4323	1000	302	35

SEPARATIONS DURING YEAR

M	0	0	0	0	0	0	0	0	0
F	7979	0	4	149	2116	4323	1000	302	35

PATIENT DAYS

M	0	0	0	0	0	0	0	0	0
F	82864	0	28	1189	17533	44588	12485	5130	1911

AVERAGE STAY

M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	10.4	0.0	7.0	0.0	0.0	10.0	12.5	17.0	22.5

SEPARATION RATE PER 100,000 POPULATION

M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	83.7	0.0	0.5	7.3	131.4	179.3	71.5	37.3	27.6

PATIENT DAY RATE PER 100,000 POPULATION

M	0	0	0	0	0	0	0	0	0
F	869	0	4	58	1089	1849	893	634	620

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	0	0	0	0	0	0	0	0	0
F	7547	0	5	141	1709	4343	504	273	73

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	0	0	0	0	0	0	0	0	0
F	78379	0	36	1116	14158	44776	11286	4721	1634

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	0	0	0	0	0	0	0	0	0
F	85	0	166	83	74	85	102	99	101

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	0	0	0	0	0	0	0	0	0
F	32	0	25	30	67	82	97	102	115

1967

DIAGNOSIS 21 - BENIGN NEOPLASMS (EXCL. UTERUS AND OVARY) AND NEOPLASM OF UNSPECIFIED NATURE

"CANADA"

		ADULTS AND CHILDREN, BY AGE IN YEARS							
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	16665	298	645	1419	3153	4318	3487	2463	832
F	24649	389	672	1420	4806	8873	5116	2608	765
PATIENT DAYS									
M	152849	2727	4336	8911	25458	33345	34455	31082	12535
F	191307	3945	4291	8975	27790	54968	43113	36196	12029
AVERAGE STAY									
M	9.2	9.2	6.7	6.3	8.1	7.7	9.9	12.6	14.2
F	7.8	10.1	6.4	6.3	5.8	6.2	8.4	13.9	15.7
SEPARATION RATE PER 100,000 POPULATION									
M	173.4	167.6	77.2	66.6	143.3	177.1	249.6	323.0	324.4
F	258.5	230.7	84.9	69.6	298.5	368.0	365.9	322.2	248.1
PATIENT DAY RATE PER 100,000 POPULATION									
M	1590	1534	519	418	1560	1367	2466	4139	5036
F	2006	2340	542	440	1726	2280	3084	4471	3900
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	15284	329	708	1340	2544	4338	3236	2369	845
F	23313	524	743	1340	3881	8913	4625	2399	654
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	146581	3650	4756	8411	20533	33453	32566	30140	12004
F	180929	5314	4744	8464	22439	55213	38975	33291	10278
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	100	81	85	89	104	97	102	104	114
F	102	93	93	91	99	104	100	109	101
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	97	77	75	85	90	93	107	103	113
F	91	97	79	83	91	97	90	95	92

1967

DIAGNOSIS 22 - ASTHMA

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	11603	360	2296	2477	500	1106	1958	2216	690
F	10283	140	1330	1627	808	1872	2361	1657	488

SEPARATIONS DURING YEAR

M	115373	3342	16339	16170	3530	9911	23105	30248	12728
F	110910	1461	9475	10966	5930	17131	28642	25387	11918

PATIENT DAYS

M	115373	3342	16339	16170	3530	9911	23105	30248	12728
F	110910	1461	9475	10966	5930	17131	28642	25387	11918

AVERAGE STAY

M	10.0	10.7	7.1	6.5	7.1	9.0	11.8	13.6	18.4
F	10.0	10.7	7.1	6.5	7.1	9.0	11.8	13.6	18.4

SEPARATION RATE PER 100,000 POPULATION

M	120.7	202.5	274.7	116.2	30.6	45.4	140.1	295.1	277.2
F	107.8	83.0	168.0	79.8	50.2	77.6	168.9	204.7	159.2

PATIENT DAY RATE PER 100,000 POPULATION

M	1206	2161	1955	755	216	406	1654	4028	5114
F	1163	867	1197	538	368	711	2049	3136	3864

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	11129	482	2517	2339	404	1111	1851	2150	661
F	9726	189	1471	1535	653	1881	2135	1525	417

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	111180	5141	17212	15272	2843	9945	21843	29338	12190
F	104896	1969	10477	10349	4785	17218	25895	23351	10183

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	120	98	176	161	100	99	108	104	105
F	124	74	191	163	108	99	121	122	120

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	122	127	155	153	102	98	106	101	85
F	121	79	208	163	101	97	119	112	127

1967

"CANADA"

DIAGNOSIS 23 - OTHER ALLERGIC DISORDERS (EXCL. ASTHMA)

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX ALL AGES UNDER 1 1 - 4 5 - 14 15 - 24 25 - 44 45 - 59 60 - 74 75 +

	SEPARATIONS DURING YEAR								
M	3192	341	697	743	370	497	308	174	62
F	3423	222	523	574	519	887	408	211	79

PATIENT DAYS									
M	24062	4050	5351	4164	2081	3129	2397	1540	350
F	26263	2540	4160	3612	3462	6149	3219	1958	1163

AVERAGE STAY									
M	7.5	11.9	8.4	5.6	5.6	6.3	7.8	8.9	13.7
F	7.7	11.4	8.0	6.3	6.7	6.9	7.9	9.3	14.7

SEPARATION RATE PER 100,000 POPULATION									
M	33.2	191.8	83.4	34.9	22.7	20.4	22.0	23.2	24.9
F	35.9	131.7	66.1	28.1	32.2	36.8	29.2	26.1	25.6

PATIENT DAY RATE PER 100,000 POPULATION									
M	250	2278	700	195	128	128	172	205	342
F	275	1507	525	177	215	255	230	242	377

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
		457	765	702	257	500	292	169	60
M	3062								
F	3258	300	579	542	420	891	369	195	68

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	23043	5419	6414	3924	1685	3136	2272	1494	316
F	24804	3423	4595	3405	2796	6176	2907	1802	594

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	102	130	137	121	100	74	89	103	109
F	104	136	145	105	86	108	90	99	115

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
		107	102	102	85	72	87	102	144
M	88								
F	90	122	115	86	69	100	73	96	139

103

1967

DIAGNOSIS 24 - DISEASES OF THYROID GLAND

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	1525	12	23	71	137	469	470	270	73
F	8167	19	37	195	858	3006	2630	1190	232

SEPARATIONS DURING YEAR

M	1525	12	23	71	137	469	470	270	73
F	8167	19	37	195	858	3006	2630	1190	232

PATIENT DAYS

M	16784	187	496	698	1619	4581	5602	4098	1503
F	99842	413	582	2014	8481	30785	30470	20580	6517

AVERAGE STAY

M	12.3	15.6	21.6	9.2	11.8	9.8	11.9	15.2	22.6
F	12.2	21.7	15.7	10.3	9.9	10.2	11.6	17.3	23.1

SEPARATION RATE PER 100,000 POPULATION

M	15.9	6.7	2.8	3.3	8.4	19.2	33.6	36.0	29.3
F	85.6	11.3	4.7	9.6	53.3	124.7	183.1	147.0	75.2

PATIENT DAY RATE PER 100,000 POPULATION

M	195	105	59	33	99	188	401	546	604
F	1047	245	74	93	527	1277	2179	2542	2113

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	1463	17	26	68	111	472	445	262	70
F	7725	26	41	184	693	3020	2378	1095	199

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	17977	250	541	664	1304	4605	5296	3977	1440
F	94433	557	648	1905	6852	30925	27538	18928	5569

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	79	60	68	66	59	72	85	97	162
F	82	76	107	71	80	73	92	99	101

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	76	42	97	68	66	67	72	91	150
F	85	100	121	65	65	77	87	100	91

1967
DIAGNOSIS 25 - DIABETES MELLITUS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
-----	----------	---------	-------	--------	---------	---------	---------	---------	------

M	16226	8	134	850	953	2433	4201	5105	2542
F	22287	7	135	868	1184	2666	5316	8321	3790

SEPARATIONS DURING YEAR

M	323032	558	2218	10681	10241	30135	67670	113685	87844
F	496556	93	2177	10542	13068	30989	88237	197209	154241

PATIENT DAYS

M	19.9	69.8	16.6	12.6	10.7	12.4	16.1	22.3	34.6
F	22.3	13.3	16.1	12.1	11.0	11.6	16.6	23.7	40.7

AVERAGE STAY

M	168.8	4.5	16.0	39.9	53.4	99.8	300.7	679.8	1021.3
F	233.7	4.2	17.0	42.6	73.5	110.6	380.2	1027.9	1223.9

SEPARATION RATE PER 100,000 POPULATION

M	3361	314	265	501	628	1236	4843	15138	35293
F	5207	55	275	517	812	1285	6311	24362	50013

PATIENT DAY RATE PER 100,000 POPULATION

M	15563	11	147	803	769	2444	3971	4951	2435
F	21079	10	150	819	957	2678	4806	7654	3239

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	309847	747	2428	10031	8266	30275	63956	110255	34123
F	469638	125	2407	9945	10557	31118	79757	181396	131795

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	123	91	110	116	120	129	118	124	130
F	120	250	133	110	128	128	112	110	122

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	126	367	117	112	119	117	121	128	132
F	120	231	122	95	130	121	115	106	123

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

1957

DIAGNOSIS 26 - DISEASES OF OTHER ENDOCRINE GLANDS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
-----	----------	---------	-------	--------	---------	---------	---------	---------	------

M	1142	47	118	224	173	238	216	98	28
F	2012	33	116	188	365	667	368	224	51

SEPARATIONS DURING YEAR

M	1112	147	147	264	183	200	2847	1975	526
F	2012	120	120	194	350	657	5811	4292	846

PATIENT DAYS

M	14.2	23.7	11.0	11.1	11.3	12.1	13.2	19.6	18.3
F	13.4	19.5	11.1	10.6	9.6	12.7	15.8	19.2	16.6

AVERAGE STAY

M	11.9	26.4	14.1	10.5	10.6	9.8	15.5	13.0	11.2
F	21.1	19.6	14.7	9.2	22.7	27.7	26.3	27.7	16.5

SEPARATION RATE PER 100,000 POPULATION

M	169	625	170	124	173	120	204	256	211
F	282	381	162	98	218	352	416	530	274

PATIENT DAY RATE PER 100,000 POPULATION

M	1094	63	130	212	173	249	205	96	27
F	1903	45	129	173	295	670	333	207	44

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	15580	1487	1551	2475	2277	2960	2694	1865	503
F	25435	866	1413	1826	2825	8525	5255	3947	723

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	116	121	152	132	115	105	121	127	81
F	96	107	161	122	74	85	99	142	125

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	119	192	142	141	144	87	113	110	122
F	86	164	135	113	64	77	97	84	108

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

1967

DIAGNOSIS 27 - AVITAMINOSES AND OTHER METABOLIC DISEASES

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	3970	293	585	327	202	767	901	587	308
F	4675	185	477	391	583	1276	988	569	206

SEPARATIONS DURING YEAR

M	59292	5273	9146	3714	2582	9641	12533	9465	7029
F	72125	3380	7277	4966	7801	17782	16220	10001	4698

PATIENT DAYS

M	59292	5273	9146	3714	2582	9641	12533	9465	7029
F	72125	3380	7277	4966	7801	17782	16220	10001	4698

AVERAGE STAY

M	15.0	18.0	15.6	11.4	12.8	12.6	13.9	16.1	22.8
F	15.4	18.3	15.3	12.7	13.4	13.9	16.4	17.6	22.8

SEPARATION RATE PER 100,000 POPULATION

M	41.3	164.8	70.0	15.3	12.4	31.5	64.5	78.2	123.7
F	49.0	109.7	60.2	19.2	36.2	52.9	70.7	70.3	66.8

PATIENT DAY RATE PER 100,000 POPULATION

M	618	2966	1094	174	158	395	897	1260	2824
F	756	2005	919	244	485	738	1160	1235	1523

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	3208	393	642	309	163	771	852	570	295
F	4422	250	528	369	471	1282	894	524	177

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	56973	7056	10024	3501	2080	9676	11846	9177	6732
F	63187	4553	8044	4694	6306	17872	14660	9196	4314

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	120	87	127	112	120	138	145	129	132
F	124	73	117	107	138	148	133	134	123

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	107	76	126	101	110	133	128	109	119
F	125	70	104	99	167	154	154	118	135

1967 "CANADA"
DIAGNOSIS 28 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS

ADULTS AND CHILDREN, BY AGE IN YEARS											
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +		
SEPARATIONS DURING YEAR											
M	7970	592	1203	1415	560	587	937	1394	1292		
F	9228	347	726	683	1938	1539	1788	1518			
PATIENT DAYS											
M	142001	7366	13215	11569	6068	7267	13347	24706	28963		
F	148559	4288	8567	1595	6007	7185	23538	31416	2779		
AVERAGE STAY											
M	14.1	12.5	11.0	8.7	10.8	16.5	14.2	14.2	14.6		
F	14.6	12.3	11.3	10.7	10.0	11.0	15.3	11.6	11.6		
SEPARATION RATE PER 100,000 POPULATION											
M	82.9	333.0	143.9	66.4	34.3	24.1	67.1	185.6	515.1		
F	96.8	205.8	91.7	33.8	42.4	80.4	110.1	220.9	492.2		
PATIENT DAY RATE PER 100,000 POPULATION											
M	1170	4143	1581	543	372	298	955	3290	11636		
F	1532	2526	1083	363	423	886	1684	3881	13671		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	7445	743	1119	1337	452	500	836	1352	1228		
F	8728	468	803	650	552	1947	1392	1645	1298		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	107962	9856	14436	10926	4897	7300	12612	23963	27736	108	
F	136177	5737	2479	6933	5500	21455	21292	28358	36553	-	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	109	111	113	106	112	116	128	101	135		
F	107	107	113	97	82	104	109	113	126		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	101	104	109	92	122	119	118	95	105		
F	95	92	103	104	75	91	117	95	83		

DIAGNOSIS 29 - PSYCHOSES

		ADULTS AND CHILDREN, BY AGE IN YEARS							
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
		SEPARATIONS DURING YEAR							
M	2430	7	47	164	1061	3037	2474	1232	608
F	12272	1	14	156	1419	4932	3386	1687	677
		PATIENT DAYS							
M	219727	103	468	4363	54564	53827	53198	37972	30438
F	352830	29	431	2589	38478	109572	97706	57186	46639
		AVERAGE STAY							
M	25.5	14.7	10.0	26.6	32.4	19.4	21.5	30.8	50.1
F	28.8	29.0	30.8	16.6	27.1	22.2	28.9	33.9	69.2
		SEPARATION RATE PER 100,000 POPULATION							
M	99.8	3.9	5.6	7.7	65.0	124.5	177.1	164.0	244.3
F	128.7	0.6	1.8	7.7	83.1	204.6	242.2	208.4	219.5
		PATIENT DAY RATE PER 100,000 POPULATION							
M	2286	58	56	205	2106	2412	3807	5056	12229
F	3700	17	54	127	2390	4545	6988	7054	15138
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	3275	10	52	155	856	3051	2339	1195	533
F	11607	2	16	148	1146	4954	3061	1552	579
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	210744	138	514	4125	27712	59079	50275	36825	29149
F	333717	39	473	2443	31071	110063	98313	52598	40024
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	142	0	866	196	127	131	159	132	152
F	123	0	133	170	118	133	132	127	143
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	127	0	484	185	158	96	152	144	115
F	130	0	132	117	112	123	159	101	132

1967

"CANADA"

DIAGNOSIS 30 - PSYCHONEUROTIC DISORDERS

SEX		ADULTS AND CHILDREN, BY AGE IN YEARS									
		ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +	
SEPARATIONS DURING YEAR											
M	15941	14	95	661	1990	6719	4531	1601	330		
F	36478	12	87	1027	6235	16332	8458	3632	645		
PATIENT DAYS											
M	229272	130	960	5867	27749	88898	72300	27780	5588		
F	513531	104	784	5139	253481	141262	141262	71960	12332		
AVERAGE STAY											
M	14.4	9.3	10.1	8.9	13.9	13.2	16.0	17.4	16.9		
F	15.7	8.7	9.0	8.9	13.4	15.5	16.7	19.8	19.1		
SEPARATION RATE PER 100,000 POPULATION											
M	165.3	7.5	11.4	31.0	122.0	275.5	324.3	213.2	132.6		
F	382.5	7.1	11.0	50.4	390.4	677.4	605.0	448.7	209.1		
PATIENT DAY RATE PER 100,000 POPULATION											
M	2385	73	115	275	1701	3646	5174	3699	2245		
F	6015	62	99	448	5226	10533	10104	8889	3999		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	15290	19	105	625	1606	6749	4283	1553	317		
F	34501	17	97	969	5076	16405	7646	3341	552		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	219871	174	1054	5533	22389	89305	69327	26941	5352	110	
F	542515	141	567	8616	67940	255070	127692	66186	10539		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	125	118	154	120	113	123	130	128	149		
F	125	113	104	100	114	125	125	130	138		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	115	67	182	102	113	110	123	121	114		
F	116	54	145	102	112	115	119	125	123		

1967

"CANADA"

DIAGNOSIS 31 - DISORDERS OF CHARACTER, BEHAVIOUR, AND INTELLIGENCE

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	13084	116	479	1241	992	4578	4254	1293	131
F	5389	79	348	696	1066	1901	1018	243	38
PATIENT DAYS									
M	159222	1469	13849	16244	14948	45238	48490	16717	2267
F	91535	1607	9920	11197	21231	27739	14301	4230	1310
AVERAGE STAY									
M	12.2	12.7	28.9	13.1	15.1	9.9	11.4	12.9	17.3
F	17.0	20.3	28.5	16.1	19.9	14.6	14.0	17.4	34.5
SEPARATION RATE PER 100,000 POPULATION									
M	136.1	65.2	57.3	58.2	60.8	187.7	304.4	172.2	52.6
F	56.5	46.9	44.0	34.1	66.2	78.9	72.8	30.0	12.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	1657	826	1657	762	916	1855	3470	2226	911
F	960	953	1253	549	1319	1151	1023	523	425
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	12550	156	526	1172	801	4599	4021	1254	126
F	5097	107	385	657	861	1910	921	224	33
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	152758	1955	15182	15332	12457	45436	45824	16213	2172
F	86586	2165	10967	10561	17148	27873	12929	3895	1120
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	138	127	134	182	149	133	138	134	113
F	142	138	129	161	143	148	129	136	126
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	145	72	204	92	151	146	176	139	103
F	155	162	216	167	143	148	150	114	120

1967

"CANADA"

DIAGNOSIS 32 - VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	18990	50	124	172	196	797	3029	7320	7302
F	17181	30	88	179	179	705	2120	5996	7184

SEPARATIONS DURING YEAR

M	750616	1006	3572	2524	3821	13571	85648	291467	349007
F	969741	734	6732	4908	3031	12984	55837	316040	569475

PATIENT DAYS

M	39.5	20.1	28.8	14.7	19.5	17.0	28.3	39.8	47.8
F	56.4	24.5	76.5	27.4	16.9	18.4	26.3	52.7	72.2

AVERAGE STAY

M	197.6	28.1	14.8	8.1	12.0	32.7	216.8	974.7	2933.7
F	180.2	17.8	11.1	8.8	11.1	29.2	151.6	740.7	2555.4

SEPARATION RATE PER 100,000 POPULATION

M	7809	566	427	118	234	557	6130	38811	140220
F	10169	435	550	241	195	539	3934	39041	164555

PATIENT DAY RATE PER 100,000 POPULATION

M	14214	67	136	111	159	681	2463	7102	6393
F	16250	41	98	150	145	709	1917	5515	6737

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	719904	1347	3413	2475	3023	13644	80751	282671	334223
F	917178	929	7442	4436	2665	13055	50475	290643	486505

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	110	79	91	67	91	115	111	108	116
F	109	61	67	96	107	118	102	99	106

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	110	79	91	67	91	115	111	108	116
F	109	61	67	96	107	118	102	99	106

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	100	76	127	52	82	85	101	102	99
F	107	53	234	118	103	93	93	117	92

1967

DIAGNOSIS 33 - INFLAMMATORY AND OTHER DISEASES OF C.N.S.

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	15373	522	1268	2082	1366	2652	2862	3075	1546
F	14535	396	1048	1747	1522	3318	2695	2433	1376
SEPARATIONS DURING YEAR									
M	627812	12075	26705	30305	29506	81681	135563	182265	129312
F	672176	7886	28715	26288	28826	109652	134541	202039	134229
PATIENT DAYS									
M	40.8	23.1	21.1	14.6	21.6	30.8	47.4	59.3	83.8
F	46.2	19.9	27.4	15.0	18.9	33.0	49.9	83.0	97.6
AVERAGE STAY									
SEPARATION RATE PER 100,000 POPULATION									
M	153.9	293.6	151.7	97.7	83.7	108.8	204.8	409.5	621.1
F	152.4	234.9	132.4	85.7	94.5	137.6	192.8	300.6	446.2
PATIENT DAY RATE PER 100,000 POPULATION									
M	6532	6791	3195	1422	1803	3350	9702	24283	52074
F	7049	4677	3627	1239	1791	4548	9623	24958	43524
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	14745	699	1390	1966	1102	2664	2705	2983	1481
F	13749	534	1159	1648	1230	3333	2437	2238	1176
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	602179	16155	29273	28611	23810	82054	128122	176861	124122
F	635775	10621	31745	24795	23284	110136	121613	185833	114695
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	117	94	111	108	99	104	127	146	160
F	115	100	108	108	94	108	122	135	143
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	109	111	135	97	117	91	126	108	113
F	113	100	185	101	122	107	130	135	73

113

1967

DIAGNOSIS 34 - DISEASES OF NERVES AND PERIPHERAL GANGLIA

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	4859	10	54	151	315	1557	1596	880	296
F	5507	16	37	150	480	1807	1642	976	399

SEPARATIONS DURING YEAR

M	60932	20	1822	2034	3442	16575	18412	12945	4722
F	71829	15	1870	1891	4191	18000	18898	8888	3000

PATIENT DAYS

M	60932	20	1822	2034	3442	16575	18412	12945	4722
F	71829	15	1870	1891	4191	18000	18898	8888	3000

AVERAGE STAY

M	12.4	3.0	33.7	13.5	10.9	10.6	11.5	14.7	16.0
F	12.9	3.6	18.6	10.3	10.7	11.0	12.0	15.3	22.3

SEPARATION RATE PER 100,000 POPULATION

M	50.6	5.7	6.5	7.1	10.8	64.0	118.2	134.6	180.9
F	57.7	5.5	5.7	7.3	20.1	75.0	117.4	121.6	160.4

PATIENT DAYS RATE PER 100,000 POPULATION

M	625	45	219	95	211	630	1318	1724	1897
F	764	32	167	75	270	829	1409	1840	2031

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	5561	14	60	142	255	1504	1539	854	234
F	5209	22	41	142	333	1816	1435	898	341

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	57619	108	1998	1912	2773	16656	17406	12557	4522
F	67104	167	762	1462	4161	20052	17807	13761	7593

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	102	63	109	116	80	99	114	100	98
F	105	210	117	117	102	105	104	108	107

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	97	20	211	111	109	106	102	97	99
F	101	85	113	67	78	95	98	105	139

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
-----	----------	---------	-------	--------	---------	---------	---------	---------	------

M	22424	384	3139	4311	1528	2284	3094	4683	3011
F	23131	351	2966	3893	1318	1845	2894	5751	4163

SEPARATIONS DURING YEAR

M	180614	2170	10305	17805	9590	17882	30243	52374	40240
F	192060	2195	9375	13830	7092	13578	28950	66531	50509

PATIENT DAYS

	AVERAGE STAY	
M	6.1	5.7
F	8.3	6.3

SEPARATION RATE PER 100,000 POPULATION

M	233.4	216.0	375.6	202.3	93.7	93.7	221.4	623.6	1209.7
F	243.1	203.2	374.6	190.0	81.9	76.5	207.0	710.4	1349.9

PATIENT DAY RATE PER 100,000 POPULATION

M	1872	1220	1233	836	583	733	2165	6974	16167
F	2014	1302	1184	678	441	563	2071	8219	16378

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	21513	514	3441	4071	1233	2295	2925	4542	2824
F	21925	473	3279	3673	1065	1854	2616	5290	3558

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	173223	2903	11297	16821	7740	17954	28591	50794	38836
F	181650	2957	10363	13042	5734	13634	26173	61198	43160

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	118	91	136	117	108	108	114	121	137
F	117	92	133	111	95	98	108	122	134

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	94	98	109	97	90	97	76	97	103
F	104	119	111	87	86	93	95	106	104

1967

DIAGNOSIS 36. DISEASES OF EAR AND MASTOID PROCESS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	10961	7276	4318	5511	1379	2621	1840	836	182
F	17920	1608	3108	4372	1555	3262	2521	1235	259

SEPARATIONS DURING YEAR

M	10961	7276	4318	5511	1379	2621	1840	836	182
F	17920	1608	3108	4372	1555	3262	2521	1235	259

PATIENT DAYS

M	11200	2301	2804	3361	808	1514	1153	601	803
F	12751	1888	2545	2672	973	1993	1630	583	238

AVERAGE STAY

M	7.2	10.2	8.3	6.0	6.2	6.2	6.3	7.2	12.4
F	7.1	10.3	8.3	6.1	6.2	6.1	6.5	7.7	11.1

SEPARATION RATE PER 100,000 POPULATION

M	196.2	1280.1	504.3	258.6	84.5	107.5	131.7	111.3	73.5
F	127.9	933.7	380.5	214.4	56.8	135.3	180.3	152.6	84.2

PATIENT DAY RATE PER 100,000 POPULATION

M	1404	13075	4220	1539	521	621	826	811	926
F	1337	9837	3252	1314	603	827	1168	1179	933

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	18921	3706	4221	5234	1113	2671	1749	311	176
F	15949	2166	3436	4125	1258	3277	2779	1128	222

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	129424	31103	11865	30485	8289	15011	10908	5907	3238
F	120589	22338	28463	25276	7840	20027	14761	8779	2459

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	115	106	118	137	122	123	132	140	118
F	108	100	113	133	106	108	113	126	124

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	22	99	105	116	97	101	117	110	31
F	88	97	102	111	90	96	97	108	22

1967

"CANADA"

DIAGNOSIS 37 - RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	4582	4	132	1319	499	895	1065	551	117
F	6472	4	81	1163	702	1656	1709	936	221

		SEPARATIONS DURING YEAR		PATIENT DAYS	
M	94194	44	2051	28242	18452
F	135102	66	1317	22656	30243

		AVERAGE STAY		SEPARATION RATE PER 100,000 POPULATION	
M	20.6	11.0	15.5	21.4	20.6
F	20.9	16.5	16.3	19.5	18.3

		PATIENT DAY RATE PER 100,000 POPULATION		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION	
M	47.7	2.2	15.8	1325	1488
F	67.9	2.4	10.2	1111	2313

		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION	
M	980	25	245	8319	10751
F	1417	39	166	9361	25934

		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION	
M	4395	6	145	18542	3073
F	6122	6	90	30368	7427

		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION	
M	90346	60	2245	10751	3073
F	127805	89	1453	25934	7427

		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION	
M	84	600	84	10751	3073
F	90	59	70	25934	7427

		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION	
M	88	315	74	10751	3073
F	85	50	57	25934	7427

		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION	
M	88	315	74	10751	3073
F	85	50	57	25934	7427

1967

"CANADA"

DIAGNOSIS 38 - ARTERIOSCLEROTIC AND DEGENERATIVE HEART DISEASE

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	66588	12	29	97	166	5500	20951	25192	14641
F	42835	18	28	71	112	1738	8423	17671	14774
PATIENT DAYS									
M	1411656	163	208	681	1834	90753	383700	504106	430211
F	1288417	331	316	646	1815	75337	153599	211503	180554
AVERAGE STAY									
M	21.2	13.6	7.2	1.0	11.1	16.8	18.6	23.5	26.4
F	29.6	18.4	11.9	11.9	11.0	16.6	18.6	23.5	45.0
SEPARATION RATE PER 100,000 POPULATION									
M	692.8	6.7	3.5	4.6	10.2	225.5	1191.1	1386.2	8832.3
F	449.2	10.7	3.5	3.5	7.0	72.1	602.5	2183.0	4790.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	14687	92	25	32	112	3722	27460	67125	172845
F	13309	196	42	41	77	1198	11194	51392	215647
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	63867	17	32	92	134	5525	19801	24432	14021
F	40513	25	31	67	91	1746	7614	16254	12525
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	1353978	219	230	644	1475	91166	362629	488892	411987
F	1200385	446	368	789	1002	29012	141467	382656	568276
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	118	70	46	79	87	129	121	116	118
F	117	131	53	60	71	112	110	109	115
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	105	77	33	39	66	118	111	103	103
F	117	157	43	54	55	109	101	105	117

DIAGNOSIS 39 - OTHER DISEASES OF THE HEART

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	14688	68	124	306	311	1278	2793	4894	4914
F	12395	43	87	263	312	1187	2030	3809	4264
PATIENT DAYS									
M	251235	1147	1429	3702	3331	14922	39577	81527	117923
F	252163	549	1562	2948	3580	13824	27695	74256	127749
AVERAGE STAY									
M	17.0	16.9	11.5	12.1	10.7	11.7	14.2	16.7	23.9
F	20.3	12.8	18.0	11.2	11.5	11.6	13.6	19.5	27.4
SEPARATION RATE PER 100,000 POPULATION									
M	152.8	33.2	14.8	14.4	19.1	52.4	199.9	651.7	1974.3
F	130.0	25.5	11.0	12.9	19.4	49.2	145.2	470.5	1512.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	2739	645	171	174	204	612	2832	10857	47241
F	2644	326	197	145	222	573	1981	9173	41423
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	14089	91	136	289	251	1284	2640	4747	4706
F	11724	58	97	249	252	1193	1835	3504	3986
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	252506	1535	1567	3501	2685	14991	37399	79075	112602
F	238472	741	1725	2790	2837	13876	25036	68301	109159
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	125	156	277	136	120	135	126	118	129
F	117	152	248	148	104	113	110	99	121
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	121	179	210	154	122	128	108	110	133
F	116	129	324	159	121	112	105	105	110

1967

DISEASES - HYPERTENSIVE HEART DISEASE AND OTHER HYPERTENSIVE DISEASE

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	9331	2	16	34	256	1475	2923	3069	1556
F	16003	3	15	59	246	2252	4507	5611	3310
PATIENT DAYS									
M	100958	27	268	224	2984	16137	33306	54291	47312
F	211115	34	184	799	3215	25629	53325	86180	126599
AVERAGE STAY									
M	17.2	13.5	13.0	11.3	11.5	13.9	13.1	17.7	37.2
F	19.5	11.3	8.9	13.5	13.0	11.8	12.9	17.1	38.2
SEPARATION RATE PER 100,000 POPULATION									
M	7.1	1.1	1.9	1.2	12.7	80.5	203.2	403.7	645.2
F	17.7	1.4	1.9	2.9	15.3	93.4	322.4	393.1	1173.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	1667	15	25	18	180	662	2741	7242	19233
F	3271	20	17	39	199	1105	4172	11831	41050
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	1950	3	18	33	227	1482	2753	2977	1421
F	15126	5	17	56	199	2253	4074	5162	2829
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	152673	36	230	362	2370	16215	36197	52746	45344
F	295124	45	149	751	2588	26759	52725	88464	106176
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	112	100	200	67	104	121	117	105	115
F	109	125	141	103	130	157	103	95	99
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	102	128	298	48	111	102	102	92	116
F	97	70	85	77	130	149	95	78	95

1967

DIAGNOSIS 41 - DISEASES OF ARTERIES

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS											
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +		
SEPARATIONS DURING YEAR											
M	11039	3	20	44	128	735	2731	4221	3157		
F	6601	3	12	70	139	554	1038	2055	2730		
PATIENT DAYS											
M	385560	32	421	521	2804	15606	63980	129259	172937		
F	355904	57	121	751	1810	9788	22935	84367	236075		
AVERAGE STAY											
M	34.9	10.7	21.0	11.8	21.9	21.2	23.4	30.6	54.8		
F	53.9	19.0	10.1	10.7	13.0	17.7	22.1	41.1	86.5		
SEPARATION RATE PER 100,000 POPULATION											
M	114.8	1.7	2.4	2.1	7.8	30.1	195.4	562.1	1268.4		
F	69.2	1.8	1.5	3.4	8.6	23.0	74.2	253.9	885.2		
PATIENT DAY RATE PER 100,000 POPULATION											
M	4011	18	50	24	172	640	4579	17212	69481		
F	3732	34	15	37	112	406	1640	10422	76548		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	10588	5	22	42	104	739	2532	4094	3024		
F	6244	5	14	67	113	557	939	1891	2333		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	369770	43	459	483	2264	15676	60469	125361	165613		
F	336603	78	132	712	1457	9832	20726	77601	201721		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	129	33	109	107	100	121	135	130	127		
F	128	125	45	155	114	125	132	121	118		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	122	22	157	66	119	128	133	125	118		
F	103	216	25	153	93	123	122	116	86		

1967

DIAGNOSIS 42 - VARICOSE VEINS OF LOWER EXTREMITIES

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX ALL AGES UNDER 1 1 - 4 5 - 14 15 - 24 25 - 44 45 - 59 60 - 74 75 +

M	4765	1	0	11	159	1828	1077	323
F	18003	0	3	12	447	5739	2427	679

SEPARATIONS DURING YEAR

M	64078	29	0	87	1326	22927	18935	8514
F	203035	0	18	104	2889	64119	44468	20343

PATIENT DAYS

M	13.4	29.0	0.0	7.9	8.3	12.5	17.6	26.4
F	11.3	0.0	6.0	8.7	6.5	11.2	18.3	30.0

AVERAGE STAY

M	49.6	0.6	0.0	0.5	9.7	130.8	143.4	129.8
F	188.8	0.0	0.4	0.6	27.3	410.5	299.8	220.2

SEPARATION RATE PER 100,000 POPULATION

M	667	16	0	4	81	1641	2521	3421
F	2129	0	2	5	179	4586	5493	6596

PATIENT DAY RATE PER 100,000 POPULATION

M	4571	2	0	11	129	1728	1045	310
F	17028	0	4	12	361	5188	2233	581

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	61491	39	0	81	1067	21671	18362	8155
F	192023	0	18	97	2328	57957	40900	17382

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	112	100	0	137	119	115	109	106
F	122	0	79	59	83	126	117	108

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	94	389	0	79	121	113	101	56
F	112	0	36	53	81	108	101	111

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

1967

DIAGNOSIS 43 - HAEMORRHOIDS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
-----	----------	---------	-------	--------	---------	---------	---------	---------	------

SEPARATIONS DURING YEAR

M	11221	0	6	21	556	4997	3845	1493	393
F	9846	0	1	4	629	4710	3049	1191	262

PATIENT DAYS

M	98552	0	44	142	3934	40173	34981	15522	3757
F	89427	0	2	24	4504	39187	29033	13077	3630

AVERAGE STAY

M	8.8	0.0	7.3	6.8	7.1	8.0	9.1	10.4	12.4
F	9.1	0.0	2.0	6.0	7.2	8.3	9.5	11.0	13.9

SEPARATION RATE PER 100,000 POPULATION

M	116.7	0.0	0.7	1.0	34.1	204.9	275.2	198.8	121.7
F	103.2	0.0	0.1	0.2	39.1	195.4	218.1	147.1	85.0

PATIENT DAY RATE PER 100,000 POPULATION

M	1025	0	5	7	241	1647	2503	2067	1509
F	938	0	0	1	280	1625	2074	1615	1177

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	10763	0	7	20	449	5020	3634	1448	291
F	9313	0	2	4	508	4731	2757	1096	224

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	94494	0	46	141	3172	40342	33054	15055	3597
F	84602	0	1	20	3641	39352	26211	12025	3102

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	112	0	36	117	108	110	116	114	132
F	102	0	18	21	84	102	102	113	115

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	106	0	40	122	105	104	109	108	118
F	98	0	2	19	83	98	95	108	128

1967

DIAGNOSIS 44 - PHLEBITIS AND THROMBOPHLEBITIS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	2486	0	3	14	84	479	794	796	316
F	4601	0	1	22	247	1316	1397	1198	420

SEPARATIONS DURING YEAR

M	37339	0	68	178	834	6162	11965	12900	5232
F	72037	0	7	203	3257	17752	20794	20604	9420

PATIENT DAYS

M	37339	0	68	178	834	6162	11965	12900	5232
F	72037	0	7	203	3257	17752	20794	20604	9420

AVERAGE STAY

M	15.0	0.0	22.7	12.7	9.9	12.9	15.1	16.2	16.6
F	15.7	0.0	7.0	9.2	13.2	13.5	14.9	17.2	22.4

SEPARATION RATE PER 100,000 POPULATION

M	25.9	0.0	0.4	0.7	5.1	19.6	56.8	106.0	127.0
F	48.2	0.0	0.1	1.1	15.3	54.6	99.9	148.0	136.2

PATIENT DAY RATE PER 100,000 POPULATION

M	388	0	8	8	51	253	856	1718	2102
F	755	0	1	10	202	736	1487	2545	3054

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	2385	0	4	14	68	482	751	772	303
F	4352	0	2	21	200	1322	1263	1102	359

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	35770	0	74	161	672	6197	11305	12513	5011
F	68097	0	9	193	2627	17824	18793	18950	8048

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	107	0	400	73	101	97	104	111	133
F	110	0	50	104	114	114	112	98	102

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	103	0	1479	92	111	92	105	102	127
F	110	0	18	134	130	116	108	99	107

DIAGNOSIS 45 - OTHER DISEASES OF THE CIRCULATORY SYSTEM

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATION DURING YEAR									
M	3040	110	905	3049	796	873	966	873	455
F	7756	98	721	2754	1017	1208	893	699	366
PATIENT DAYS									
M	75790	1022	6297	14698	4716	9082	13514	16878	9583
F	75581	871	5510	14007	7190	13127	12474	12434	9966
AVERAGE STAY									
M	9.4	9.3	7.0	4.8	5.9	10.4	14.0	19.3	20.5
F	9.7	8.9	7.6	5.1	7.1	10.9	14.0	17.8	27.2
SEPARATION RATE PER 100,000 POPULATION									
M	83.6	61.9	128.3	143.1	48.8	35.8	69.1	116.2	189.0
F	81.3	58.1	91.1	135.1	63.2	50.1	63.9	86.3	118.7
PATIENT DAY RATE PER 100,000 POPULATION									
M	789	575	753	690	289	372	967	2247	3350
F	793	517	696	687	447	544	892	1536	3232
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	7712	148	993	2879	643	877	913	847	449
F	7336	132	797	2598	822	1214	808	643	313
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	72738	1368	6900	13883	3804	9112	12770	16366	9177
F	71524	1174	6092	13215	5812	13174	11273	11437	8517
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	102	77	99	94	87	107	124	120	141
F	102	87	96	89	88	119	134	133	116
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	103	65	92	81	75	98	114	137	149
F	105	78	88	81	90	130	125	120	113

1967

DIAGNOSIS 46 - ACUTE UPPER RESPIRATORY INFECTIONS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	27580	5154	12406	5563	1833	1363	643	393	230
F	23127	3712	8468	5309	2417	1617	836	477	291
M	151125	37814	66068	23183	7985	6723	4163	3116	2073
F	127802	27095	45746	22673	10554	8729	5675	4126	3204
M	5.5	7.3	5.3	4.2	4.4	4.9	6.5	7.9	9.0
F	5.5	7.3	5.4	4.3	4.4	5.4	6.8	8.6	11.0
M	286.9	2892.3	1494.3	262.3	113.8	55.9	46.0	52.3	92.4
F	242.5	2201.7	1069.5	260.4	150.1	67.1	59.8	58.9	94.4
M	1572	21268	7905	1088	489	276	298	415	833
F	1340	16071	5777	1112	656	362	406	510	1039
M	26453	6326	13600	5272	1459	1370	608	382	221
F	21874	5000	9351	5009	1952	1625	756	439	249
M	144921	50593	72427	21891	6437	6761	3936	3023	1986
F	120860	36494	50563	21300	8529	8767	5131	3798	2738
M	107	122	133	119	96	86	92	80	92
F	98	112	122	117	85	85	84	82	95
M	95	117	121	104	86	78	88	63	85
F	89	111	113	103	77	77	78	75	95

SEPARATIONS DURING YEAR

PATIENT DAYS

AVERAGE STAY

SEPARATION RATE PER 100,000 POPULATION

PATIENT DAY RATE PER 100,000 POPULATION

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

1967

DIAGNOSIS 47 - INFLUENZA

"CANADA"

SEX		ADULTS AND CHILDREN, BY AGE IN YEARS								
ALL AGES		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +	
SEPARATIONS DURING YEAR										
M	5972	551	1031	1123	643	879	674	601	470	
F	6529	458	907	1063	823	1103	879	766	530	
PATIENT DAYS										
M	37720	4766	7117	5134	2949	4445	4132	4496	4681	
F	45446	3945	6177	5045	3974	6505	6468	7079	6253	
AVERAGE STAY										
M	6.3	8.6	6.9	4.6	4.6	5.1	6.1	7.5	10.0	
F	7.0	8.6	6.8	4.7	4.8	5.9	7.4	9.2	11.8	
SEPARATION RATE PER 100,000 POPULATION										
M	62.1	309.9	123.4	52.7	39.4	36.0	48.2	80.0	138.8	
F	68.5	271.6	114.5	52.1	51.1	45.8	62.9	94.6	171.9	
PATIENT DAY RATE PER 100,000 POPULATION										
M	352	2681	852	241	181	182	296	599	1581	
F	477	2340	790	247	247	270	463	874	2028	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	5723	738	1131	1061	519	883	637	583	451	
F	6176	617	1003	1003	665	1108	795	705	453	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	36139	6378	7807	4349	2383	4453	3909	4363	4484	
F	43023	5314	6827	4752	3212	6539	5852	6508	5345	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	64	88	84	64	55	59	62	61	64	
F	59	81	82	57	43	56	63	58	58	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	63	96	97	58	55	58	56	56	59	
F	59	95	96	54	42	56	64	59	43	

1967

DIAGNOSIS 48 - PNEUMONIA

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	50892	9465	13663	6834	2105	3950	4544	5427	4903
F	39404	6422	10596	5565	1355	4508	3507	3593	3358
PATIENT DAYS									
M	591721	114392	133338	59552	17775	38921	56908	80922	90113
F	453369	73722	103158	49698	16495	48038	43390	56649	62219
AVERAGE STAY									
M	11.6	12.1	9.8	8.7	8.4	9.9	12.5	14.9	18.4
F	11.5	11.5	9.7	8.9	8.9	10.7	12.4	15.8	18.5
SEPARATION RATE PER 100,000 POPULATION									
M	529.5	5323.4	1634.7	320.7	129.1	162.0	325.2	722.6	1969.9
F	413.2	3809.0	1333.2	272.9	115.2	187.0	250.8	443.9	1038.8
PATIENT DAY RATE PER 100,000 POPULATION									
M	6156	64237	15953	2735	1589	1596	4073	10775	36204
F	4754	43726	13028	2437	1025	1993	3103	6998	20175
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	48813	12664	14973	6453	1699	3968	4295	5264	4696
F	37268	8650	11713	5250	1498	4529	3171	3305	2870
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	567516	153045	146164	56035	14334	39092	53787	78478	86295
F	428781	99293	114026	46877	13326	48263	39215	52106	53166
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	97	106	119	119	83	97	96	95	106
F	90	98	112	110	84	92	88	84	89
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	92	107	117	117	79	97	94	89	93
F	87	98	111	108	84	94	86	85	76

128

1967
DIAGNOSIS 49 - BRONCHITIS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 54	60 - 74	75 +
-----	----------	---------	-------	--------	---------	---------	---------	---------	------

M	35316	5907	9574	3501	919	2002	4222	6215	2976
F	24746	3887	6477	2768	1357	2875	3108	2848	1426

SEPARATIONS DURING YEAR

M	406270	57448	70335	22057	6226	16600	55576	113456	64572
F	239540	36713	43203	18885	9576	25494	36030	39551	25088

PATIENT DAYS

	AVERAGE STAY		SEPARATION RATE PER 100,000 POPULATION		PATIENT DAY RATE PER 100,000 POPULATION	
M	11.5	9.7	7.3	1145.5	8.3	302.2
F	9.7	9.4	7.4	818.0	8.9	222.3

M	367.4	3322.3	164.3	56.3	82.1	827.6
F	259.5	2305.5	135.7	84.3	119.3	351.8

M	4227	32310	8415	1035	382	3977
F	2512	21775	6088	926	595	2577

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	33873	7903	10495	3306	742	2011
F	23405	5236	7160	2512	1096	2858

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	389683	76859	77100	20825	5028	16691
F	226567	49447	53285	17812	7736	25597

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	111	107	131	121	92	106
F	100	99	128	114	85	94

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	120	112	134	116	90	100
F	103	108	130	109	83	94

DIAGNOSIS 50 - HYPERTROPHY OF TONSILS AND ADENOIDS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	96006	167	31030	52410	7493	4458	372	63	11
F	100187	62	24775	55266	14259	5133	580	103	9
PATIENT DAYS									
M	198509	540	58905	151407	21679	14204	1337	303	134
F	216879	202	46535	108759	41600	16993	2244	480	66
AVERAGE STAY									
M	2.1	3.2	1.9	1.9	2.9	3.2	3.6	4.8	12.2
F	2.2	3.3	1.9	2.0	2.9	3.3	3.9	4.7	7.3
SEPARATION RATE PER 100,000 POPULATION									
M	998.8	93.8	3712.6	2459.5	459.4	182.8	26.6	8.4	4.4
F	1050.6	36.5	3123.9	2710.3	885.7	212.9	41.5	12.7	2.9
PATIENT DAY RATE PER 100,000 POPULATION									
M	2065	304	7048	4759	1329	582	96	40	54
F	2274	120	5877	5334	2584	705	161	59	21
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	92083	224	34016	49485	6047	4478	352	62	11
F	94757	84	27396	52134	11515	5156	525	95	8
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	190371	724	64575	95752	17492	14256	1269	292	129
F	205101	273	51438	102501	33593	17073	2035	440	56
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	99	62	108	99	109	89	79	80	91
F	99	40	109	99	106	94	75	77	53
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	96	48	109	100	78	84	68	52	88
F	96	32	111	100	100	68	71	65	50

1967

DIAGNOSIS 51 - OTHER DISEASES OF RESPIRATORY SYSTEM

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	21877	789	1779	2578	5058	7922	5962	5727	2062
F	19083	539	1171	1722	3485	5666	3433	2410	1257
SEPARATIONS DURING YEAR									
M	333338	9220	15479	16786	27276	49677	63822	101753	49325
F	190329	5487	11139	11459	19822	40241	34397	37821	29963
PATIENT DAYS									
M	10.5	11.7	8.7	6.5	5.4	6.3	10.7	17.8	23.9
F	9.7	10.2	9.5	6.7	5.7	7.1	10.0	15.7	23.8
AVERAGE STAY									
SEPARATION RATE PER 100,000 POPULATION									
M	331.6	443.8	212.8	121.0	310.0	324.9	426.7	762.6	828.4
F	206.4	319.7	147.9	84.4	216.5	235.0	245.5	297.7	407.6
PATIENT DAY RATE PER 100,000 POPULATION									
M	3468	5186	1852	788	1672	2037	4568	13549	19817
F	1996	3254	1407	562	1231	1669	2460	4672	9716
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	30575	1056	1951	2435	4081	7958	5635	5555	1975
F	18617	726	1295	1625	2815	5692	3104	2217	1075
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	319712	12337	16969	15855	22007	49894	60324	98682	47235
F	180027	7390	12315	10811	16004	40417	31039	34787	25604
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	111	122	137	101	100	105	111	122	120
F	100	109	139	89	94	101	96	97	104
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	110	109	120	93	86	99	108	130	120
F	93	93	130	79	82	92	92	91	98

131

1967

"CANADA"

DIAGNOSIS 52 - DISEASES OF TEETH AND SUPPORTING STRUCTURE

ADULTS AND CHILDREN, BY AGE IN YEARS

SFX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	13782	51	1045	2800	3799	3640	1687	658	102
F	17734	30	1108	3313	5181	5341	2066	597	98
M	30029	332	2466	5361	6983	7707	4388	2217	570
F	36519	176	2125	5835	9937	11295	4904	1848	399
M		6.5	2.4	1.9	1.8	2.1	2.6	3.4	5.6
F		5.9	1.9	1.8	1.9	2.1	2.4	3.1	4.1
M	143.4	28.7	125.0	131.4	232.9	149.3	120.7	87.6	41.0
F	136.0	17.2	139.9	162.5	321.3	221.5	147.8	73.7	31.8
M	312	187	295	252	423	316	314	295	229
F	383	104	268	286	617	468	351	228	129
M	13219	69	1146	2644	3965	3657	1595	639	98
F	16773	41	1225	3126	4184	5365	1868	550	84
M	28753	445	2703	5071	5634	7741	4147	2149	546
F	34545	237	2346	5502	8022	11334	4436	1698	340
M	106	86	99	98	98	111	110	118	124
F	96	54	109	95	86	94	102	117	103
M	105	116	113	98	91	107	112	109	119
F	91	70	112	88	80	90	94	99	93

SEPARATIONS DURING YEAR

PATIENT DAYS

AVERAGE STAY

SEPARATION RATE PER 100,000 POPULATION

PATIENT DAY RATE PER 100,000 POPULATION

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

1967

DIAGNOSIS 53 - ULCER OF STOMACH, DUODENUM AND JEJUNUM

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	30614	8	26	256	1596	9786	10339	6428	2175
F	12465	7	12	172	739	3617	4197	2551	1170

SEPARATIONS DURING YEAR

M	30614	8	26	256	1596	9786	10339	6428	2175
F	12465	7	12	172	739	3617	4197	2551	1170

PATIENT DAYS

M	434541	193	301	2520	16176	116212	147736	108765	42638
F	103822	60	124	1559	7710	45601	63565	43449	25745

AVERAGE STAY

M	14.2	24.1	11.6	9.3	10.1	11.9	14.3	16.9	19.6
F	15.1	8.6	10.3	9.1	10.4	12.9	15.1	17.0	22.0

SEPARATION RATE PER 100,000 POPULATION

M	318.5	4.5	3.1	12.0	97.8	401.3	739.9	855.9	873.8
F	130.7	4.2	1.5	8.4	45.9	150.0	300.2	315.1	379.4

PATIENT DAY RATE PER 100,000 POPULATION

M	4521	109	36	118	991	4766	10573	14483	17131
F	1980	36	16	76	479	1933	4547	5367	8348

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	29363	11	29	242	1283	9830	9772	6234	2083
F	11790	10	14	163	597	3634	3794	2347	1000

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	416787	260	330	2375	13044	116738	139624	105485	40823
F	178584	82	141	1462	6228	46810	57464	39962	21999

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	93	47	76	94	88	87	94	99	109
F	92	250	58	76	82	85	90	98	109

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	91	76	60	94	81	87	92	94	97
F	92	141	51	73	80	86	92	91	100

1967

"CANADA"
DIAGNOSIS 54 - GASTRITIS, DUODENITIS AND OTHER DISORDERS AND DISEASES OF THE STOMACH AND DUODENUM

SEX		ALL AGES		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS											
SEPARATIONS DURING YEAR											
M	14003	300	425	811	1242	4853	3680	1952	740		
F	13049	184	426	794	1937	4232	2869	1761	842		
PATIENT DAYS											
M	110645	2451	2681	3504	7043	33800	32077	20148	8941		
F	109892	1256	2266	3615	11745	34382	27029	18027	11573		
AVERAGE STAY											
M	7.9	8.2	6.3	4.3	5.7	7.0	8.7	10.3	12.1		
F	8.4	6.8	5.3	4.5	6.1	8.1	9.4	10.2	13.7		
SEPARATION RATE PER 100,000 POPULATION											
M	145.7	168.7	50.8	39.1	76.1	199.0	263.4	259.9	297.3		
F	136.8	109.1	53.8	39.1	120.3	175.5	205.2	217.5	273.0		
PATIENT DAY RATE PER 100,000 POPULATION											
M	1151	1379	321	164	432	1386	2296	2683	3592		
F	1152	745	286	177	730	1426	1923	2227	3753		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	13431	402	466	753	1002	4875	3479	1894	709		
F	12342	248	471	753	1565	4251	2594	1620	720		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	106110	3281	2942	3300	5886	33942	30321	19542	3562		
F	103903	1692	2504	3405	9491	34533	24429	16582	9990		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	108	114	143	112	102	110	113	101	109		
F	110	87	137	111	103	114	103	103	120		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	105	96	161	111	101	106	111	102	105		
F	109	60	141	105	95	115	108	96	125		

1967

DIAGNOSIS 55 - APPENDICITIS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	24744	18	508	9179	7262	5020	1740	763	254
F	21097	8	380	7592	7694	3626	1116	516	165

SEPARATIONS DURING YEAR

M	135949	166	4817	62816	48317	38351	18156	10269	4057
F	157644	72	3442	51563	51424	28517	12129	7697	2600

PATIENT DAYS

M	135949	166	4817	62816	48317	38351	18156	10269	4057
F	157644	72	3442	51563	51424	28517	12129	7697	2600

AVERAGE STAY

M	7.6	9.2	9.5	6.8	6.7	7.6	10.4	13.5	16.0
F	7.5	9.0	9.1	6.8	6.7	7.9	10.9	14.9	17.0

SEPARATION RATE PER 100,000 POPULATION

M	257.4	10.1	60.8	430.8	445.1	205.9	124.5	101.6	102.0
F	221.2	4.7	48.0	372.3	477.9	150.4	79.8	63.7	53.5

PATIENT DAY RATE PER 100,000 POPULATION

M	1945	93	576	2948	2962	1573	1299	1367	1630
F	1653	43	435	2529	3194	1183	868	951	908

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	23733	25	557	3667	5359	5043	1645	740	244
F	19954	11	421	7162	6214	3643	1009	475	141

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	174308	222	5278	59314	38986	38529	17155	9957	3686
F	140090	98	3303	48646	41523	28648	10970	7081	2393

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	85	119	80	82	81	77	86	89	106
F	75	54	77	71	65	76	92	84	72

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	80	132	81	78	75	75	81	84	97
F	70	50	77	68	60	72	86	85	41

1957

"CANADA"

DIAGNOSIS 56 - HERNIA OF ABDOMINAL CAVITY

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	50574	2884	5052	4414	3193	9765	12215	9866	3185
F	17609	715	1147	998	654	4381	4656	3675	1383

SEPARATIONS DURING YEAR

M	410884	18536	23404	21673	20552	73569	107728	102815	42596
F	194153	4644	5078	4691	4661	43100	56593	53131	22255

PATIENT DAYS

M	8.1	6.4	4.6	4.9	6.4	7.5	8.8	10.4	13.4
F	11.0	6.3	4.4	4.7	7.1	9.8	12.2	14.5	16.1

AVERAGE STAY

M	526.2	1622.0	604.5	207.1	195.7	400.5	874.2	1313.7	1279.6
F	184.7	424.1	144.9	48.9	40.0	181.7	333.0	454.0	448.4

SEPARATION RATE PER 100,000 POPULATION

M	4275	10425	2800	1017	1260	3017	7710	13690	17114
F	2036	2754	641	230	290	1788	4048	6563	7216

PATIENT DAY RATE PER 100,000 POPULATION

M	48508	3859	5539	4163	2576	9809	11545	9569	3051
F	16655	963	1268	942	529	4401	4209	3381	1182

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	394108	24799	25654	20463	16584	73898	101816	99709	40793
F	183635	6254	5611	4425	3771	43299	51158	48867	19016

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	107	125	107	107	88	110	112	115	112
F	103	105	94	110	87	100	116	126	117

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	99	111	94	89	75	101	105	107	107
F	105	83	80	89	74	98	109	123	100

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	99	111	94	89	75	101	105	107	107
F	105	83	80	89	74	98	109	123	100

DIAGNOSIS 57 - INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	4139	165	248	372	269	557	789	981	750
F	5106	100	149	234	271	1039	1184	1115	1014
M	47140	1226	1970	2334	2429	5824	9633	13051	10623
F	72807	1055	1113	1570	2260	12650	16822	17675	19662

SEPARATIONS DURING YEAR

PATIENT DAYS

AVERAGE STAY

SEPARATION RATE PER 100,000 POPULATION

PATIENT DAY RATE PER 100,000 POPULATION

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

DIAGNOSIS 58 - GASTRO-ENTERITIS AND COLITIS, EXCEPT ULCERATIVE, AGE 4 WEEKS AND OVER

SEX		ADULTS AND CHILDREN, BY AGE IN YEARS								
ALL AGES		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +	
SEPARATIONS DURING YEAR										
M	26106	8274	3580	3031	1359	1825	1260	1044	733	
F	26106	6638	6719	2721	2142	3052	2039	1661	1134	
PATIENT DAYS										
M	188737	76776	59208	13066	5573	9717	8400	8298	7719	
F	189429	59463	45606	11877	9232	19535	15979	15248	12439	
AVERAGE STAY										
M	7.2	9.3	6.9	4.3	4.1	5.3	6.7	7.9	10.5	
F	7.3	9.0	6.8	4.4	4.3	6.4	7.8	9.2	11.0	
SEPARATION RATE PER 100,000 POPULATION										
M	271.6	4653.5	1026.6	142.2	83.3	74.8	90.2	139.0	294.5	
F	273.8	3937.1	848.6	133.4	133.1	126.6	145.8	205.2	367.7	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1964	43181	7084	613	342	398	601	1104	3101	
F	1986	35269	5760	582	577	810	1143	1884	4033	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	25040	11070	9406	2862	1097	1834	1191	1013	702	
F	24691	8941	7427	2567	1730	3066	1844	1528	969	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	181060	102719	64905	12334	4502	9749	7937	8041	7392	
F	179125	80089	50414	11195	7502	19616	14445	14028	10628	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	108	121	153	116	112	111	97	106	121	
F	109	122	147	110	96	121	112	115	116	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	97	110	134	117	104	107	102	106	132	
F	99	110	141	103	88	117	101	112	106	

1967

"CANADA"

DIAGNOSIS 59 - CHRONIC ENTERITIS AND ULCERATIVE COLITIS

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
-----	----------	---------	-------	--------	---------	---------	---------	---------	------

SEPARATIONS DURING YEAR

M	5221	40	73	108	393	1009	1277	1486	930
F	7680	27	42	103	439	1150	1667	2494	1756

PATIENT DAYS

M	84691	878	774	1584	7438	16182	19269	22536	16030
F	123276	335	419	1525	7313	19295	25086	39637	29626

AVERAGE STAY

M	15.9	21.9	10.6	14.7	18.7	16.0	15.1	15.2	17.2
F	16.0	12.4	10.0	14.8	16.7	16.8	15.0	15.9	15.9

SEPARATION RATE PER 100,000 POPULATION

M	55.4	22.5	8.7	5.1	24.4	41.4	91.4	197.9	373.6
F	30.5	16.0	5.3	5.1	27.3	47.7	119.2	303.1	570.0

PATIENT DAY RATE PER 100,000 POPULATION

M	881	494	93	74	456	664	1379	3001	6440
F	1292	199	53	75	454	800	1794	4896	9606

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	5104	54	31	102	322	1014	1207	1442	891
F	7264	37	47	98	355	1156	1507	2294	1503

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	81213	1176	853	1439	6002	16264	18211	21858	15351
F	116531	452	464	1443	5903	19373	22673	36455	25314

139 -

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	115	174	144	134	129	131	116	103	107
F	117	231	156	113	132	111	113	107	116

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	115	304	192	148	110	129	118	105	108
F	107	127	117	115	138	106	114	109	81

DIAGNOSIS 60 - CIRRHOSIS AND OTHER DISEASES OF LIVER

		ADULTS AND CHILDREN, BY AGE IN YEARS							
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	4914	17	44	136	145	1226	1960	1166	220
F	3195	12	22	147	227	805	1112	693	177
PATIENT DAYS									
M	97912	509	839	1894	1931	13328	39571	27821	6019
F	70169	1273	328	1750	2554	13950	24724	19595	5994
AVERAGE STAY									
M	19.0	29.9	19.1	13.2	13.3	15.8	20.2	23.9	27.4
F	22.0	106.1	14.9	11.9	11.3	17.3	22.2	28.3	33.9
SEPARATION RATE PER 100,000 POPULATION									
M	51.1	9.6	5.3	6.4	8.9	50.3	140.3	155.3	83.4
F	33.5	7.1	2.8	7.2	14.1	33.4	79.5	85.6	57.4
PATIENT DAY RATE PER 100,000 POPULATION									
M	1019	286	100	89	113	793	2832	3705	2413
F	725	755	41	86	159	579	1768	2421	1944
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	4714	23	49	129	117	1232	1853	1131	211
F	3022	17	25	139	184	809	1006	638	152
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	93941	681	917	1791	1554	19424	37399	26985	5764
F	66383	1715	359	1655	2068	14022	22344	18027	5123
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	110	62	37	38	46	122	127	124	102
F	88	89	69	41	46	30	109	115	97
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	117	97	105	51	53	124	136	129	69
F	109	266	87	42	54	91	116	145	99

1967

"CANADA"

DIAGNOSIS 61 - DISEASES OF GALLBLADDER AND PANCREAS

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	21548	53	103	156	492	5649	7144	5707	2339
F	51648	65	99	324	6647	22226	17005	11381	3901
PATIENT DAYS									
M	317116	1425	2822	2197	5489	65799	98816	95746	44822
F	812778	2847	2950	4356	67664	253914	224363	183942	72742
AVERAGE STAY									
M	14.6	24.6	27.4	14.1	11.2	11.6	13.8	16.8	19.2
F	13.2	43.8	29.8	13.4	10.2	11.4	13.2	16.2	18.6
SEPARATION RATE PER 100,000 POPULATION									
M	225.2	32.6	12.3	7.3	30.2	231.7	511.3	759.9	939.7
F	646.5	38.6	12.5	15.9	412.9	921.9	1216.3	1405.9	1264.9
PATIENT DAY RATE PER 100,000 POPULATION									
M	3299	801	338	103	336	2698	7072	12749	18098
F	9523	1689	373	214	4203	10532	16048	22723	23587
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	20764	78	113	148	397	5675	6752	5535	2240
F	58307	88	110	306	5368	22325	15372	10469	3334
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	304132	1906	3097	2073	4423	66085	93391	92855	42924
F	768719	3836	3265	4117	54641	255046	202810	169192	62157
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	139	84	109	146	128	149	135	137	148
F	132	133	126	142	146	139	121	122	119
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	134	87	171	161	134	146	131	132	140
F	125	198	142	194	143	134	115	115	110

1967

"CANADA"

DIAGNOSIS 62 - OTHER DISEASES OF DIGESTIVE SYSTEM

ADULTS AND CHILDREN, BY AGE IN YEARS									
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	17661	590	1293	1607	1366	4896	3935	2615	1379
F	17566	390	1172	1424	2102	4946	3594	2595	1343
PATIENT DAYS									
M	171909	5552	9826	10493	10578	23680	39906	36352	20512
F	179246	3754	9926	8618	15151	45236	39408	35448	21705
AVERAGE STAY									
M	9.7	9.4	7.6	6.5	7.7	7.9	10.1	13.9	14.9
F	10.2	9.6	8.5	6.1	7.2	9.1	11.0	13.7	16.2
SEPARATION RATE PER 100,000 POPULATION									
M	184.0	331.8	154.7	75.4	83.7	200.8	281.6	348.2	554.0
F	184.2	231.2	148.0	69.8	130.6	205.2	257.1	320.6	435.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	1789	3123	1176	492	648	1586	2856	4842	8241
F	1880	2227	1254	423	941	1876	2819	4379	7023
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	16959	790	1413	1518	1102	4918	3719	2537	1321
F	15614	526	1296	1344	1698	4968	3249	2587	1148
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	164926	7429	10775	9900	8529	38848	37716	35266	19643
F	169564	5058	10976	6137	12234	45430	35626	32606	18547
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	105	89	113	106	94	105	112	111	120
F	101	92	112	100	90	100	98	109	106
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	103	81	98	104	93	101	105	118	113
F	96	99	117	91	84	96	90	103	88

DIAGNOSIS 63 - NEPHRITIS AND NEPHROSIS

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
-----	----------	---------	-------	--------	---------	---------	---------	---------	------

SEPARATIONS DURING YEAR

M	3150	12	390	1131	924	3306	1591	563	233
F	5029	19	303	866	716	1710	825	382	208

PATIENT DAYS

M	86534	147	7724	21701	8219	18037	12434	9482	8790
F	68412	384	5876	14993	7002	14505	9001	10404	6247

AVERAGE STAY

M	10.6	12.3	19.8	12.2	8.9	5.5	7.8	16.8	37.7
F	13.6	20.2	19.4	17.3	9.8	8.5	10.9	27.2	30.0

SEPARATION RATE PER 100,000 POPULATION

M	84.8	6.7	46.7	53.1	56.6	135.6	113.9	75.0	93.6
F	52.7	11.3	38.3	42.5	44.5	70.9	59.0	47.2	67.4

PATIENT DAY RATE PER 100,000 POPULATION

M	900	83	924	1018	504	740	890	1263	3532
F	717	228	742	735	435	602	644	1285	2026

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	7817	17	428	1068	746	3321	1504	547	224
F	4757	26	335	817	579	1718	746	352	178

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	32971	198	8466	20483	6634	18126	11754	9199	2419
F	64659	518	6495	14138	5656	14579	8139	9568	5339

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	206	38	89	99	175	471	309	145	116
F	145	83	91	94	142	246	169	115	121

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	136	19	80	92	86	150	127	103	129
F	102	74	87	92	89	152	93	120	74

1967

DIAGNOSIS 64 - INFECTIONS OF KIDNEY

"CANADA"

SEX		ADULTS AND CHILDREN, BY AGE IN YEARS							
ALL AGES		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	4972	151	263	776	438	938	921	815	670
F	14853	181	1093	2515	2313	6095	2034	1392	730
PATIENT DAYS									
M	64864	2611	3247	8578	3931	8737	10170	13248	14342
F	151422	3047	11316	19266	20432	36486	22749	21231	14685
AVERAGE STAY									
M	13.0	17.3	12.3	11.1	9.0	9.3	11.0	16.3	21.4
F	10.2	16.8	10.4	7.7	7.3	8.9	11.2	16.7	20.4
SEPARATION RATE PER 100,000 POPULATION									
M	51.7	34.9	31.5	36.4	26.9	38.5	65.9	108.5	269.2
F	155.3	197.4	138.0	123.3	174.7	159.9	145.5	172.0	256.7
PATIENT DAY RATE PER 100,000 POPULATION									
M	675	1469	383	403	241	358	728	1764	5762
F	1589	1807	1429	945	1269	1514	1627	2871	4827
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	4769	203	289	733	354	943	871	791	642
F	14048	244	1209	2373	2272	4114	1339	1231	624
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	52223	3495	3555	8109	3172	8769	9614	12848	13735
F	143228	4104	12503	18173	16498	36664	20562	21377	12721
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	93	178	113	97	79	80	93	93	112
F	101	117	116	94	89	105	97	104	112
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	94	161	108	128	80	75	87	85	109
F	93	115	117	91	70	103	91	111	110

DIAGNOSIS 65 - CALCULI OF KIDNEY, URETER AND OTHER PARTS OF URINARY SYSTEM

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	13332	1	7	62	749	5307	4537	2173	496
F	5887	6	33	98	729	2311	1552	917	241

SEPARATIONS DURING YEAR

M	13332	1	7	62	749	5307	4537	2173	496
F	5887	6	33	98	729	2311	1552	917	241

PATIENT DAYS

M	114092	13	112	594	5040	38084	37998	24967	7284
F	60672	78	249	799	5570	22086	16298	11772	3820

AVERAGE STAY

M	8.6	13.0	16.0	9.6	6.7	7.2	8.4	11.5	14.7
F	10.3	13.0	7.5	8.2	7.6	9.6	10.5	12.8	15.9

SEPARATION RATE PER 100,000 POPULATION

M	138.7	0.6	0.8	2.9	45.9	217.6	324.7	289.3	159.3
F	61.7	3.6	4.2	4.8	45.3	95.9	111.0	113.3	73.1

PATIENT DAY RATE PER 100,000 POPULATION

M	1187	7	13	28	309	1562	2719	3325	2926
F	636	46	31	39	346	916	1166	1454	1239

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	12738	2	8	59	605	5331	4288	2108	475
F	5568	9	37	93	589	2322	1403	844	206

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	109429	17	120	564	4067	38260	35907	24217	6975
F	57364	105	272	751	4499	22183	14736	10827	3266

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	112	200	57	90	101	112	114	116	121
F	118	450	462	123	102	123	116	114	92

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	100	212	50	88	84	100	102	104	97
F	123	172	367	100	107	133	117	124	96

1967

DIAGNOSIS 66 - OTHER DISEASES OF URINARY SYSTEM

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	15982	313	991	1935	1229	2919	2689	3444	2462
F	24154	292	2496	4060	2681	5737	4262	3124	1502

SEPARATIONS DURING YEAR

M	15982	313	991	1935	1229	2919	2689	3444	2462
F	24154	292	2496	4060	2681	5737	4262	3124	1502

PATIENT DAYS

M	171401	4559	9081	14765	9459	22340	26748	44040	40499
F	215873	4136	19896	28272	17966	46023	40930	33999	24651

AVERAGE STAY

M	10.7	14.6	9.2	7.6	7.7	7.7	9.9	12.8	16.4
F	8.9	14.2	8.0	7.0	6.7	8.0	9.6	10.9	16.4

SEPARATION RATE PER 100,000 POPULATION

M	166.3	176.0	118.6	90.8	75.3	119.7	192.4	458.6	993.2
F	253.3	173.2	315.2	109.1	160.5	236.0	304.8	385.9	467.0

PATIENT DAY RATE PER 100,000 POPULATION

M	1784	2564	1087	693	580	916	1914	5864	16271
F	2264	2453	2513	1386	1116	1909	2928	4200	7993

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	13329	419	1287	1828	992	2933	2542	3341	2358
F	22845	394	2759	3830	2165	5763	3853	2874	1284

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	164466	6100	9960	13944	7634	22437	25276	42710	38783
F	204199	5571	21995	26660	14509	46229	37004	31273	21064

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	115	179	170	120	111	112	103	114	127
F	129	244	229	167	122	114	106	113	126

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	106	163	149	101	79	85	91	114	123
F	121	222	219	156	112	106	106	111	103

1967

"CANADA"

DIAGNOSIS 68 - REDUNDANT PREPUCE AND PHIMOSIS

ADULTS AND CHILDREN, BY AGE IN YEARS									
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	9130	1368	2639	2280	1037	1142	341	206	117
F	0	0	0	0	0	0	0	0	0
PATIENT DAYS									
M	29355	3676	7759	6774	3444	3978	1489	1335	900
F	0	0	0	0	0	0	0	0	0
AVERAGE STAY									
M	3.2	2.7	2.9	3.0	3.3	3.5	4.4	6.5	7.7
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SEPARATION RATE PER 100,000 POPULATION									
M	95.0	769.4	315.7	107.0	63.6	46.8	24.4	27.4	47.0
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	305	2067	928	313	211	163	107	178	362
F	0	0	0	0	0	0	0	0	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	8757	1831	2893	2153	837	1148	323	200	113
F	0	0	0	0	0	0	0	0	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	28118	4917	8503	6399	2778	3993	1414	1297	863
F	0	0	0	0	0	0	0	0	0
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	77	71	87	81	80	104	104	82	102
F	0	0	0	0	0	0	0	0	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	73	70	92	84	74	97	101	76	86
F	0	0	0	0	0	0	0	0	0

148 -

DIAGNOSIS 69 - DISEASES OF OVARY, FALLOPIAN TUBE AND PARAMETRIUM, AND INFECTIVE DISEASES OF UTERUS, VAGINA, AND VULVA

SEX		ADULTS AND CHILDREN, BY AGE IN YEARS									
ALL AGES		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +		
		SEPARATIONS DURING YEAR									
M	0	0	0	0	0	0	0	0	0	0	
F	34435	13	92	417	8950	19315	4500	914	234		
		PATIENT DAYS									
M	0	0	0	0	0	0	0	0	0	0	
F	244123	105	769	2646	56629	136868	34860	8784	3462		
		AVERAGE STAY									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
F	7.1	8.1	8.4	6.3	7.1	7.7	9.6	14.8			
		SEPARATION RATE PER 100,000 POPULATION									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
F	361.1	7.7	11.6	20.5	555.9	801.2	321.9	112.9	75.9		
		PATIENT DAY RATE PER 100,000 POPULATION									
M	0	0	0	0	0	0	0	0	0	0	
F	2560	62	97	130	3518	5677	2493	1085	1123		
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0	0	
F	32569	18	102	394	7228	19401	4068	841	200		
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0	0	
F	230896	141	849	2501	45735	137476	31506	8079	2960		
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0	0	
F	98	128	63	72	101	97	95	97	109		
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0	0	
F	90	114	57	62	92	89	88	89	120		

1967

DIAGNOSIS 70 - UTEROVAGINAL PROLAPSE

"CANADA"

SEX		ALL AGES		UNDER 1		1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS				45 - 59	60 - 74	75 +
							5 - 14	15 - 24	25 - 44				
SEPARATIONS DURING YEAR													
M		0		0		0	0	0	0		0	0	0
F		21400		1		2	6	157	7576		7977	4767	914
PATIENT DAYS													
M		0		0		0	0	0	0		0	0	0
F		302232		13		15	97	1688	101263		111771	71358	16027
AVERAGE STAY													
M		0.0		0.0		0.0	0.0	0.0	0.0		0.0	0.0	0.0
F		14.1		13.0		7.5	16.2	10.8	13.4		14.0	15.0	17.5
SEPARATION RATE PER 100,000 POPULATION													
M		0.0		0.0		0.0	0.0	0.0	0.0		0.0	0.0	0.0
F		224.4		0.6		0.3	0.3	9.8	314.2		570.6	588.9	296.4
PATIENT DAY RATE PER 100,000 POPULATION													
M		0		0		0	0	0	0		0	0	0
F		3169		8		2	5	105	4200		7994	8815	5197
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION													
M		0		0		0	0	0	0		0	0	0
F		20240		2		3	6	127	7610		7211	4385	781
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION													
M		0		0		0	0	0	0		0	0	0
F		285824		19		18	97	1366	101709		101026	65635	12696
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100													
M		0		0		0	0	0	0		0	0	0
F		114		0		75	300	66	125		113	104	102
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100													
M		0		0		0	0	0	0		0	0	0
F		110		0		22	1385	65	123		108	97	95

1967

DIAGNOSIS 71 - DISORDERS OF MENSTRUATION

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	0	0	0	0	0	0	0	0	0
F	40898	0	7	509	7505	21517	10249	959	152
M	0	0	0	0	0	0	0	0	0
F	182181	0	57	2158	30713	97077	46058	4838	1280
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	4.5	0.0	8.1	4.2	4.1	4.5	4.5	5.0	3.4
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	428.9	0.0	0.9	25.0	466.2	892.5	733.1	118.5	49.3
M	0	0	0	0	0	0	0	0	0
F	1910	0	7	196	1908	4027	3294	598	415
M	0	0	0	0	0	0	0	0	0
F	38681	0	8	481	6061	21613	9265	883	130
M	0	0	0	0	0	0	0	0	0
F	172270	0	62	2039	24805	97519	41629	4453	1094
M	0	0	0	0	0	0	0	0	0
F	121	0	266	102	103	117	142	174	138
M	0	0	0	0	0	0	0	0	0
F	111	0	158	92	93	110	123	138	174

SEPARATIONS DURING YEAR

PATIENT DAYS

AVERAGE STAY

SEPARATION RATE PER 100,000 POPULATION

PATIENT DAY RATE PER 100,000 POPULATION

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

151

SEX		ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS										
SEPARATIONS DURING YEAR										
M	12957	308	872	1241	1524	2994	2946	2266	806	
F	31617	19	52	240	4633	16219	8903	1271	274	
PATIENT DAYS										
M	101372	1958	4393	6639	9395	18935	23403	23871	12734	
F	171917	122	315	1214	20972	86823	49926	9673	3054	
AVERAGE STAY										
M	7.3	6.4	5.0	5.3	6.2	6.3	7.9	10.5	15.8	
F	5.4	6.4	6.1	5.1	4.5	5.3	5.6	7.6	11.1	
SEPARATION RATE PER 100,000 POPULATION										
M	134.8	173.2	104.3	58.2	93.4	122.3	210.8	301.7	323.8	
F	331.5	11.3	6.6	11.8	289.2	672.7	636.8	157.0	88.8	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1055	1101	526	312	576	779	1675	3179	5116	
F	1803	72	40	60	1303	3593	3571	1196	990	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	12428	413	956	1172	1230	3008	2785	2198	772	
F	29904	26	58	227	3747	16292	8048	1170	235	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	57260	2620	4820	6278	7582	19081	22120	23154	12195	
F	162619	164	351	1155	16940	87009	45130	8906	2609	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	105	90	100	107	110	109	108	104	101	
F	103	37	93	94	100	99	108	121	145	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	84	81	95	93	96	95	96	93	95	
F	95	29	136	92	89	94	96	106	128	

DIAGNOSIS 73 - COMPLICATIONS OF PREGNANCY

SEX ALL AGES UNDER 1 1 - 4 5 - 14 15 - 24 25 - 44 45 - 59 60 - 74 75 +

M	0	0	0	0	0	0	0	0
F	63644	0	91	32858	35383	311	1	0

M	0	0	0	0	0	0	0	0
F	292125	0	406	132961	157010	1710	38	0

M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	4.3	0.0	4.5	4.0	4.4	5.5	38.0	0.0

M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	719.8	0.0	4.5	2041.0	1467.6	22.2	0.1	0.0

M	0	0	0	0	0	0	0	0
F	3063	0	20	8259	6513	122	5	0

M	0	0	0	0	0	0	0	0
F	64923	0	86	26534	35541	282	1	0

M	0	0	0	0	0	0	0	0
F	276263	0	385	107370	157721	1542	38	0

M	0	0	0	0	0	0	0	0
F	84	0	162	86	76	87	0	0

M	0	0	0	0	0	0	0	0
F	79	0	121	82	73	67	0	0

1967

DIAGNOSIS 74 - ABORTION

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	0	0	0	0	0	0	0	0	0
F	41292	0	1	27	14581	26136	543	3	1

SEPARATIONS DURING YEAR

M	0	0	0	0	0	0	0	0	0
F	41292	0	1	27	14581	26136	543	3	1

PATIENT DAYS

M	0	0	0	0	0	0	0	0	0
F	151856	0	3	155	51531	97867	2245	46	9

AVERAGE STAY

M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	3.7	0.0	3.0	5.7	3.5	3.7	4.1	15.3	9.0

SEPARATION RATE PER 100,000 POPULATION

M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	433.0	0.0	0.1	1.3	905.7	1084.1	38.8	0.4	0.3

PATIENT DAY RATE PER 100,000 POPULATION

M	0	0	0	0	0	0	0	0	0
F	1592	0	0	8	3201	4059	161	6	3

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	0	0	0	0	0	0	0	0	0
F	39054	0	2	26	11775	26253	491	3	1

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	0	0	0	0	0	0	0	0	154
F	143589	0	1	154	41614	98294	2035	45	8

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	0	0	0	0	0	0	0	0	0
F	68	0	0	108	71	65	74	300	0

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	0	0	0	0	0	0	0	0	0
F	61	0	0	125	64	59	68	1500	0

DIAGNOSIS 75 - DELIVERY WITHOUT MENTION OF COMPLICATIONS

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
-----	----------	---------	-------	--------	---------	---------	---------	---------	------

SEPARATIONS DURING YEAR

M	0	0	0	0	0	0	0	0	0
F	273159	0	0	180	126471	145958	549	1	0

PATIENT DAYS

M	0	0	0	0	0	0	0	0	0
F	1556424	0	0	1087	715985	835956	3385	11	0

AVERAGE STAY

M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	5.7	0.0	0.0	6.0	5.7	5.7	6.2	11.0	0.0

SEPARATION RATE PER 100,000 POPULATION

M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	2864.4	0.0	0.0	8.8	7855.8	6054.1	39.3	0.1	0.0

PATIENT DAY RATE PER 100,000 POPULATION

M	0	0	0	0	0	0	0	0	0
F	16321	0	0	53	44474	34674	242	1	0

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	0	0	0	0	0	0	0	0	0
F	258352	0	0	170	102129	146607	497	1	0

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	0	0	0	0	0	0	0	0	0
F	1472048	0	0	1020	578176	839673	3059	8	0

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	0	0	0	0	0	0	0	0	0
F	61	0	0	80	62	57	54	14	0

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	0	0	0	0	0	0	0	0	0
F	59	0	0	70	60	55	48	19	0

DIAGNOSIS 76 - DELIVERY WITH SPECIFIED COMPLICATION

SEX		ADULTS AND CHILDREN, BY AGE IN YEARS								
ALL AGES		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +	
		SEPARATIONS DURING YEAR								
M	0	0	0	0	0	0	0	0	0	
F	71006	0	0	66	31407	39308	225	0	0	
		PATIENT DAYS								
M	0	0	0	0	0	0	0	0	0	
F	607720	0	0	697	253789	350786	2448	0	0	
		AVERAGE STAY								
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
F	8.6	0.0	0.0	10.6	8.1	8.9	10.9	0.0	0.0	
		SEPARATION RATE PER 100,000 POPULATION								
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
F	744.5	0.0	0.0	3.2	1950.9	1630.4	16.1	0.0	0.0	
		PATIENT DAY RATE PER 100,000 POPULATION								
M	0	0	0	0	0	0	0	0	0	
F	6373	0	0	34	15764	14550	175	0	0	
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	0	0	0	0	0	0	0	0	0	
F	67157	0	0	63	25362	39483	204	0	0	
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	0	0	0	0	0	0	0	0	0	
F	574304	0	0	654	204937	352346	2212	0	0	
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	0	0	0	0	0	0	0	0	0	
F	190	0	0	286	223	165	164	0	0	
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	0	0	0	0	0	0	0	0	0	
F	181	0	0	361	217	159	158	0	0	

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	0	0	0	0	0	0	0	0	0
F	7565	0	0	4	3213	4301	42	4	1
PATIENT DAYS									
M	0	0	0	0	0	0	0	0	0
F	60073	0	0	37	22918	36554	494	59	11
AVERAGE STAY									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	7.9	0.0	0.0	9.3	7.1	8.5	11.8	14.8	11.0
SEPARATION RATE PER 100,000 POPULATION									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	79.3	0.0	0.0	0.2	199.6	178.4	3.0	0.5	0.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	0	0	0	0	0	0	0	0
F	630	0	0	2	1424	1516	35	7	4
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	7155	0	0	4	2595	4321	38	4	1
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	56822	0	0	39	18513	36712	443	53	11
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	157	0	0	100	149	155	118	400	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	132	0	0	36	134	127	118	1325	0

"CANADA"

1967
DIAGNOSIS 73 - INFECTION OF SKIN AND SUBCUTANEOUS TISSUE

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX ALL AGES UNDER 1 1 - 4 5 - 14 15 - 24 25 - 44 45 - 59 60 - 74 75 +

SEPARATIONS DURING YEAR

M	13873	578	2414	3458	2120	2448	1569	847	399
F	11309	567	2295	2688	1440	1916	1268	732	403

PATIENT DAYS

M	104833	6145	19865	21075	11713	16466	14320	9688	5561
F	91170	5335	18067	15959	7695	13931	12258	6333	7247

AVERAGE STAY

M	7.6	10.6	8.2	6.1	5.5	6.7	9.1	11.4	13.9
F	8.1	10.3	8.3	5.9	5.3	7.3	9.7	12.8	18.0

SEPARATION RATE PER 100,000 POPULATION

M	143.7	325.1	78.4	152.3	179.9	120.6	112.3	112.6	149.2
F	113.5	335.3	239.3	131.8	87.4	79.8	90.7	90.4	130.7

PATIENT DAY RATE PER 100,000 POPULATION

M	1091	3456	2377	989	718	675	1025	1290	2234
F	956	3460	2355	780	475	575	877	1153	2350

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	13263	774	2547	3233	1711	2497	1433	822	323
F	10596	764	2537	2536	1163	1925	1147	674	345

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	100579	8222	21779	17677	9451	15434	13536	9396	5325
F	86226	7857	20962	15004	6215	13997	11084	8586	6193

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	74	75	95	81	63	65	75	77	79
F	76	81	100	82	59	67	78	74	97

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	73	62	100	81	62	67	79	70	77
F	76	69	101	81	56	74	79	70	91

DIAGNOSIS 79 - OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE

ADULTS AND CHILDREN, BY AGE IN YEARS									
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	13569	912	1308	2112	2388	2475	1966	1589	819
F	15253	670	1095	2020	2618	3637	2668	1757	788
PATIENT DAYS									
M	152121	11463	14185	15145	15792	27515	26907	25669	15445
F	169917	8886	11912	15601	19021	37166	32622	28407	15402
AVERAGE STAY									
M	11.2	12.6	10.8	7.2	6.6	11.1	13.7	16.2	18.9
F	11.1	13.3	10.9	7.7	7.6	10.2	12.2	16.2	19.5
SEPARATION RATE PER 100,000 POPULATION									
M	141.2	512.9	156.5	99.1	146.4	101.5	140.7	211.6	329.0
F	159.9	397.4	138.3	99.1	162.6	150.9	190.8	217.0	255.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	1593	6447	1697	711	968	1128	1926	3418	6205
F	1782	5270	1504	765	1237	1542	2333	3509	4994
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	13015	1221	1434	1995	1927	2487	1859	1542	785
F	14427	903	1211	1906	2115	3654	2412	1617	674
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	145936	15337	15549	14306	12741	27629	25435	24895	14790
F	160725	11968	13164	14715	16082	37342	29484	26128	13161
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	85	92	103	75	71	86	95	94	104
F	97	96	117	80	75	89	86	90	97
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	23	77	90	78	73	94	94	83	88
F	27	83	103	87	79	93	86	92	74

1967

"CANADA"

DIAGNOSIS 80 - ARTHRITIS AND RHEUMATISM, EXCEPT RHEUMATIC FEVER

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	17542	25	210	778	846	4008	5314	4332	2029
F	22404	18	201	891	1092	4244	6225	6386	3437
PATIENT DAYS									
M	361153	359	3466	10854	10674	57132	95333	115229	68056
F	511146	507	2263	14115	14545	73900	125723	200292	171430
AVERAGE STAY									
M	20.6	14.4	16.5	14.0	12.6	14.3	17.9	26.6	33.5
F	27.4	23.2	13.7	17.9	13.0	17.4	21.8	31.4	49.9
SEPARATION RATE PER 100,000 POPULATION									
M	122.5	14.1	25.1	36.5	51.9	164.4	380.3	576.8	815.2
F	234.9	10.7	25.4	39.3	67.8	176.0	445.2	783.9	1114.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	3757	202	415	509	654	2343	6826	15243	27343
F	6431	301	348	703	885	3065	9708	24743	55606
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	10126	34	221	735	693	4020	5023	4202	1344
F	21190	25	223	750	372	4263	5627	5874	2937
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	346354	481	3803	11242	6078	57389	93143	111742	65174
F	550705	634	3046	13523	11506	74223	122637	184232	146534
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	101	69	112	98	76	97	104	104	107
F	106	86	112	92	85	97	101	111	110
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	102	76	113	113	75	89	111	111	94
F	101	135	75	140	95	95	100	105	84

DIAGNOSIS 81 - DISPLACEMENT OF INTERVERTEBRAL DISC

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	11666	1	3	16	557	5750	3980	1192	167
F	8870	0	1	16	438	4056	3160	972	227
M	181524	2	55	247	7475	85858	63319	20624	3944
F	154861	0	10	201	6470	67945	56773	18869	4533
M	15.6	2.0	18.3	15.4	13.4	14.9	15.9	17.3	23.6
F	17.5	0.0	10.0	12.5	14.8	16.8	18.0	19.4	20.2
M	121.4	0.6	0.4	0.8	34.1	235.8	284.8	158.7	67.1
F	93.0	0.0	0.1	0.8	27.2	168.2	226.0	120.1	73.6
M	1889	1	7	12	458	3521	4532	2746	1585
F	1624	0	1	10	402	2818	4061	2331	1489
M	11120	2	4	16	457	5776	3762	1157	160
F	8390	0	2	16	354	4075	2857	895	194
M	174145	3	65	242	6023	86243	59849	20000	3778
F	146475	0	9	193	5227	68242	51322	17357	5524
M	102	0	100	123	80	97	110	123	137
F	111	0	66	106	75	104	122	129	160
M	93	0	171	96	69	88	100	117	177
F	104	0	13	119	72	95	113	121	157

SEPARATIONS DURING YEAR

PATIENT DAYS

AVERAGE STAY

SEPARATION RATE PER 100,000 POPULATION

PATIENT DAY RATE PER 100,000 POPULATION

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

DIAGNOSIS 32 - OTHER DISEASES OF BONES AND ORGANS OF MOVEMENT

		ADULTS AND CHILDREN, BY AGE IN YEARS							
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	24336	291	1170	3658	4428	7154	4931	2481	723
F	25085	188	737	2893	3825	6150	6217	3614	1471
PATIENT DAYS									
M	114002	1106	16304	52117	56732	78254	60562	38336	20745
F	353101	2113	1475	36756	37752	54054	74868	66871	65905
AVERAGE STAY									
M	12.3	14.1	13.8	14.2	11.5	10.5	12.3	15.5	29.0
F	14.0	14.4	12.0	13.8	11.2	11.1	12.0	17.9	46.9
SEPARATION RATE PER 100,000 POPULATION									
M	258.4	163.7	140.0	171.7	271.8	233.4	352.9	330.4	290.5
F	263.0	111.5	93.1	141.4	237.6	255.1	444.7	446.4	477.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	3312	2309	1939	2441	3108	3086	4333	5132	8431
F	3671	1609	1121	1804	2345	2416	5355	8014	21396
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	23822	390	1283	3454	3573	7186	4661	2407	693
F	23726	254	815	2720	3089	6178	5620	3325	1257
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	505330	5493	17766	43113	40707	75548	57221	37378	20096
F	231101	3654	10612	34701	30486	58577	67675	59671	56383
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	122	84	104	109	125	127	125	128	134
F	123	97	105	103	119	125	126	123	134
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	102	63	91	91	117	109	106	84	126
F	110	72	85	84	109	112	97	102	158

1967

"CANADA"

DIAGNOSIS 83 - CONGENITAL MALFORMATIONS

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	16839	3542	3454	5692	1576	1387	692	419	77
F	13768	2570	2730	2970	2189	2135	816	307	71

SEPARATIONS DURING YEAR

M	23182	7591	5018	5470	1717	1627	1039	715	1016
F	19764	5256	4223	3459	2037	2495	1174	484	1634

PATIENT DAYS

M	23182	7591	5018	5470	1717	1627	1039	715	1016
F	19764	5256	4223	3459	2037	2495	1174	484	1634

AVERAGE STAY

M	13.3	21.3	14.5	9.6	10.9	12.2	15.0	17.1	13.2
F	14.4	20.5	15.5	11.6	9.3	14.0	14.4	15.8	23.0

SEPARATION RATE PER 100,000 POPULATION

M	175.2	1992.1	413.3	267.1	96.6	56.9	49.5	55.8	30.9
F	144.6	1524.3	344.8	145.7	136.0	86.6	58.4	37.9	23.0

PATIENT DAY RATE PER 100,000 POPULATION

M	2423	42469	6004	2567	1049	691	744	952	408
F	2076	31175	5334	1697	1265	1242	840	599	530

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	16151	4739	3787	5375	1272	1394	655	407	74
F	13041	3462	3018	2802	1768	2145	738	283	61

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	223374	101025	55010	51647	13607	16926	9826	6934	673
F	187242	70792	46685	32643	16445	30077	10616	4461	1397

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	113	124	137	126	105	112	116	143	106
F	109	117	119	120	119	128	119	108	72

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	105	139	125	103	68	58	111	121	62
F	97	122	107	94	93	141	99	92	85

DIAGNOSIS 84 - CERTAIN DISEASES OF EARLY INFANCY

		ADULTS AND CHILDREN, BY AGE IN YEARS									
SFX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +		
SEPARATIONS DURING YEAR											
M	4927	4703	106	8	7	1	0	1	1		
F	3874	3748	84	31	4	1	3	1	2		
PATIENT DAYS											
M	64768	63047	1553	39	95	7	0	14	8		
F	51293	49433	1502	235	37	3	18	16	49		
AVERAGE STAY											
M	13.4	13.4	14.7	4.9	13.4	7.0	0.0	14.0	8.0		
F	13.2	13.2	17.9	7.6	9.3	3.0	6.0	16.0	24.5		
SEPARATION RATE PER 100,000 POPULATION											
M	50.2	2645.1	19.7	5.6	2.4	0.0	0.0	0.1	0.4		
F	40.6	2223.0	10.6	1.5	0.2	0.0	0.2	0.1	0.6		
PATIENT DAY RATE PER 100,000 POPULATION											
M	674	35460	186	2	6	0	0	2	3		
F	538	29320	190	12	2	0	1	2	16		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	4639	6297	117	5	6	2	0	1	1		
F	3664	5048	93	30	4	2	3	1	2		
EXPLODED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	62126	84152	1705	41	79	1	0	15	8	10	
F	48525	66580	1663	231	27	1	13	15	43	1	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	66	92	82	29	100	50	0	100	100		
F	64	91	72	100	57	15	100	50	0		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	67	93	94	15	57	1	0	25	300		
F	61	87	114	30	52	0	23	57	0		

1967

"CANADA"

DIAGNOSIS 85 - SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	39479	1463	3757	6785	3828	9102	7250	4656	2638
F	39316	1210	3215	6230	6508	10132	6352	3770	2139
PATIENT DAYS									
M	274141	12831	24794	35376	19484	52832	52432	41900	34472
F	295775	10333	21132	33435	34597	72044	54358	37602	53273
AVERAGE STAY									
M	6.9	8.8	6.6	5.2	5.1	5.8	7.2	9.0	13.1
F	7.5	8.5	6.6	5.4	5.3	7.1	8.6	10.0	15.6
SEPARATION RATE PER 100,000 POPULATION									
M	410.7	822.8	449.5	318.4	234.6	373.3	518.9	620.0	1059.9
F	415.4	717.7	406.0	305.5	408.0	420.3	454.3	465.7	693.6
PATIENT DAY RATE PER 100,000 POPULATION									
M	2852	7217	2966	1660	1194	2167	3752	5579	13858
F	3112	6129	2669	1640	2149	2988	3888	4645	10739
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	37266	1958	4119	6427	3083	9143	6852	4516	2527
F	37469	1630	3554	5877	5304	10178	5742	3468	1828
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	262923	17163	27175	33400	15716	53078	49548	40634	33032
F	280683	13918	23360	31546	27933	72358	49136	34586	25432
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	122	133	137	127	111	134	130	109	104
F	119	128	135	121	112	126	122	104	94
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	97	121	141	120	94	117	103	90	60
F	91	126	139	113	97	111	107	72	44

1967

"CANADA"

DIAGNOSIS OF - FRACTURE OF OR INVOLVING SKULL OR FACE BONES, EXCEPT OPEN WOUND, CONTUSION AND HAEMATOMA OF SCALP

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	29380	524	2676	6756	8795	6171	2663	1294	501
F	13035	365	1984	3098	2829	2268	1248	759	484

SEPARATIONS DURING YEAR

M	29380	524	2676	6756	8795	6171	2663	1294	501
F	13035	365	1984	3098	2829	2268	1248	759	484

PATIENT DAYS

M	287455	1778	13779	31917	57785	57198	29903	16871	6947
F	37129	1949	9571	18413	19306	16217	14749	9123	8093

AVERAGE STAY

M	7.4	7.5	5.0	4.7	6.6	9.3	11.2	12.7	13.9
F	7.5	5.4	6.8	5.3	8.8	9.0	11.8	12.2	16.7

SEPARATION RATE PER 100,000 POPULATION

M	505.7	294.7	320.2	317.0	533.1	253.1	130.6	172.3	201.3
F	136.7	216.5	250.6	151.9	175.7	94.1	89.3	93.8	156.9

PATIENT DAY RATE PER 100,000 POPULATION

M	2263	2210	1601	1498	3540	2346	2140	2193	2731
F	1023	1180	1209	805	1199	756	1055	1139	2624

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	24160	702	2934	9370	7096	6179	2517	1255	400
F	12329	452	2194	2923	2285	2279	1129	699	414

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	208024	5253	14669	30149	46593	57463	29261	15973	6653
F	92263	2680	10582	15455	15582	18308	13333	8481	6915

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	119	155	118	116	120	108	115	113	132
F	119	134	127	117	119	116	117	114	136

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	113	144	107	103	113	117	125	112	133
F	113	100	129	125	103	107	130	109	89

1967

"CANADA"

DIAGNOSIS 27 - FRACTURE OF SPINE AND TRUNK

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	8552	3	50	359	1663	2327	1946	1434	770
F	5227	2	22	309	900	1119	1227	1325	1303
PATIENT DAYS									
M	174453	21	536	5152	36905	48731	36218	26726	20164
F	140310	34	284	5291	16339	22468	22294	29824	43776
AVERAGE STAY									
M	20.4	7.0	10.7	14.4	22.2	20.9	18.6	18.6	26.2
F	22.5	17.0	12.9	17.1	18.2	19.7	18.2	22.5	33.6
SEPARATION RATE PER 100,000 POPULATION									
M	89.0	1.7	6.0	16.8	101.9	95.4	139.3	190.9	309.4
F	65.3	1.2	2.8	15.2	55.9	47.2	87.8	163.7	422.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	1815	12	64	242	2262	1998	2592	3559	8101
F	1471	20	36	259	1015	932	1595	3684	14195
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	8203	5	55	339	1342	2338	1840	1391	738
F	5890	3	25	292	727	1145	1110	1219	1114
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	167323	29	537	4870	29772	48939	34230	25922	19310
F	132575	46	316	4902	13193	22570	20158	27431	37407
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	101	166	94	89	110	92	95	103	110
F	112	59	71	129	117	107	103	103	106
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	101	144	84	98	102	93	98	97	121
F	108	37	92	110	92	108	99	100	108

1967

DIAGNOSIS 88 - FRACTURE OF UPPER LIMB

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	17452	53	839	7054	3603	2735	1677	976	465
F	13513	38	700	3744	2500	1388	2258	2344	1680

SEPARATIONS DURING YEAR

M	17452	53	839	7054	3603	2735	1677	976	465
F	13513	38	700	3744	2500	1388	2258	2344	1680

PATIENT DAYS

M	95673	571	3566	23342	18332	17719	13216	10985	7942
F	90720	288	2721	12072	5269	7040	12896	25178	25256

AVERAGE STAY

M	5.5	10.8	4.0	3.3	5.1	6.5	7.9	11.3	17.1
F	6.7	8.7	3.9	3.2	6.1	5.2	5.6	8.6	15.0

SEPARATION RATE PER 100,000 POPULATION

M	191.6	29.8	106.4	311.3	228.8	112.2	120.0	130.0	184.8
F	142.7	19.6	88.4	183.5	53.4	56.6	163.7	363.7	544.7

PATIENT DAY RATE PER 100,000 POPULATION

M	995	321	427	1095	1124	727	946	1463	3191
F	951	171	344	592	327	292	922	3110	8189

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	16739	71	975	6661	2907	2748	1585	947	446
F	12876	45	774	3532	695	1371	2069	2708	1436

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	91728	764	3913	22032	14794	17607	12493	10656	7608
F	85775	389	3011	11388	4252	7072	11652	23157	21580

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	89	120	87	84	91	84	89	91	95
F	90	73	87	89	87	89	81	89	95

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	99	123	91	84	92	81	90	81	114
F	93	69	81	91	97	87	83	99	86

1967

DIAGNOSIS 89 - FRACTURE OF FEMUR

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	6649	84	558	1105	887	676	601	984	1754
F	10591	74	283	494	234	292	948	2609	5657

SEPARATIONS DURING YEAR

M	264387	1667	16015	35415	31093	27469	25614	41006	85108
F	501823	1334	7286	16071	9077	11058	33878	114398	308721

PATIENT DAYS

M	264387	1667	16015	35415	31093	27469	25614	41006	85108
F	501823	1334	7286	16071	9077	11058	33878	114398	308721

AVERAGE STAY

M	39.8	19.8	28.7	32.0	35.1	40.6	42.6	41.7	49.1
F	47.4	18.0	25.7	32.5	38.8	37.9	35.7	43.8	54.6

SEPARATION RATE PER 100,000 POPULATION

M	69.2	47.2	66.8	51.9	54.4	27.7	43.0	131.0	704.7
F	111.1	43.9	35.7	24.2	14.5	12.1	67.8	322.3	1834.3

PATIENT DAY RATE PER 100,000 POPULATION

M	2751	938	1916	1662	1906	1126	1833	5460	34595
F	5262	791	920	788	564	459	2423	14132	100104

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	6378	113	612	1044	716	680	568	955	1680
F	10017	100	313	466	189	294	857	2400	4834

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	253612	2232	17555	33440	25087	27580	24207	39767	82460
F	474599	1797	8053	15158	7333	11116	30622	105225	263796

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	116	125	108	105	137	115	98	110	131
F	115	102	109	122	128	99	108	103	110

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	108	119	104	108	120	121	102	90	112
F	97	91	104	120	125	101	106	92	85

1967

"CANADA"

DIAGNOSIS 9.0 - OTHER FRACTURES OF LOWER LIMBS (EXCL. FEMUR)

		ADULTS AND CHILDREN, BY AGE IN YEARS							
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	15056	9	370	2458	3918	4334	2493	1161	313
F	8944	15	208	1279	1177	1882	2006	1652	725
PATIENT DAYS									
M	201928	126	2311	19579	49432	55422	40506	24817	9735
F	136108	362	1151	8185	12500	20663	28014	40106	26426
AVERAGE SIZE									
M	13.4	14.0	6.2	8.0	12.6	12.8	16.2	21.4	31.1
F	15.5	24.1	5.6	6.5	10.6	11.0	14.4	24.3	36.5
SEPARATION RATE PER 100,000 POPULATION									
M	15016	5.1	14.3	115.5	240.1	177.7	178.4	154.6	125.8
F	8318	8.9	20.2	62.7	73.3	16.1	143.5	204.1	235.1
PATIENT DAY RATE PER 100,000 POPULATION									
M	2101	71	277	919	3030	2273	2899	3305	3911
F	1452	215	147	407	776	856	2068	4954	8588
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	14441	13	406	2321	3161	4354	2357	1126	300
F	8460	21	230	1207	951	1891	1814	1520	620
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	193432	1091	1518	10421	10381	55675	38284	24072	9323
F	130961	489	1287	7829	10089	20730	26135	36887	22632
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	97	100	92	95	107	91	89	86	87
F	98	161	83	92	111	88	99	100	90
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	91	58	104	97	113	82	87	71	99
F	99	208	71	81	101	73	92	97	76

DIAGNOSIS 91 - DISLOCATION WITHOUT FRACTURE, AND SPRAINS AND STRAINS OF JOINTS AND ADJACENT MUSCLES

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
-----	----------	---------	-------	--------	---------	---------	---------	---------	------

SEPARATIONS DURING YEAR

M	16148	8	106	1175	3972	6453	3035	1068	331
F	5562	15	74	646	1660	2132	1549	848	508

PATIENT DAYS

M	126252	61	619	5716	24358	52553	28704	9769	4472
F	84328	60	436	3051	11210	19446	15216	9555	6246

AVERAGE STAY

M	7.8	7.3	5.8	4.9	6.1	8.1	9.5	9.1	13.5
F	8.6	4.3	5.9	4.7	6.8	8.7	9.8	10.1	13.5

SEPARATION RATE PER 100,000 POPULATION

M	168.0	4.5	12.7	55.1	243.5	264.6	217.2	142.2	133.0
F	79.0	8.9	9.3	31.7	103.1	92.6	110.8	104.8	164.7

PATIENT DAY RATE PER 100,000 POPULATION

M	1314	34	74	268	1493	2155	2054	1301	1797
F	680	38	55	150	696	807	1088	1057	2220

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	15489	11	117	1116	3205	6433	2869	1036	317
F	7124	21	82	610	1341	2242	1401	780	435

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	121137	81	678	5393	19651	52784	27125	9476	4284
F	61332	87	482	2880	9045	19543	13750	7871	5891

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	99	47	67	87	90	98	104	108	114
F	97	87	70	81	96	97	100	86	103

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	96	20	60	93	85	91	103	111	144
F	98	107	85	79	89	97	100	92	105

1967

"CANADA"

DIAGNOSIS 92 - INTERNAL INJURY OF CHEST, ABDOMEN AND PELVIS

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	3762	6	78	656	1095	935	566	334	92
F	1287	1	64	287	295	294	183	120	43

SEPARATIONS DURING YEAR

M	54341	46	969	7920	14374	14035	9225	6016	1756
F	19681	9	578	3752	4217	4424	3042	2204	1455

PATIENT DAYS

M	54341	46	969	7920	14374	14035	9225	6016	1756
F	19681	9	578	3752	4217	4424	3042	2204	1455

AVERAGE STAY

M	14.4	7.7	12.5	12.1	13.1	15.0	16.3	18.1	14.1
F	15.3	9.0	9.0	13.1	14.3	15.0	16.6	18.4	33.8

SEPARATION RATE PER 100,000 POPULATION

M	39.1	3.4	9.3	30.8	67.1	38.3	40.5	44.5	37.0
F	13.5	0.6	8.1	14.1	18.3	12.2	13.1	14.8	13.9

PATIENT DAY RATE PER 100,000 POPULATION

M	565	26	116	372	881	576	660	801	706
F	206	5	73	184	262	183	218	272	472

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	3609	9	86	520	824	940	535	324	89
F	1218	2	71	271	239	296	166	111	37

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	52037	62	1063	7435	11596	14109	8716	5834	1633
F	16580	12	639	3540	3407	4432	2756	2026	1244

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	165	179	114	171	163	148	155	221	185
F	186	50	244	211	204	159	162	168	168

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	170	137	130	147	177	145	161	238	275
F	197	46	283	242	232	170	136	158	365

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	1004	252	1616	1200	1141	1488	660	311	156
F	3469	166	1121	619	374	534	349	182	124

SEPARATIONS DURING YEAR

PATIENT DAYS

AVERAGE STAY

SEPARATION RATE PER 100,000 POPULATION

PATIENT DAY RATE PER 100,000 POPULATION

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

173

1967

"CANADA"

DIAGNOSIS 24 - OTHER AND UNSPECIFIED EFFECTS OF ACCIDENTS, POISONINGS AND VIOLENCE

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	59667	528	7704	9842	13812	14155	7689	4224	1713
F	38416	422	5565	5786	7014	9389	5105	3103	2022
M	368158	3266	30139	49496	72205	88049	62542	41220	21241
F	244165	2484	21764	25140	33401	58371	42026	33654	27673
A	6.2	6.2	3.9	5.0	5.2	6.2	8.1	9.8	12.4
F	6.5	6.4	3.8	4.8	4.9	6.2	8.2	10.0	13.7
M	620.0	297.0	721.8	461.3	686.6	580.5	550.3	562.4	689.2
F	402.3	250.3	702.8	283.8	436.3	389.4	365.1	383.3	655.6
M	3830	1837	3606	2323	4426	3611	4476	5489	8534
F	2565	1595	2636	1233	2100	2422	3006	4157	8973
M	57229	707	8446	9213	11143	14219	7257	4097	1841
F	36324	569	6152	5459	5673	7431	4615	2855	1728
M	353084	4370	33032	46732	58254	88447	59109	39979	20342
F	231347	3622	23509	23718	27301	58652	37989	30953	23646
M	97	96	104	91	92	90	100	112	121
F	112	117	106	101	112	126	114	114	114
M	95	104	92	87	91	90	104	97	112
F	114	139	103	94	113	126	118	114	107

SEPARATIONS DURING YEAR

PATIENT DAYS

AVERAGE STAY

SEPARATION RATE PER 100,000 POPULATION

PATIENT DAY RATE PER 100,000 POPULATION

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	228	10	12	18	9	34	55	61	29
F	162	5	14	21	31	40	26	20	5

SEPARATIONS DURING YEAR

M	660	45	46	49	26	79	158	165	92
F	567	9	50	142	74	97	70	93	26

PATIENT DAYS

M	660	45	46	49	26	79	158	165	92
F	567	9	50	142	74	97	70	93	26

AVERAGE STAY

M	2.9	4.5	3.3	2.7	2.9	2.3	2.9	2.7	3.2
F	3.5	1.8	4.0	6.8	2.4	2.4	2.7	4.6	5.2

SEPARATION RATE PER 100,000 POPULATION

M	2.4	5.6	1.4	0.8	0.6	1.4	3.9	8.1	11.7
F	1.7	3.0	1.8	1.0	1.9	1.7	1.9	2.5	1.6

PATIENT DAY RATE PER 100,000 POPULATION

M	7	25	6	2	2	3	11	22	37
F	6	5	7	7	5	4	5	11	8

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	219	14	14	17	8	35	52	60	28
F	154	7	16	20	26	41	24	19	5

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	648	60	55	41	27	74	146	161	80
F	542	12	62	135	66	97	64	82	22

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	54	53	69	45	22	35	45	101	233
F	31	36	88	71	15	26	40	75	50

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	63	68	74	39	32	31	69	90	217
F	42	12	144	175	24	28	51	45	13

DIAGNOSIS 90 - OTHER SPECIAL ADMISSIONS, EXAMINATIONS, ETC.

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	10294	283	375	979	1427	2300	2038	1943	949
F	12500	335	430	777	1663	3105	1851	2452	1887
M	198781	3952	6208	14993	21932	36071	36869	48315	30441
F	245776	4362	7112	18215	17188	41577	52786	93292	107573
M	19.3	14.0	16.5	15.3	15.4	15.7	18.1	24.9	32.1
F	27.7	13.0	17.4	20.6	10.3	13.5	28.5	40.1	57.0
M	107.1	159.2	44.9	45.9	87.5	94.3	145.9	258.7	381.3
F	131.1	198.7	54.3	38.1	103.3	128.8	132.4	302.9	611.9
M	2068	2223	743	704	1344	1479	2639	6433	12230
F	3625	2587	946	785	1068	1742	3776	12142	34481
M	9874	379	412	925	1152	2311	1927	1835	909
F	11823	452	476	734	1343	3114	1674	2256	1413
M	190347	5289	8503	14155	17690	36227	34350	4854	29151
F	326952	5875	8287	15100	13405	42135	47720	90408	91419
M	159	103	150	150	169	172	168	153	171
F	160	191	174	167	125	167	148	152	184
M	222	252	189	286	258	193	232	226	214
F	231	376	342	293	195	245	189	203	239

SEPARATIONS DURING YEAR

PATIENT DAYS

AVERAGE STAY

SEPARATION RATE PER 100,000 POPULATION

PATIENT DAY RATE PER 100,000 POPULATION

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

DIAGNOSIS 99 - ALL DIAGNOSES

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
-----	----------	---------	-------	--------	---------	---------	---------	---------	------

SEPARATIONS DURING YEAR

M	1245068	57552	140443	189417	122784	218159	214138	196218	106357
F	1702973	40130	105837	161854	358285	569725	241898	179065	106179

PATIENT DAYS

M	15584439	633669	937240	1105262	997098	2199744	3020829	3770907	2919780
F	20003140	449843	731450	904549	2285716	4649222	3278740	3825188	3883432

AVERAGE STAY

M	12.0	11.0	6.0	5.0	8.0	10.0	14.0	19.0	27.0
F	11.0	11.0	6.0	5.0	6.0	8.0	13.0	21.0	36.0

SEPARATION RATE PER 100,000 POPULATION

M	12953.0	32368.8	16803.3	8889.0	7525.9	8946.4	15325.0	26127.4	42730.7
F	13426.3	23601.8	13366.5	7937.4	22255.0	23631.1	17301.8	22120.3	34428.9

PATIENT DAY RATE PER 100,000 POPULATION

M	162137	356396	112137	51867	61109	90209	216194	502122	1173072
F	209800	266812	92378	44353	141980	192844	234514	472529	1259214

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	1194225	77042	153996	173886	99093	219177	202420	190338	101392
F	1667450	54087	117033	152720	289366	572307	218704	164745	90767

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

M	14947277	847828	1027455	1043607	804342	2209594	2855034	3657145	2796128
F	18923191	605910	808564	853282	1845855	4669995	2963753	3518409	3318334

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

M	107	108	117	102	98	105	113	114	119
F	95	105	116	100	82	86	110	109	113

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

M	104	107	113	97	95	99	110	108	109
F	99	104	114	95	83	90	106	106	99

Hospitalized patients may be classified as PLAN or NON-PLAN according to the responsibility for payment of hospitalization costs as outlined in Table 1. Basically Table 5 presents combined data from eight provinces (Prince Edward Island, New Brunswick, Quebec, Ontario, Manitoba, Saskatchewan, Alberta and British Columbia) and two territories (Yukon and Northwest Territories) concerning in-patients, separated from general hospitals and chronic hospitals (including patients hospitalized out-of-province or out-of-territory), who were insured under a provincial or territorial hospital insurance plan.

Because of differences in reporting procedures in the various provinces, Table 6 contains "various" in all diagnoses. In addition, Table 6 should not be considered as an exact representation of the combined separations of provincial and territorial plans because of the inclusion, in data provided by some provinces, of NON-PLAN separations and patient-days, and the exclusion of certain categories of PLAN separations and patient-days.

The provinces and territories have added to, or deleted from, the basic PLAN data as follows:

1. PRINCE EDWARD ISLAND: - Data were not available on PLAN patients hospitalized out-of-province.
2. NEW BRUNSWICK: - Data were not available on PLAN patients hospitalized out-of-province.
3. QUEBEC: - Data include PLAN and NON-PLAN separations and days.
4. ONTARIO: - Data are based on claims processed January 1 - December 31, 1967. Included: PLAN and NON-PLAN separations and days of Ontario residents; separations and days of out-of-province residents hospitalized in Ontario hospitals; separations and days of patients hospitalized in federal (including D.V.A.) hospitals for whom the Ontario Hospital Services Commission was responsible for payment. Excluded: - Approximately 2,861 separations and 32,285 days of patients with age "unspecified."
5. MANITOBA: - Included: PLAN and NON-PLAN separations and days of Manitoba residents. Excluded: Non-resident separations and days.
6. SASKATCHEWAN: - Included: PLAN separations and days only. Excluded: PLAN separations and days from geriatric hospitals in Regina, Saskatoon, Melfort, and Swift Current.
7. ALBERTA: - Included: PLAN and NON-PLAN separations and days of Alberta residents. Excluded: Separations and days of non-residents.
8. BRITISH COLUMBIA: - Included: PLAN separations and days of patients hospitalized in the province. Excluded: PLAN separations and days of persons hospitalized out-of-province.
9. YUKON: - Included: PLAN separations and days only.
10. NORTHWEST TERRITORIES: - Included: PLAN separations and days only.

Note concerning diagnoses 75 and 76: Changes in coding procedures in Ontario resulted in more separations and days coded to (76) "Delivery with specified complications" and fewer separations and days coded to (75) "Delivery without mention of complications".

TABLE 7(a) - NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES,
FOR TEN PROVINCES AND TWO TERRITORIES(1), 1967

No.	CANADIAN LIST OF 98 CATEGORIES	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
25	Diabetes mellitus		315										
30	Psychoneurotic disorders					18613	18,466					50	153
35	Diseases and conditions of the eye												137
36	Diseases of ear and mastoid process												
38	Arteriosclerotic and degenerative heart disease												
46	Acute upper respiratory infections	1549	715	4759	3764	28743	44455	5776	6269	8795	10798	59	
48	Pneumonia	2080	428		2565				4761	6320		101	
49	Bronchitis	2881	1255	4946	3679	16848	30469	7026	8746	10014	11141	128	990
50	Hypertrophy of tonsils and adenoids	1732	442	2454	2217	15434		4215	6557	8032	6916	70	168
52	Diseases of teeth and supporting structure	2111	841	6036	14773	43643	88382	8249	10783	16940	22110	48	224
55	Appendicitis			2073								54	
56	Hernia of abdominal cavity			2108		16906	29798	3422			6785		
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over												
61	Diseases of gallbladder and pancreas	1379										51	170
73	Complications of pregnancy		381	2747	2500	26343	27311	3622	5740	7830	5497		
75	Delivery without mention of complications	2807	458	3014	1770	16612	25926	5101	5670	8294	7558	56	240
76	Delivery with specified complications	11307	1806	45077	10451	34213	90209(2)	3668	4535	6771	7649	333	928
78	Infection of skin and subcutaneous tissue	1620					39968(2)	14728	15723	20443	24325		133
85	Symptoms, senility and ill-defined conditions	1602	822	4205	2838	23936	25569	6426		10656	7626		173

See footnotes on next page.

(1) All of the reporting provinces and territories include Provincial Plan in-patients in Table 7, as well as out-of-province hospitalization, with the following exceptions: -

Newfoundland:

Includes some NON-PLAN separations and patient-days.

Prince Edward Island:

Excludes out-of-province hospitalization.

Nova Scotia:

Excludes out-of-province hospitalizations. Data by hospital and diagnostic category were not available.

New Brunswick:

Excludes out-of-province hospitalization.

Quebec:

Also includes all NON-PLAN separations and patient-days.

Ontario:

Data are based on "claims received" during the year and include out-of-province residents hospitalized in Ontario hospitals, as well as insured Ontario residents hospitalized in out-of-province hospitals. Totals also include all patients hospitalized in Federal (including D.V.A.) hospitals for whom the Ontario Hospital Services Commission was responsible for payment. Totals exclude patients in D.V.A. hospitals for whom the Department of Veterans Affairs was responsible. Also note (2) below.

Manitoba:

Also includes NON-PLAN separations and days but excludes non-residents separations and days.

Saskatchewan:

Excludes PLAN separations and days from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

Alberta:

Also includes NON-PLAN separations and days but excludes non-residents.

British Columbia:

Excludes out-of-province hospitalization.

(2) Changes in coding procedures in Ontario for 1967 (as compared to 1963) resulted in more separations coded to "Delivery with specified complications" (Diag. 75) and fewer separations coded to "Delivery without mention of complications" (Diag. 76).

TABLE 7(b) - RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES,
FOR TEN PROVINCES AND TWO TERRITORIES(1), 1967

NO.	DIAGNOSIS	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
25	Diabetes mellitus		10										
30	Psychoneurotic disorders					6	10						
35	Diseases and conditions of the eye											9	8
36	Diseases of ear and mastoid process												9
38	Arteriosclerotic and degenerative heart disease	9	5	4	3	3	3	5	6	5	4	5	
46	Acute upper respiratory infections	5	8		6				9	10		3	
48	Pneumonia	3	2	3	4	9	5	3	3	4	3	2	1
49	Bronchitis	6	7	8	10	10		7	5	7	8	4	7
50	Hypertrophy of tonsils and adenoids	4	3	2	2	2	2	2	2	2	2	10	4
52	Diseases of teeth and supporting structure											7	
55	Appendicitis			10									
56	Hernia of abdominal cavity			9		8	6	10			9		
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over												
61	Diseases of gallbladder and pancreas	10	9	7	9	4	7	9	7	8	10	8	6
73	Complications of pregnancy	2	6	6	8	7	8	6	8	6	7	6	3
75	Delivery without mention of complications	1	1	1	1	1	1	1	1	1	1	1	2
76	Delivery with specified complications	7					4			3	6	10	5
78	Infection of skin and subcutaneous tissue												
85	Symptoms, senility and ill-defined conditions	8	4	5	5	5	9	4	4				

TABLE 7(c) - PATIENT-DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS,
BOTH SEXES AND ALL AGES, FOR TEN PROVINCES AND TWO TERRITORIES(1), 1967

(1) See footnotes, Table 7(a)

NO.	DIAGNOSIS	ALTA.	P.F.L.	N.S.	N.B.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
25	Diabetes mellitus		4845								
30	Psychoneurotic disorders				307848	329356				438	1945
35	Diseases and conditions of the eye										1980
36	Diseases of ear and mastoid process										
38	Arteriosclerotic and degenerative heart disease										
46	Acute upper respiratory infections	28485	13967	87941	63026	789141	1212373	187915	189830	942	
48	Pneumonia	10525	2680		16827			30729		308	
49	Bronchitis	28082	12672	53707	41254	231937	364213	103764	122386	1293	9252
50	Hypertrophy of tonsils and adenoids	14834	4129	27621	20617	223592		66561	64106	398	1316
52	Diseases of teeth and supporting structure	7659	2813	16838	17762	86468	172469	43050	49959	122	752
55	Appendicitis			18372						107	
56	Hernia of abdominal cavity			22301		164314	254459		58183		
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over										
61	Diseases of gallbladder and pancreas	7832	4544	39742	15843	383607	390963	48353	34362	262	1162
73	Complications of pregnancy	14739	1689	12807	8572	71818	116781	94502	98085		
75	Delivery without mention of complications	64860	10597	79684	57789	502977	524506(2)	26866	32903	200	823
76	Delivery with specified complications	17692					336281(2)	130107	142736	1942	5771
78	Infection of skin and subcutaneous tissue							79211	68334		1176
85	Symptoms, senility and ill-defined conditions	10152	6919	31383	21189	220347	168819				1340
								42655	46544		

TABLE 7(d) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See footnotes Table 7(a)

NEWFOUNDLAND

		ALL AGES																							
		UNDER 1			1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - +										
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F									
DIAGNOSIS		Separations																							
75	Delivery without mention of complications	11316	-	11316	-	-	-	13	-	5703	-	5564	-	36	-	-									
73	Complications of pregnancy	2895	-	2895	-	-	-	7	-	1498	-	1374	-	16	-	-									
73	Pneumonia	2881	1679	1202	606	396	492	357	217	47	72	82	119	67	58	51									
50	Hypertrophy of tonsils and adenoids	2111	967	1144	-	2	120	114	610	299	55	88	3	8	-	-									
46	Acute upper respiratory infections	2030	1111	919	336	270	500	350	147	62	46	48	10	24	6	9									
49	Bronchitis	1733	1017	716	341	250	301	203	64	17	27	56	174	88	69	34									
76	Delivery with specified complications	1680	-	1680	-	-	-	4	-	778	-	888	-	10	-	-									
35	Symptoms, senility and ill-defined conditions	1602	808	794	55	49	111	87	229	189	113	163	99	102	40	26									
38	Arteriosclerotic and degenerative heart disease	1549	571	978	-	-	-	1	4	2	65	45	522	243	243	171									
3	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	1379	728	651	338	265	184	165	98	72	29	51	29	24	8	13									
		Separations per 1,000 population																							
75	Delivery without mention of complications	22.6	-	46.3	-	-	-	0.2	-	119.6	-	113.1	-	1.0	-	-									
73	Complications of pregnancy	5.8	-	11.8	-	-	-	0.1	-	31.4	-	27.9	-	0.5	-	-									
73	Pneumonia	5.8	6.6	4.9	85.4	59.1	17.7	13.6	3.2	2.6	1.6	1.7	3.1	1.9	6.2	5.4									
50	Hypertrophy of tonsils and adenoids	4.2	3.8	4.7	-	0.3	4.3	4.3	9.1	9.8	3.8	1.8	0.1	0.2	-	-									
46	Acute upper respiratory infections	4.1	4.3	3.8	47.3	40.3	18.0	13.3	2.2	2.2	1.3	1.0	0.3	0.7	0.6	0.9									
49	Bronchitis	3.5	4.0	2.9	48.0	37.3	10.8	7.7	1.0	0.6	0.4	1.1	4.5	2.5	7.4	3.6									
76	Delivery with specified complications	3.4	-	6.9	-	-	-	-	-	0.1	-	18.0	-	0.3	-	-									
35	Symptoms, senility and ill-defined conditions	3.2	3.2	3.2	7.7	7.3	4.0	3.3	3.4	2.9	2.4	3.3	2.5	2.9	4.3	2.7									
38	Arteriosclerotic and degenerative heart disease	3.1	2.2	4.0	-	-	-	-	..	0.1	-	0.9	13.4	..	20.2	11.0									
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	2.8	2.8	2.7	47.6	39.6	6.6	6.3	1.5	1.1	0.6	1.0	0.7	0.7	0.9	1.4									

.. indicates less than 0.05

TABLE 7.e) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See footnotes Table 7(a)

PRINCE EDWARD ISLAND

		ALL AGES																
		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+		
NO. DIAGNOSIS	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
																		Separations
75 Delivery without mention of complications	1806	-	1806	-	-	-	-	-	777	-	1018	-	9	-	53	-	63	-
48 Pneumonia	1255	692	563	153	90	157	124	111	73	2	41	63	87	78	49	63	58	58
50 Hypertrophy of tonsils and adenoids	841	406	435	-	-	102	72	254	275	30	18	8	2	3	1	-	-	-
85 Symptoms, senility and ill-defined conditions	822	410	412	30	16	30	38	37	53	29	66	73	99	73	40	64	50	50
38 Arteriosclerotic and degenerative heart disease	715	446	269	-	1	-	-	-	1	-	18	5	161	73	140	83	127	106
73 Complications of pregnancy	458	-	458	-	-	-	-	-	-	-	196	-	-	5	-	-	-	-
49 Bronchitis	442	248	194	82	46	63	48	13	23	13	10	13	36	30	22	13	11	11
46 Acute upper respiratory infections	428	193	235	46	25	62	45	36	85	16	33	25	9	13	5	4	2	5
61 Diseases of gallbladder and pancreas	381	106	275	1	2	-	-	-	-	22	26	60	39	115	25	44	15	32
25 Diabetes mellitus	315	115	200	-	-	1	1	5	6	12	5	17	38	46	32	57	22	60
Separations per 1,000 population																		
75 Delivery without mention of complications	16.6	-	33.6	-	-	-	-	-	0.2	-	83.5	-	95.1	-	1.0	-	28.6	20.7
48 Pneumonia	11.5	12.5	10.5	153.0	90.0	30.8	25.3	8.7	5.9	2.8	3.6	5.9	8.8	8.3	16.1	14.4	20.7	-
50 Hypertrophy of tonsils and adenoids	7.7	7.4	8.1	-	-	20.0	14.7	19.8	22.4	3.1	1.6	0.7	0.2	0.3	-	0.3	-	-
85 Symptoms, senility and ill-defined conditions	7.5	7.4	7.7	30.0	16.0	5.9	7.8	2.9	4.3	3.0	5.8	6.8	10.0	7.8	16.7	11.8	29.1	17.9
38 Arteriosclerotic and degenerative heart disease	6.6	8.1	5.0	-	1.0	-	-	-	0.1	-	1.6	0.5	16.3	7.8	42.4	24.4	57.7	37.9
73 Complications of pregnancy	4.2	-	8.5	-	-	-	-	-	-	-	-	24.0	0.5	0.5	-	-	-	-
49 Bronchitis	4.1	4.5	3.6	82.0	46.0	12.4	9.8	1.0	1.9	1.4	0.7	1.2	3.6	3.2	6.7	3.8	5.0	3.9
46 Acute upper respiratory infections	3.9	3.5	4.4	46.0	25.0	12.2	9.2	2.8	6.9	1.7	1.5	2.3	0.9	1.4	7.6	12.9	6.9	1.8
61 Diseases of gallbladder and pancreas	3.5	1.9	5.1	1.0	2.0	-	-	-	-	-	2.3	5.6	3.9	12.2	7.6	12.9	6.8	11.4
25 Diabetes mellitus	2.9	2.1	3.7	-	-	0.2	0.2	0.4	0.5	1.2	0.4	1.6	3.8	4.9	9.7	16.8	10.0	21.4

.. indicates less than 0.05

TABLE 7(f) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, ALL AGES, BY SEX, FOR PROVINCIAL PLAN(1) IN-PATIENTS
(EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE, 1967

(1) See footnotes Table 7(a)

NOVA SCOTIA

NO.	DIAGNOSIS	Separations			Patient-days			Average days stay of Separations	
		T	M	F	T	M	F	T	F
75	Delivery without mention of complications	13057	-	13057	79684	-	79684	6.1	6.1
50	Hypertrophy of tonsils and adenoids	6036	2734	3222	16538	7713	9090	2.8	2.8
48	Pneumonia	4946	2757	2189	58707	32823	25884	11.9	11.8
38	Arteriosclerotic and degenerative heart disease	4759	2948	1811	87941	54424	33517	19.5	18.5
85	Symptoms, senility and ill-defined conditions	4205	2141	2064	31383	15951	15432	7.5	7.5
73	Complications of pregnancy	3014	-	3014	12807	-	12807	4.2	4.2
61	Diseases of gallbladder and pancreas	2747	622	2125	33742	9401	30341	15.1	14.3
49	Bronchitis	2454	1524	930	27621	18085	9535	11.3	10.3
56	Hernia of abdominal cavity	2108	1504	604	22301	15259	7042	10.6	11.7
55	Appendicitis	2073	Not available	Not available	18372	Not available	Not available	9.9	Not available
		Separations per 1,000 population			Patient-days per 1,000 population				
75	Delivery without mention of complications	T	M	F	T	M	F		
50	Hypertrophy of tonsils and adenoids	17.2	-	34.7	105	-	212		
48	Pneumonia	8.0	7.3	8.6	22	20	24		
38	Arteriosclerotic and degenerative heart disease	6.5	7.2	5.8	78	86	69		
85	Symptoms, senility and ill-defined conditions	6.3	7.7	4.8	116	143	89		
73	Complications of pregnancy	5.6	5.6	5.5	41	42	41		
61	Diseases of gallbladder and pancreas	4.0	-	8.0	17	-	34		
49	Bronchitis	3.6	1.6	5.6	52	25	81		
56	Hernia of abdominal cavity	3.2	4.0	2.5	36	48	25		
55	Appendicitis	2.8	4.0	1.6	29	40	19		
		2.7	-	-	24	-	-		

TABLE 7(g) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See footnotes Table 7(a)

NEW BRUNSWICK

NO. DIAGNOSIS	ALL AGES																75+
	UNDER 1				1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		
	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Separations																	
75 Delivery without mention of complications	10451	-	10451	-	-	-	5222	-	5193	-	25	-	-	-	-	-	-
50 Hypertrophy of tonsils and adenoids	4973	2335	2638	5	1	657	466	81	101	11	22	1	-	-	-	-	-
38 Arteriosclerotic and degenerative heart disease	3764	2244	1520	-	-	1	5	6	77	960	487	597	421	514	527	-	-
48 Pneumonia	3679	2003	1676	330	267	485	91	142	186	242	220	130	101	203	160	-	-
85 Symptoms, senility and ill-defined conditions	2838	1447	1391	46	42	149	217	264	334	364	261	126	113	140	105	-	-
46 Acute upper respiratory infections	2565	1398	1167	367	268	568	92	63	87	51	62	11	24	17	31	-	-
61 Diseases of gallbladder and pancreas	2500	536	1964	1	1	2	201	110	639	233	742	89	221	86	148	-	-
73 Complications of pregnancy	2370	-	2370	-	-	-	1235	-	1123	-	10	-	-	-	-	-	-
58 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	2356	1109	1247	354	311	265	110	76	165	101	131	38	70	47	90	-	-
49 Bronchitis	2217	1219	998	231	165	326	58	59	120	183	165	132	89	98	59	-	-
Separations per 1,000 population																	
75 Delivery without mention of complications	16.9	-	33.9	-	0.8	0.2	93.1	-	79.0	-	0.5	-	-	-	-	-	-
50 Hypertrophy of tonsils and adenoids	8.0	7.5	8.6	-	0.2	22.3	8.3	1.2	1.5	0.2	0.4	0.1	-	-	-	-	-
38 Arteriosclerotic and degenerative heart disease	6.1	7.2	4.9	-	-	-	0.1	2.5	1.2	18.0	9.2	40.9	26.0	57.1	47.9	-	-
48 Pneumonia	5.4	4.4	5.4	5.1	4.3	4.6	1.0	2.2	2.3	4.5	4.2	8.2	6.2	22.6	14.5	-	-
85 Symptoms, senility and ill-defined conditions	4.6	4.6	4.5	7.1	6.9	5.1	3.9	4.1	5.1	6.8	4.9	8.6	7.0	15.6	9.5	-	-
46 Acute upper respiratory infections	4.1	4.5	3.8	56.5	43.9	19.3	1.7	1.0	1.3	1.0	1.2	0.8	1.5	1.9	2.8	-	-
61 Diseases of gallbladder and pancreas	4.0	1.7	6.4	0.2	0.2	0.1	3.6	1.7	9.7	4.4	14.1	6.1	13.6	9.6	13.5	-	-
73 Complications of pregnancy	3.8	-	7.7	-	-	-	22.0	-	17.1	-	0.2	-	-	-	-	-	-
58 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	3.8	3.6	4.0	54.5	51.0	9.0	2.0	1.2	2.5	1.9	2.5	2.6	4.3	5.2	8.2	-	-
49 Bronchitis	3.6	3.9	3.2	35.6	27.0	11.1	1.0	0.9	1.8	3.4	3.1	9.0	5.5	10.9	5.4	-	-

.. indicates less than 0.05

TABLE 7(g) Cont'd

.. indicates less than 0.5

TABLE 7(h) HOSPITALIZATION FOR THE TEN MOST COMMON DISEASES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See footnotes Table 7(a)

... indicates less than 0.05

TABLE 1

NO. DIAGNOSIS	ALL AGES										Patient-days										Average days stay of separations																			
	UNDER 1					1 - 4					5 - 14					15 - 24					25 - 44					45 - 64					65 - 74					75+				
	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	T	M	F				
75 Delivery without mention of complications	502977	-	502977	-	502977	265	105	10767	8389	20173	21154	164	-	213763	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867		
50 Hypertrophy of tonsils and adenoids	86168	40212	45956	265	105	10767	8389	20173	21154	164	-	213763	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867	-	287867		
38 Arteriosclerotic and degenerative heart disease	789141	393246	395895	11	62	52	107	126	133	592	5632	11449	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095			
8 Diseases of gallbladder and pancreas	383607	100790	282917	503	100	2041	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095	2095				
85 Symptoms, senility and ill-defined conditions	220347	105169	115178	6340	4527	11482	9492	13140	12187	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892	7892				
30 Psychoneurotic disorders	307848	94423	213425	82	60	610	546	2581	3443	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083	10083				
73 Complications of pregnancy	71818	-	71818	-	71818	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
56 Hernia of abdominal cavity	165314	113379	50935	6158	1736	6574	1372	6133	1280	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694	7694					
48 Pneumonia	231937	120766	102171	38000	24388	28552	21740	13828	11377	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488	4488				
49 Bronchitis	223592	140234	83358	17758	11235	17702	12556	7084	6572	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576	2576				
Patient-days per 1,000 population																																								
75 Delivery without mention of complications	86	-	171	-	-	42	-	34	30	33	10	-	-	395	-	379	-	379	-	379	-	379	-	379	-	379	-	379	-	379	-	379	-	379	-	379				
50 Hypertrophy of tonsils and adenoids	15	14	16	5	2	42	-	34	30	33	10	-	-	21	-	6	-	6	-	6	-	6	-	6	-	6	-	6	-	6	-	6	-	6	-	6				
38 Arteriosclerotic and degenerative heart disease	134	134	135	9	1	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8					
85 Symptoms, senility and ill-defined conditions	65	34	96	119	90	45	39	19	19	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15					
30 Psychoneurotic disorders	38	36	39	2	1	2	2	4	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5					
73 Complications of pregnancy	52	32	73	2	1	2	2	4	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5					
56 Hernia of abdominal cavity	28	39	17	115	34	26	6	9	2	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14					
48 Pneumonia	40	44	35	712	484	111	89	20	18	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8					
49 Bronchitis	38	48	28	333	223	69	52	10	10	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5					
Average days stay of separations																																								
75 Delivery without mention of complications	5.3	-	5.3	-	-	1.7	-	1.7	1.7	1.8	2.8	5.3	-	5.3	-	5.4	-	5.4	-	5.4	-	5.4	-	5.4	-	5.4	-	5.4	-	5.4	-	5.4	-	5.4	-	5.4				
50 Hypertrophy of tonsils and adenoids	2.0	1.9	2.0	2.8	3.2	1.7	-	1.7	1.7	1.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8					
38 Arteriosclerotic and degenerative heart disease	27.5	22.4	35.4	5.5	12.4	10.4	11.9	7.4	13.3	11.6	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7					
61 Diseases of gallbladder and pancreas	14.6	15.3	14.3	26.5	60.4	49.8	41.8	18.7	15.2	11.5	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4					
85 Symptoms, senility and ill-defined conditions	9.2	8.7	9.7	12.3	12.1	9.2	9.3	6.9	7.1	6.4	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8					
30 Psychoneurotic disorders	16.5	15.1	17.2	13.7	12.0	13.6	12.6	10.0	10.7	14.0	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1					
73 Complications of pregnancy	4.2	-	4.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
56 Hernia of abdominal cavity	9.7	9.0	11.9	7.7	7.9	5.6	5.4	5.4	5.1	7.1	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4					
48 Pneumonia	13.8	13.8	13.8	15.0	14.3	12.5	12.2	10.9	10.8	10.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3					
49 Bronchitis	14.5	15.8	12.7	13.1	12.2	10.3	10.0	8.5	9.2	8.8	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9					

.. indicates less than 0.5

TABLE 7 (1) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN (1) IN-PATIENTS (EXCLUDING NEWBORNS) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See footnotes Table 7(a)

ONTARIO

.. indicates less than 0.05

[illegible]

TABLE 7(k) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN (1) IN-PATIENTS (EXCLUDING NEWBORN)
EXCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See footnotes Table 7(a)

SASBATCHEVAN

NO. DIAGNOSIS	ALL AGES																45 - 64				65 - 74				75+						
	UNDER 1				1 - 4				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75+		
	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Separations																															
75 Delivery without mention of complications	15723	-	15723	-	-	-	-	-	13	-	7256	-	8387	-	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Hypertrophy of tonsils and adenoids	10783	5315	5468	1	2	1473	1055	3159	3363	396	742	242	262	43	42	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48 Pneumonia	8746	4890	3856	342	229	1818	1455	673	518	215	214	380	445	585	431	211	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Symptoms, senility and ill-defined conditions	6792	3216	3576	60	60	255	267	618	629	336	568	498	688	691	680	287	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Bronchitis	6557	3752	2805	300	211	1506	1112	413	369	89	126	139	237	466	344	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 Arteriosclerotic and degenerative heart disease	6269	3794	2475	-	-	2	2	-	9	9	4	153	55	1300	617	716	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	5740	2873	2867	561	477	1343	1069	317	294	138	219	140	259	177	242	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61 Diseases of gallbladder and pancreas	5670	1589	4081	1	-	3	-	10	16	22	397	287	1252	640	1507	537	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46 Acute upper respiratory infections	4761	2533	2228	241	199	1268	938	562	533	184	219	110	134	99	124	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Complications of pregnancy	4535	-	4535	-	-	-	-	-	7	-	2105	-	2379	-	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Separations per 1,000 population																															
75 Delivery without mention of complications	16.4	-	33.6	-	-	-	-	-	0.1	-	93.6	-	80.4	-	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Hypertrophy of tonsils and adenoids	11.3	10.9	11.7	0.1	0.2	34.1	25.6	28.9	32.2	5.0	9.6	2.2	2.5	0.5	0.5	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48 Pneumonia	9.1	10.0	8.2	37.2	26.3	42.1	35.3	6.2	5.0	2.7	2.8	3.5	4.3	6.2	4.8	8.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Symptoms, senility and ill-defined conditions	7.1	6.6	7.6	6.5	6.9	5.9	6.5	5.6	6.0	4.2	7.3	4.6	6.6	7.4	7.6	12.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Bronchitis	6.5	7.7	5.8	38.5	24.3	34.1	27.1	3.8	3.5	2.1	1.8	1.3	2.3	5.0	3.9	14.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 Arteriosclerotic and degenerative heart disease	6.5	7.7	5.3	-	-	-	-	-	0.1	0.1	0.1	1.4	0.5	13.9	6.9	37.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	6.0	5.9	6.1	61.0	54.8	31.1	25.9	2.9	2.8	1.7	2.8	1.3	2.5	1.9	2.7	3.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61 Diseases of gallbladder and pancreas	5.9	3.2	8.7	0.1	-	0.1	-	0.1	0.2	0.3	5.1	2.7	12.0	6.8	17.0	12.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46 Acute upper respiratory infections	5.0	5.2	4.8	26.2	22.9	29.4	22.8	5.1	5.1	2.3	2.8	1.0	1.3	1.1	1.4	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Complications of pregnancy	4.7	-	9.7	-	-	-	-	-	0.1	-	27.2	-	22.8	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

.. indicates less than 0.05

TABLE 7(1) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See footnotes Table 7(a)

ALBERTA

NO. DIAGNOSIS	ALL AGES																							
	NUMBER																							
	T	M	F	M	F	M	F	M	F	M	F	M	T	M	F	M	F	M	F	M	F	M	F	T
75 Delivery without mention of complications	20443	-	20443	-	-	-	-	-	-	-	-	-	9955	-	23	2163	871	1426	979	1545	1325	4	-	-
50 Hypertrophy of tonsils and adenoids	16940	8161	8779	-	-	-	-	17	10432	-	337	363	39	-	44	2	44	2	2	2	1	-	-	-
76 Delivery with specified complications	10656	-	10656	-	-	-	-	522	4952	-	5658	37	37	-	-	352	472	236	434	259	1	-	-	-
48 Pneumonia	10014	5625	4389	-	-	-	-	701	261	207	460	508	657	-	-	657	472	236	434	259	1	-	-	-
38 Arteriosclerotic and degenerative heart disease	8795	5514	3281	1	1	1	1	4	15	8	360	92	2163	871	1426	979	1545	1325	4	-	-	-	-	-
61 Diseases of gallbladder and pancreas	8294	2248	6046	3	5	8	15	19	51	752	265	2133	2136	2136	364	633	271	362	8	-	-	-	-	-
49 Bronchitis	8032	4717	3315	877	580	1350	834	549	162	217	209	345	705	496	485	218	380	177	1	-	-	-	-	-
58 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	7830	3823	4007	1319	1128	1083	856	468	231	427	268	459	240	365	103	138	111	147	-	-	-	-	-	-
73 Complications of pregnancy	6771	-	6771	-	-	-	-	5	3481	-	-	3246	39	-	39	-	60	47	-	-	-	-	-	-
46 Acute upper respiratory infections	6320	3416	2904	686	441	1431	941	657	242	308	179	224	130	172	44	60	47	-	-	-	-	-	-	-
Separations per 1,000 population																								
75 Delivery without mention of complications	13.7	-	28.0	-	-	-	-	0.1	-	85.9	-	53.8	-	0.3	-	-	0.1	0.1	-	-	-	-	-	-
50 Hypertrophy of tonsils and adenoids	11.4	16.8	12.4	0.6	0.4	0.4	0.1	30.8	4.6	9.9	1.8	2.0	0.2	0.4	..	0.1	0.1	-	-	-	-	-	-	-
76 Delivery with specified complications	7.2	-	14.6	-	-	-	-	0.1	-	40.8	-	30.6	-	0.3	-	-	7.6	20.1	12.7	-	-	-	-	-
48 Pneumonia	6.7	7.4	6.0	6.7	53.0	12.3	15.3	4.2	2.2	1.7	2.4	2.7	5.1	3.8	10.6	7.6	20.1	12.7	-	-	-	-	-	-
38 Arteriosclerotic and degenerative heart disease	5.0	7.3	4.5	0.4	0.4	0.4	0.4	..	0.1	0.1	1.9	0.5	16.7	7.1	42.8	31.5	71.5	65.0	-	-	-	-	-	-
61 Diseases of gallbladder and pancreas	5.6	3.0	8.3	0.3	0.3	0.3	0.3	0.1	0.4	6.2	3.0	11.5	7.5	17.3	10.9	20.4	12.5	17.7	-	-	-	-	-	-
49 Bronchitis	5.4	6.2	4.5	4.7	4.7	10.2	10.4	3.1	1.3	1.8	1.1	1.9	5.4	4.0	14.6	7.0	17.6	8.7	-	-	-	-	-	-
58 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	5.3	5.0	5.5	5.0	71.8	5.4	10.5	2.9	1.9	3.5	1.4	2.5	1.8	3.0	3.1	4.4	5.1	7.2	-	-	-	-	-	-
73 Complications of pregnancy	4.5	-	9.3	-	-	-	-	4.2	-	28.7	-	17.6	-	0.3	-	-	-	-	-	-	-	-	-	-
46 Acute upper respiratory infections	4.2	4.5	4.0	4.5	30.4	30.4	30.4	4.2	2.0	2.5	0.9	1.2	1.0	1.4	1.3	1.9	2.2	2.3	-	-	-	-	-	-

.. indicates less than 0.05

TABLE 7(1) Cont'd

... indicates less than 0.5

TABLE 7(m) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1967

(1) See footnotes Table 7(a)

BRITISH COLUMBIA

ALL AGES		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+	
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
NO. DIAGNOSIS		Separations															
75	Delivery without mention of complications	24325	-	24325	-	-	26	-	12431	-	11838	-	30	-	-	-	
50	Hypertrophy of tonsils and adenoids	22110	10850	11260	1	3123	6723	708	1387	528	524	66	80	5	-	3	
48	Pneumonia	11141	6274	4867	1093	1666	708	220	199	545	591	762	596	253	734	385	
38	Arteriosclerotic and degenerative heart disease	10798	6808	3990	1	-	3	8	4	427	117	2737	1025	1603	1185	2029	
73	Complications of pregnancy	7699	-	7699	-	-	15	-	4126	-	3536	-	22	-	-	-	
76	Delivery with specified complications	7626	-	7626	-	-	6	-	3463	-	4141	-	16	-	-	-	
61	Diseases of gallbladder and pancreas	7558	2062	5496	5	11	23	28	522	457	1827	831	1935	381	669	340	
49	Bronchitis	6916	4046	2870	899	1200	359	70	136	218	279	511	417	390	192	399	
56	Hernia of abdominal cavity	6785	4979	1806	298	504	419	178	61	740	376	1652	594	663	248	525	
58	Gastro-enteritis and colitis	5497	2787	2710	863	891	380	154	223	197	288	140	246	69	98	93	
Separations per 1,000 population																	
75	Delivery without mention of complications	12.5	-	25.3	-	-	0.1	-	81.8	-	49.4	-	0.2	-	-	-	
50	Hypertrophy of tonsils and adenoids	11.4	11.0	11.7	0.2	0.1	34.2	4.5	9.1	2.1	2.2	0.4	0.4	0.1	0.1	0.1	
48	Pneumonia	5.7	6.4	5.1	65.1	46.2	3.9	1.4	1.3	2.2	2.5	4.1	3.2	9.0	4.7	19.8	
38	Arteriosclerotic and degenerative heart disease	5.5	6.9	4.2	0.1	-	..	0.1	..	1.7	0.5	14.6	5.5	32.1	22.0	54.7	
73	Complications of pregnancy	4.0	-	8.0	-	-	..	-	27.2	-	14.8	-	0.1	-	-	-	
76	Delivery with specified complications	3.9	-	7.9	-	-	..	-	22.8	-	17.3	-	0.1	-	-	-	
61	Diseases of gallbladder and pancreas	3.9	2.1	5.7	0.3	0.7	0.1	0.2	3.4	1.8	7.6	4.4	10.3	7.6	12.4	9.2	
49	Bronchitis	3.6	4.1	3.0	53.5	34.9	1.5	0.4	0.9	0.9	1.2	2.7	2.2	7.8	3.6	10.8	
56	Hernia of abdominal cavity	3.5	5.0	1.9	17.7	3.9	2.0	1.1	0.4	2.9	1.6	8.8	3.2	13.3	4.6	14.2	
58	Gastro-enteritis and colitis	2.8	2.8	2.8	51.4	45.2	1.9	1.0	1.5	0.8	1.2	0.7	1.3	1.4	1.8	2.5	

.. indicates less than 0.05

TABLE 3

NO. DIAGNOSIS	ALL AGES										UNDER 15										5-14										15-24										25-44										45-64										65-74										75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M

TABLE 7(o) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-TERRITORY HOSPITALIZATION, 1967

(1) See footnotes Table 7(a)

NORTHWEST TERRITORIES

NO. DIAGNOSIS	ALL AGES																75+	
	UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+			
	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	F
Generations																		
48 Pneumonia	990	523	467	162	134	169	131	41	54	24	25	52	62	41	36	16	17	18
75 Delivery without mention of complications	928	-	928	-	-	-	-	-	5	-	391	-	522	-	10	-	-	-
73 Complications of pregnancy	240	-	240	-	-	-	-	-	-	-	100	-	139	-	1	-	-	-
50 Hypertrophy of tonsils and adenoids	224	108	116	-	-	25	16	70	70	9	30	4	-	-	-	-	-	-
78 Infection of skin and subcutaneous tissue	173	103	70	8	16	22	18	25	15	20	5	18	11	8	4	2	1	-
58 Gastro-enteritis and colitis except ulcerative, age 4 weeks and over	170	92	78	46	35	21	25	9	3	7	4	4	7	2	2	2	1	1
49 Bronchitis	168	93	75	43	26	27	18	5	4	1	5	2	5	8	12	5	3	2
35 Diseases and conditions of the eye	153	64	89	2	3	4	9	12	17	6	8	9	16	20	26	6	6	4
36 Diseases of ear and mastoid process	137	79	58	18	12	31	18	16	19	5	5	7	3	1	1	1	-	-
76 Delivery with specified complications	133	-	133	-	-	-	-	-	-	-	59	-	74	-	-	-	-	-
Generations per 1,000 population																		
48 Pneumonia	34.1	33.1	35.4	324.0	268.0	76.8	65.5	11.1	15.0	8.9	11.4	12.1	19.4	21.6	25.7	40.0	85.0	180.0
75 Delivery without mention of complications	32.0	-	70.3	-	-	-	-	-	1.4	-	177.7	-	163.1	-	7.1	-	-	80.0
73 Complications of pregnancy	8.3	-	18.2	-	-	-	-	-	-	-	45.5	-	43.4	-	0.7	-	-	-
50 Hypertrophy of tonsils and adenoids	7.7	6.8	8.8	-	-	11.4	8.0	18.9	19.4	3.3	13.6	0.9	-	-	-	-	-	-
78 Infection of skin and subcutaneous tissue	6.0	6.5	5.3	16.0	32.0	10.0	9.0	6.8	4.2	7.4	2.3	4.2	3.4	4.2	2.9	5.0	5.0	-
58 Gastro-enteritis and colitis except ulcerative, age 4 weeks and over	5.9	5.8	5.9	92.0	70.0	9.5	12.5	2.4	0.8	2.6	1.8	0.9	2.2	1.1	1.4	5.0	10.0	10.0
49 Bronchitis	5.8	5.3	5.7	36.0	22.0	12.3	9.5	1.4	1.1	1.4	2.3	0.5	1.6	4.2	8.6	12.5	15.0	20.0
35 Diseases and conditions of the eye	5.3	4.0	6.7	4.0	6.0	1.8	4.5	3.2	4.7	2.2	3.6	2.1	5.0	10.5	18.6	15.0	30.0	40.0
36 Diseases of ear and mastoid process	4.7	5.0	4.4	36.0	24.0	14.1	9.0	4.3	5.3	1.9	2.3	1.6	0.9	0.5	0.7	2.5	-	-
76 Delivery with specified complications	4.6	-	10.1	-	-	-	-	-	-	-	26.8	-	23.1	-	-	-	-	-

TABLE 100

NO. DIAGNOSIS	ALL AGES																F	
	UNDER 1								15 - 24									
	T	M	F	M	F	M	F	M	T	M	F	M	F	M	F			
Patient-days																		
48 Pneumonia	9252	5140	4112	1729	1110	1544	1202	318	491	197	237	408	460	497	315	199	215	248
75 Delivery without mention of complications	5771	-	5771	-	-	-	-	-	51	-	2462	-	3206	-	52	-	-	-
73 Complications of pregnancy	823	-	823	-	-	-	-	-	-	-	347	-	467	-	9	-	-	-
50 Hypertrophy of tonsils and adenoids	752	385	367	-	-	109	48	229	217	34	102	13	-	-	-	-	-	-
78 Infection of skin and subcutaneous tissue	1340	888	452	144	94	210	146	182	87	105	25	177	58	54	35	16	7	-
58 Gastro-enteritis and colitis except ulcerative, age 4 weeks and over	1162	586	576	361	343	137	167	28	8	19	8	12	37	9	10	15	1	5
49 Bronchitis	1316	771	545	333	192	197	102	13	17	7	39	34	41	79	125	84	20	24
35 Diseases and conditions of the eye	1945	854	1091	7	16	12	34	90	213	35	90	132	201	273	369	69	139	236
36 Diseases of ear and mastoid process	1980	786	1194	192	130	205	499	118	399	116	24	138	90	2	52	15	-	-
76 Delivery with specified complications	1176	-	1176	-	-	-	-	-	-	-	472	-	704	-	-	-	-	-
Patient-days per 1,000 population																		
48 Pneumonia	319	325	312	3458	2220	702	601	86	136	73	108	95	144	262	225	498	1075	2480
75 Delivery without mention of complications	199	-	437	-	-	-	-	-	14	-	1119	-	1002	-	37	-	-	-
73 Complications of pregnancy	28	-	62	-	-	-	-	-	-	-	158	-	146	-	6	-	-	-
50 Hypertrophy of tonsils and adenoids	26	24	28	-	-	50	24	62	60	13	46	3	-	-	-	-	-	-
78 Infection of skin and subcutaneous tissue	46	56	34	288	188	95	73	49	24	39	11	41	18	28	25	40	35	-
58 Gastro-enteritis and colitis except ulcerative, age 4 weeks and over	40	37	44	722	686	62	84	8	2	7	4	3	12	5	7	38	5	50
49 Bronchitis	45	49	41	666	384	90	51	4	5	3	18	8	13	42	89	210	100	240
35 Diseases and conditions of the eye	67	54	83	14	32	5	17	24	59	13	41	31	63	144	264	172	695	2360
36 Diseases of ear and mastoid process	68	50	90	384	260	93	250	32	111	43	11	32	28	1	37	38	-	-
76 Delivery with specified complications	41	-	89	-	-	-	-	-	-	-	215	-	220	-	-	-	-	-
Average days stay of separations																		
48 Pneumonia	9.3	9.8	8.8	10.7	8.3	9.1	9.2	7.8	9.1	8.2	9.5	7.8	7.4	12.1	8.8	12.4	12.6	13.8
75 Delivery without mention of complications	6.2	-	6.2	-	-	-	-	-	10.2	-	6.3	-	6.1	-	5.2	-	-	-
73 Complications of pregnancy	3.4	-	3.4	-	-	-	-	-	-	-	34.7	-	3.4	-	9.0	-	-	-
50 Hypertrophy of tonsils and adenoids	3.4	3.6	3.2	-	-	4.4	3.0	3.3	3.1	3.8	3.4	3.2	-	-	-	-	-	-
78 Infection of skin and subcutaneous tissue	7.7	3.0	6.5	10.0	5.0	0.5	8.1	7.3	5.8	5.2	5.0	9.8	5.3	6.3	6.3	5.0	7.0	-
58 Gastro-enteritis and colitis except ulcerative, age 4 weeks and over	6.8	6.4	7.4	7.8	9.8	6.5	6.7	3.1	2.7	2.7	2.0	3.0	5.3	4.5	5.0	7.5	1.0	5.0
49 Bronchitis	7.8	8.3	7.3	7.7	7.4	7.3	5.7	2.6	4.2	7.0	7.8	17.0	8.2	9.9	10.4	16.8	6.7	12.0
35 Diseases and conditions of the eye	12.7	13.3	12.3	3.5	5.3	3.0	3.8	7.5	12.5	5.8	11.2	14.7	12.6	13.6	14.2	11.5	23.2	47.2
36 Diseases of ear and mastoid process	14.5	9.9	20.6	10.7	10.8	6.6	27.7	7.4	21.0	23.2	4.8	19.7	30.0	2.0	52.0	15.0	-	-
76 Delivery with specified complications	8.8	-	8.8	-	-	-	-	-	-	-	8.0	-	9.5	-	-	-	-	-

TABLE 8a - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
NEWFOUNDLAND, 1967

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	76.3	Episiotomy without low forceps	2,068	845.8 (3)	29.4
2	27.2	Tonsillectomy with adenoidectomy	1,392	278.4	19.8
3	72.8	Dilation and curettage of uterus	1,058	432.7 (3)	15.0
4	45.1	Appendectomy	1,055	211.0	15.0
5	77.1	Dilation and curettage after delivery or abortion	1,045	427.4 (3)	14.9
6	27.1	Tonsillectomy without adenoidectomy	682	136.4	9.7
7	40.0	Repair of inguinal hernia, except recurrent	658	131.6	9.4
8	76.4	Delivery by low forceps with episiotomy	589	240.9 (3)	8.4
9	53.5	Cholecystectomy	540	108.0	7.7
10	76.5	Delivery by low forceps without episiotomy	517	211.5 (3)	7.3
11	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	443	88.6	6.3
12	69.2	Circumcision	416	162.8 (4)	5.9
13	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	406	81.2	5.8
14	82.0	Closed reduction of fracture of long bone	375	75.0	5.3
15	89.4	Suture of skin	375	75.0	5.3
16	72.4	Total hysterectomy	362	148.1 (3)	5.1
17	99.0	Shock therapy	359	71.8	5.1
18	93.2	Retrograde pyelography	317	63.4	4.5
19	81.8	Traction or fixation without reduction	288	57.6	4.1
20	89.0	Incision of skin and subcutaneous tissue	282	56.4	4.0
21	78.4	Caesarean section, type unspecified	282	115.3 (3)	4.0
22	78.1	Caesarean section, low cervical	275	112.5 (3)	3.9
23	82.3	Closed reduction of fracture of extremity of long bone	258	51.6	3.7
24	44.2	Partial or subtotal gastrectomy	234	46.8	3.3
25	72.6	Hysterectomy, vaginal	232	94.9 (3)	3.3

(1) International Classification of Diseases. Adapted for indexing Hospital Records, by Diseases and Operations, 1962 edition.
 (2) Population: T: 500,000 M: 255,500 F: 244,500 (3) Based on Female population. (4) Based on male population.
 (5) Separations: T: 70,353 (excluding newborn).

TABLE 8c - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
PRINCE EDWARD ISLAND, 1967

Rank	U.S.	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	714	655.0	41.9
2	72.8	Dilation and curettage of uterus	379	704.5 (3)	22.3
3	45.1	Appendectomy	253	232.1	14.9
4	53.5	Cholecystectomy	211	193.6	12.4
5	41.0	Repair of inguinal hernia except recurrent	206	189.0	12.1
6	77.1	Dilation and curettage of uterus after delivery or abortion	187	347.6 (3)	11.0
7	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	128	117.4	7.5
8	82.3	Closed reduction of fracture of extremity of long bone	126	115.6	7.4
9	27.1	Tonsillectomy without adenoidectomy	126	115.6	7.4
10	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	91	83.5	5.3
11	66.9	Other operations on prostate and seminal vesicles	73	132.2 (4)	4.3
12	38.8	Biopsy of breast	72	66.1	4.2
13	78.4	Caesarean section, type unspecified	70	130.1 (3)	4.1
14	89.0	Incision of skin and subcutaneous tissue	69	63.3	4.1
15	40.1	Exploratory laparotomy or celiotomy	68	62.4	4.0
16	72.3	Hysterectomy, partial or subtotal	65	120.8 (3)	3.8
17	27.3	Adenoidectomy without tonsillectomy	65	59.6	3.8
18	89.4	Suture	62	56.9	3.6
19	88.4	Excision and ligation of varicose veins	59	54.1	3.5
20	74.3	Colporrhaphy	56	104.1 (3)	3.3
21	84.0	Arthroplasty of hip without mechanical device	54	49.5	3.2
22	90.5	Proctoscopy without effect upon tissue or lesion	53	48.6	3.1
23	64.5	Dilation of urethra	52	47.7	3.1
24	49.3	Hemorrhoidectomy	50	45.9	2.9
25	66.3	Prostatectomy, other	39	70.7 (4)	2.3

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification, U.S. Department of Health, Education and Welfare, Public Health Service, 1959.

(2) Population: T: 102,000 M: 55,200 F: 53,800

(3) Based on female population.

(4) Based on male population.

(5) Separations: T: 17,024 (excluding newborn).

TABLE 8c - SEPARATIONS AND CORRESPONDING RATES FOR THE TEN MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN)
NOVA SCOTIA, 1967

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.1, 27.2	Tonsillectomy with and without adenoidectomy	5,953	786.4	53.2
2	76.3	Episiotomy (includes that with or without low forceps)	4,543	1207.0 (3)	40.6
3	69.2	Circumcision	2,751	722.8 (4)	24.6
4	72.8	Dilation and curettage of uterus (includes endometrial biopsy, therapeutic abortion, and after delivery or abortion)	4,300	627.0 (3)	21.1
5	45.1	Appendectomy	2,066	272.9	18.5
6	53.5	Cholecystectomy	1,668	220.3	14.9
7	41.0	Repair of inguinal hernia, except recurrent	1,338	176.3	12.0
8	72.4	Abdominal hysterectomy (complete or total)	974	258.8 (3)	8.7
9	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	933	123.2	8.3
10	82.0, 82.3	Closed reduction of shaft or extremity of long bone	755	99.7	6.8

(1) International Classification of Diseases. Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
 (2) Population: T: 757,000 M: 380,600 F: 376,400
 (3) Based on female population.
 (4) Based on male population.
 (5) Separations: T: 111,826 (excluding newborn).

TABLE 8a - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
NEW BRUNSWICK, 1967

Rank	U.S.	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	76.0	Artificial rupture of membranes	10,601	3436.3 (3)	111.5
2	27.2	Tonsillectomy with adenoidectomy	4,136	667.1	43.5
3	72.8	Dilation and curettage of uterus	1,424	461.6 (3)	15.0
4	53.5	Cholecystectomy	1,412	227.7	14.9
5	45.1	Appendectomy	1,358	219.0	14.3
6	77.1	Dilation and curettage after delivery or abortion	1,142	370.2 (3)	12.0
7	72.4	Hysterectomy, complete or total	1,059	343.3 (3)	11.1
8	40.0	Repair of inguinal hernia except recurrent	924	149.0	9.7
9	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	846	136.5	8.9
10	27.1	Tonsillectomy without adenoidectomy	754	121.6	7.9
11	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	722	116.5	7.6
12	24.1	Extraction of tooth (simple)	716	115.5	7.5
13	76.3	Episiotomy without low forceps	691	224.0 (3)	7.3
14	89.4	Suture	620	100.0	6.5
15	78.4	Caesarean section, type unspecified	467	151.4 (3)	4.9
16	49.3	Hemorrhoidectomy	447	72.1	4.7
17	90.5	Proctoscopy without effect upon tissue or lesion	434	70.0	4.6
18	72.6	Hysterectomy, vaginal	433	140.4 (3)	4.6
19	82.0	Closed reduction of fracture of shaft of long bone	424	68.4	4.5
20	89.0	Incision of skin and subcutaneous tissue	411	66.3	4.3
21	90.8	Vaginoscopy without effect upon tissue or lesion	409	132.6 (3)	4.3
22	64.5	Dilation of urethra	405	65.3	4.3
23	88.4	Excision and ligation of varicose veins	401	64.7	4.2
24	20.4	Operations on tympanum	365	58.9	3.8
25	38.1	Partial mastectomy	352	56.8	3.7

(1) International Classification of Diseases. Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
 (2) Population: T: 620,000 M: 311,500 F: 308,500 (3) Based on female population. (4) Based on male population.
 (5) Separations: T: 95,076 (excluding newborn).

TABLE 8e - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
QUEBEC, 1967

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	36,300	618.6	45.5
2	53.5	Cholecystectomy	18,306	313.0	23.0
3	69.2	Circumcision (including newborns)	15,388 (6)	525.3 (4)	19.3
4	76.3	Episiotomy without low forceps	13,087	445.4 (3)	16.4
5	45.1	Appendectomy	12,000	204.5	15.1
6	77.1	Dilation and curettage after delivery or abortion	11,779	400.9 (3)	14.8
7	40.0	Repair of inguinal hernia except recurrent	11,034	188.0	13.8
8	72.8	Dilation and curettage of uterus	10,885	370.4 (3)	13.7
9	27.1	Tonsillectomy without adenoidectomy	10,860	185.1	13.6
10	24.1	Extraction of tooth (simple)	8,566	146.0	10.7
11	72.4	Hysterectomy, complete or total	8,250	280.8 (3)	10.4
12	76.4	Delivery by low forceps with episiotomy	7,414	252.3 (3)	9.3
13	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	6,323	107.8	7.9
14	49.3	Hemorrhoidectomy	5,381	91.7	6.8
15	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	4,615	78.6	5.8
16	81.8	Traction or fixation without reduction	4,382	74.7	5.5
17	77.3	Repair of other obstetrical laceration	4,143	141.0 (3)	5.2
18	73.1	Local excision and destruction of lesion of cervix	4,085	139.0 (3)	5.1
19	76.5	Delivery by low forceps without episiotomy	4,046	137.7 (3)	5.1
20	82.0	Closed reduction of fracture of shaft of long bone	3,626	61.8	4.5
21	20.4	Operations on tympanum	3,549	60.5	4.5
22	88.4	Excision and ligation of varicose veins	3,463	59.0	4.3
23	72.6	Hysterectomy, vaginal	3,115	106.0 (3)	3.9
24	90.5	Proctoscopy without effect upon tissue or lesion	3,063	52.2	3.8
25	17.4	Extraction of lens, intracapsular	3,055	52.1	3.8

(1) International Classification of Diseases. Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

(2) Population: T: 5,868,000 M: 2,929,500 F: 2,938,500 (3) Based on female population. (4) Based on male population.

(5) Separations: T: 796,949 (excluding newborn).

(6) Total cases include circumcision of newborn males. This should be noted in making comparisons with data from other provinces.

TABLE 31 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
ONTARIO, 1967

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	67,818	948.6	61.9
2	72.8	Dilation and curettage of uterus	28,536	798.0 (3)	26.1
3	27.1	Tonsillectomy without adenoidectomy	18,841	263.5	17.2
4	40.0	Repair of inguinal hernia except recurrent	18,797	262.9	17.2
5	53.5	Cholecystectomy	18,161	254.0	16.6
6	45.1	Appendectomy	17,376	243.1	15.9
7	76.3	Episiotomy without low forceps	14,899	416.7 (3)	13.6
8	77.1	Dilation and curettage after delivery or abortion	14,737	412.1 (3)	13.5
9	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	9,574	133.9	8.7
10	76.4	Delivery by low forceps with episiotomy	9,416	263.3 (3)	8.6
11	76.5	Delivery by low forceps without episiotomy	9,277	259.4 (3)	8.5
12	24.1	Extraction of tooth (simple)	8,757	122.5	8.0
13	88.4	Excision and ligation of varicose veins	8,407	117.6	7.7
14	49.3	Hemorrhoidectomy	7,514	105.1	6.9
15	72.4	Hysterectomy, complete or total	7,139	199.6 (3)	6.5
16	66.2	Prostatectomy, transurethral	5,529	154.7 (4)	5.0
17	78.4	Caesarean section, type unspecified	4,983	139.4 (3)	4.6
18	89.4	Suture	4,941	69.1	4.5
19	38.1	Partial mastectomy	4,637	64.9	4.2
20	83.5	Excision of semilunar cartilage of knee joint	4,099	57.3	3.7
21	72.3	Hysterectomy, partial or subtotal	3,942	110.2 (3)	3.6
22	82.5	Open reduction of fracture of extremity of long bone with internal fixation	3,912	54.7	3.6
23	17.3	Extraction of lens, extracapsular	3,902	54.6	3.6
24	72.6	Hysterectomy, vaginal	3,900	109.1 (3)	3.6
25	21.1	Operations on nasal septum	3,797	53.1	3.5

(1) International Classification of Diseases. Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
(2) Population: T: 7,149,000 M: 3,573,200 F: 3,575,800 (3) Based on female population. (4) Based on male population.
(5) Separations: T: 1,095,060 (excluding newborn).

TABLE 8g - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
MANITOBA, 1967

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	5,315	655.8	37.7
2	53.5	Cholecystectomy	2,711	281.5	16.2
3	72.8	Dilation and curettage of uterus	2,345	489.2 (3)	14.0
4	40.0	Repair of inguinal hernia except recurrent	2,186	227.0	13.0
5	45.1	Appendectomy, with or without drainage	1,994	207.1	11.9
6	24.1	Extraction of tooth (simple)	1,972	204.8	11.8
7	27.1	Tonsillectomy without adenoidectomy	1,618	168.0	9.7
8	82.3	Closed reduction of fracture of extremity of long bone	888	92.2	5.3
9	88.4	Excision and ligation of varicose veins	826	85.8	4.9
10	49.3	Hemorrhoidectomy	777	80.7	4.6
11	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	772	80.2	4.6
12	17.4	Extraction of lens, intracapsular	758	78.7	4.5
13	66.2	Prostatectomy, transurethral	740	153.0 (4)	4.4
14	89.4	Suture of skin and subcutaneous tissue	735	76.3	4.4
15	72.4	Hysterectomy, complete or total	632	131.8 (3)	3.8
16	21.1	Operations on nasal septum	625	64.9	3.7
17	74.4	Repair of cystocele and/or rectocele	592	123.5 (3)	3.5
18	82.0	Closed reduction of fracture of shaft of long bone	573	59.5	3.4
19	82.5	Open reduction of fracture of extremity of long bone	502	52.1	3.0
20	38.1	Partial mastectomy	465	48.3	2.8
21	89.0	Incision of skin and subcutaneous tissue	449	46.6	2.7
22	21.4	Rhinoplasty and repair of nose	442	45.9	2.6
23	11.3	Advancement or recession of eye muscle	420	43.6	2.5
24	72.5	Hysterectomy, radical	413	86.1 (3)	2.5
25	72.6	Hysterectomy, vaginal	353	73.6 (3)	2.1

(1) International Classification of Diseases. Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

(2) Population: T: 963,000 M: 483,600 F: 479,400 (3) Based on female population.

(5) Separations: T: 167,629 (excluding newborn). (4) Based on male population.

TABLE 3h - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), SASKATCHEWAN, 1967

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	8,827	921.4	44.1
2	72.8	Dilation and curettage of uterus	3,884	829.4 (3)	19.4
3	45.1	Appendectomy	2,779	290.1	13.9
4	53.5	Cholecystectomy	2,776	289.8	13.9
5	24.1	Extraction of tooth (simple)	2,387	249.2	11.9
6	76.3	Episiotomy without low forceps	2,237	477.7 (3)	11.2
7	40.0	Repair of inguinal hernia except recurrent	2,133	222.7	10.7
8	77.1	Dilation and curettage after delivery or abortion	1,819	388.4 (3)	9.1
9	27.1	Tonsillectomy without adenoidectomy	1,646	171.8	8.2
10	72.4	Hysterectomy, complete or total	1,488	317.7 (3)	7.4
11	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	1,287	134.3	6.4
12	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	1,147	119.7	5.7
13	31.3	Traction or fixation without reduction	1,073	112.0	5.4
14	49.3	Hemorrhoidectomy	1,025	107.0	5.1
15	66.2	Prostatectomy, transurethral	969	197.9 (4)	4.8
16	89.4	Suture	821	85.7	4.1
17	88.4	Excision and ligation of varicose veins	820	85.6	4.1
18	89.0	Incision of skin and subcutaneous tissue	803	83.8	4.0
19	82.3	Closed reduction of fracture of extremities of long bone	762	79.5	3.8
20	21.1	Operations on nasal septum	752	78.5	3.8
21	38.1	Partial mastectomy	740	77.2	3.7
22	74.4	Repair of cystocele and/or rectocele	733	156.5 (3)	3.7
23	17.4	Extraction of lens, intracapsular	700	73.1	3.5
24	82.0	Closed reduction of fracture of shaft of long bone	675	70.5	3.4
25	77.3	Repair of other obstetrical laceration	618	132.0 (3)	3.1

(1) International Classification of Diseases. Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
 (2) Population. T: 255,000 M: 489,700 F: 468,300 (3) Based on female population. (4) Based on male population.
 (5) Separations: T: 200,269 (excluding newborn).

TABLE 8i - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), ALBERTA, 1967

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	13,606	913.2	43.9
2	76.3	Episiotomy without low forceps	9,108	1245.6 (3)	29.4
3	72.8	Dilation and curettage of uterus	6,173	844.2 (3)	19.9
4	93.1	Intravenous pyelography	5,877	394.4	19.0
5	53.5	Cholecystectomy	4,644	311.7	15.0
6	76.4	Delivery by low forceps with episiotomy	4,411	603.3 (3)	14.2
7	45.1	Appendectomy	4,299	288.5	13.9
8	77.3	Repair of other obstetrical laceration	3,533	483.2 (3)	11.4
9	40.0	Repair of inguinal hernia except recurrent	3,505	235.2	11.3
10	77.1	Dilation and curettage after delivery or abortion	3,230	441.7 (3)	10.4
11	24.1	Extraction of tooth (simple)	3,195	214.4	10.3
12	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	2,734	183.5	8.8
13	72.4	Hysterectomy, complete or total	2,641	361.2 (3)	8.5
14	81.8	Traction or fixation without reduction	2,545	170.8	8.2
15	27.1	Tonsillectomy without adenoidectomy	2,441	163.8	7.9
16	76.0	Artificial rupture of membranes	2,400	328.2 (3)	7.7
17	88.4	Excision and ligation of varicose veins	2,233	149.9	7.2
18	82.3	Closed reduction of fracture of extremity of long bone	2,227	149.5	7.2
19	89.4	Suture of skin and subcutaneous tissue	2,002	134.4	6.5
20	90.5	Proctoscopy without effect upon tissue or lesion	1,764	118.4	5.7
21	49.3	Hemorrhoidectomy	1,762	118.3	5.7
22	93.2	Retrograde pyelography	1,461	98.1	4.7
23	03.3	Spinal puncture	1,433	96.2	4.6
24	89.0	Incision of skin and subcutaneous tissue	1,409	94.6	4.5
25	93.0	Cholangiography	1,393	93.5	4.5

(1) International Classification of Diseases. Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
(2) Population: T: 1,490,000 M: 758,800 F: 731,200 (3) Based on female population. (4) Based on male population.
(5) Separations: T: 309,838 (excluding newborn).

TABLE 29 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
BRITISH COLUMBIA, 1967

Rank	U.S. Rank	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	18,177	933.6	56.8
2	72.8	Dilation and curettage of uterus	7,841	816.1 (3)	24.5
3	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	5,532	284.1	17.3
4	53.3	Cholecystectomy	4,587	235.6	14.3
5	40.0	Repair of inguinal hernia except recurrent	4,213	216.4	13.2
6	45.1	Appendectomy	3,878	199.2	12.1
7	27.1	Tonsillectomy without adenoidectomy	3,505	180.0	11.0
8	77.1	Dilation and curettage after delivery or abortion	3,023	314.6 (3)	9.4
9	24.1	Extraction of tooth (simple)	2,800	143.8	8.8
10	72.4	Hysterectomy complete or total	2,631	273.8 (3)	8.2
11	88.4	Excision and ligation of varicose veins	2,629	135.0	8.2
12	66.2	Prostatectomy, transurethral	2,470	250.5 (4)	7.7
13	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	2,331	119.7	7.3
14	76.3	Episiotomy without low forceps	2,022	210.4 (3)	6.3
15	49.3	Hemorrhoidectomy	1,972	101.3	6.2
16	82.3	Closed reduction of fracture of extremity of long bone	1,793	92.1	5.6
17	17.4	Extraction of lens, intracapsular	1,658	85.2	5.2
18	20.4	Operations on tympanum	1,614	82.9	5.0
19	21.4	Rhinoplasty and repair of nose	1,520	78.1	4.8
20	89.4	Suture	1,507	77.4	4.7
21	72.6	Hysterectomy, vaginal	1,473	153.3 (3)	4.6
22	81.8	Traction or fixation without reduction	1,447	74.3	4.5
23	38.1	Partial mastectomy	1,421	73.0	4.4
24	73.2	Trachelectomy	1,230	128.0 (3)	3.8
25	82.0	Closed reduction of fracture of shaft of long bone	1,072	55.1	3.4

(1) International Classification of Diseases. Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
 (2) Population: T: 1,947,000 M: 986,200 F: 960,800 (3) Based on female population. (4) Based on male population.
 (5) Separations: T: 319,884 (excluding newborn).

TABLE 8k - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
YUKON, 1967

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	76.4	Delivery by low forceps with episiotomy	123	1,308.3 (3)	50.0
2	27.2	Tonsillectomy with adenoidectomy	97	646.7	39.4
3	24.2	Surgical removal of tooth	54	360.0	21.9
4	72.8	Dilation and curettage of uterus	45	661.8 (3)	18.3
5	82.0	Closed reduction of fracture of shaft of long bone	33	220.0	13.4
6	77.1	Dilation and curettage after delivery or abortion	32	470.6 (3)	13.0
7	40.0	Repair of inguinal hernia, except recurrent	29	193.3	11.8
8	89.4	Suture	29	193.3	11.8
9	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	28	186.7	11.4
10	20.4	Operations on tympanum	22	146.7	8.9
11	45.1	Appendectomy	21	140.0	8.5
12	03.3	Spinal puncture	20	133.3	8.1
13	72.4	Hysterectomy, complete or total	19	279.4 (3)	7.7
14	89.0	Incision of skin and subcutaneous tissue	19	126.7	7.7
15	53.5	Cholecystectomy	18	120.0	7.3
16	27.1	Tonsillectomy without adenoidectomy	14	93.3	5.7
17	49.3	Hemorrhoidectomy	12	80.0	4.9
18	88.4	Excision and ligation of varicose veins	12	80.0	4.9
19	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	11	73.3	4.5
20	90.5	Proctoscopy without effect upon tissue or lesion	9	60.0	3.7
21	11.3	Advancement or recession of eye muscle	9	60.0	3.7
22	71.5	Ligation and division of fallopian tubes, bilateral	8	117.6 (3)	3.2
23	77.3	Repair of other obstetrical laceration	8	117.6 (3)	3.2
24	85.2	Excision of lesion of muscle, tendon and fascia	8	53.3	3.2
25	11.2	Myectomy or resection of eye muscle	8	53.3	3.2

(1) International Classification of Diseases. Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
(2) Population: T: 15,000 M: 8,200 F: 6,800 (3) Based on female population. (4) Based on male population.
(5) Separations: T: 2,462 (excluding newborn).

TABLE 81 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), NORTHWEST TERRITORIES, 1967

Rank	U.S. Rank	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	196	675.9	27.7
2	72.8	Dilation and curettage of uterus	75	568.2 (3)	10.6
3	45.1	Appendectomy	72	248.3	10.2
4	24.1	Extraction of tooth (simple)	70	241.4	9.9
5	77.1	Dilation and curettage after delivery or abortion	68	515.2 (3)	9.6
6	89.0	Incision of skin and subcutaneous tissue	61	210.3	8.6
7	53.5	Cholecystectomy	43	148.3	6.1
8	89.4	Suture	40	137.9	5.7
9	27.1	Tonsillectomy without adenoidectomy	39	134.5	5.5
10	76.3	Episiotomy without low forceps	38	287.9 (3)	5.4
11	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	33	113.8	4.7
12	82.0	Closed reduction of fracture of shaft of long bone	31	106.9	4.4
13	40.0	Repair of inguinal hernia except recurrent	29	100.0	4.1
14	69.2	Circumcision	26	164.6 (4)	3.7
15	77.3	Repair of other obstetrical laceration	23	174.2 (3)	3.3
16	20.4	Operations on tympanum	21	72.4	3.0
17	76.4	Delivery by low forceps with episiotomy	21	159.1 (3)	3.0
18	84.7	Closed reduction of dislocation of joint	21	72.4	3.0
19	71.5	Ligation and division of Fallopian tubes, bilateral	20	151.5 (3)	2.8
20	82.3	Closed reduction of fracture of extremity of long bone	19	65.5	2.7
21	77.0	Removal of retained placenta	17	128.8 (3)	2.4
22	89.2	Removal of nail	16	55.2	2.3
23	72.4	Hysterectomy, complete or total	15	113.6 (3)	2.1
24	40.6	Repair of umbilical hernia	14	48.3	2.0
25	90.5	Proctoscopy without effect upon tissue or lesion	14	48.3	2.0

(1) International Classification of Diseases. Adapted for Indexing Hospital Records by Diseases and Operation, 1962 edition.
 (2) Population: T: 29,000 M: 15,800 F: 13,200 (3) Based on female population. (4) Based on male population.
 (5) Separations: T: 7,074 (excluding newborn).

TABLE 9(a) - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS, (EXCLUDING NEWBORNS, AND OUT-OF-PROVINCE SEPARATIONS), NEWFOUNDLAND, 1967

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Cases	Percent Distribution of
						Days
01-06		Operations on nervous system	367	16,008	1.5	4.7
03.3		Spinal surgery	82	1,067	0.3	0.3
		Residual	285	14,941	1.2	4.4
08-09		Operations on endocrine system	107	1,746	0.4	0.5
08.1		Partial or subtotal thyroidectomy	72	1,017	0.3	0.3
		Residual	35	729	0.1	0.2
10-18		Operations on eye				
11.3		Advancement or recession of eye muscle	786	9,379	3.2	2.7
11		Operations on eye (ocular) muscles	(174)	(1,034)		
17		Operations on lens	303	1,906	1.2	0.6
			168	3,120	0.7	0.9
		Residual	315	4,353	1.3	1.3
20-22		Operations on ear, nose and throat				
21.0		Excision of lesion of nose	414	4,854	1.7	1.4
20		Operations on ear	(82)	(798)		
21		Operations on nose and accessory sinuses	128	1,431	0.5	0.4
21.1		Operations on nasal septum	237	2,102	1.0	0.6
			(49)	(299)		
		Residual	49	1,321	0.2	0.4
24-28		Operations on buccal cavity and esophagus				
27.2		Tonsillectomy with adenoidectomy	2,474	12,654	10.0	3.7
24.1-24.3		Extraction of tooth and root resection	(1,392)	(5,159)		
27.1-27.4		Operations on tonsils and/or adenoids	167	1,260	0.7	0.4
27.2		Tonsillectomy with adenoidectomy	2,114	8,193	8.6	2.4
			(1,392)	(5,159)		
		Residual	193	3,201	0.8	0.9

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Cases	Percent Distribution of	Days
30-32	6	Operations on heart and great vessels	89	2,438	0.4	0.7	
30.4	6(i)	Catheterization of the right heart	30	394	0.1	0.1	
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	18	555	0.1	0.2	
		Residual	41	1,489	0.2	0.4	
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum	75	2,836	0.3	0.8	
35.3	7(i)	Complete lobectomy	22	1,077	0.1	0.3	
		Residual	53	1,759	0.2	0.5	
38	8	Operations on breast	368	4,274	1.5	1.2	
38.1	8(i)	Partial mastectomy	(159)	(1,415)			
38.1-38.3	8(ii)	Mastectomy	264	3,525	1.1	1.0	
		Residual	104	749	0.4	0.2	
40-49	9	Operations on gastro-intestinal tract	3,352	52,138	13.6	15.2	
45.1	9(i)	Appendectomy	(1,055)	(10,346)			
41.1	9(ii)	Exploratory laparotomy or celiotomy	128	3,007	0.5	0.9	
40	9(iii)	Repair of hernia	996	12,782	4.0	3.7	
44.2-44.3	9(iv)	Gastrectomy	246	5,875	1.0	1.7	
45	9(v)	Operations on appendix	1,062	10,451	4.3	3.1	
49.3	9(vi)	Hemorrhoidectomy	198	2,378	0.8	0.7	
		Residual	722	17,645	2.9	5.2	
51-56	10	Operations on liver, biliary tract, pancreas and spleen	626	12,628	2.5	3.7	
53.5	10(i)	Cholecystectomy	(540)	(9,255)			
53.5	10(ii)	Cholecystectomy	540	9,255	2.2	2.7	
		Residual	86	3,373	0.3	1.0	

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Cases	Percent Distribution of	Days
60-64	11	Operations on urinary system	643	16,547	2.6	4.8	
63.1	11(i)	Local excision and destruction of lesion of bladder	101	2,343	0.4	0.7	
		Residual	542	14,199	2.2	4.1	
66-69	12	Operations on male genital system					
69.2	12(i)	Circumcision	955	13,506	3.9	3.9	
66.1-66.3	12(ii)	Prostatectomy	(416) 266	(2,337) 7,698	1.1	2.2	
69.2	12(iii)	Circumcision	416	2,337	1.7	0.7	
		Residual	273	3,471	1.1	1.0	
70-75	13	Operations on female genital organs excluding obstetrical					
72.8	13(i)	Dilation and curettage of uterus	2,786	30,985	11.3	9.1	
70.2-70.5	13(ii)	Oophorectomy	1,058	6,533	4.3	1.9	
72.3-72.6	13(iii)	Hysterectomy	68	1,271	0.3	0.4	
72.8	13(iv)	Dilation and curettage of uterus	623	11,461	2.5	3.3	
74.3	13(v)	Colporrhaphy	(1,058) 43	(6,533) 759	0.2	0.2	
74.4	13(vi)	Repair of cystocele and/or rectocele	228	3,960	0.9	1.2	
		Residual	766	7,001	3.1	2.0	
76-78	14	Obstetrical procedures					
76.3	14(i)	Episiotomy without low forceps	5,414	39,494	22.0	11.5	
76.3-76.4	14(ii)	Episiotomy	(2,068) 2,657	(13,413) 17,811	10.8	5.2	
77.1	14(iii)	Dilation and curettage after delivery or abortion	1,045	4,410	4.2	1.3	
78.0-78.4	14(iv)	Caesarean section	618	8,995	2.5	2.6	
		Residual	1,094	8,278	4.4	2.4	

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Cases	Percent Distribution of	Days
		Operations on musculoskeletal system					
82.0	15(i)	Closed reduction of fracture of shaft of long bone	2,791 (375)	67,419 (5,876)	11.3	19.7	
82	15(ii)	Reduction of fracture	967	21,257	3.9	6.2	
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(36)	(394)			
87	15(iv)	Amputation and disarticulation of extremities	159	6,243	0.6	1.8	
		Residual	1,665	39,919	6.6	11.7	
88	16	Operations on peripheral blood vessels and lymphatic system					
88.4	16(i)	Excision and ligation of varicose veins	306 (193)	6,096 (3,119)	1.2	1.8	
88.4	16(ii)	Excision and ligation of varicose veins	193	3,119	0.8	0.9	
		Residual	113	2,977	0.5	0.9	
89	17	Operations on skin and subcutaneous tissue					
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	1,433	20,445	5.8	6.0	
89.0	17(ii)	Incision of skin and subcutaneous tissue	(445) 282	(6,345) 2,981	1.1	0.9	
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	443	6,345	1.8	1.9	
89.2	17(iv)	Removal of nail	126	1,135	0.5	0.3	
89.4	17(v)	Suture	375	2,829	1.5	0.8	
		Residual	207	7,155	0.8	2.1	

NEWFOUNDLAND (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Other non-surgical procedures	1,657	28,852	6.7	8.4
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	406	5,468	1.6	1.6
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	190	3,360	0.8	1.0
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(406)	(5,468)		
92.0	18(iv)	Encephalography and ventriculography	25	856	0.1	0.2
93.1-93.2	18(v)	Pyelography	318	4,542	1.3	1.3
99.3	18(vi)	Exchange transfusion	26	412	0.1	0.1
		Residual	692	14,214	2.8	4.2
		Total	24,643	342,299	100.0	100.0

- (1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
(2) NOTE: Changes in 1967 from the U.K. Code to the U.S. code make exact year to year comparisons difficult.

TABLE 101 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS), PRINCE EDWARD ISLAND, 1967

U.S. Code	Group	(1) Operation or Treatment	Cases (2)	Days (2)	Percent of Cases	Days
01-06 03.0	1 1(i)	Operations on nervous system Laminotomy	16 4	255 79	0.3 0.1	0.5 0.2
		Residual	12	176	0.2	0.4
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	37 30	478 431	0.8 0.6	1.0 0.9
		Residual	7	47	0.1	0.1
10-18 17.0 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Dissection of lens or cataract Operations on eye (ocular) muscles Operations on lens	46 (30) - 30	585 (437) - 437	1.0 - 0.6	1.2 - 0.9
		Residual	16	148	0.3	0.3
20-22 21.0 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Excision of lesion of nose Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	126 (25) 23 94 (24)	994 (143) 292 632 (131)	2.6 0.5 2.0	2.1 0.6 1.3
		Residual	9	70	0.2	0.1
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	966 (714) 19 906 (714)	3,893 (2,446) 108 3,474 (2,446)	20.1 0.4 18.8	8.2 0.2 7.3
		Residual	41	311	0.9	0.7

U.S. Code	Group	(1) Operation or Treatment	Cases (2)	Days (2)	Percent Distribution of Cases	Days
30-32	6	Operations on heart and great vessels	6	86	0.1	0.2
31.3	6(i)	Repair of aneurysm of great vessel, intrathoracic	3	40	0.1	0.1
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	-	-	-	-
		Residual	3	46	0.1	0.1
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum				
35.8	7(i)	Biopsy of lung	11	182	0.2	0.4
			2	65	..	0.1
		Residual	9	117	0.2	0.2
38	8	Operations on breast	115	871	2.4	1.8
38.8	8(i)	Biopsy of breast	72	442	1.5	0.9
38.1-38.3	8(ii)	Mastectomy	42	428	0.9	0.9
		Residual	1	1
40-49	9	Operations on gastro-intestinal tract				
45.1	9(i)	Appendectomy	823	10,121	17.1	21.3
41.1	9(ii)	Exploratory laparotomy or celiotomy	(253)	(2,297)	-	-
40	9(iii)	Repair of hernia	79	1,419	1.6	3.0
44.2-44.3	9(iv)	Gastrectomy	24	556	0.5	1.2
45	9(v)	Operations on appendix	255	2,351	5.3	5.0
49.3	9(vi)	Hemorrhoidectomy	50	627	1.0	1.3
		Residual	415	5,168	8.6	10.9
51-56	10	Operations on liver, biliary tract, pancreas, and spleen				
53.5	10(i)	Cholecystectomy	221	3,362	4.6	7.1
53.5	10(ii)	Cholecystectomy	(211)	(3,080)	-	-
			211	3,080	4.4	6.5
		Residual	10	282	0.2	0.6

PRINCE EDWARD ISLAND (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases (2)	Days (2)	Cases	Percent Distribution of
60.64 64.5	11 11(i)	Operations on urinary system Dilation of urethra	101 52	1,336 552	2.1 1.1	2.8 1.2
66-69 66.9 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system Other operations on prostate and seminal vesicles Prostatectomy Circumcision	49 217 73 74 28	784 3,513 1,253 1,732 101	1.0 4.5 1.5 1.5 0.6	1.7 7.4 2.6 3.6 0.2
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs excluding obstetrical Dilation and curettage of uterus Oophorectomy Hysterectomy Dilation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	42 686 (379) 9 107 379 56 24	427 5,926 (2,117) 87 1,433 2,117 912 206	0.9 14.3 0.2 2.2 7.9 1.2 0.5	0.9 12.5 0.2 3.0 4.5 1.9 0.4
76-78 77.1 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Dilation and curettage after delivery or abortion Episiotomy Dilation and curettage after delivery or abortion Caesarean section	111 269 (187) 187 70	1,171 1,438 (603) 603 713	2.3 5.6 3.9 1.5	2.5 3.0 1.3 1.5
		Residual	12	122	0.2	0.3

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution		
			Cases (2)	Days (2)	Cases of Days
80-87	15	Operations on musculoskeletal system	478	6,608	9.9
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(126)	(618)	13.9
82	15(ii)	Reduction of fracture	183	1,906	3.8
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(136)	(712)	4.0
87	15(iv)	Amputation and disarticulation of extremities	50	1,219	1.0
		Residual	245	3,483	5.1
88	16	Operations on peripheral blood vessels and lymphatic system	67	644	1.4
88.4	16(i)	Excision and ligation of varicose veins	(59)	(558)	1.4
88.4	16(ii)	Excision and ligation of varicose veins	59	558	1.2
		Residual	8	86	0.2
89	17	Operations on skin and subcutaneous tissue	333	3,501	6.9
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(128)	(1,218)	7.4
89.0	17(ii)	Incision of skin and subcutaneous tissue	69	530	1.4
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	123	1,218	1.1
89.2	17(iv)	Removal of nail	27	132	2.6
89.4	17(v)	Suture	62	350	0.3
		Residual	47	1,271	1.3
		Residual	47	1,271	1.0
					2.7

PRINCE EDWARD ISLAND (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases(2)	Days(2)	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	295	3,664	6.1	7.7
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(91)	(1,213)		
			53	634	1.1	1.3
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	91	1,213	1.9	2.6
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	-	-	-	-
92.0	18(iv)	Encephalography and ventriculography	4	41	0.1	0.1
93.1-93.2	18(v)	Pyelography	-	-	-	-
99.3	18(vi)	Exchange transfusion	-	-	-	-
		Residual	147	1,776	3.1	3.7
		Total	4,813	47,457	100.0	100.0

.. Less than 0.05

- (1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
(2) Excludes out-of-province hospitalization. This point should be noted when making year-to-year comparisons.

TABLE 9(c) - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR NEW BRUNSWICK PLAN IN-PATIENTS, (EXCLUDING NEWBORNS), NEW BRUNSWICK, 1967

U.S. Code	Group	(1) Operation or Treatment	Cases (3)	Days (3)	Percent Distribution of Cases	Days
01-06 06.1	1 1(i)	Operations on nervous system Sympathectomy or excision of sympathetic nerve or ganglion	234 77	4,455 982	0.5 0.2	1.1 0.3
		Residual	157	3,473	0.4	0.9
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	168 112	1,944 1,148	0.4 0.3	0.5 0.3
		Residual	56	796	0.1	0.2
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	911 (219) 320 246	7,739 (3,165) 1,333 3,385	2.1 0.7 0.6	2.0 0.3 0.9
		Residual	345	3,021	0.8	0.8
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	1,234 (365) 701 465 (104)	9,971 (2,992) 6,111 3,058 (596)	2.8 1.6 1.1	2.6 1.6 0.8
		Residual	68	802	0.2	0.2
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	5,998 (4,136) 718 4,981 (4,136)	24,384 (14,522) 3,267 18,334 (14,522)	13.9 1.7 11.5	6.2 0.8 4.7
		Residual	299	2,783	0.7	0.7

NEW BRUNSWICK (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases (3)	Days (3)	Cases	Percent Distribution of
30-32	6	Operations on heart and great vessels	8	204	..	0.1
30.9	6(i)	Other operations on heart and pericardium	8	204	..	0.1
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	-	-	-	-
		Residual	-	-	-	-
33-35	7	Operations on bronchus, lung, pleura, chest wall, and mediastinum	121	3,167	0.3	0.8
34.1	7(i)	Thoracentesis and pleuracentesis	27	723	0.1	0.2
		Residual	94	2,444	0.2	0.6
38	8	Operations on breast	756	5,876	1.8	1.5
38.1	8(i)	Partial mastectomy	(352)	(1,757)		
38.1-38.3	8(ii)	Mastectomy	545	4,694	1.3	1.2
		Residual	211	1,182	0.5	0.5
40-49	9	Operations on gastro-intestinal tract	4,495	60,413	10.4	15.5
45.1	9(i)	Appendectomy	(1,358)	(12,501)		
41.1	9(ii)	Exploratory laparotomy or celiotomy	122	2,569	0.3	0.7
40	9(iii)	Repair of hernia	1,313	14,346	3.0	3.7
44.2-44.3	9(iv)	Gastrectomy	240	5,496	0.6	1.4
45	9(v)	Operations on appendix	1,365	12,655	3.2	3.2
49.3	9(vi)	Hemorrhoidectomy	447	5,169	1.0	1.3
		Residual	1,003	20,179	2.3	5.1
51-56	10	Operations on liver, biliary tract, pancreas, and spleen	1,527	26,231	3.5	6.7
53.5	10(i)	Cholecystectomy	1,412	23,107	3.3	5.9
53.5	10(ii)	Cholecystectomy	(1,412)	(23,107)		
		Residual	115	3,124	0.3	0.8

NEW BRUNSWICK (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases (3)	Days (3)	Percent Distribution of Cases	Days
60-64 64.5	11 11(i)	Operations on urinary system Dilation of urethra	1,114 405	15,297 4,376	2.6 0.9	3.9 1.1
		Residual	709	10,921	1.6	2.8
66-69 69.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system. Circumcision Prostatectomy Circumcision	1,114 (336) 433 336	17,498 (1,776) 11,090 1,776	2.6 1.0 0.8	4.5 2.8 0.5
		Residual	345	4,632	0.8	1.2
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs excluding obstetrical Dilation and curettage of uterus Oophorectomy Hysterectomy Dilation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	4,312 (1,424) 212 1,501 1,424 33 281	42,654 (7,138) 2,446 21,732 7,138 393 3,999	10.0 0.5 3.5 3.3 0.1 0.6	10.9 0.6 5.6 1.8 0.1 1.0
		Residual	861	6,946	2.0	1.8
76-78 76.0 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Artificial rupture of membranes Episiotomy Dilation and curettage after delivery or abortion Caesarean section	12,994 10,601 716 1,142 490	73,393 58,753 4,716 4,364 5,232	30.1 24.6 1.7 2.6 1.1	18.8 15.1 1.2 1.1 1.3
		Residual	45	328	0.1	0.1

U.S. Code	Group	(1) Operation or Treatment	Cases (3)	Days (3)	Percent Distribution of Cases	Days
80-87	15	Operations on musculoskeletal system	3,101	45,164	7.2	11.6
82.0	15(i)	Closed reduction of fracture of shaft of long bone	(424)	(3,628)		
82	15(ii)	Reduction of fracture	1,332	16,785	3.1	4.3
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(973)	(7,627)		
	15(iv)	Amputation and disarticulation of extremities	171	4,895	0.4	1.3
		Residual	1,598	23,484	3.7	6.0
88	16	Operations on peripheral blood vessels and lymphatic system				
88.4	16(i)	Excision and ligation of varicose veins	643	8,746	1.5	2.2
88.4	16(ii)	Excision and ligation of varicose veins	(401)	(4,836)		
			401	4,836	0.9	1.2
		Residual	242	3,910	0.6	1.0
89	17	Operations on skin and subcutaneous tissue				
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	2,358	21,807	5.5	5.6
89.0	17(ii)	Incision of skin and subcutaneous tissue	(846)	(8,036)		
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	411	3,520	1.0	0.9
89.2	17(iv)	Removal of nail	846	8,036	2.0	2.1
89.4	17(v)	Suture	274	1,849	0.6	0.5
			620	3,463	1.4	0.9
		Residual	207	4,939	0.5	1.3

NEW BRUNSWICK (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases (3)	Days (3)	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	2,090	21,386	4.8	5.5
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(722)	(7,345)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	434	4,732	1.0	1.2
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	722	7,345	1.7	1.9
92.0	18(iv)	Encephalography and ventriculography	-	-	-	-
93.1-93.2	18(v)	Pyelography	254	2,694	0.6	0.7
99.3	18(vi)	Exchange transfusion	-	-	-	-
		Residual	680	6,615	1.6	1.7
		Total	43,178	390,329	100.0	100.0

.. Less than 0.05

(2) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

(3) Excludes out-of-province hospitalization.

TABLE 9(d) - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS"
FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS), QUEBEC, 1967

U.S. Code	Group	(1) Operation or Treatment	Cases (2)	Days (2)	Percent Distribution Cases (2) of Days (2)
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	4,834 1,007	111,632 17,066	1.3 0.3
		Residual	3,827	94,566	1.0
03-09 8.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	1,193 773	19,753 11,382	0.3 0.2
		Residual	420	8,371	0.1
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	10,520 (3,055) 3,198 3,310	90,617 (41,494) 10,364 44,526	2.9 0.9 0.9
		Residual	4,012	35,727	1.1
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	16,635 (3,549) 7,119 7,820 (2,274)	129,495 (22,758) 50,908 44,883 (11,674)	4.5 1.9 2.1
		Residual	1,696	33,704	0.5
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	59,846 (36,300) 8,790 48,420 (36,300)	139,858 (65,551) 12,925 98,199 (65,551)	16.3 2.4 13.2
		Residual	2,636	28,734	0.7
					0.8

1
2
3
1

QUEBEC (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases (2)	Days (2)	Percent Distribution of Cases (2) of Days (2)
30-32	6	Operations on heart and intrathoracic vessels	2,065	47,597	0.6
30.3	6(i)	Operations on valves of heart	(582)	(17,537)	1.3
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	583	17,549	0.2
		Residual	1,482	30,048	0.4
33-35	7	Operations on bronchus, lung, pleura, chest wall, and mediastinum			
34.0	7(i)	Thoracotomy and pleurotomy	1,911	56,231	0.5
			499	12,298	0.1
		Residual	1,412	43,933	0.4
38	3	Operations on breast			
38.1	3(i)	Partial mastectomy	6,425	56,250	1.8
38.1-38.3	3(ii)	Mastectomy	(2,903)	(16,732)	1.5
			4,439	43,442	1.2
		Residual	1,986	12,808	0.5
40-49	9	Operations on gastro-intestinal tract			
45.1	9(i)	Appendectomy	46,392	583,795	12.6
41.1	9(ii)	Exploratory laparotomy or celiotomy	(12,000)	(97,461)	15.9
40	9(iii)	Repair of hernia	705	15,820	0.2
44.2-44.3	9(iv)	Gastrectomy	15,089	145,216	4.1
45	9(v)	Operations on appendix	1,583	37,735	0.4
49.3	9(vi)	Hemorrhoidectomy	12,064	98,605	3.3
			5,381	53,460	1.5
		Residual	11,570	232,959	3.2
51-56	10	Operations on liver, biliary tract, pancreas, and spleen			
53.5	10(i)	Cholecystectomy	20,132	342,833	5.5
53.5	10(ii)	Cholecystectomy	(18,366)	(293,182)	9.3
			18,366	293,182	5.0
		Residual	1,766	49,651	0.5
					1.4

QUEBEC (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases (2)	Days (2)	Cases (2) of	Percent Distribution Days (2)
60-64 64.5	11 11(i)	Operations on urinary system Dilation of urethra	6,906 1,054	125,351 11,251	1.9 0.3	3.4 0.3
		Residual	5,852	114,100	1.6	3.1
66-69 69.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system Circumcision Prostatectomy Circumcision	22,587(2) (15,388)(2) 3,173 15,388(2)	196,626(2) (81,540)(2) 78,269 81,540(2)	6.2 0.9 4.2	5.4 2.1 2.2
		Residual	4,026	36,817	1.1	1.0
70-75 72.3 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs excluding obstetrical Dilation and curettage of uterus Oophorectomy Hysterectomy Dilation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	38,416 (10,885) 1,643 11,515 10,885 357 1,780	404,806 (65,665) 22,308 185,254 65,665 4,418 29,110	10.5 0.4 3.1 3.0 0.1 0.5	11.0 0.6 5.1 1.3 0.1 0.3
		Residual	12,231	98,051	3.3	2.7
76-78 76.3 76.3-76.4 77.1 73.0-73.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Episiotomy without low forceps Episiotomy Dilation and curettage after delivery or abortion Caesarean section	46,479 (13,087) 20,501 11,779 3,922	268,263 (75,836) 121,221 46,434 40,893	12.7 5.6 3.2 1.1	7.3 3.3 1.3 1.1
		Residual	10,277	59,715	2.8	1.6

QUEBEC (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution		
			Cases (2)	Days (2)	Cases (2) of Days (2)
80-87	15	Operations on musculoskeletal system	38,493	534,650	10.5
81.8	15(i)	Traction or fixation without reduction	4,382	59,365	1.2
82	15(ii)	Reduction of fracture	11,727	148,830	3.2
82.0,82.3,82.6	15(iii)	Closed reduction of fracture	(6,344)	(48,109)	0.4
87	15(iv)	Amputation and disarticulation of extremities	1,385	45,827	0.4
		Residual	20,999	280,628	5.7
88	16	Operations on peripheral blood vessels and lymphatic system	6,288	98,607	1.7
88.4	16(i)	Excision and ligation of varicose veins	(3,463)	(41,205)	0.9
88.4	16(ii)	Excision and ligation of varicose veins	3,463	41,205	0.9
		Residual	2,825	57,402	0.8
89	17	Operations on skin and subcutaneous tissue	16,368	156,145	4.5
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(6,323)	(50,499)	0.8
89.0	17(ii)	Incision of skin and subcutaneous tissue	2,896	21,950	0.8
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	6,323	50,499	1.7
89.2	17(iv)	Removal of nail	1,470	6,687	0.4
89.4	17(v)	Suture	2,826	12,412	0.8
		Residual	2,853	64,597	0.8
					1.8

U.S. Code	Group	(1) Operation or Treatment	Cases(2)	Days(2)	Percent Distribution of Cases(2)	Days(2)
90-99	18	Other non-surgical procedures	21,589	304,021	5.9	8.3
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(4,615) 3,063	(46,757) 35,310	0.8	1.0
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	4,615	46,757	1.3	1.3
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	1,781	32,535	0.5	0.9
92.0	18(iv)	Encephalography and ventriculography	1,305	15,102	0.4	0.4
93.1-93.2	18(v)	Pyelography	367	5,906	0.1	0.2
99.3	18(vi)	Exchange transfusion				
		Residual	10,458	168,411	2.8	4.6
		Total	367,079(2)	3,666,530(2)	100.0(2)	100.0(2)

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

(2) Total cases and days includes circumcision of newborn males. This should be noted in making comparisons with data from other provinces.

TABLE 9(e) - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS(2), (EXCLUDING NEWBORNS), ONTARIO, 1967

U.S. Code	Group	(1) Operation or Treatment	Cases (3)	Days (3)	Percent Distribution of Cases	Days
01-06	1	Operations on nervous system	6,971	166,970	1.4	3.5
03.0	1(i)	Laminotomy	1,508	45,718	0.3	1.0
		Residual	5,463	121,252	1.1	2.6
08-09	2	Operations on endocrine system	2,143	23,942	0.4	0.5
08.1	2(i)	Partial or subtotal thyroidectomy	1,611	16,902	0.3	0.4
		Residual	532	7,040	0.1	0.1
10-18	3	Operations on eye	18,704	152,242	3.8	3.2
17.3	3(i)	Extraction of lens, extracapsular	(3,902)	(48,527)		
11	3(ii)	Operations on eye (ocular) muscles	5,818	15,228	1.2	0.3
17	3(iii)	Operations on lens	7,236	86,312	1.5	1.8
		Residual	5,650	50,702	1.1	1.1
20-22	4	Operations on ear, nose and throat	20,158	128,345	4.1	2.7
21.1	4(i)	Operations on nasal septum	(3,797)	(16,048)		
20	4(ii)	Operations on ear	8,047	44,380	1.6	0.9
21	4(iii)	Operations on nose and accessory sinuses	10,488	54,207	2.1	1.1
21.1	4(iv)	Operations on nasal septum	(3,797)	(16,048)		
		Residual	1,623	29,758	0.3	0.6
24-28	5	Operations on buccal cavity and esophagus	101,204	246,772	20.4	5.2
27.2	5(i)	Tonsillectomy with adenoidectomy	(67,818)	(127,333)		
24.1-24.3	5(ii)	Extraction of tooth and root resection	9,303	30,789	1.9	0.7
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	88,329	178,604	17.8	3.8
27.2	5(iv)	Tonsillectomy with adenoidectomy	(67,818)	(127,333)		
		Residual	3,572	37,379	0.7	0.8

U.S. Code	Group	(1) Operation or Treatment	Cases (3)	Days (3)	Percent distribution of Cases	Days
30-32	6	Operations on heart and intrathoracic vessels	2,718	61,314	0.5	1.3
30.4	6(i)	Catheterization of the right heart	601	8,649	0.1	0.2
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	505	17,072	0.1	0.4
		Residual	1,612	35,593	0.3	0.8
33-35	7	Operations on bronchus, lung, pleura, chest wall, and mediastinum	2,429	59,516	0.5	1.3
35.2	7(i)	Partial lobectomy	428	12,041	0.1	0.3
		Residual	2,001	47,475	0.4	1.0
38	8	Operations on breast	9,280	71,528	1.9	1.5
38.1	8(i)	Partial mastectomy	(4,637)	(21,482)		
38.1-38.3	8(ii)	Mastectomy	7,077	60,624	1.4	1.3
		Residual	2,203	10,904	0.4	0.2
40-49	9	Operations on gastro-intestinal tract	72,719	879,641	14.7	18.6
40.0	9(i)	Repair of inguinal hernia except recurrent	(18,797)	(129,578)		
41.1	9(ii)	Exploratory laparotomy or celiotomy	2,344	52,607	0.5	1.1
40	9(iii)	Repair of hernia	26,313	217,571	5.3	4.6
44.2-44.3	9(iv)	Gastrectomy	2,482	62,599	0.5	1.3
45	9(v)	Operations on appendix	17,592	136,073	3.5	2.9
49.3	9(vi)	Hemorrhoidectomy	7,514	69,125	1.5	1.5
		Residual	16,474	341,666	3.3	7.2
51-57	10	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels	19,963	339,529	4.0	7.2
53.5	10(i)	Cholecystectomy	(18,161)	(289,118)		
53.5	10(ii)	Cholecystectomy	18,161	289,118	3.7	6.1
		Residual	1,802	50,411	0.4	1.1

ONTARIO (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases (3)		Days (3)		Percent Distribution of	
			Cases	Days	Cases	Days	Cases	Days
60-64 64.5	11 11(i)	Operations on urinary system Dilation of urethra	13,456 2,639	201,064 26,759	2.7 2.2	4.3 0.6		
		Residual	10,817	174,305	0.5	3.7		
66-69 66.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system Prostatectomy, transurethral Prostatectomy Circumcision	14,189 (5,529) 6,501 3,135	202,196 (116,967) 144,567 12,284	2.9 1.3 0.6	4.3 3.1 0.3		
		Residual	4,553	45,345	0.9	1.0		
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs excluding obstetrical Dilation and curettage of uterus Oophorectomy Hysterectomy Dilation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	64,780 (28,536) 1,766 15,040 28,536 768 3,376	537,814 (120,553) 22,804 215,913 120,553 9,875 46,232	13.1 0.4 3.0 5.8 0.2 0.7	11.4 0.5 4.6 2.5 0.2 1.0		
		Residual	15,294	122,437	3.1	2.6		
76-78 77.1 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Dilation and curettage after delivery or abortion Episiotomy Dilation and curettage after delivery or abortion Caesarean section	60,496 (14,737) 24,315 14,737 6,816	384,261 (51,352) 158,919 51,352 79,731	12.2 4.9 3.0 1.4	8.1 3.4 1.1 1.7		
		Residual	14,628	24,259	2.9	2.0		

ONTARIO (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases (3)	Days (3)	Percent Distribution of Cases	Days
80-87	15	Operations on musculoskeletal system	50,650	874,592	10.2	18.5
83.5	15(i)	Excision of semilunar cartilage of knee joint	4,099	40,642	0.8	0.9
82	15(ii)	Reduction of fracture	15,102	290,107	3.0	6.1
82.0,82.3,82.6	15(iii)	Closed reduction of fracture	(7,852)	(75,324)		
87	15(iv)	Amputation and disarticulation of extremities	2,536	80,484	0.5	1.7
		Residual	28,913	463,359	5.8	9.8
88	16	Operations on peripheral blood vessels and lymphatic system	11,740	143,936	2.4	3.0
88.4	16(i)	Excision and ligation of varicose veins	(8,407)	(76,161)		
88.4	16(ii)	Excision and ligation of varicose veins	8,407	76,161	1.7	1.6
		Residual	3,333	67,775	0.7	1.4
89	17	Operations on skin and subcutaneous tissue	24,297	253,945	4.9	5.4
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(9,574)	(78,603)	0.6	0.6
89.0	17(ii)	Incision of skin and subcutaneous tissue	3,094	26,334		
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	9,574	78,603	1.9	1.7
89.2	17(iv)	Removal of nail	2,241	11,947	0.5	0.3
89.4	17(v)	Suture	4,941	33,784	1.0	0.1
		Residual	4,447	103,277	0.9	2.2
90-99	18	Not coded in Ontario	495,897	4,727,607	100.0	100.0
		(17 Groups) Total				

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

(2) Ontario Hospital Services Commission claims processed January - December, 1967.

(3) The total number of cases and days excludes Group "18", "Certain Non-Surgical Procedures". This should be noted in making comparisons with data from other provinces.

TABLE 9(f) - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR MANITOBA RESIDENT IN-PATIENTS(-), (EXCLUDING NEWBORNS), MANITOBA, 1967

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
01-06 01.0	1 1(i)	Operations on nervous system Craniotomy	533 110	9,882 3,016	1.1 0.2	2.3 0.7
	Residual		423	6,866	0.9	1.6
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	303 178	2,572 1,285	0.6 0.4	0.6 0.3
	Residual		125	1,287	0.3	0.3
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens; intracapsular Operations on eye (ocular) muscles Operations on lens	2,160 (758) 640 833	17,135 (9,073) 1,666 9,626	4.4 1.3 1.7	4.1 0.4 2.3
	Residual		687	5,843	1.4	1.4
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	2,330 (625) 846 1,433 (625)	9,846 (2,321) 3,502 5,722 (2,321)	4.7 1.7 2.9	2.3 0.8 1.4
	Residual		51	622	0.1	0.1
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	10,829 (6,315) 2,184 8,244 (6,315)	24,130 (12,665) 4,037 16,818 (12,665)	22.0 4.4 16.8	5.7 1.0 4.0
	Residual		401	3,275	0.8	0.8

MANITOBA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
30-32	6	Operations on heart and great vessels	177	4,898	0.4	1.2
30.3	6(i)	Operations on valves of heart	(61)	(1,991)		
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	61	1,991	0.1	0.5
		Residual	116	2,907	0.2	0.7
33-35	7	Operations on bronchus, lung, pleura, chest wall, and mediastinum	147	3,737	0.3	0.9
35.3	7(i)	Complete lobectomy	44	1,344	0.1	0.3
		Residual	103	2,393	0.2	0.6
38	8	Operations on breast	1,302	9,318	2.6	2.2
38.1	8(i)	Partial mastectomy	(465)	(1,538)		
38.1-38.3	8(ii)	Mastectomy	836	7,339	1.7	1.7
		Residual	466	1,979	0.9	0.5
40-49	9	Operations on gastro-intestinal tract	8,406	91,205	17.1	21.7
40.0	9(i)	Repair of inguinal hernia, except recurrent	(2,186)	(15,304)		
41.1	9(ii)	Exploratory laparotomy or celiotomy	318	5,311	0.6	1.3
40	9(iii)	Repair of hernia	3,077	23,818	6.3	5.7
44.2-44.3	9(iv)	Gastrectomy	238	5,356	0.5	1.3
45	9(v)	Operations on appendix	2,012	14,852	4.1	3.5
49.3	9(vi)	Hemorrhoidectomy	777	6,079	1.6	1.4
		Residual	1,984	35,789	4.0	3.5
51-57	10	Operations on liver, biliary tract, spleen, pancreas, and intra-abdominal blood vessels	2,965	43,551	6.0	10.3
53.5	10(i)	Cholecystectomy	(2,711)	(36,915)		
53.5	10(ii)	Cholecystectomy	2,711	36,915	5.5	8.8
		Residual	254	6,636	0.5	1.6

MANITOBA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
60-64		Operations on urinary system	1,042	15,748	2.1	3.7
63.1		Local excision and destruction of lesion of bladder	173	2,570	0.4	0.6
66-69		Residual	869	13,178	1.8	3.1
66.2	12	Operations on male genital organs	1,849	27,162	3.8	6.5
66.1-66.3	12(i)	Prostatectomy (transurethral)	(740)	(15,288)		
69.2	12(ii)	Prostatectomy	1,022	22,555	2.1	5.4
	12(iii)	Circumcision	296	741	0.6	0.2
70-75		Residual	531	3,866	1.1	0.9
72.8	13	Operations on female genital organs excluding obstetrical	6,138	44,689	12.5	10.6
70.2-70.5	13(i)	Dilation and curettage of uterus	(2,345)	(6,104)		
72.3-72.6	13(ii)	Oophorectomy	178	2,316	0.4	0.6
72.8	13(iii)	Hysterectomy	1,426	18,635	2.9	4.4
74.3	13(iv)	Dilation and curettage of uterus	2,345	6,104	4.8	1.4
74.4	13(v)	Colporrhaphy	127	1,433	0.3	0.3
	13(vi)	Repair of cystocele and/or rectocele	592	6,331	1.2	1.6
76-78		Residual	1,470	9,270	3.0	2.2
78.1	14	Obstetrical procedures	526	5,925	1.1	1.4
76.3-76.4	14(i)	Caesarean section, low cervical	(324)	(3,896)		
77.1	14(ii)	Episiotomy	-	-	-	-
78.0-78.4	14(iii)	Dilation and curettage after delivery or abortion	-	-	-	-
	14(iv)	Caesarean section	445	5,280	0.9	1.3
		Residual	61	645	0.2	0.2

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
80-87	15	Operations on musculoskeletal system	6,063	84,309	12.3	20.0
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(888)	(4,731)		
82	15(ii)	Reduction of fracture	2,428	34,740	4.9	8.3
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(1,588)	(12,613)		
87.0-87.9	15(iv)	Amputation and disarticulation of extremities	293	6,071	0.6	1.4
		Residual	3,342	43,498	6.8	10.3
88	16	Operations on peripheral blood vessels and lymphatic system				
88.4	16(i)	Excision and ligation of varicose veins	1,068	9,344	2.2	2.2
88.4	16(ii)	Excision and ligation of varicose veins	(826)	(5,347)		
			826	5,347	1.7	1.3
		Residual	242	3,997	0.5	0.9
89	17	Operations on skin and subcutaneous tissue				
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	2,642	15,566	5.4	3.7
89.0	17(ii)	Incision of skin and subcutaneous tissue	(772)	(4,215)		
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	449	2,115	0.9	0.5
89.2	17(iv)	Removal of nail	772	4,215	1.6	1.0
89.4	17(v)	Suture	194	662	0.4	0.2
			735	3,112	1.5	0.7
		Residual	492	5,462	1.0	1.3

MANITOBA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
90-99	18	Certain non-surgical procedures	708	2,017	0.5
90.3	18(i)	Bronchoscopy without effect upon tissue or lesion	185	563	0.1
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	24	62	..*
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	184	457	0.1
92.0	18(iv)	Encephalography and ventriculography	3	8	..*
93.1-93.2	18(v)	Pyelography	95	283	0.1
99.3	18(vi)	Exchange transfusion	-	-	-
Residual			217	644	0.2
Total			49,188	421,034	100.0

*.. Less than 0.05

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
 (2) M.H.C. Hospital Admission-Discharge Record forms for adults and child separations. This table includes only those cases where the reason for admission was believed to be for surgical intervention in the treatment of the primary diseases.

TABLE 9(g) - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS), SASKATCHEWAN, 1967

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	705 130	16,271 1,574	1.0 0.2	2.4 0.2
	Residual		575	14,697	0.8	2.1
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	317 237	3,818 2,704	0.4 0.3	0.6 0.4
	Residual		80	1,114	0.1	0.2
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	2,107 (700) 525 740	18,838 (9,071) 2,086 9,403	3.0 0.7 1.0	2.7 0.3 1.4
	Residual		842	7,349	1.2	1.1
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	2,791 (752) 886 1,697 (752)	17,975 (2,945) 5,804 8,005 (2,945)	3.9 1.2 2.4	2.6 0.8 1.2
	Residual		208	4,166	0.3	0.6
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	13,708 (8,827) 2,409 10,760 (8,827)	38,427 (20,942) 6,763 26,457 (20,942)	19.4 3.4 15.2	5.6 1.0 3.8
	Residual		539	5,207	0.8	0.8

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
30-32	6	Operations on heart and intrathoracic vessels	346	6,518	0.5	0.9
30.5	6(i)	Catheterization of the left heart	163	2,041	0.2	0.3
30.2,30.3	6(ii)	Repair of heart and pericardium and operations on valves	183	1,188	0.1	0.3
		Residual	135	3,339	0.2	0.5
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum				
34.1	7(i)	Thoracentesis and pleuracentesis	290 86	7,734 2,451	0.4 0.1	1.1 0.4
		Residual	204	5,283	0.3	0.8
38	8	Operations on breast				
38.1	8(i)	Partial mastectomy	1,285	10,866	1.8	1.6
38.1-38.3	8(ii)	Mastectomy	(740) 1,056	(3,360) 9,715		
		Residual	229	1,151	0.3	0.2
40-57	9	Operations on gastro-intestinal tract and related organs and tissues				
45.1	9(i)	Appendectomy	12,509	168,532	17.7	24.5
41.1	9(ii)	Exploratory laparotomy or celiotomy	(2,779) 220	(22,746) 5,473		
40	9(iii)	Repair of hernia	2,992	28,927	0.3	0.8
44.2,44.3	9(iv)	Gastrectomy	357	8,545	4.2	4.2
45	9(v)	Operations on appendix	2,794	23,080	0.5	1.2
49.3	9(vi)	Hemorrhoidectomy	1,025	10,513	3.9	3.4
51.0-57.9	9(vii)	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels	3,011	49,788	1.4	1.5
		Residual	(2,776)	(42,739)	4.2	7.2
53.5	9(viii)	Cholecystectomy	2,110	42,206	3.0	6.1

SASKATCHEWAN (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
60-69	10	Operations on urinary and male genital system				
66.2	10(i)	Prostatectomy, transurethral	3,924 (969)	70,898 (25,419)	5.5	10.3
66.0-66.9	10(ii)	Operations on male genital system	2,463	45,217	3.5	6.6
66.1-66.3	10(iii)	Prostatectomy	(1,328)	(37,165)		
69.2	10(iv)	Circumcision	571	2,561	0.8	0.4
		Residual	890	23,120	1.3	3.4
70-75	11	Operations on female genital organs, excluding obstetrical				
72.8	11(i)	Dilation and curettage of uterus	8,832	70,220	12.5	10.2
70.2-70.5	11(ii)	Oophorectomy	3,884	13,270	5.5	1.9
72.3-72.6	11(iii)	Hysterectomy	151	1,950	0.2	0.3
74.3	11(iv)	Colporrhaphy	2,057	30,546	2.9	4.4
74.4	11(v)	Repair of cystocele and/or rectocele	42	494	0.1	0.1
		Residual	733	9,816	1.0	1.4
76-78	12	Obstetrical procedures				
76.3	12(i)	Episiotomy without low forceps	1,965	14,144	2.8	2.1
76.3-76.4	12(ii)	Episiotomy	6,690 (2,237)	41,140 (13,718)	9.4	6.0
77.1	12(iii)	Dilation and curettage after delivery or abortion	2,813	17,419	4.0	2.5
78.0-78.4	12(iv)	Caesarean section	1,819	6,069	2.6	0.9
		Residual	605	7,784	0.9	1.1
		Residual	1,453	9,868	2.1	1.4

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
80-87	13	Operations on musculoskeletal system	7,231	109,428	10.2	15.9
81.8	13(i)	Traction or fixation without reduction	1,073	18,474	1.5	2.7
82	13(ii)	Reduction of fracture	2,391	30,945	3.4	4.5
82.0, 82.3, 82.6	13(iii)	Closed reduction of fracture	(1,665)	(11,033)		
87.0-87.3	13(iv)		322	10,757	0.4	1.5
		Residual	3,415	49,575	4.8	7.2
88	14	Operations on peripheral blood vessels and lymphatic system	1,224	16,689	1.7	2.4
88.4	14(i)	Excision and ligation of varicose veins	(820)	(8,120)		
88.4	14(ii)	Excision and ligation of varicose veins	820	8,120	1.2	1.2
		Residual	404	8,569	0.6	1.2
89	15	Operations on skin and subcutaneous tissue	3,575	32,940	5.0	4.8
89.1	15(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(1,147)	(11,377)		
89.0	15(ii)	Incision of skin and subcutaneous tissue	303	5,213	1.1	0.3
89.1	15(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	1,147	11,377	1.6	1.7
89.2	15(iv)	Removal of nail	335	1,887	0.5	0.3
89.4	15(v)	Suture	821	5,217	1.2	0.8
		Residual	469	9,246	0.7	1.3

SASKATCHEWAN (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-99	16	Certain non-surgical procedures	5,303	57,888	7.5	8.4
90.6	16(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(1,287) 609	(13,948) 5,768	0.9	0.8
90.5	16(ii)	Proctoscopy without effect upon tissue or lesion	1,287	13,948	1.8	2.0
90.6	16(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	79	1,659	0.1	0.2
92.0	16(iv)	Encephalography and ventriculography	824	8,633	1.2	1.3
93.1-93.2	16(v)	Pyelography	10	114	..*	..*
99.3	16(vi)	Exchange transfusion				
		Residual	2,494	27,766	3.5	4.0
		Total	70,837	688,182	100.0	100.0

*.. Less than 0.05

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

TABLE 9(h) - SEP. PATIENTS AND ALLIED CASES FOR THE 12 MONTHS ENDING 31 SEP. 1967 (SEPT. 1966 - SEPT. 1967) WHO WERE HOSPITAL IN-PATIENTS, ALBERTA, 1967

		(1) Operation or Treatment	Percent Distribution of		Days	
			Cases			
10-28	1	Operations on nervous system	2,643	43,870	1.7	3.2
20-3	1(i)	Spinal puncture	1,433	19,006	0.9	1.4
		Residual	1,410	19,006	0.9	1.3
20-3	2	Operations on endocrine system	551	5,294	0.4	0.4
20-3	2(i)	Partial or subtotal thyroidectomy	384	3,309	0.3	0.2
		Residual	167	1,985	0.1	0.1
10-18	3	Operations on eye	3,818	34,080	2.5	2.5
17-4	3(i)	Extractions of lens, intracapsular	(1,137)	(17,312)		
17-4	3(ii)	Operations on eye (ocular) muscles	1,243	4,158	0.8	0.3
17-4	3(iii)	Operations on lens	1,273	18,974	0.8	1.4
		Residual	1,302	10,948	0.9	0.8
10-22	4	Operations on eye, nose, and throat	5,212	26,952	3.4	2.0
21-1	4(i)	Operations on nasal septum	(1,049)	(3,227)		
20	4(ii)	Operations on ear	2,130	8,929	1.4	0.7
21	4(iii)	Operations on middle and accessory sinuses	2,986	12,286	2.0	0.9
21-1	4(iv)	Operations on nasal septum	(1,049)	(3,227)		
		Residual	26	5,737	0.1	0.4
24-28	5	Operations on buccal cavity and oesophagus	21,561	53,456	14.2	4.3
27-2	5(i)	Extractions of tonsils and adenoids	(10,805)	(22,371)		
24-1-24-3	5(ii)	Extractions of tonsils and adenoids	1,191	15,057	2.5	1.1
27-1-27-1	5(iii)	Operations on buccal cavity and oesophagus	16,638	41,549	11.0	3.1
27-2	5(iv)	Operations on buccal cavity and oesophagus	(13,606)	(32,371)		
		Residual	1,142	1,850	0.8	0.1

ALBERTA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Cases	Percent Distribution of	Days
30-32	6	Operations on heart and great vessels	787	11,584	0.5	0.9	
30.4	6(i)	Catheterization of right heart	308	3,003	0.2	0.2	
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	141	3,256	0.1	0.2	
		Residual	338	5,325	0.2	0.4	
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum	915	19,240	0.6	1.4	
34.1	7(i)	Thoracentesis and pleuracentesis	341	6,987	0.2	0.5	
		Residual	574	12,253	0.4	0.9	
38	8	Operations on breast	2,203	13,924	1.5	1.0	
38.1	8(i)	Partial mastectomy	(912)	(3,494)			
38.1-38.3	8(ii)	Mastectomy	1,343	10,221	0.9	0.8	
		Residual	860	3,703	0.6	0.3	
40-49	9	Operations on gastro-intestinal tract	16,032	184,828	10.6	13.6	
45.1	9(i)	Appendectomy	(4,299)	(32,033)			
41.1	9(ii)	Exploratory laparotomy or celiotomy	257	4,356	0.2	0.3	
40	9(iii)	Repair of hernia	4,985	41,410	3.3	3.0	
44.2-44.3	9(iv)	Gastrectomy	689	15,741	0.5	1.2	
45	9(v)	Operations on appendix	4,342	32,651	2.9	2.4	
49.3	9(vi)	Hemorrhoidectomy	1,762	15,553	1.2	1.1	
		Residual	3,997	75,117	2.6	5.5	
51-56	10	Operations on liver, biliary tract, pancreas and spleen	5,249	79,137	3.5	5.8	
53.5	10(i)	Cholecystectomy	(4,644)	(64,396)			
53.5	10(ii)	Cholecystectomy	4,644	64,396	3.1	4.7	
		Residual	605	14,741	0.4	1.1	

Group	(1) Operation or Treatment	Percent Distribution of		
		Cases	Days	Cases Days
	Dilation of urethra	1,050	6,902	0.7
	Residual	1,754	31,777	1.2 2.3
	Operations on male genital system	3,338	45,203	2.2 3.3
	Circumcision	717	2,725	0.5 0.2
	Residual	1,137	9,658	0.8 0.7
	Operations on female genital system	15,510	118,964	10.2 8.9
	Dilation and curettage of uterus	(6,173)	(21,180)	
	Oophorectomy	499	5,918	0.3 0.4
	Dilation and curettage of uterus	6,173	21,180	4.1 1.6
	Colporrhaphy	240	3,064	0.2 0.2
	Repair of cystocele and/or rectocele	721	9,107	0.5 0.7
	Residual	3,978	27,986	2.6 2.1
	Obstetrical procedures	26,596	169,087	17.6 12.4
	Episiotomy without low forceps	(9,108)	(56,592)	
	Episiotomy	13,519	86,597	8.9 6.4
	Dilation and curettage after delivery or abortion	3,230	10,743	2.1 0.8
	Caesarean section	1,134	14,904	0.8 1.1
	Residual	8,663	56,843	5.7 4.2

ALBERTA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Cases	Percent Distribution of	Days
80-87	15	Operations on musculoskeletal system	17,274	227,189	11.4	16.7	
81.8	15(i)	Traction or fixation without reduction	2,545	31,334	1.7	2.3	
82	15(ii)	Reduction of fracture	4,601	48,103	3.0	3.5	
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(3,206)	(19,768)			
87	15(iv)	Amputation and disarticulation of extremities	488	12,145	0.3	0.9	
		Residual	9,640	135,607	6.4	10.0	
88	16	Operations on peripheral blood vessels and lymphatic system	3,123	34,223	2.1	2.5	
88.4	16(i)	Excision and ligation of varicose veins	(2,233)	(18,671)			
88.4	16(ii)	Excision and ligation of varicose veins	2,233	18,671	1.5	1.4	
		Residual	890	15,552	0.6	1.1	
89	17	Operations on skin and subcutaneous tissue	7,574	56,971	5.0	4.2	
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(2,734)	(21,669)			
89.0	17(ii)	Incision of skin and subcutaneous tissue	1,409	9,721	0.9	0.7	
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	2,734	21,669	1.8	1.6	
89.2	17(iv)	Removal of nail	764	3,800	0.5	0.3	
89.4	17(v)	Suture	2,002	10,804	1.3	0.8	
		Residual	665	10,977	0.4	0.8	

TABLE CONT'D

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	16,320	190,319	10.8	14.0
93.1	18(i)	Intravenous pyelography	(5,877)	(57,797)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	1,764	17,166	1.2	1.3
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	797	5,728	0.5	0.4
92.0	18(iv)	Encephalography and ventriculography	401	6,195	0.3	0.5
93.1-93.2	18(v)	Pyelography	7,338	68,079	4.8	5.0
99.3	18(vi)	Exchange transfusion	16	187	..*	..*
		Residual	6,004	92,964	4.0	6.8
		Total	151,510	1,358,000	100.0	100.0

*.. Less than 0.05

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

TABLE 3(1) - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS AND OUT-OF-PROVINCE SEPARATIONS), BRITISH COLUMBIA, 1967

U.S. Code	Frequency	(1) Operation or Treatment	Percent Distribution of			
			Cases	Days	Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	2,041 434	39,124 4,363	1.4 0.3	2.8 0.3
		Residual	1,607	34,761	1.1	2.5
08-09 03.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	612 457	6,465 4,296	0.4 0.3	0.5 0.3
		Residual	155	2,169	0.1	0.2
10-13 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	5,018 (1,658) 1,503 1,814	35,484 (17,575) 4,141 18,913	3.3 1.0 1.2	2.6 0.3 1.4
		Residual	1,701	12,430	1.1	0.9
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	6,870 (1,614) 2,813 3,477 (485)	36,721 (5,957) 12,564 17,509 (1,890)	4.6 1.9 2.3	2.7 0.9 1.3
		Residual	580	6,648	0.4	0.5
24-26 27.2 27.1-27.3 27.1-27.1 27.1-27.1 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids(a) Tonsillectomy with adenoidectomy	27,265 (18,177) 2,926 22,523 (18,177)	78,135 (41,753) 3,525 54,360 (41,753)	18.1 1.9 15.0	5.7 0.7 3.9
		Residual	1,816	14,250	1.2	1.0

BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
30-32	6	Operations on heart and intrathoracic vessels	1,002	16,889	0.7	1.2
30.4-30.5	6(i)	Catheterization of heart			0.3	0.3
30.2,30.3	6(ii)	Repair of heart and pericardium and operations on valves of heart	219	6,481	0.1	0.5
		Residual	276	5,928	0.2	0.4
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum	795	18,625	0.5	1.4
34.0	7(i)	Thoracotomy and pleurotomy	171	3,685	0.1	0.3
		Residual	624	14,940	0.4	1.1
38	8	Operations on breast	3,210	20,163	2.1	1.5
33.1	8(i)	Partial mastectomy	(1,421)	(4,724)		
33.1-38.3	8(ii)	Mastectomy	2,142	15,789	1.4	1.1
		Residual	1,068	4,374	0.7	0.5
40-49	9	Operations on gastro-intestinal tract(b)	19,146	231,599	12.7	16.8
40.0	9(i)	Repair of inguinal hernia except recurrent	(4,213)	(31,150)		
41.1	9(ii)	Exploratory laparotomy or celiotomy	458	9,368	0.3	0.7
40	9(iii)	Repair of hernia	6,138	52,046	4.1	3.8
44.2-44.3	9(iv)	Gastrectomy	971	20,803	0.6	1.5
45	9(v)	Operations on appendix	3,915	31,678	2.6	2.3
49.3	9(vi)	Hemorrhoidectomy	1,972	16,651	1.3	1.2
		Residual	5,692	101,053	3.8	7.3

BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
51-57	10	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels	5,390	89,625	3.6	6.5
53.5	10(i)	Cholecystectomy	(4,587)	(68,337)		
53.5	10(ii)	Cholecystectomy	4,587	68,337	3.0	5.0
		Residual	803	21,288	0.5	1.5
60-64	11	Operations on urinary system	4,522	60,971	3.0	4.4
64.5	11(i)	Dilation of urethra	1,072	8,394	0.7	0.6
		Residual	3,450	52,577	2.3	3.8
66-69	12	Operations on male genital system	5,342	78,195	3.6	5.7
66.2	12(i)	Prostatectomy, transurethral	(2,470)	(49,674)		
66.1-66.3	12(ii)	Prostatectomy	2,901	61,627	1.9	4.5
69.2	12(iii)	Circumcision	885	3,738	0.6	0.3
		Residual	1,556	12,830	1.0	0.9
70-75	13	Operations on female genital organs, excluding obstetrical	19,201	134,935	12.8	9.8
72.8	13(i)	Dilation and curettage of uterus	(7,841)	(23,130)		
70.2-70.5	13(ii)	Oophorectomy	455	5,898	0.3	0.4
72.3-72.6	13(iii)	Hysterectomy	4,158	51,582	2.8	3.7
72.8	13(iv)	Dilation and curettage of uterus	7,841	23,130	5.2	1.7
74.3	13(v)	Colporrhaphy	229	2,692	0.2	0.2
74.4	13(vi)	Repair of cystocele and/or rectocele	926	11,198	0.6	0.8
		Residual	5,592	40,435	3.7	2.9

BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
76-78		Obstetrical procedures	10,237	66,270	4.8
77.1		Dilation and curettage after delivery or abortion	(3,023)	(10,765)	
76.3-76.4		Episiotomy	2,401	15,334	1.6
77.1		Dilation and curettage after delivery or abortion	3,023	10,765	2.0
78.0-78.4		Caesarean section(c)	1,547	17,878	1.3
		Residual	3,266	22,293	1.6
80-87		Operations on musculoskeletal system	16,577	255,459	11.1
82.3		Closed reduction of fracture of extremity of long bone	(1,793)	(12,558)	18.5
82		Reduction of fracture	4,800	82,827	3.2
82.0,82.3,82.6		Closed reduction of fracture	(3,133)	(28,374)	6.0
87		Amputation and disarticulation of extremities	488	17,659	1.3
		Residual	11,389	154,973	7.6
88		Operations on peripheral blood vessels and lymphatic system	3,863	43,350	2.6
88.4		Excision and ligation of varicose veins	(2,629)	(22,809)	3.1
88.4		Excision and ligation of varicose veins	2,629	22,809	1.7
		Residual	1,234	20,541	1.5
89		Operations on skin and subcutaneous tissue	6,655	69,535	4.4
89.1		Excision and destruction of lesion of skin and subcutaneous tissue	(2,331)	(18,790)	5.0
89.0		Incision of skin and subcutaneous tissue	995	7,531	0.7
89.1		Excision and destruction of lesion of skin and subcutaneous tissue	2,331	18,790	1.6
89.2		Removal of nail	473	2,823	0.3
89.4		Suture	1,507	9,475	1.0
		Residual	1,349	30,916	0.9
					2.2

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
90-99	18	Certain non-surgical procedures	12,536	96,521	8.3
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(5,532) 778	(37,777) 8,678	7.0
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion			0.6
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	5,532	37,777	3.7
92.0	18(iv)	Encephalography and ventriculography	341	6,505	0.2
93.1-93.2	18(v)	Pyelography	233	1,783	0.2
99.3	18(vi)	Exchange transfusion	14	142	..*
		Residual	5,638	41,636	3.7
		Total	150,382	1,378,066	100.0
					100.0

*.. Less than 0.05

- (2) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
- (a) "Arrest of haemorrhage", "excision or lesion", "ligation", and "removal of foreign body" are included. "Incision and drainage of peritonsillar abscess" and "biopsy" are excluded.
- (b) "Abdominal wall and peritoneum" are excluded. "Repair of rectocele", and "repair of rectocele and cystocele" are excluded.
- (c) Caesarean Section with hysterectomy is in group 14(iv).

TABLE 9(j) - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR YUKON PLAN IN-PATIENTS(2) (EXCLUDING NEWBORNS), YUKON, 1967

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
01-06		Operations on nervous system	27	521	2.8	5.6
03.3		Spinal puncture	20	202	2.0	2.2
		Residual	7	319	0.7	3.4
08-09	2	Operations on endocrine system	-	-	-	-
08.0	2(i)	Thyroidectomy	-	-	-	-
		Residual	-	-	-	-
10-18	3	Operations on eye	41	389	4.2	4.2
11.3	3(i)	Advancement or recession of eye muscle	(9)	(30)		
11	3(ii)	Operations on eye (ocular) muscles	18	56	1.8	0.6
17	3(iii)	Operations on lens	6	101	0.6	1.1
		Residual	17	232	1.7	2.5
20-22	4	Operations on ear, nose, and throat	36	390	3.7	4.2
20.4	4(i)	Operations on tympanum	(22)	(178)		
20	4(ii)	Operations on ear	26	230	2.7	2.5
21	4(iii)	Operations on nose and accessory sinuses	7	29	0.7	0.3
21.1	4(iv)	Operations on nasal septum	(-)	(-)	-	-
		Residual	3	131	0.3	1.4
24-28	5	Operations on buccal cavity and esophagus	177	524	18.1	5.6
27.2	5(i)	Tonsillectomy with adenoidectomy	(97)	(232)		
24.1-24.3	5(ii)	Extraction of tooth and root resection	54	127	5.5	1.4
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	113	295	11.6	3.2
27.2	5(iv)	Tonsillectomy with adenoidectomy	(97)	(232)		
		Residual	10	102	1.0	1.1

YUKON (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
30-32	6	Operations on heart and great vessels	11	177	1.1	1.9
30.5	6(i)	Catheterization of the left heart	2	59	0.2	0.6
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	-	-	-	-
33-35	7	Residual	9	118	0.9	1.3
34.0	7(i)	Operations on bronchus, lung, pleura, chest wall and mediastinum	12	358	1.2	3.9
		Thoracotomy and pleurotomy	5	236	0.5	2.5
38	8	Residual	7	122	0.7	1.3
38.8	8(i)	Operations on breast	11	37	1.1	0.4
38.1-38.3	8(ii)	Biopsy of breast	4	9	0.4	0.1
		Mastectomy	2	18	0.2	0.2
40-49	9	Residual	5	10	0.5	0.1
40.0	9(i)	Operations on gastro-intestinal tract	84	860	8.6	9.3
40.1	9(ii)	Repair of inguinal hernia, except recurrent	29	273	3.0	2.9
41	9(iii)	Repair of recurrent inguinal hernia	-	-	-	-
44.2-44.3	9(iv)	Incision and excision of abdominal wall and peritoneum	4	40	0.4	0.4
45	9(v)	Gastrectomy	2	86	0.2	0.9
49.3	9(vi)	Operations on appendix	21	135	2.1	1.5
		Hemorrhoidectomy	12	114	1.2	1.2
		Residual	16	212	1.6	2.3

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
51-56	10	Operations on liver, biliary tract, pancreas and spleen	23	308	2.4	3.3
53.5	10(i)	Cholecystectomy	(18)	(256)		
53.5	10(ii)	Cholecystectomy	18	256	1.8	2.8
		Residual	5	52	0.5	0.6
60-64	11	Operations on urinary system	14	249	1.4	2.7
60.8	11(i)	Biopsy of kidney and perirenal tissue	5	116	0.5	1.2
		Residual	9	133	0.9	1.4
66-69	12	Operations on male genital system	13	196	1.3	2.1
69.2	12(i)	Circumcision	(4)	(23)		
66.1-66.3	12(ii)	Prostatectomy	3	62	0.3	0.7
69.2	12(iii)	Circumcision	4	23	0.4	0.2
		Residual	6	111	0.6	1.2
70-75	13	Operations on female genital organs excluding obstetrical	99	795	10.1	8.6
72.8	13(i)	Dilation and curettage of uterus	(45)	(139)		
70.2-70.5	13(ii)	Oophorectomy	1	8	0.1	0.1
72.3-72.6	13(iii)	Hysterectomy	22	370	2.3	4.0
72.8	13(iv)	Dilation and curettage of uterus	45	139	4.6	1.5
74.3	13(v)	Colporrhaphy	3	37	0.3	0.4
74.4	13(vi)	Repair of cystocele and/or rectocele	-	-	-	-
		Residual	28	241	2.9	2.6

C.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
76-78	14	Obstetrical procedures	186	1,036	11.2
76.4	14(i)	Delivery by low forceps with episiotomy	(123)	(720)	
76.3-76.4	14(ii)	Episiotomy	127	739	8.0
77.1	14(iii)	Dilation and curettage after delivery or abortion	32	88	0.9
78.0-78.4	14(iv)	Caesarean section	5	69	0.7
		Residual	22	140	1.5
80-87	15	Operations on musculoskeletal system	96	1,924	20.7
82.0	15(i)	Closed reduction of fracture of shaft of long bone	(33)	(390)	
82	15(ii)	Reduction of fracture	48	718	7.7
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(40)	(495)	
87.0-87.9	15(iv)	Amputation and disarticulation of extremities	5	106	1.1
		Residual	43	1,100	11.8
88	16	Operations on peripheral blood vessels and lymphatic system	14	107	1.2
88.4	16(i)	Excision and ligation of varicose veins	(12)	(99)	
88.4	16(ii)	Excision and ligation of varicose veins	12	99	1.1
		Residual	2	8	0.1
89	17	Operations on skin and subcutaneous tissue	86	794	8.6
89.4	17(i)	Suture	(29)	(226)	
89.0	17(ii)	Incision of skin and subcutaneous tissue	19	142	1.5
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	28	255	2.7
89.2	17(iv)	Removal of nail	-	-	-
89.4	17(v)	Suture	29	226	2.4
		Residual	10	171	1.8

YUKON (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Other non-surgical procedures	47	619	4.8	6.7
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(11)	(182)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	9	106	0.9	1.1
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	11	182	1.1	2.0
92.0	18(iv)	Encephalography and ventriculography	-	-	-	-
93.1-93.2	18(v)	Pyelography	4	41	0.4	0.4
99.3	18(vi)	Exchange transfusion	1	6	0.1	0.1
		Residual	22	284	2.3	3.1
		Total	977	9,284	100.0	100.0

- (1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
(2) Includes Out-of-Yukon hospitalization.

TABLE 9(k) - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS(2) (EXCLUDING NEWBORNS), NORTHWEST TERRITORIES, 1967

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	20 8	535 98	1.2 0.5	2.6 0.5
		Residual	12	437	0.7	2.1
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	9 4	133 45	0.5 0.2	0.6 0.2
		Residual	5	88	0.3	0.4
10-18 11.3 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Advancement or recession of eye muscle Operation on eye (ocular) muscle Operations on lens	95 (11) 16 21	1,805 (76) 114 600	5.5 0.9 1.2	8.6 0.5 2.9
		Residual	58	1,091	3.4	5.2
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	60 (21) 39 17 (1)	1,068 (354) 810 135 (41)	3.5 2.3 1.0	5.1 3.9 0.6
		Residual	4	123	0.2	0.6

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Cases	Percent Distribution of	Days
24-28	5	Operations on buccal cavity and esophagus	334	1,423	19.5	6.8	
27.2	5(i)	Tonsillectomy with adenoidectomy	(196)	(743)			
24.1-24.3	5(ii)	Extraction of tooth and root resection	78	150	4.5	0.7	
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	241	990	14.0	4.7	
27.2	5(iv)	Tonsillectomy with adenoidectomy	(196)	(743)			
		Residual	15	283	0.9	1.3	
30-32	6	Operations on heart and great vessels	8	208	0.5	1.0	
30.3	6(i)	Operations on valves of heart	(3)	(65)			
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	4	136	0.2	0.6	
		Residual	4	72	0.2	0.3	
33-35	7	Operations on bronchus, lung, pleura, chest wall, and mediastinum	14	607	0.8	2.9	
34.0	7(i)	Thoracotomy and pleurotomy	4	182	0.2	0.9	
		Residual	10	425	0.6	2.0	
38	8	Operations on breast	21	253	1.2	1.2	
38.1	8(i)	Partial mastectomy	(7)	(115)			
38.1-38.3	8(ii)	Mastectomy	9	141	0.5	0.7	
		Residual	12	112	0.7	0.5	

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
40-49	9	Operations on gastro-intestinal tract				
45.1	9(i)	Appendectomy	196 (72)	2,458 (619)	11.4	11.7
41.1	9(ii)	Exploratory laparotomy or celiotomy	3	28	0.2	0.1
40	9(iii)	Repair of hernia	14	307	0.8	1.5
44.2-44.3	9(iv)	Gastrectomy	1	23	0.1	0.1
45	9(v)	Operations on appendix	73	628	4.3	3.0
49.3	9(vi)	Hemorrhoidectomy	9	92	0.5	0.4
51-56	10	Residual	96	1,380	5.6	6.6
53.5	10(i)	Operations on liver, biliary tract, pancreas, and spleen	47 (43)	912 (764)	2.7	4.3
53.5	10(ii)	Cholecystectomy	43	764	2.5	3.6
60-64	11	Residual	4	148	0.2	0.7
64.5	11(i)	Operation on urinary system	23	498	1.3	2.4
		Dilation of urethra	6	40	0.3	0.2
66-69	12	Residual	17	458	1.0	2.2
69.2	12(i)	Operations on male genital system	46 (26)	339 (128)	2.7	1.6
66.1-66.3	12(ii)	Circumcision	3	112	0.2	0.5
69.2	12(iii)	Prostatectomy	26	128		0.6
		Circumcision				
		Residual	17	99	1.5	0.5

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of	Days
70-75		Operations on female genital organs	189	1,666	11.0	7.9
72.8		Dilation and curettage of uterus	(75)	(331)		
70.2-70.5		Oophorectomy	8	105	0.5	0.5
72.3-72.6		Hysterectomy	23	276	1.3	1.3
72.8		Dilation and curettage of uterus	75	331	4.4	1.6
74.3		Colporrhaphy	-	-	-	-
74.4		Repair of cystocele and/or rectocele	2	22	0.1	0.1
76-78		Obstetrical procedures	81	932	4.7	4.4
77.1	14	Dilation and curettage after delivery or abortion	204	1,536	11.9	7.3
76.3-76.4	14(i)	Episiotomy	(68)	(361)		
77.1	14(ii)	Dilation and curettage after delivery or abortion	59	486	3.4	2.3
78.0-78.4	14(iii)	Caesarean section	68	361	4.0	1.7
	14(iv)		18	249	1.0	1.2
80-87		Operations on musculoskeletal system	59	440	3.4	2.1
82.0	15	Closed reduction of fracture of long bone	198	4,172	11.5	19.9
82	15(i)	Reduction of fracture	(31)	(333)		
82.0, 82.3, 82.6	15(ii)	Closed reduction of fracture	87	1,613	5.1	7.7
87	15(iii)	Amputation and disarticulation of extremities	(55)	(457)		
	15(iv)		5	138	0.3	0.7
88		Operations on peripheral blood vessels and lymphatic system	106	2,421	6.2	11.5
88.4	16	Excision and ligation of varicose veins	19	181	1.1	0.9
88.4	16(i)	Excision and ligation of varicose veins	(9)	(82)		
	16(ii)		9	82	0.5	0.4
		Residual	10	99	0.6	0.5

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
89	17	Operations on skin and subcutaneous tissue	164	1,831	9.6	8.7
89.0	17(i)	Incision of skin and subcutaneous tissue	(61)	(473)		
89.0	17(ii)	Incision of skin and subcutaneous tissue	61	473	3.6	2.3
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	33	508	1.9	2.4
89.2	17(iv)	Removal of nail	16	58	0.9	0.3
89.4	17(v)	Suture	40	190	2.3	0.9
		Residual	14	602	0.8	2.9
90-99	18	Certain non-surgical procedures	69	1,348	4.0	6.4
90.5	18(i)	Proctoscopy without effect upon tissue or lesion	(14)	(108)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	14	108	0.8	0.5
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	12	329	0.7	1.6
92.0	18(iv)	Encephalography and ventriculography	3	71	0.2	0.3
93.1-93.2	18(v)	Pyelography	9	134	0.5	0.6
99.3	18(vi)	Exchange transfusion	1	2	0.1	..
		Residual	30	704	1.7	3.4
		Total	1,716	20,973	100.0	100.0

.. Less than 0.05

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
 (2) Includes Out-of-Territories hospitalization.

TABLE 10 - SEPARATIONS AND PATIENT-DAYS FOR THE 10 PROVINCES IN THE LAST OF LEAST DIAGNOSIS, BY SEX, FOR NEWBORN PATIENTS AND FOR INFANTS UNDER ONE YEAR OF AGE, WHO ARE PROVIDED FROM (1) CHILDREN (INCLUDING OUT-OF-PROVINCE HOSPITALIZATION) FOR EIGHT PROVINCES AND TWO TERRITORIES, 1967

I.S.C. Number	DIAGNOSIS	CASES										PATIENT-DAYS	
		Newborn		Other Infants		Total	Newborn		Other Infants		Total	M	F
		M	F	M	F		M	F	M	F			
470-475	infections												
	Nfld.	2	1	337	273	613	14	8	2,158	1,528	3,708		
	P.E.I.	-	-	46	25	71	-	-	328	175	503		
	N.B.	-	-	367	268	635	-	-	2,693	2,019	4,712		
	Que.	-	-	713	474	1,187	-	-	6,929	4,893	11,822		
	Man.	-	-	381	327	708	-	-	2,218	1,892	4,110		
	Sask.	2	1	241	199	443	9	10	1,642	1,192	2,853		
	Alta.	2	-	674	431	1,107	14	-	4,537	2,635	7,186		
	B.C.	1	3	638	488	1,130	7	51	4,319	3,259	7,636		
	Yukon	-	-	2	1	3	-	-	9	6	15		
	N.W.T.	-	-	12	7	19	-	-	47	25	72		
		7	5	3,411	2,493	5,916	44	69	24,880	17,624	42,617		
480-483	Influenza, pneumonia												
490-493	and bronchitis												
500-502	Nfld.	32	24	1,030	702	1,788	476	264	9,783	6,281	16,804		
763	P.E.I.	1	2	240	141	384	12	6	2,337	1,410	3,765		
	N.B.	2	1	653	510	1,166	32	4	6,859	5,410	12,305		
	Que.	106	76	4,229	2,905	7,316	1,218	1,062	59,807	38,721	100,808		
	Man.	19	14	1,339	865	2,237	242	158	12,445	7,726	20,571		
	Sask.	29	15	694	484	1,222	270	261	5,966	4,179	10,676		
	Alta.	6	2	1,991	1,392	3,391	43	16	19,417	12,899	32,375		
	B.C.	31	23	2,021	1,316	3,391	456	489	22,042	14,263	37,250		
	Yukon	-	-	34	19	53	-	-	243	102	345		
	N.W.T.	2	1	206	163	372	24	4	2,069	1,327	3,424		
		228	158	12,437	8,497	21,320	2,773	2,264	140,968	92,318	238,323		

TABLE 10 - (Cont'd)

I.S.C. Number	LIFE HISTORY	CASES										PATIENT-DAYS			
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		Other Infants	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
560-561 570	Hernia of abdominal cavity and intestinal obstruction	5	-	102	20	127	20	56	-	1,273	187	1,516	187	1,273	187
	Nfld.	2	-	15	5	22	5	96	-	81	34	211	34	81	34
	P.E.I.	-	-	94	26	120	26	-	-	839	298	1,137	298	839	298
	N.B.	8	3	827	229	1,067	229	93	33	6,435	1,817	8,378	1,817	6,435	1,817
	Que.	-	-	116	30	146	30	-	-	524	344	868	344	524	344
	Man.	-	-	112	29	154	29	48	148	755	225	1,176	225	755	225
	Sask.	7	3	346	92	441	92	-	38	1,927	668	2,633	668	1,927	668
	Alta.	-	13	321	74	434	74	490	92	1,764	426	2,772	426	1,764	426
	B.C.	26	-	-	1	1	1	-	-	-	11	11	11	-	11
	Yukon	-	1	11	2	14	2	-	6	139	11	156	11	139	11
	N.W.T.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		48	26	1,944	508	2,526	508	783	317	13,737	4,021	18,858	4,021	13,737	4,021
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	11	6	369	289	675	289	122	50	2,630	1,898	4,700	1,898	2,630	1,898
	Nfld.	-	2	46	38	86	38	-	20	470	274	764	274	470	274
	P.E.I.	2	1	366	331	700	331	10	2	2,980	2,625	5,617	2,625	2,980	2,625
	N.B.	84	101	2,346	1,776	4,307	1,776	1,149	1,512	28,608	21,166	52,435	21,166	28,608	21,166
	Que.	6	4	649	570	1,229	570	84	46	5,421	4,707	10,258	4,707	5,421	4,707
	Man.	10	18	612	512	1,152	512	148	231	5,620	4,619	10,618	4,619	5,620	4,619
	Sask.	1	3	1,364	1,146	2,514	1,146	2	14	11,641	9,663	21,320	9,663	11,641	9,663
	Alta.	14	9	908	753	1,684	753	222	93	6,999	5,645	12,959	5,645	6,999	5,645
	B.C.	-	-	5	9	14	9	-	-	37	54	91	54	37	54
	Yukon	-	-	46	35	81	35	-	-	361	343	704	343	361	343
	N.W.T.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		128	144	6,711	5,459	12,442	5,459	1,737	1,968	64,767	50,994	119,466	50,994	64,767	119,466

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES						PATIENT-DAYS			
		Newborn		Other Infants		Total	Newborn		Other Infants		Total
		M	F	M	F		M	F	M	F	
690-698	Infection of skin and subcutaneous tissue	-	-	34	36	70	-	-	322	326	648
	Nfld.	-	-	3	5	8	-	-	66	81	147
	P.E.I.	-	-	23	30	53	-	-	299	288	587
	N.B.	1	-	196	174	371	10	-	2,419	2,095	4,524
	Que.	-	-	54	58	112	-	-	474	569	1,043
	Man.	2	2	23	20	47	11	12	210	196	429
	Sask.	1	-	83	83	167	3	-	660	646	1,309
	Alta.	9	2	70	63	144	114	31	704	622	1,471
	B.C.	-	-	-	2	2	-	-	-	13	13
	Yukon	-	-	-	16	24	-	-	144	94	238
	N.W.T.	-	-	8	-	-	-	-	-	-	-
		13	4	494	487	998	138	43	5,298	4,930	10,409
750-753	Congenital malformations of nervous system and sense organs	23	16	24	27	90	387	390	585	812	2,174
	Nfld.	4	3	1	-	8	50	114	6	-	170
	P.E.I.	-	-	16	21	37	-	-	208	464	672
	N.B.	78	117	159	131	485	1,387	1,779	3,325	3,065	9,556
	Que.	9	16	28	27	80	140	141	878	484	1,643
	Man.	16	8	22	22	68	167	84	527	516	1,294
	Sask.	-	-	41	49	90	-	-	557	838	1,395
	Alta.	29	288	40	45	142	740	426	1,423	2,079	4,668
	B.C.	-	-	-	-	-	-	-	-	-	-
	Yukon	-	-	-	-	-	-	-	-	-	-
	N.W.T.	-	-	-	2	2	-	-	-	69	69
		159	188	331	324	1,002	2,871	2,934	7,509	8,327	21,641

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES						PATIENT-DAYS			
		Newborn		Other Infants		Total	Newborn		Other Infants		Total
		M	F	M	F		M	F	M	F	
754	Congenital malformations of circulatory system										
	Nfld.	17	15	41	36	109	152	438	794	911	2,295
	P.E.I.	1	2	3	2	8	11	11	40	53	115
	N.B.	-	-	13	9	22	-	-	165	107	272
	Que.	73	59	298	199	629	1,181	915	10,554	4,847	17,497
	Man.	11	10	42	29	92	19	128	1,023	321	1,491
	Sask.	15	16	15	18	64	284	288	335	379	1,286
	Alta.	2	1	47	48	98	21	12	514	689	1,236
	B.C.	44	48	68	81	241	473	1,061	1,118	1,921	4,573
	Yukon	-	-	-	-	-	-	-	-	-	-
	N.W.T.	-	-	1	1	2	-	-	22	9	31
		163	151	528	423	1,265	2,141	2,353	14,565	9,237	28,796
615, 755-759	Other congenital malformations and redundant prepuce and phimosis										
	Nfld.	55	37	218	66	376	844	602	2,683	2,255	6,384
	P.E.I.	2	2	13	11	28	43	44	89	97	273
	N.B.	-	-	139	42	181	-	-	1,530	540	2,070
	Que.	183	99	1,170	404	1,856	3,619	2,009	15,953	8,041	29,622
	Man.	25	11	192	54	282	203	235	2,115	1,024	4,177
	Sask.	89	51	182	39	351	1,333	57	1,538	608	4,441
	Alta.	1	-	661	144	806	10	-	3,626	1,677	5,313
	B.C.	229	124	396	180	929	2,686	1,706	3,376	2,574	10,342
	Yukon	-	-	-	2	2	-	-	-	6	6
	N.W.T.	-	2	14	11	27	-	7	155	150	312
		584	326	2,985	953	4,848	8,743	5,560	31,665	16,972	62,940

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES										PATIENT-DAYS			
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		M	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
771	Haemorrhagic disease of newborn	4	5	2	4	15	26	26	36	19	25	106			
	Nfld.	-	-	-	1	1	-	-	-	-	1	1			
	P.E.I.	-	-	1	-	1	-	-	-	10	-	10			
	N.B.	28	28	21	10	87	480	13	375	406	141	1,402			
	Que.	4	2	3	1	10	26	26	3	119	4	139			
	Man.	5	5	1	4	15	-	25	25	3	20	74			
	Sask.	-	-	4	7	11	-	-	-	39	43	82			
	Alta.	11	12	10	4	37	76	-	166	64	78	384			
	B.C.	-	-	-	-	-	-	-	-	-	-	-			
	Yukon	-	-	-	-	-	-	-	-	-	-	-			
	N.W.T.	-	-	-	1	1	-	-	-	-	23	23			
291,772	Nutritional malad- justment and iron deficiency anaemias	52	52	42	32	178	621	605	605	660	335	2,221			
	Nfld.	69	57	98	77	301	679	590	590	1,215	963	3,447			
	P.E.I.	4	1	5	12	22	56	12	12	32	110	210			
	N.B.	-	-	80	79	159	-	-	-	804	894	1,698			
	Que.	246	244	718	521	1,729	3,086	2,913	2,913	10,248	7,024	23,271			
	Man.	14	13	73	61	161	181	248	248	811	692	1,932			
	Sask.	52	56	208	207	523	661	675	675	2,010	1,793	5,139			
	Alta.	1	-	208	186	395	1	-	-	2,169	2,092	4,262			
	B.C.	144	153	217	180	694	2,345	2,416	2,416	2,537	2,286	9,584			
	Yukon	-	-	1	1	2	-	-	-	4	2	6			
	N.W.T.	-	2	5	7	14	-	26	26	67	132	225			
530		526	526	1,613	1,331	4,000	7,009	6,880	6,880	19,897	15,988	49,774			

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES					PATIENT-DAYS				
		Newborn		Other Infants		Total	Newborn		Other Infants		Total
		M	F	M	F		M	F	M	F	
773-776	Immaturity and ill-defined diseases peculiar to early infancy	460	457	24	16	957	7,517	8,274	829	237	16,857
	Nfld.	8	4	4	3	19	88	45	33	24	190
	P.E.I.	-	-	10	11	21	-	-	308	117	425
	N.B.	-	-	485	322	2,761	8,831	6,410	9,598	6,794	31,633
	Que.	1,132	822	111	75	457	1,821	1,363	2,042	837	6,063
	Man.	160	111	37	24	491	1,824	1,831	597	316	4,568
	Sask.	229	201	55	41	112	72	63	976	614	1,725
	Alta.	10	6	48	38	1,153	6,680	4,749	752	681	12,862
	B.C.	629	438	-	1	1	-	-	-	22	22
	Yukon	-	-	17	9	27	7	-	252	189	448
	N.W.T.	1	-	-	-	-	-	-	-	-	-
		2,629	2,039	791	540	5,999	26,840	22,735	15,387	9,831	74,793
N800-N804	Skull fractures	-	-	12	9	21	-	-	80	58	138
N852-N856	and head injuries	-	-	2	2	4	-	-	9	13	22
	Nfld.	-	-	22	6	28	-	-	126	34	160
	P.E.I.	-	-	130	85	215	-	-	1,363	507	1,870
	N.B.	-	-	16	20	36	-	-	79	49	128
	Que.	-	-	13	8	21	-	-	168	31	199
	Man.	-	-	66	45	117	12	1	401	185	599
	Sask.	5	1	52	25	77	-	-	417	223	640
	Alta.	-	-	-	-	-	-	-	-	-	-
	B.C.	-	-	-	-	-	-	-	-	-	-
	Yukon	-	-	-	1	1	-	-	-	9	9
	N.W.T.	-	-	-	-	-	-	-	-	-	-
		5	1	313	201	520	12	1	2,643	1,109	3,765

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES				PATIENT-DAYS							
		Newborn		Other Infants		Newborn		Other Infants					
		M	F	M	F	M	F	M	F				
N940-N949													
	Nfld.	-	-	16	10	-	-	250	140	390			
	P.E.I.	-	-	1	2	-	-	5	29	34			
	N.B.	-	-	17	6	-	-	238	106	344			
	Que.	-	-	59	37	-	-	738	437	1,175			
	Man.	-	-	21	5	-	-	231	36	267			
	Sask.	-	-	3	5	-	-	12	34	46			
	Alta.	1	-	33	20	1	-	310	208	519			
	B.C.	2	-	34	23	6	-	463	377	846			
	Yukon	-	-	1	-	-	-	4	-	4			
	N.W.T.	-	-	1	1	-	-	9	4	13			
		3	-	186	109	7	-	2,260	1,371	3,638			
N805-N851, N860-N936, N950-N999	Other accidents, poisonings and violence												
	Nfld.	-	-	31	30	-	-	183	522	705			
	P.E.I.	1	-	3	4	19	-	4	35	58			
	N.B.	-	-	26	17	-	-	143	128	271			
	Que.	-	-	158	123	-	-	1,536	1,585	3,121			
	Man.	-	-	54	34	-	-	360	140	500			
	Sask.	4	2	35	31	27	14	248	223	512			
	Alta.	6	10	98	84	22	134	597	688	1,441			
	B.C.	22	2	84	73	153	39	451	377	1,020			
	Yukon	-	-	2	1	-	-	3	3	6			
	N.W.T.	-	-	5	4	-	-	15	7	22			
		33	14	496	401	221	187	3,540	3,708	7,656			

1) See footnotes Table 2.

THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955)

Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number
1	001-019	13	172-174	25	260	38	420-422
2	080-083	14	175	26	270-277	39	430-434
3	092	15	177	27	280-289	40	440-447
4	084-091,093-096	16	180,181	28	290-299	41	450-456
5	020-064,070-074, 100-108,110-117, 120-138	17	204	29	300-309	42	460
6	140-148	18	150,152,155-161, 164,165,176,178,179, 190-199,200-203,205	30	310-318	43	461
				31	320-326	44	463,464
7	151	19	214,215	32	330-334	45	462,465-468
8	153	20	216	33	340-345,350-357	46	470-475
9	154	21	210-213,217-239	34	360-369	47	480-483
10	162,163	22	241	35	370-389	48	490-493
11	170	23	240,242-245	36	390-398	49	500-502
12	171	24	250-254	37	400-402,410-416	50	510

APPENDIX I (Cont'd)

Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number
51	511-527	65	602,604	78	690-698	91	N830-N848
52	530-535	66	601,603,605-609	79	700-716	92	N860-N869
53	540-542	67	610	80	720-727	93	N940-N949
54	543-545	68	615	81	735	94	N850,N851,N870-N888, N890-N898,N900-N908, N910-N918,N920-N936, N950-N999
55	550-553	69	622-626,630	82	730-734, 736-738, 740-749		
56	560,561	70	631				
57	570	71	634	83	750-759	95	Y00
58	571	72	611-614,616,617, 620,621,632,633, 635-637	84	760-776	96	Y20,Y22,Y23,Y26,Y27
59	572			85	780-795	97	Y21,Y24,Y25,Y28,Y29
60	580-583	73	640-649	86	N800-N804,N852-N856	98	Y01-Y18,Y40-Y88
61	584-587	74	650-652	87	N805-N809		
62	536-539,573-578	75	660	88	N810-N819		
63	590-594	76	670-678	89	N820,N821		
64	600	77	680-689	90	N822-N829		

APPENDIX 2

CANADA POPULATION, (1) 1967
UTILIZED IN TABLE 6, BY SEX AND AGE GROUP

<u>AGE GROUP</u>	<u>MALE POPULATION</u>	<u>FEMALE POPULATION</u>
UNDER 1	177800	168600
1 - 4	835800	791800
5 - 14	2130900	2039100
15 - 24	1631500	1609900
25 - 44	2438500	2410900
45 - 59	1397300	1398100
60 - 74	751000	809500
75 +	248900	308400
TOTAL	9611700	9536300

(1) Excludes Newfoundland and Nova Scotia.

Source: Dominion Bureau of Statistics.

APPENDIX 3 - ESTIMATED POPULATION BY SEX AND AGE GROUP,
FOR CANADA AND PROVINCES, 1967

Sex & Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
(In Thousands)													
MALES	10,247.8	255.5	55.2	380.6	311.5	2,929.5	3,573.2	183.6	489.7	758.8	986.2	8.2	15.8
Under 1	192.3	7.1	1.0	7.4	6.5	53.4	66.0	8.3	9.2	15.4	16.8	0.2	0.5
1 - 4	897.9	27.8	5.1	34.3	29.5	257.5	307.9	40.9	43.2	70.3	78.3	0.9	2.2
5 - 9	1,840.0	34.3	6.6	44.6	38.7	347.1	400.5	53.7	55.8	92.9	106.6	1.0	2.2
10 - 14	1,100.2	32.5	6.2	41.9	37.3	328.3	365.0	51.0	53.6	83.9	98.2	0.8	1.5
15 - 19	967.4	28.5	5.8	38.8	34.4	292.8	319.2	45.6	46.6	68.2	85.6	0.6	1.3
20 - 24	778.4	19.0	3.8	28.0	23.2	247.3	261.0	35.4	33.4	52.8	72.5	0.6	1.4
25 - 29	649.4	14.4	2.9	21.8	16.9	198.7	228.3	28.1	26.5	46.6	63.2	0.7	1.3
30 - 34	635.0	13.0	2.9	20.6	15.6	186.9	230.4	26.9	26.0	48.5	62.4	0.6	1.2
35 - 39	653.0	13.0	2.7	20.2	15.8	187.5	242.1	27.7	27.5	49.9	65.0	0.6	1.0
40 - 44	637.1	12.4	2.8	20.6	16.6	179.3	239.5	28.8	27.6	45.7	62.5	0.5	0.8
45 - 49	555.8	12.1	2.7	20.5	15.8	151.5	202.3	27.2	26.8	40.3	55.5	0.5	0.6
50 - 54	505.7	11.1	2.7	20.0	14.8	134.7	182.2	25.9	25.5	35.2	52.8	0.3	0.5
55 - 59	426.1	9.1	2.5	17.5	12.9	112.7	152.0	22.4	22.6	29.4	44.2	0.3	0.5
60 - 64	339.0	6.6	2.0	13.1	9.9	87.1	122.6	18.2	18.7	24.8	35.5	0.2	0.3
65 - 69	260.0	5.2	1.8	10.4	7.9	64.3	95.0	14.2	14.2	18.9	27.7	0.2	0.2
70 - 74	200.0	4.1	1.5	8.6	6.7	46.9	71.3	11.6	12.3	14.4	22.3	0.1	0.2
75 - 79	140.5	2.8	1.1	6.2	4.6	29.6	47.5	9.0	10.1	11.2	18.2	0.1	0.1
80 - 84	81.4	1.6	0.7	3.7	2.8	15.7	26.1	5.3	6.6	6.8	12.1	<0.05	<0.05
85 - 89	34.2	0.7	0.3	1.7	1.2	6.3	10.9	2.2	2.8	2.8	5.3	<0.05	<0.05
90 +	10.4	0.2	0.1	0.7	0.4	1.9	3.4	0.7	0.7	0.8	1.5	<0.05	<0.05

Source: Dominion Bureau of Statistics.

APPENDIX 3 - ESTIMATED POPULATION BY SEX AND AGE GROUP,
FOR CANADA AND PROVINCES, 1967

Sex & Age	Canada	Manit.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
(In Thousands)													
FEMALE													
Under 1	10,157.2	244.5	53.8	376.4	308.5	2,938.5	3,575.8	479.4	468.3	731.2	960.8	6.8	13.2
1 - 4	182.3	6.7	1.0	7.0	6.1	50.4	62.8	8.4	8.7	14.5	16.0	0.2	0.5
5 - 9	850.6	26.3	4.9	32.5	27.6	243.2	291.8	39.2	41.2	67.1	77.1	0.7	2.0
10 - 14	1,136.3	32.9	6.3	42.8	37.1	333.4	383.7	51.2	53.8	89.1	102.9	1.0	2.1
15 - 19	1,040.9	31.6	6.0	39.8	35.9	312.8	348.9	48.8	50.8	79.4	93.6	0.8	1.5
	941.0	28.1	5.7	37.7	33.6	288.6	307.1	44.6	45.3	66.8	81.8	0.5	1.2
20 - 24	781.9	19.6	3.6	27.6	22.5	252.1	263.4	34.6	32.2	54.7	70.1	0.5	1.0
25 - 29	650.5	14.0	2.8	21.5	16.7	200.7	230.7	27.6	26.0	47.7	61.2	0.6	1.0
30 - 34	616.0	12.1	2.6	20.0	15.8	186.1	224.4	26.1	24.9	46.0	56.6	0.5	0.9
35 - 39	635.3	11.9	2.6	20.5	16.2	189.5	233.6	27.9	26.2	46.2	59.5	0.5	0.7
40 - 44	641.5	11.2	2.7	21.2	17.0	182.7	241.1	30.0	27.2	45.0	62.4	0.4	0.6
45 - 49	563.4	10.9	2.7	21.1	16.1	155.4	203.9	28.0	26.7	39.6	58.2	0.3	0.5
50 - 54	501.9	10.0	2.7	19.6	14.4	137.7	178.9	26.1	24.7	33.9	53.2	0.3	0.4
55 - 59	418.2	7.9	2.2	15.9	12.2	114.9	151.4	22.1	20.8	27.6	42.7	0.2	0.3
60 - 64	343.3	6.1	1.8	12.9	10.1	93.6	127.8	18.1	16.7	22.1	33.8	0.1	0.2
65 - 69	282.7	5.2	1.7	11.2	8.7	73.4	108.2	14.8	13.4	17.4	28.5	0.1	0.1
70 - 74	233.2	4.3	1.7	10.0	7.5	53.4	90.7	12.9	11.5	13.7	25.3	0.1	0.1
75 - 79	167.0	3.0	1.3	7.2	5.3	36.9	64.2	9.5	9.1	10.3	20.1	<0.05	0.1
80 - 84	99.9	1.7	0.9	4.6	3.4	20.1	38.4	5.3	5.6	5.4	12.0	<0.05	<0.05
85 - 89	45.4	0.7	0.4	2.3	1.6	8.6	17.9	2.6	2.6	2.8	5.9	<0.05	<0.05
90 +	16.9	0.3	0.2	1.0	0.7	3.0	6.9	1.0	0.9	0.9	2.0	<0.05	<0.05

Source: Dominion Bureau of Statistics.

APPENDIX 3 - ESTIMATED POPULATION BY SEX AND AGE GROUP,
FOR CANADA AND PROVINCES, 1967

Sex and Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
(In Thousands)													
Total (Both Sexes)	20,405.0	500.0	109.0	757.0	620.0	5,868.0	7,149.0	963.0	958.0	1,490.0	1,947.0	15.0	29.0
Under 1	374.6	13.8	2.0	14.4	12.6	103.8	128.8	17.2	17.9	29.9	32.8	0.4	1.0
1 - 4	1,748.5	54.1	10.0	66.8	57.1	500.7	599.7	80.1	84.4	137.4	152.4	1.6	4.2
5 - 9	2,320.3	67.2	12.9	87.4	75.8	680.5	784.2	104.9	109.6	182.0	209.5	2.0	4.3
10 - 14	2,150.1	64.1	12.2	81.7	73.2	641.1	713.9	99.8	104.4	163.3	191.8	1.6	3.0
15 - 19	1,908.4	56.6	11.5	76.5	68.0	581.4	626.3	90.2	91.9	135.0	167.4	1.1	2.5
20 - 24	1,560.3	38.6	7.4	55.6	45.7	499.4	524.4	70.0	65.6	107.5	142.6	1.1	2.4
25 - 29	1,299.9	28.4	5.7	43.3	33.6	399.4	459.0	55.7	52.5	94.3	124.4	1.3	2.3
30 - 34	1,251.0	25.1	5.5	40.6	31.4	373.0	454.8	53.0	50.9	94.5	119.0	1.1	2.1
35 - 39	1,288.3	24.9	5.3	40.7	32.0	377.0	475.7	55.6	53.7	96.1	124.5	1.1	1.7
40 - 44	1,278.6	23.6	5.5	41.8	33.6	362.0	480.6	58.8	54.8	90.7	124.9	0.9	1.4
45 - 49	1,119.2	23.0	5.4	41.6	31.9	306.9	406.2	55.2	53.5	79.9	113.7	0.8	1.1
50 - 54	1,007.6	21.1	5.4	39.6	29.2	272.4	361.1	52.0	50.2	69.1	106.0	0.6	0.9
55 - 59	844.3	17.0	4.7	33.4	25.1	227.6	303.4	44.5	43.4	57.0	86.9	0.5	0.8
60 - 64	682.3	12.7	3.8	26.0	20.0	180.7	250.4	36.3	35.4	46.9	69.3	0.3	0.5
65 - 69	542.7	10.4	3.5	21.6	16.6	137.7	203.2	29.0	27.6	36.3	56.2	0.3	0.3
70 - 74	433.2	8.4	3.2	18.6	14.2	102.3	162.0	24.5	23.8	28.1	47.6	0.2	0.3
75 - 79	307.5	5.8	2.4	13.4	9.9	66.5	111.7	18.5	19.2	21.5	38.3	0.1	0.2
80 - 84	181.3	3.3	1.6	8.3	6.2	35.8	64.5	11.2	12.2	13.2	25.0	<0.05	<0.05
85 - 89	79.6	1.4	0.7	4.0	2.8	14.9	28.8	4.8	5.4	5.6	11.2	<0.05	<0.05
90 +	27.3	0.5	0.3	1.7	1.1	4.9	10.3	1.7	1.6	1.7	3.5	<0.05	<0.05

Source: Dominion Bureau of Statistics.

HOSPITAL MORBIDITY STATISTICS

Based on the Experience of
Provincial Hospital Insurance Plans in Canada
January 1 - December 31, 1968

Biostatistics Division
Research and Statistics Directorate

Published by Authority of
The Honourable John Munro
Minister of National Health and Welfare

Maurice LeClair, M.D.
Deputy Minister of National Health

Joseph W. Willard
Deputy Minister of National Welfare

FOREWORD

This report, based on Canadian hospital morbidity experience for the year 1968, is the eighth of its type to be produced by the Department of National Health and Welfare.

The national tables have been compiled and consolidated from data prepared by the Provincial and Territorial Hospital Insurance Plans. In some instances, the provincial data have already been published, in full or in part, by the provinces in their individual annual reports; in others the data have been submitted directly to this Department in the form of tables or were processed in Ottawa by the Biostatistics Division, Department of National Health and Welfare and the Dominion Bureau of Statistics, using original records or duplicate cards or computer tapes provided by the provinces to the Dominion Bureau of Statistics.

Hospital admission-separation forms provide the basic source data from which the tables for each province are prepared. The content and format of the tables, in general, follow the outline for uniform hospital morbidity statistics approved in 1961 by the Advisory Committee on Hospital Insurance and Diagnostic Services. Some provinces were unable to provide the information for certain tables, as indicated by the various footnotes. Separation rates and patient-day rates are based on the 1968 population estimates as published by the Dominion Bureau of Statistics.

The present report is the last of a series which have utilized the 98-list of hospital morbidity categories. It is anticipated that future reports will incorporate a longer list of 188 items based on the Eighth Revision of the International Classification of Diseases, Adapted, as published by the U.S. Department of Health, Education and Welfare, Public Health Service.

This report was prepared in the Research and Statistics Directorate by Mr. A.C. McKenzie, Biostatistics Division, under the direction of Mr. C.B. Walker, Principal Research Officer (Biostatistics). Sections of the report were produced through a computer. Mr. R. Bélanger was responsible for the preparation of the tables and many of the calculations.

A handwritten signature in dark ink, reading "John E. Osborne". The signature is fluid and cursive, with the first name "John" and last name "Osborne" clearly legible.

John E. Osborne, Director,
Research and Statistics.

INTRODUCTION

The tables in this report cover the following aspects of hospitalization in Canada:

1. Summary of separations and the patient-days of these separations by the agency responsible for payment of hospitalization, by province.
2. Separations and patient-days by sex and age groups, separation rates and patient-day rates per 1,000 population, average length of stay and the percentage distributions of separations and patient-days, by province.
3. Separations and patient-days of these separations by age group and length of stay in hospital, by province.
4. Separations, patient-days of these separations, separation rates and patient-day rates per 100,000 population, average length of stay, "expected" separations and days standardized to the 1961 census population, and case rate and day rate comparisons with the year 1962 rate = 100, by sex and age group, by the Canadian List of 98 diagnoses, Canada.
5. Separations, patient-days, average length of stay, separation rates and patient-day rates per 1,000 population, by age group for the ten most common diagnoses, by province.
6. Separations, and separation rates per 100,000 population, and the rate per 1,000 separations for the twenty-five most common operations, by province.
7. Separations and patient-days for the 75 categories in the "Temporary List of Operations and Treatments", by province.
8. Separations and patient-days for the categories in a special list of infant diagnoses, for newborn infants and for infants under one year of age, by province.

When using the information in this bulletin, certain reservations should be kept in mind. The data are not meant to represent a true measure of the actual amount of illness in each province or in Canada. They reflect only the morbidity experience of persons admitted to hospitals. Data concerning sick persons who are treated at home, in a physician's office, or in hospital out-patient clinics are not included.

It must also be recognized that the counts of cases and patient-days apply to "separations". A separation is defined as a "discharge or death" occurring during the year. No account has been taken of multiple separations of an individual for the same illness, or multiple separations of an individual for different illnesses during the year.

The number of "separations" reported is, therefore, somewhat greater than the number of individuals involved. Although these distinctions may be of slight interest to those treating the sick person, they have definite interest for those concerned with hospital administration and planning of community services. In the Oxford,

England, Record Linkage Study⁽¹⁾ patients with certain conditions such as carcinoma of the bronchus, carcinoma of the breast, diabetes, cataract, nervousness and debility, schizophrenia, and neurotic depressive reaction, were often hospitalized more than once during a year, so that rates based on the number of discharges for a specific condition were somewhat higher than the corrected in-patient morbidity rates based on individuals discharged. For other conditions, such as hypertrophy of tonsils and adenoids, acute appendicitis, and broncho-pneumonia, the rates based on discharges are close to the corrected rates based on individuals.

Hospital caseloads also tend to reflect those disease conditions which receive some benefit from hospital facilities and services, with particular emphasis on surgery and intensive medical treatment. Examples of such conditions are acute appendicitis and coronary attacks. Alternatively, illnesses which can often be treated at home, or in the physician's office, such as upper respiratory illnesses and rheumatism, are less likely to appear in hospital morbidity statistics. Hospitalization data, therefore, may be a fair indicator of morbidity for some conditions but a poor indicator for others.

The data represent hospital utilization, or the amount of care provided. The provinces differ somewhat in their arrangements to provide this care, such as in the number of hospital beds available in relation to provincial population, the number of chronic facilities available, and the extent to which they are included in the hospital insurance program. Alternative forms of care, such as the care provided by nursing homes, vary from province to province. Comparisons of the effect of these factors on hospital utilization are beyond the scope of this publication.

It should be noted that Table 6 now includes supplementary information comparing the 1968 morbidity experience with the base year 1962, to indicate changes over a seven-year period for each diagnostic category, by age group and sex.

For convenience, the Canadian List of 98 Diagnoses has been included as an Appendix. This list, which was developed in 1961, will be phased out and replaced by a new list of 188 categories developed in 1968, together with a new group of recommended tables. Copies of the 188 List, and the new tables, are available from the Biostatistics Division, Department of National Health and Welfare, Ottawa.

(1) Acheson, E.D. Medical Record Linkage. Oxford University Press, 1967. London, New York, Toronto, p. 114.

<u>Table Number</u>	<u>LIST OF TABLES</u>	<u>Page</u>
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Prince Edward Island, 1968.	1
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Nova Scotia, 1968.	2
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, New Brunswick, 1968.	3
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Quebec, 1968.	4
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Ontario, 1968.	5
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Manitoba, 1968.	6
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Saskatchewan, 1968.	7
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Alberta, 1968.	8
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, British Columbia, 1968.	9
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Yukon, 1968.	10
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Northwest Territories, 1968.	11
2a(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Number of Separations, Male	12

<u>Table Number</u>		<u>Page</u>
2a(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Number of Separations, Female	13
2a(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Number of Separations, Both Sexes	14
2b(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Patient-Days since Admission, Male	15
2b(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Patient-Days since Admission, Female	16
2b(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Patient-Days since Admission, Both Sexes	17
2c(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Average Length of Stay, Male	18
2c(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Average Length of Stay, Female	19
2c(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Average Length of Stay, Both Sexes	20
2d(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Separation Rate per 1,000 Population, Male	21
2d(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Separation Rate per 1,000 Population, Female	22
2d(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Separation Rate per 1,000 Population, Both Sexes	23

<u>Table Number</u>		<u>Page</u>
2e(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Patient-Day Rate per 1,000 Population, Male	24
2e(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Patient-Day Rate per 1,000 Population, Female	25
2e(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Patient-Day Rate per 1,000 Population, Both Sexes	26
2f(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Percentage Distribution of Separations, Male	27
2f(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Percentage Distribution of Separations, Female	28
2f(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Percentage Distribution of Separations, Both Sexes	29
2g(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Percentage Distribution of Patient-Days, Male	30
2g(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Percentage Distribution of Patient-Days, Female	31
2g(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE AND TERRITORY, 1968. Percentage Distribution of Patient-Days, Both Sexes	32
5a(i)	SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE AND TERRITORY, 1968.	34

<u>Table Number</u>		<u>Page</u>
5a(ii)	PERCENTAGE DISTRIBUTION OF SEPARATIONS, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE AND TERRI- TORY, 1968.	35
5a(iii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1968. Number of Separations, Male	36
5a(iv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1968. Number of Separations, Female	37
5a(v)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1968. Number of Separations, Male	38
5a(vi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1968. Number of Separations, Female	39
5a(vii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1968. Number of Separations, Male	40
5a(viii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1968. Number of Separations, Female	41
5a(ix)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1968. Number of Separations, Male	42
5a(x)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1968. Number of Separations, Female	43
5a(xi)	SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1968.	44
5a(xii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1968. Number of Separations, Male	45
5a(xiii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1968. Number of Separations, Female	46
5a(xiv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1968. Number of Separations, Male	47

<u>Table Number</u>		<u>Page</u>
5a(xv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1968. Number of Separations, Female	48
5a(xvi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1968. Number of Separations, Male	49
5a(xvii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1968. Number of Separations, Female	50
5a(xviii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1968. Number of Separations, Male	51
5a(xix)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1968. Number of Separations, Female	52
5a(xx)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1968. Number of Separations, Male	53
5a(xxi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1968. Number of Separations, Female	54
5a(xxii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1968. Number of Separations, Male	55
5a(xxiii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1968. Number of Separations, Female	56
5b(i)	PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES ALL AGES, PRO- VINCIAL PLAN IN-PATIENTS, BY PROVINCE AND TERRITORY, 1968.	57
5b(ii)	PERCENTAGE DISTRIBUTION OF PATIENT-DAYS FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE AND TERRITORY, 1968.	58
5b(iii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1968. Patient-Days of Separations, Male	59
5b(iv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1968. Patient-Days of Separations, Female	60

<u>Table Number</u>		<u>Page</u>
5b(v)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1968. Patient-Days of Separations, Male	61
5b(vi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1968. Patient-Days of Separations, Female	62
5b(vii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1968. Patient-Days of Separations, Male	63
5b(viii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1968. Patient-Days of Separations, Female	64
5b(ix)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1968. Patient-Days of Separations, Male	65
5b(x)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1968. Patient-Days of Separations, Female	66
5b(xi)	PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN, ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1968.	67
5b(xii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1968. Patient-Days of Separations, Male	68
5b(xiii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1968. Patient-Days of Separations, Female	69
5b(xiv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1968. Patient-Days of Separations, Male	70
5b(xv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1968. Patient-Days of Separations, Female	71
5b(xvi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1968. Patient-Days of Separations, Male	72
5b(xvii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1968. Patient-Days of Separations, Female	73

<u>Table Number</u>		<u>Page</u>
5b(xviii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1968. Patient-Days of Separations, Male	74
5b(xix)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1968. Patient-Days of Separations, Female	75
5b(xx)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1968. Patient-Days of Separations, Male	76
5b(xxi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1968. Patient-Days of Separations, Female	77
5b(xxii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1968. Patient-Days of Separations, Male	78
5b(xxiii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1968. Patient-Days of Separations, Female	79
6	SEPARATIONS PATIENT-DAYS OF SEPARATIONS, AVERAGE STAY, SEPARATION RATE AND PATIENT- DAY RATE PER 100,000 POPULATION, "EXPECTED" CASES AND DAYS STANDARDIZED TO 1961 CENSUS POPULATION, AND A COMPARISON WITH 1962 HOSPITALIZATION EXPERIENCE, BY DIAGNOSIS, AGE GROUP AND SEX, Canada, 1968.	80
7(a)	NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1968.	179
7(b)	RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1968.	181
7(c)	PATIENT-DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS, BOTH SEXES AND ALL AGES, FOR TEN PROVINCES AND TWO TERRITORIES, 1968.	182
7(d)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) IN- CLUDING OUT-OF-PROVINCE HOSPITALIZATION, Newfoundland, 1968.	183
7(e)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) IN- CLUDING OUT-OF-PROVINCE HOSPITALIZATION, Prince Edward Island, 1968.	185

<u>Table Number</u>		<u>Page</u>
7(f)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, ALL AGES, BY SEX, FOR PROVIN- CIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE, Nova Scotia, 1968.	187
7(g)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) IN- CLUDING OUT-OF-PROVINCE HOSPITALIZATION, New Brunswick, 1968.	188
7(h)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) IN- CLUDING OUT-OF-PROVINCE HOSPITALIZATION, Quebec, 1968.	190
7(i)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) IN- CLUDING OUT-OF-PROVINCE HOSPITALIZATION, Ontario, 1968.	192
7(j)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Manitoba, 1968.	194
7(k)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Saskatchewan, 1968.	196
7(l)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Alberta, 1968.	198
7(m)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND EXCLUDING OUT-OF-PROVINCE HOSPITALIZATION), British Columbia, 1968.	200
7(n)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Yukon, 1968.	202
7(o)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Northwest Territories, 1968.	204
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Newfoundland, 1968.	206

<u>Table Number</u>		<u>Page</u>
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Prince Edward Island, 1968.	207
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TEN MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Nova Scotia, 1968.	208
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), New Brunswick, 1968.	209
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Quebec, 1968.	210
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Ontario, 1968.	211
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Manitoba, 1968.	212
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Saskatchewan, 1968.	213
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN AND NON-RESIDENTS), Alberta, 1968.	214
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), British Columbia, 1968.	215
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Yukon, 1968.	216
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1968.	217
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN- PATIENTS (EXCLUDING NEWBORN), Newfoundland, 1968.	218
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Prince Edward Island, 1968.	223

<u>Table Number</u>		<u>Page</u>
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS, (EXCLUDING NEWBORNS, AND OUT-OF-PROVINCE SEPARATIONS), New Brunswick, 1968.	228
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Quebec, 1968.	233
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Ontario, 1968.	238
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR MANITOBA RESIDENT IN-PATIENTS (EXCLUDING NEWBORN), Manitoba, 1968.	243
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Saskatchewan, 1968.	248
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR ALBERTA RESIDENTS (EXCLUDING NEWBORN), Alberta, 1968.	252
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN, AND OUT-OF-PROVINCE SEPARATIONS), British Columbia, 1968.	257
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR YUKON PLAN IN-PATIENTS (EXCLUDING NEWBORN), Yukon, 1968.	262
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1968.	267
10	SEPARATIONS AND PATIENT-DAYS FOR THE CATEGORIES IN THE LIST OF INFANT DIAGNOSES, BY SEX, FOR NEWBORN PATIENTS AND FOR INFANTS UNDER ONE YEAR OF AGE WHO ARE PROVINCIAL PLAN IN-PATIENTS (INCLUDING OUT-OF-PROVINCE HOSPITALIZATION) FOR EIGHT PROVINCES AND TWO TERRITORIES, 1968.	272

<u>Table Number</u>		<u>Page</u>
APPENDIX 1	THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955).	281
APPENDIX 2	CANADA POPULATION 1968 (EXCLUDING NOVA SCOTIA) UTILIZED IN TABLE 6, BY SEX AND AGE GROUP.	283
APPENDIX 3	CENSUS POPULATION, BY PROVINCE, AGE GROUP, AND SEX, CANADA, 1968 SOURCE: DOMINION BUREAU OF STATISTICS.	284

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, PRINCE EDWARD ISLAND, 1968

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province	18,247	2,089	20,336	182,659	13,534	196,193
2. Hospitalized in other provinces	{ 810 }	{ 61 }	{ 871 }	{ 11,987 }	{ 522 }	{ 12,509 }
3. Hospitalized in other countries						
Sum of A	19,057	2,150	21,207	194,646	14,056	208,702
B. <u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Department of Veterans Affairs	109	1	110	1,029	6	1,035
2. Workmen's Compensation Boards	173	-	173	1,949	-	1,949
3. Uninsured residents	-	-	-	-	-	-
4. Non-residents	522	56	578	3,494	554	4,048
5. Insured residents not the responsibility of Provincial Plan	46	-	46	375	-	375
6. Other agencies	-	-	-	-	-	-
Sum of B	850	57	907	6,847	560	7,407
Sum of A and B	19,907	2,207	22,114	201,493	14,616	216,109
C.						

TABLE 1.

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NOVA SCOTIA, 1968

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province						
i Active treatment hospitals	113,644	13,631	127,275	1,238,957	92,165	1,331,122
ii Chronic convalescent hospitals	623	-	623	23,553	-	23,553
2. Hospitalized in other provinces	1,122	155	1,277	11,439	1,273	12,712
3. Hospitalized in other countries	192	5	197	2,472	19	2,491
Sum of A	115,581	13,791	129,372	1,276,421	93,457	1,369,878
B. <u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Department of Veterans Affairs						
i In departmental hospitals	593	-	593	83,057	-	83,057
ii In other hospitals	280	-	280	6,237	-	6,237
2. Workmen's Compensation Boards	1,654	-	1,654	20,200	-	20,200
3. Uninsured residents and non-residents	2,946	299	3,245	37,932	2,384	40,316
4. Insured residents not the responsibility of N.S.H.I.C.	102	38	140	7,721	68	7,789
5. Other agencies	156	-	156	920	-	920
6. U.S.A.F.	6	1	7	40	5	45
Sum of B	5,737	338	6,075	156,107	2,457	158,564
Sum of A and B	121,318	14,129	135,447	1,432,528	95,914	1,528,442

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NEW BRUNSWICK, 1968

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province	99,150	11,015	110,165	903,879	68,435	972,314
2. Hospitalized in other provinces	-	-	-	-	-	-
3. Hospitalized in other countries	-	-	-	-	-	-
Sum of A	99,150	11,015	110,165	903,879	68,435	972,314
B. <u>Not the responsibility of Provincial Plan</u> <u>(excluding patients of mental and tuberculosis institutions)</u>						
1. Department of Veterans Affairs	40	-	40	437	-	437
2. Workmen's Compensation Boards	1,360	-	1,360	12,795	-	12,795
3. Uninsured residents	948	-	948	6,898	-	6,898
4. Non-residents	439	41	480	2,943	206	3,149
5. Insured residents not the responsibility of Provincial Plan	3,608	359	3,967	31,001	2,444	33,445
6. Other agencies	549	46	595	3,464	283	3,747
Sum of B	6,944	446	7,390	57,538	2,933	60,471
Sum of A and B	106,094	11,461	117,555	961,417	71,368	1,032,785
C.						

Note: Data on Provincial Plan patients hospitalized in other provinces or other countries were not available. This should be noted in making year-to-year comparisons.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, QUEBEC, 1968

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	Responsibility of Provincial Plan						
1.	Hospitalized in the province						
i	Active treatment hospitals						
ii	Chronic and convalescent hospitals (subdivided where applicable)						
a)	Chronic units attached to general hospitals	637	-	637	117,827	-	117,827
b)	Public chronic hospitals	7,457	-	7,457	1,135,825	-	1,135,825
c)	Private hospitals giving chronic care	3,892	-	3,892	593,812	-	593,812
d)	Other chronic facilities	1,471	-	1,471	305,078	-	305,078
e)	Public convalescent units and hospitals (Institut de Réhabilitation - Montreal)	684	-	684	29,631	-	29,631
2.	Hospitalized in other provinces	14,969	1,483	16,452	163,653	11,139	174,792
3.	Hospitalized in other countries	1,351	65	1,416	13,217	328	13,545
	Sum of A	799,907	99,783	899,690	10,489,916	641,261	11,131,177
B.	Not the responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
	Department of Veterans Affairs						
1.	In D.V.A. hospitals	338	-	338	4,619	-	4,619
ii	In other hospitals, Federal Government Workmen's Compensation Boards	503	1	504	5,679	5	5,684
2.	Uninsured residents - 5 and 6 below	12,375	-	12,375	127,041	-	127,041
3.	Non-residents	8,331	485	8,816	105,174	3,654	108,828
4.	Insured residents not the responsibility of Provincial Plan	200	52	252	1,694	355	2,049
5.	Other agencies	73	10	83	758	75	833
6.							
	Sum of B	21,820	548	22,368	244,965	4,089	249,054
C.	Sum of A and B	821,727	100,331	922,058	10,734,881	645,350	11,380,231

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, ONTARIO, 1968

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province						
i Active treatment hospitals						
ii Chronic and convalescent hospitals (subdivided where applicable)						
a) Chronic units attached to general hospitals	Not Available			Not Available		
b) Public chronic hospitals						
c) Private hospitals giving chronic care						
d) Other chronic facilities						
e) Public convalescent units and hospitals						
2. Hospitalized in other provinces						
3. Hospitalized in other countries						
Sum of A						
B. <u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Department of Veterans Affairs						
i In D.V.A. hospitals (not included)						
ii In other hospitals	Not Available			Not Available		
2. Workmen's Compensation Boards						
3. Uninsured residents						
4. Non-residents						
5. Insured residents not the responsibility of Provincial Plan						
6. Other agencies						
Sum of B						
C. Sum of A and B (less D.V.A. in D.V.A. hospitals)	1,122,561	126,968	1,249,529	14,763,605	900,495	15,664,100

TABLE 1
SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, MANITOBA, 1968

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. Responsibility of Provincial Plan						
1. Hospitalized in the province						
i Active treatment hospitals	165,433	17,020	182,453	1,558,885	108,621	1,667,506
ii Extended treatment hospitals	2,316	-	2,316	276,650	-	276,650
2. Hospitalized in other provinces	2,371	307	2,678	21,747	1,943	23,690
3. Hospitalized in other countries	698	49	747	6,568	289	6,857
Sum of A	170,818	17,376	188,194	1,863,850	110,853	1,974,703
B. Not the responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
Department of Veterans Affairs						
i In D.V.A. hospitals	695	-	695	11,720	-	11,720
ii In other hospitals	85	1	86	897	14	911
2. Workmen's Compensation Boards	1,880	-	1,880	19,798	-	19,798
3. Uninsured residents	9	1	10	128	5	133
4. Non-residents	8,020	690	8,710	86,517	5,825	92,342
5. Insured residents not the responsibility of Provincial Plan	148	-	148	402	-	402
6. Other agencies	-	-	-	-	-	-
Sum of B	10,837	692	11,529	119,462	5,844	125,306
Sum of A and B	181,655	18,068	199,723	1,983,312	116,697	2,100,009
C.						

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, SASKATCHEWAN, 1968

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province	194,816	17,794	212,610	1,821,543	111,826	1,933,369
i	Active treatment hospitals	240	-	240	89,551	-	89,551
ii	Geriatric and chronic care hospitals*	365	-	365	92,052	-	92,052
iii	Rehabilitation and chronic care hospitals**	5,149	615	5,764	53,252	4,144	57,396
2.	Hospitalized in other provinces	556	30	586	8,787	138	8,925
3.	Hospitalized in other countries						
	Sum of A	201,126	18,439	219,565	2,065,185	116,108	2,181,293
B.	<u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs						
i	In D.V.A. hospitals	-	-	-	-	-	-
ii	In other hospitals	577	-	577	6,112	-	6,112
2.	Workmen's Compensation Boards	1,828	-	1,828	15,296	-	15,296
3.	Uninsured residents	1,123	79	1,202	5,955	369	6,324
4.	Non-resident residents	2,661	174	2,835	18,828	1,088	19,916
5.	Insured residents not the responsibility of Provincial Plan	8	-	8	237	-	237
6.	Other agencies	111	2	113	677	8	685
	Sum of B	6,308	255	6,563	47,105	1,465	48,570
C.	Sum of A and B	207,434	18,694	226,128	2,112,290	117,573	2,229,863

*Geriatric and Chronic Care Hospitals at Saskatoon, Melfort and Swift Current.

**South Saskatchewan Hospital Centre - Wascana Division.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, ALBERTA, 1968

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province						
i Active treatment hospitals	305,276	29,427	334,703	2,658,710	215,953	2,874,663
ii Chronic and convalescent hospitals	3,054	-	3,054	700,929	-	700,929
2. Hospitalized in other provinces	4,819	633	5,452	39,356	3,817	43,173
3. Hospitalized in other countries	352	23	375	3,460	95	3,555
Sum of A	313,501	30,083	343,584	3,402,455	219,865	3,622,320
B. <u>Not the responsibility of Provincial Plan</u>						
1. Federal						
i In federal hospitals	1,906	-	1,906	87,158	-	87,158
ii In other hospitals	1,287	-	1,287	10,655	-	10,655
2. Workmen's Compensation Boards	6,336	-	6,336	57,291	-	57,291
3. Non-residents	7,390	561	7,951	79,375	4,364	83,739
4. Insured residents not responsibility of Provincial Plan	405	2	407	8,942	109	9,051
Sum of B	17,324	563	17,887	243,421	4,473	247,894
C. Sum of A and B	330,825	30,646	361,471	3,645,876	224,338	3,870,214

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, BRITISH COLUMBIA, 1968

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.						
Responsibility of Provincial Plan	(332,993)	(32,598)	(365,591)	(3,481,749)	(227,520)	(3,709,269)
1. Hospitalized in the province	328,186	32,598	360,784	3,108,487	227,520	3,336,007
i Active treatment hospitals (1)	3,954	-	3,954	132,477	-	132,477
ii Chronic hospitals (Rehabilitation)	853	-	853	240,785	-	240,785
iii Extended Care Units	3,950	295	4,245	40,419	1,875	42,294
2. Hospitalized in other provinces	677	21	698	5,993	111	6,104
3. Hospitalized in other countries						
Sum of A	337,620	32,914	370,534	3,528,161	229,506	3,757,667
B.						
Not the responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1. Federal Government (D.V.A. and Indian) documented cases only	604	9	613	5,641	77	5,718
2. Workmen's Compensation Boards	6,830	-	6,830	67,055	-	67,055
3. Uninsured residents						
4. Non-residents						
5. Insured residents not the responsibility of Provincial Plan	7,584	973	8,557	66,318	17,828	84,146
6. Other agencies						
Sum of B	15,018	982	16,000	139,014	17,905	156,919
Sum of A and B	352,638	33,896	386,534	3,667,175	247,411	3,914,586

(1) Statistics relating to a number of cases for which no documents are received by the British Columbia Hospital Insurance Service are not included in this table. If comparisons are made with data published for preceding years, it should be noted that Table 1 now includes data from Extended Care Units.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, YUKON, 1968

Items	Separations			Patient-Days		
	Discharges and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Yukon Plan</u>						
1. Hospitalized in Yukon	2,322	333	2,655	17,286	2,038	19,324
2. Hospitalized in other provinces	368	25	393	5,561	221	5,782
3. Hospitalized in other countries	-	-	-	-	-	-
Sum of A	2,690	358	3,048	22,847	2,259	25,106
B. <u>Not the responsibility of Yukon Plan</u> <u>(excluding patients of mental and</u> <u>tuberculosis institutions)</u>						
1. Workmen's Compensation Boards	114	-	114	991	-	991
2. Department of Veterans Affairs	4	-	4	56	-	56
3. Department of National Defence	9	-	9	69	-	69
4. Royal Canadian Mounted Police	1	-	1	5	-	5
5. Self	23	4	27	83	18	101
6. Other Provincial Plans	339	35	374	2,688	173	2,861
7. Indian and Northern Health Services	80	4	84	886	21	907
8. Other agencies	102	4	106	1,037	39	1,076
Sum of B	672	47	719	5,815	251	6,066
C. Sum of A and B	3,362	405	3,767	28,622	2,510	31,172

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NORTHWEST TERRITORIES, 1968

Items	Separations Discharges and deaths			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Territorial Plan</u>						
1. Hospitalized in Territories	5,914	987	6,901	39,137	6,067	45,204
2. Hospitalized in other provinces	1,417	162	1,579	26,027	1,465	27,492
3. Hospitalized in other countries	10	1	11	76	5	81
Sum of A	7,341	1,150	8,491	65,240	7,537	72,777
B. Not the responsibility of Territorial Plan (excluding patients of mental and tuberculosis institutions)						
1. Workmen's Compensation Boards	155	-	155	1,067	-	1,067
2. Department of Veterans Affairs	7	-	7	46	-	46
3. Department of National Defence	18	-	18	105	-	105
4. Royal Canadian Mounted Police	10	-	10	55	-	55
5. Self	132	1	133	809	6	815
6. Other Provincial Plans	354	46	400	2,403	248	2,651
7. Indian and Northern Health Services	345	3	348	2,861	15	2,876
8. Other Agencies	53	-	53	255	-	255
Sum of B	1,074	50	1,124	7,601	269	7,870
Sum of A and B	8,415	1,200	9,615	72,841	7,806	80,647
C.						

TABLE 2a (i) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

NUMBER OF SEPARATIONS

AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(2)
MALES													
NEWBORN	6,492	1,092	7,035	5,615	51,849	65,126	9,013	9,524	15,620	16,692	168	594	123,739
UNDER 1	3,102	583	2,962	2,655	15,953	17,867	4,442	2,777	7,619	6,226	65	546	46,930
1 - 4	4,649	972	5,150	4,698	32,986	51,316	7,478	12,461	15,177	14,230	108	522	98,431
5 - 9	3,182	630	4,270	3,963	31,725	43,457	6,318	8,070	12,654	13,083	102	244	84,241
10 - 14	2,235	505	2,852	2,666	18,827	23,778	3,920	5,187	8,511	7,396	76	184	52,359
15 - 19	1,746	399	2,555	2,194	18,338	(44,095)	3,620	4,529	7,726	6,744	46	120	48,017
20 - 24	1,602	262	1,911	1,710	19,487	()	3,132	3,172	6,734	5,589	81	144	43,824
25 - 29	1,202	231	1,335	1,274	15,369	()	2,347	2,331	5,319	5,136	76	116	34,736
30 - 34	1,070	217	1,267	1,099	15,253	(82,831)	2,231	2,199	5,340	4,737	63	108	33,584
35 - 39	1,208	264	1,476	1,429	17,119	()	2,479	2,606	5,951	6,161	80	108	38,881
40 - 44	1,305	241	1,977	1,764	19,675	()	2,869	3,090	6,477	7,138	65	133	44,734
45 - 49	1,389	346	2,356	2,083	20,529	()	3,443	3,636	6,836	7,655	61	102	48,436
50 - 54	1,413	436	2,768	2,237	20,795	(83,395)	3,990	3,919	6,987	7,772	69	100	50,486
55 - 59	1,429	435	3,151	2,347	21,249	()	4,432	4,519	7,177	8,302	80	105	53,226
60 - 64	1,115	447	2,975	2,201	19,782	28,102	4,420	4,650	7,290	8,314	44	79	51,317
65 - 69	1,002	513	2,668	2,047	16,422	(48,152)	4,582	4,675	7,273	7,929	48	64	47,223
70 - 74	965	452	2,664	1,977	13,403	()	4,177	4,642	6,351	6,931	24	43	41,629
75 - 79	695	426	2,292	1,644	9,798	()	4,235	4,976	6,190	6,869	17	27	37,169
80 - 84	468	272	1,647	1,170	5,691	(37,063)	3,240	4,201	4,697	5,602	20	26	27,034
85 +	235	222	1,140	820	3,093	()	2,229	2,987	2,993	3,510	17	17	17,263
UNKNOWN	4	-	-	1	-	1,272	-	-	-	-	9	4	18
ALL AGES	36,508	8,945	54,451	45,594	387,388	526,454	82,597	94,151	152,922	156,016	1,319	3,386	1,023,277

(2) Excludes Ontario

TABLE 2a (ii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

NUMBER OF SEPARATIONS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN	6,179	1,058	6,596	5,400	48,437	61,842	8,365	8,915	14,465	15,908	189	548	116,060
UNDER 1	2,224	425	2,053	1,892	11,214	12,018	3,393	2,012	5,552	4,547	46	415	33,773
1 - 4	3,181	673	3,636	3,597	23,972	38,075	5,882	9,563	11,789	11,051	93	490	74,017
5 - 9	2,478	600	3,408	3,427	25,066	36,579	5,412	7,072	10,847	11,181	94	267	69,852
10 - 14	2,103	429	2,507	2,520	15,456	20,651	3,794	4,767	7,698	6,434	64	163	45,935
15 - 19	4,930	824	5,579	5,244	30,434	{ 132,915 }	7,326	7,981	14,558	13,803	150	360	91,189
20 - 24	7,780	1,407	9,160	7,661	70,756	{ 132,915 }	11,872	13,295	24,447	24,129	252	654	171,413
25 - 29	5,278	1,008	6,810	5,713	61,108	{ 210,999 }	9,839	10,703	19,065	20,508	229	577	140,838
30 - 34	3,630	796	4,699	4,251	42,780	{ 210,999 }	6,617	7,785	13,720	14,484	156	477	99,395
35 - 39	3,101	659	4,056	3,796	37,679	{ 210,999 }	5,823	6,532	11,926	12,388	127	347	86,434
40 - 44	2,263	612	3,374	3,261	30,784	{ 210,999 }	5,332	6,202	10,427	11,729	85	234	74,303
45 - 49	1,779	475	3,215	2,931	26,307	{ 91,930 }	5,187	5,882	9,993	11,436	73	165	67,443
50 - 54	1,484	488	2,941	2,622	22,742	{ 91,930 }	4,599	5,615	8,469	10,176	43	94	59,273
55 - 59	1,295	432	2,658	2,342	20,181	{ 91,930 }	4,152	4,693	7,531	8,246	29	94	51,653
60 - 64	1,014	434	2,478	2,069	18,316	24,338	4,086	4,451	6,419	6,739	30	58	46,094
65 - 69	1,078	449	2,442	1,967	16,196	{ 46,307 }	3,911	4,371	6,069	6,493	12	51	43,039
70 - 74	915	496	2,530	1,981	13,632	{ 46,307 }	3,924	4,333	5,770	6,158	8	46	39,793
75 - 79	732	411	2,316	1,772	10,063	{ 45,938 }	3,863	4,174	5,302	5,669	11	14	34,327
80 - 84	381	312	1,617	1,233	6,228	{ 45,938 }	2,882	3,621	3,873	4,455	9	17	24,628
85 +	217	274	1,372	891	3,319	{ 45,938 }	2,157	2,752	2,678	3,190	16	20	16,886
UNKNOWN	1	-	-	1	-	1,483	-	-	-	-	12	3	17
ALL AGES	52,043	12,262	73,447	64,571	534,670	723,075	108,416	124,809	200,598	208,724	1,728	5,094	1,386,362

(2) Excludes Ontario

TABLE 2a (iii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

NUMBER OF SEPARATIONS													
AGE GROUP	N.F.L.D.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN	12,671	2,150	13,631	11,015	100,331	126,968	17,378	18,439	30,085	32,600	357	1,142	239,799
UNDER 1	5,326	1,008	5,015	4,547	27,167	29,885	7,835	4,789	13,171	10,773	111	961	80,703
1 - 4	7,830	1,645	8,786	8,295	56,958	89,391	13,360	22,114	26,966	25,281	201	1,012	172,448
5 - 9	5,660	1,230	7,678	7,390	56,791	80,036	11,730	15,142	23,501	24,264	196	511	154,093
10 - 14	4,338	934	5,359	5,186	34,283	44,429	7,714	9,954	16,209	13,830	140	347	98,294
15 - 19	6,676	1,223	8,134	7,438	48,772	(177,010)	10,946	12,510	22,284	20,547	196	480	139,206
20 - 24	9,382	1,669	11,071	9,371	90,243	()	15,004	16,467	31,181	29,718	333	798	215,237
25 - 29	6,480	1,239	8,145	6,987	76,477	()	12,186	13,034	24,384	25,644	305	693	175,574
30 - 34	4,700	1,013	5,966	5,350	58,033	{ 293,830 }	8,848	9,984	19,060	19,221	219	585	132,979
35 - 39	4,309	923	5,532	5,225	54,798	{ }	8,302	9,138	17,877	18,549	207	455	125,315
40 - 44	3,568	853	5,351	5,025	50,459	{ }	8,201	9,292	16,904	18,867	150	367	119,037
45 - 49	3,168	821	5,571	5,014	46,836	{ }	8,630	9,518	16,829	19,091	134	267	115,879
50 - 54	2,897	924	5,709	4,859	43,537	{ 175,325 }	8,589	9,534	15,456	17,948	112	194	109,759
55 - 59	2,724	867	5,809	4,689	41,430	{ }	8,584	9,212	14,708	16,548	109	199	104,879
60 - 64	2,129	881	5,453	4,270	38,098	{ 52,440 }	8,506	9,101	13,709	15,053	74	137	97,411
65 - 69	2,080	962	5,110	4,014	32,618	{ 94,459 }	8,493	9,046	13,342	14,422	60	115	90,262
70 - 74	1,880	948	5,194	3,958	27,035	{ }	8,101	8,975	12,121	13,089	32	89	81,422
75 - 79	1,427	837	4,608	3,416	19,861	{ }	8,098	9,150	11,492	12,538	28	41	71,496
80 - 84	849	584	3,264	2,403	11,919	{ 83,001 }	6,122	7,822	8,570	10,057	29	43	51,662
85 +	452	496	2,512	1,711	6,412	{ }	4,386	5,739	5,671	6,700	33	37	34,149
UNKNOWN	5	-	-	2	-	2,755	-	-	-	-	21	7	35
ALL AGES	88,551	21,207	127,898	110,165	922,058	1,249,529	191,013	218,960	353,520	364,740	3,047	8,480	2,409,639

(2) Excludes Ontario

TABLE 2b (i) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

PATIENT-DAYS SINCE ADMISSION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
MALES													
NEWBORN	42,063	7,370	47,519	35,355	333,679	465,065	57,439	60,065	113,927	116,551	1,068	3,938	818,974
UNDER 1	32,986	5,535	29,842	24,318	213,663	180,124	37,724	24,281	65,592	61,191	481	5,644	501,257
1 - 4	39,677	8,630	36,812	31,958	260,212	362,756	42,967	90,161	89,469	91,821	733	4,841	697,281
5 - 9	28,673	4,247	25,643	23,342	188,123	218,874	30,289	41,553	69,607	74,780	430	2,150	488,837
10 - 14	21,437	3,854	19,759	18,206	129,224	160,880	23,152	28,150	58,858	45,895	443	2,087	351,065
15 - 19	17,833	2,898	22,781	14,864	152,986	(386,273)	24,251	26,847	57,413	50,451	385	1,027	371,736
20 - 24	15,138	1,549	16,120	11,930	172,960	()	23,523	20,825	53,212	44,260	912	1,308	361,737
25 - 29	11,774	1,914	12,360	9,900	148,443	()	21,290	16,369	46,310	37,000	599	890	306,849
30 - 34	11,957	2,081	12,125	9,463	152,339	(878,342)	19,986	16,386	44,584	35,884	452	1,259	306,516
35 - 39	14,776	2,272	16,101	13,059	191,193	()	21,824	21,496	60,369	49,858	919	1,038	392,905
40 - 44	17,531	2,394	24,721	17,712	242,374	()	30,907	27,322	61,321	62,740	857	1,469	489,348
45 - 49	20,345	4,200	30,409	22,574	276,919	()	39,647	38,000	75,393	80,865	768	1,146	590,266
50 - 54	21,687	5,039	40,823	25,224	304,283	(1,261,939)	49,307	42,421	81,428	92,403	795	1,135	664,545
55 - 59	23,819	5,949	48,359	28,789	356,773	()	60,233	53,038	94,021	106,825	978	1,192	779,976
60 - 64	18,591	6,527	48,810	28,777	384,234	(509,560)	64,654	59,809	104,885	117,301	550	1,304	835,442
65 - 69	20,442	7,985	46,343	28,769	371,233	(1,092,847)	76,619	64,976	135,181	122,744	999	916	876,207
70 - 74	24,092	8,033	47,771	31,322	365,346	()	76,952	73,509	148,081	116,798	433	703	893,040
75 - 79	13,092	6,576	41,799	24,082	332,963	()	90,414	84,877	130,356	123,105	342	355	847,961
80 - 84	9,934	3,970	32,692	17,104	223,585	(1,165,341)	74,630	77,869	141,002	106,170	253	344	687,553
85 +	4,861	3,451	20,832	11,764	167,686	()	57,027	61,398	135,169	69,292	460	113	532,053
UNKNOWN	28	-	-	2	-	14,843	-	-	-	-	116	40	186
ALL AGES	410,736	94,474	621,621	428,514	4,968,218	6,696,844	922,835	929,352	1,766,178	1,605,934	12,973	32,899	11,793,734

(2) Excludes Ontario

TABLE 2b (ii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

PATIENT-DAYS SINCE ADMISSION													
AGE GROUP	NFLD.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA (2)
FEMALES													
NEWBORN	37,880	6,686	44,646	33,080	311,671	435,430	53,433	56,043	106,047	111,049	1,182	3,557	765,274
UNDER 1	22,430	3,835	20,901	17,202	154,146	134,775	28,906	18,038	49,142	46,021	292	4,359	365,272
1 - 4	27,004	4,971	26,841	24,869	195,937	262,458	36,728	71,636	72,931	74,532	572	5,254	541,275
5 - 9	21,094	3,944	19,340	19,122	148,649	180,162	24,249	33,474	53,035	55,921	543	1,943	381,314
10 - 14	18,319	2,714	17,252	15,531	106,943	130,468	20,943	25,582	50,937	41,198	466	1,412	301,297
15 - 19	35,458	4,975	36,889	31,339	214,013	(890,369)	40,788	45,335	88,316	84,299	1,047	2,171	584,630
20 - 24	48,626	8,518	57,389	43,266	464,375	()	68,336	73,433	146,632	144,918	1,395	3,900	1,060,788
25 - 29	34,831	6,118	45,571	35,734	436,096	()	61,317	60,784	122,230	131,459	1,328	3,666	939,134
30 - 34	25,928	5,390	36,007	28,941	353,519	(1,821,543)	44,314	48,921	98,049	100,952	842	2,984	745,847
35 - 39	26,542	5,210	35,599	30,343	371,512	()	42,995	45,175	96,854	97,585	710	2,476	755,001
40 - 44	23,862	5,956	35,637	29,241	367,337	()	47,584	49,196	93,368	102,547	640	1,800	757,168
45 - 49	25,434	4,806	38,321	30,181	362,221	()	49,895	53,292	103,355	108,346	539	1,850	778,240
50 - 54	20,270	6,110	40,123	29,543	354,167	(1,321,876)	52,529	56,016	94,077	107,090	623	819	761,367
55 - 59	20,233	5,968	39,295	28,480	384,205	()	52,219	54,285	91,436	102,253	364	894	779,632
60 - 64	16,986	6,141	41,053	27,310	376,347	491,690	61,641	57,060	91,742	94,031	517	866	773,694
65 - 69	20,047	6,822	41,786	27,606	390,269	(1,226,304)	63,034	60,430	103,607	97,780	193	511	812,085
70 - 74	17,987	8,181	46,530	29,094	413,310	()	77,642	62,942	123,273	102,754	94	556	882,363
75 - 79	20,561	7,743	45,997	27,477	405,715	()	93,719	71,286	128,082	102,664	119	164	903,527
80 - 84	8,904	5,309	34,497	20,517	341,456	(2,054,060)	92,701	67,527	139,406	87,628	170	171	798,286
85 +	7,438	4,831	29,380	14,912	260,125	()	71,859	59,883	167,878	69,603	394	-406	686,709
UNKNOWN	6	-	-	12	-	18,121	-	-	-	-	94	55	167
ALL AGES	479,840	114,228	733,054	543,800	6,412,013	8,967,256	1,084,832	1,070,338	2,020,397	1,862,630	12,124	39,814	14,373,070

(2) Excludes Ontario

TABLE 2b (iii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

PATIENT-DAYS SINCE ADMISSION													
AGE GROUP	NFLD.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA (2)
BOTH SEXES													
NEWBORN	79,943	14,056	92,165	68,435	645,350	900,495	110,872	116,108	219,974	227,600	2,250	7,495	1,584,248
UNDER 1	55,416	9,370	50,743	41,520	367,809	314,899	66,630	42,319	114,734	107,212	773	10,003	866,529
1 - 4	66,681	13,601	63,653	56,827	456,149	625,214	79,695	161,797	162,400	166,353	1,305	10,095	1,238,556
5 - 9	49,767	8,191	44,983	42,464	336,772	399,036	54,538	75,027	122,642	130,701	973	4,093	870,151
10 - 14	39,756	6,568	37,011	33,737	236,167	291,348	44,095	53,732	109,795	87,093	909	3,499	652,362
15 - 19	53,291	7,873	59,670	46,203	366,999	{ 1,276,642 }	65,039	72,182	145,729	134,750	1,432	3,198	956,366
20 - 24	63,764	10,067	73,509	55,196	637,335	{ }	91,859	94,258	199,844	189,178	2,307	5,208	1,422,525
25 - 29	46,605	8,032	57,931	45,634	584,539	{ }	82,607	77,153	168,540	168,459	1,927	4,556	1,245,983
30 - 34	37,885	7,471	48,132	38,404	505,858	{ 2,699,885 }	64,300	65,307	142,633	136,836	1,294	4,243	1,052,363
35 - 39	41,318	7,482	51,700	43,402	562,705	{ }	64,819	66,671	157,223	147,443	1,629	3,514	1,147,906
40 - 44	41,393	8,350	60,358	46,953	609,711	{ }	78,491	76,518	154,689	165,287	1,497	3,269	1,246,516
45 - 49	45,779	9,006	68,730	52,755	639,140	{ }	89,542	91,292	178,748	189,211	1,307	2,996	1,368,506
50 - 54	41,957	11,149	80,946	54,767	658,450	{ 2,583,815 }	101,836	98,437	175,505	199,493	1,418	1,954	1,425,912
55 - 59	44,052	11,917	87,654	57,269	740,978	{ }	112,452	107,323	185,457	209,078	1,342	2,086	1,559,608
60 - 64	35,577	12,668	89,863	56,087	760,581	{ 1,001,250 }	126,295	116,869	196,627	211,332	1,067	2,170	1,609,136
65 - 69	40,489	14,807	88,129	56,375	761,502	{ 2,319,151 }	139,653	125,406	238,788	220,524	1,192	1,427	1,688,292
70 - 74	42,079	16,214	94,301	60,416	778,656	{ }	154,594	136,451	271,354	219,552	527	1,259	1,775,403
75 - 79	33,653	14,319	87,796	51,559	738,678	{ }	184,133	156,163	258,438	225,769	461	519	1,751,488
80 - 84	18,838	9,279	67,189	37,621	565,041	{ 3,219,401 }	167,331	145,396	280,408	193,798	423	515	1,485,839
85 +	12,299	8,282	50,212	26,676	427,811	{ }	128,886	121,281	303,047	138,895	854	- 519	1,218,762
UNKNOWN	34	-	-	14	-	{ 32,964 }	-	-	-	-	210	95	353
ALL AGES	890,576	208,702	1,354,675	972,314	11,380,231	15,664,100	2,007,667	1,999,690	3,786,575	3,468,564	25,097	72,713	26,166,804

(2) Excludes Ontario

TABLE 2c (i) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

AVERAGE LENGTH OF STAY													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(2)
MALES													
NEWBORN	6.5	6.7	6.8	6.3	6.4	7.1	6.4	6.3	7.3	7.0	6.4	6.6	6.6
UNDER 1	10.6	9.5	10.1	9.2	13.4	10.1	8.5	8.7	8.6	9.8	7.4	10.3	10.7
1 - 4	8.5	8.9	7.1	6.8	7.9	7.1	5.7	7.2	5.9	6.5	6.8	9.3	7.1
5 - 9	9.0	6.7	6.0	5.9	5.9	5.0	4.8	5.1	5.5	5.7	4.2	8.8	5.8
10 - 14	9.6	7.6	6.9	6.8	6.9	6.8	5.9	5.4	6.9	6.2	5.8	11.3	6.7
15 - 19	10.2	7.3	8.9	6.8	8.3	(8.8)	6.7	5.9	7.4	7.5	8.4	8.6	7.7
20 - 24	9.4	5.9	8.4	7.0	8.9	()	7.5	6.6	7.9	7.9	11.3	9.1	8.3
25 - 29	9.8	8.3	9.3	7.8	9.7	()	9.1	7.0	8.7	7.2	7.9	7.7	8.8
30 - 34	11.2	9.6	9.6	8.6	10.0	{ 10.6 }	9.0	7.5	8.3	7.6	7.2	11.7	9.1
35 - 39	12.2	8.6	10.9	9.1	11.2	()	8.8	8.2	10.1	8.1	11.5	9.6	10.1
40 - 44	13.4	9.9	12.5	10.0	12.3	()	10.8	8.8	9.5	8.8	13.2	11.0	10.9
45 - 49	14.6	12.1	12.9	10.8	13.5	()	11.5	10.5	11.0	10.6	12.6	11.2	12.2
50 - 54	15.3	11.6	14.7	11.3	14.6	{ 15.1 }	12.4	10.8	11.7	11.8	11.5	11.4	13.2
55 - 59	16.7	13.7	15.3	12.3	16.8	()	13.6	11.7	13.1	12.9	12.2	11.4	14.7
60 - 64	16.7	14.6	16.4	13.1	19.4	18.1	14.6	12.9	14.4	14.1	12.5	16.5	16.3
65 - 69	20.4	15.6	17.4	14.1	22.6	{ 22.7 }	16.7	13.9	18.6	15.5	20.8	14.3	18.6
70 - 74	25.0	17.8	17.9	15.8	27.3	()	18.4	15.8	23.3	16.9	18.0	16.3	21.5
75 - 79	18.8	15.4	18.2	14.6	34.0	{ 31.4 }	21.3	17.1	21.1	17.9	20.1	13.1	22.8
80 - 84	21.2	14.6	19.8	14.6	39.3	()	23.0	18.5	30.0	19.0	12.6	13.2	25.4
85 +	20.7	15.5	18.3	14.3	54.2	()	25.6	20.6	45.2	19.7	27.1	6.6	30.8
UNKNOWN	7.0	-	-	2.0	-	11.7	-	-	-	-	12.9	10.0	10.3
ALL AGES	11.2	10.6	11.4	9.4	12.8	12.7	11.2	9.9	11.5	10.3	9.8	9.7	11.5

(2) Excludes Ontario

TABLE 2c (ii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

AVERAGE LENGTH OF STAY												
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T. CANADA (2)
FEMALES												
NEWBORN	6.1	6.3	6.8	6.1	6.4	7.0	6.4	6.3	7.3	7.0	6.3	6.5
UNDER 1	10.1	9.0	10.2	9.1	13.7	11.2	8.5	9.0	8.9	10.1	6.3	10.5
1 - 4	8.5	7.4	7.4	6.9	8.2	6.9	6.2	7.4	6.2	6.7	6.2	10.7
5 - 9	8.5	6.6	5.7	5.6	5.9	4.9	4.5	4.7	4.9	5.0	5.8	7.3
10 - 14	8.7	6.3	6.9	6.2	6.9	6.3	5.5	5.4	6.6	6.4	7.3	8.7
15 - 19	7.2	6.0	6.6	6.0	7.0	{ 6.7 }	5.6	5.7	6.1	6.1	7.0	6.0
20 - 24	6.2	6.2	6.3	5.6	6.6	{ }	5.8	5.5	6.0	6.0	5.5	6.0
25 - 29	6.6	6.1	6.7	6.3	7.1	{ }	6.2	5.7	6.4	6.4	5.8	6.4
30 - 34	7.1	6.8	7.7	6.8	8.3	{ 8.6 }	6.7	6.3	7.1	7.0	5.4	6.3
35 - 39	8.6	7.9	8.8	8.0	9.9	{ }	7.4	6.9	8.1	7.9	5.6	7.1
40 - 44	10.5	9.7	10.6	9.0	11.9	{ }	8.9	7.9	9.0	8.7	7.5	7.7
45 - 49	14.3	10.1	11.9	10.3	13.8	{ 14.4 }	9.6	9.1	10.3	9.5	7.4	11.2
50 - 54	13.7	12.5	13.6	11.3	15.6	{ }	11.4	10.0	11.1	10.5	14.5	8.7
55 - 59	15.6	13.8	14.8	12.2	19.0	{ }	12.6	11.6	12.1	12.4	12.6	9.5
60 - 64	16.8	14.1	16.6	13.2	20.5	20.2	15.1	12.8	14.3	14.0	17.2	14.9
65 - 69	18.6	15.2	17.1	14.0	24.1	{ 26.5 }	16.1	13.8	17.1	15.1	16.1	10.0
70 - 74	19.7	16.5	18.4	14.7	30.3	{ }	19.8	14.5	21.4	16.7	11.8	12.1
75 - 79	28.1	18.8	19.9	15.5	40.3	{ 44.7 }	24.3	17.1	24.2	18.1	10.8	11.7
80 - 84	23.4	17.0	21.3	16.6	54.8	{ }	32.2	18.6	36.0	19.7	18.9	10.1
85 +	34.3	17.6	21.4	16.7	78.4	{ }	33.3	21.8	62.7	21.8	24.6	20.3
UNKNOWN	6.0	-	-	12.0	-	12.2	-	-	-	-	7.8	18.3
ALL AGES	9.2	9.3	10.0	8.4	12.0	12.4	10.0	8.6	10.1	8.9	7.0	7.8
												10.4

(2) Excludes Ontario

TABLE 2c (iii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

AVERAGE LENGTH OF STAY													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(2)
BOTH SEXES													
NEWBORN	6.3	6.5	6.8	6.2	6.4	7.1	6.4	6.3	7.3	7.0	6.3	6.6	6.6
UNDER 1	10.4	9.3	10.1	9.1	13.5	10.5	8.5	8.8	8.7	10.0	7.0	10.4	10.7
1 - 4	8.5	8.3	7.2	6.9	8.0	7.0	6.0	7.3	6.0	6.6	6.5	10.0	7.2
5 - 9	8.8	6.7	5.9	5.7	5.9	5.0	4.6	5.0	5.2	5.4	5.0	8.0	5.6
10 - 14	9.2	7.0	6.9	6.5	6.9	6.6	5.7	5.4	6.8	6.3	6.5	10.1	6.6
15 - 19	8.0	6.4	7.3	6.2	7.5	{ 7.2 }	5.9	5.8	6.5	6.6	7.3	6.7	6.9
20 - 24	6.8	6.0	6.6	5.9	7.1	{ }	6.1	5.7	6.4	6.4	6.9	6.5	6.6
25 - 29	7.2	6.5	7.1	6.5	7.6	{ }	6.8	5.9	6.9	6.6	6.3	6.6	7.1
30 - 34	8.1	7.4	8.1	7.2	8.7	{ 9.2 }	7.3	6.5	7.5	7.1	5.9	7.3	7.9
35 - 39	9.6	8.1	9.3	8.3	10.3	{ }	7.8	7.3	8.8	7.9	7.9	7.7	9.2
40 - 44	11.6	9.8	11.3	9.3	12.1	{ }	9.6	8.2	9.2	8.8	10.0	8.9	10.5
45 - 49	14.4	11.0	12.3	10.5	13.6	{ }	10.4	9.6	10.6	9.9	9.8	11.2	11.8
50 - 54	14.5	12.1	14.2	11.3	15.1	{ 14.7 }	11.9	10.3	11.4	11.1	12.7	10.1	13.0
55 - 59	16.2	13.7	15.1	12.2	17.9	{ }	13.1	11.6	12.6	12.6	12.3	10.5	14.9
60 - 64	16.7	14.4	16.5	13.1	20.0	19.1	14.8	12.8	14.3	14.0	14.4	15.8	16.5
65 - 69	19.5	15.4	17.2	14.0	23.3	{ 24.6 }	16.4	13.9	17.9	15.3	19.9	12.4	18.7
70 - 74	22.4	17.1	18.2	15.3	28.8	{ }	19.1	15.2	22.4	16.8	16.5	14.1	21.8
75 - 79	23.6	17.1	19.1	15.1	37.2	{ 38.8 }	22.7	17.1	22.5	18.0	16.5	12.7	24.5
80 - 84	22.2	15.9	20.6	15.7	47.4	{ }	27.3	18.6	32.7	19.3	14.6	12.0	28.8
85 +	27.2	16.7	20.0	15.6	66.7	{ }	29.4	21.1	53.4	20.7	25.9	14.0	35.7
UNKNOWN	6.8	-	-	7.0	-	12.0	-	-	-	-	10.0	13.6	10.1
ALL AGES	10.1	9.8	10.6	8.8	12.3	12.5	10.5	9.1	10.7	9.5	8.2	8.6	10.9

(2) Excludes Ontario

TABLE 2d (i) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

SEPARATION RATE PER 1,000 POPULATION

AGE GROUP	N.F.L.D.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
MALES													
NEWBORN													
UNDER 1	470.0	583.0	423.1	435.2	321.6	276.2	510.6	308.6	491.5	372.8	325.0	910.0	387.9
1 - 4	167.8	206.8	159.0	168.4	136.2	173.6	192.7	306.2	225.8	188.5	135.0	227.0	175.7
5 - 9	92.2	94.0	96.6	102.7	92.0	107.1	117.9	145.4	133.9	120.1	102.0	106.1	107.3
10 - 14	68.1	80.2	67.6	70.9	56.4	63.0	76.3	96.4	97.8	72.1	95.0	108.2	69.8
15 - 19	59.2	67.6	64.5	62.3	61.1	(72.0)	77.4	94.2	107.3	75.0	76.7	92.3	71.8
20 - 24	77.0	62.4	63.3	66.8	75.4	()	82.9	89.1	119.4	71.5	162.0	102.9	79.8
25 - 29	82.3	79.7	60.4	73.6	73.6	()	80.4	87.3	109.9	75.5	108.6	82.9	78.9
30 - 34	82.3	77.5	62.1	71.4	82.0	(86.3)	83.6	86.6	110.1	73.6	105.0	83.1	83.0
35 - 39	94.4	94.3	73.8	92.2	91.6	()	90.8	97.2	118.1	92.9	133.3	98.2	94.7
40 - 44	105.2	89.3	97.4	108.2	108.6	()	101.0	112.8	137.5	110.5	108.3	147.8	111.3
45 - 49	115.8	128.1	116.1	131.0	131.4	()	126.1	136.7	165.1	133.4	122.0	145.7	134.2
50 - 54	126.2	161.5	139.1	151.1	153.5	(151.3)	154.1	153.7	193.5	145.8	230.0	200.0	155.0
55 - 59	152.0	174.0	177.0	177.8	183.3	()	192.7	197.3	236.9	179.7	266.7	210.0	188.7
60 - 64	161.6	212.9	217.2	213.7	220.5	224.1	236.4	243.5	288.1	227.8	220.0	263.3	230.3
65 - 69	196.5	285.0	254.1	255.9	248.8	(284.8)	316.0	320.2	371.1	279.2	480.0	320.0	279.8
70 - 74	235.4	282.5	309.8	299.5	282.8	()	360.1	386.8	438.0	310.8	240.0	430.0	323.0
75 - 79	248.2	387.3	369.7	349.8	322.3	()	481.2	502.6	562.7	385.9	170.0	270.0	400.1
80 - 84	292.5	388.6	445.1	433.3	357.9	(415.0)	589.1	636.5	671.0	459.2	200.0	(3)	482.8
85 +	261.1	555.0	495.7	512.5	372.7	()	743.0	807.3	767.4	487.5	(3)	(3)	551.5
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	141.1	160.9	142.7	145.5	131.0	144.2	169.6	192.2	197.0	153.5	162.8	202.8	151.4

(2) Excludes Ontario

(3) Population is less than 50

TABLE 2d (ii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

SEPARATION RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA (2)
FEMALES													
NEWBORN													
UNDER 1	342.2	425.0	306.4	320.7	234.1	195.7	403.9	234.0	372.6	284.2	230.0	691.7	289.4
1 - 4	121.0	146.3	118.1	136.8	104.9	135.9	158.1	249.4	184.8	155.0	132.9	233.3	139.6
5 - 9	75.8	95.2	80.2	93.4	75.8	94.2	105.9	132.2	119.5	106.9	94.0	121.4	92.9
10 - 14	65.9	70.3	62.4	69.6	48.4	57.2	77.0	93.1	93.3	65.7	80.0	101.9	64.1
15 - 19	170.0	142.1	145.7	152.9	103.9	(221.9)	160.7	172.0	208.9	161.6	300.0	276.9	140.4
20 - 24	367.0	343.2	310.5	308.9	270.0	()	321.7	385.4	420.8	318.7	504.0	594.5	312.5
25 - 29	364.0	360.0	311.0	336.1	289.7	()	344.0	410.1	381.3	312.6	381.7	524.5	320.7
30 - 34	300.0	306.2	237.3	272.5	230.5	(222.8)	254.5	317.8	293.8	246.3	312.0	477.0	252.8
35 - 39	262.8	253.5	200.8	237.2	200.0	()	214.1	256.2	255.9	206.8	254.0	433.8	216.4
40 - 44	200.3	235.4	161.4	195.3	166.6	()	180.1	232.3	228.2	185.6	212.5	390.0	184.6
45 - 49	164.7	175.9	153.1	180.9	163.7	(166.2)	182.0	221.1	243.7	190.6	243.3	330.0	183.1
50 - 54	145.5	180.7	147.8	179.6	162.9	()	175.5	224.6	242.0	186.4	143.3	235.0	180.4
55 - 59	156.0	187.8	160.1	187.4	169.7	185.4	182.1	218.3	261.5	182.4	145.0	313.3	186.2
60 - 64	161.0	228.4	187.7	200.9	190.2	(228.4)	218.5	258.8	279.1	191.4	150.0	193.3	207.1
65 - 69	207.3	264.1	216.1	226.1	213.4	()	259.0	319.1	335.3	222.4	120.0	255.0	240.2
70 - 74	212.8	291.8	253.0	260.7	239.2	()	304.2	376.8	409.2	241.5	80.0	460.0	274.8
75 - 79	236.1	316.2	308.8	322.2	260.7	(347.0)	390.2	453.7	505.0	275.2	(3)	140.0	322.9
80 - 84	211.7	346.7	351.5	362.6	300.9	()	472.5	613.7	586.8	332.5	(3)	(3)	388.5
85 +	217.0	391.4	403.5	371.3	278.9	()	553.1	724.2	669.5	375.3	(3)	(3)	426.4
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	209.6	225.4	194.2	207.8	180.0	197.8	224.0	265.5	267.5	210.7	250.4	356.2	207.6

(2) Excludes Ontario
(3) Population is less than 50

TABLE 2d (iii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

SEPARATION RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA (2)
BOTH SEXES													
NEWBORN													
UNDER 1	406.6	504.0	366.1	378.9	278.6	237.0	458.2	272.1	433.3	329.4	277.5	800.8	339.5
1 - 4	145.0	176.9	139.0	153.0	121.0	155.2	175.8	278.5	205.8	172.2	134.0	230.0	158.2
5 - 9	84.2	94.6	88.3	98.1	84.1	100.8	112.0	138.9	126.8	113.6	98.0	113.6	100.3
10 - 14	67.0	75.3	65.0	70.3	52.5	60.2	76.6	94.8	95.6	69.0	87.5	105.2	67.0
15 - 19	114.1	104.5	104.4	107.0	82.2	{ 146.2 }	118.5	132.4	157.3	117.2	178.2	184.6	105.6
20 - 24	223.4	201.1	185.5	185.9	173.4	()	200.9	234.9	272.3	193.1	333.0	319.2	196.1
25 - 29	222.7	217.4	185.1	203.7	182.2	()	210.8	246.9	247.8	191.9	234.6	277.2	199.7
30 - 34	187.3	187.6	148.4	172.6	156.2	{ 154.1 }	167.9	200.1	200.2	156.0	199.1	254.3	166.7
35 - 39	175.2	170.9	137.6	165.9	146.0	()	152.3	174.7	184.3	147.0	188.2	239.5	154.7
40 - 44	150.5	160.9	129.9	152.3	137.9	()	141.4	171.8	182.2	147.6	150.0	244.7	148.0
45 - 49	138.9	152.0	134.9	156.2	147.8	()	154.7	178.9	204.2	162.6	167.5	222.5	158.9
50 - 54	135.4	171.1	143.4	165.3	158.3	{ 158.8 }	164.9	188.8	217.4	166.3	186.7	215.6	167.8
55 - 59	153.9	180.6	168.9	182.5	176.4	()	187.4	207.5	248.9	181.1	218.0	248.8	187.5
60 - 64	161.3	220.2	202.7	207.3	204.8	204.3	227.4	250.7	283.8	209.9	185.0	228.3	218.7
65 - 69	201.9	274.9	234.4	240.4	229.9	{ 254.1 }	286.9	319.6	353.9	250.4	300.0	287.5	259.4
70 - 74	223.8	287.3	279.2	278.7	259.0	()	330.7	381.9	423.8	273.8	160.0	445.0	297.5
75 - 79	241.9	348.8	336.4	334.9	287.8	{ 374.4 }	433.0	479.1	534.5	326.5	280.0	205.0	358.9
80 - 84	249.7	365.0	393.3	393.9	325.7	()	527.8	625.8	630.1	392.9	290.0	(3)	432.7
85 +	237.9	450.9	440.7	427.8	317.4	()	635.7	765.2	717.8	426.8	(3)	(3)	481.7.
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	174.7	192.8	168.3	176.5	155.6	171.0	196.7	228.1	231.7	181.7	203.1	273.5	179.3

(2) Excludes Ontario
(3) Population is less than 50

TABLE 2e (i) .. HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

PATIENT-DAY RATE PER 1,000 POPULATION													
AGE GROUP	Nfld.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA (2)
MALES													
NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1	4,998	5,535	4,263	3,987	4,308	2,784	4,336	2,698	4,232	3,664	2,405	9,407	4,143
1 - 4	1,432	1,836	1,136	1,145	1,075	1,227	1,107	2,215	1,331	1,216	916	2,105	1,245
5 - 9	831	634	580	605	546	539	565	749	737	687	430	935	623
10 - 14	654	612	468	484	387	426	450	523	677	447	554	1,228	468
15 - 19	604	491	575	422	510	(631)	518	558	797	561	642	790	556
20 - 24	728	369	534	466	670	()	622	585	943	566	1,824	934	659
25 - 29	806	660	559	572	711	()	729	613	957	544	856	636	697
30 - 34	920	743	594	614	819	(915)	749	645	919	557	753	968	758
35 - 39	1,154	811	805	843	1,023	()	799	802	1,198	752	1,532	944	957
40 - 44	1,414	887	1,218	1,087	1,338	()	1,088	997	1,302	971	1,428	1,632	1,218
45 - 49	1,695	1,556	1,498	1,420	1,773	()	1,452	1,429	1,821	1,409	1,536	1,637	1,635
50 - 54	1,936	1,866	2,051	1,704	2,246	(2,290)	1,904	1,664	2,256	1,734	2,650	2,270	2,040
55 - 59	2,534	2,380	2,717	2,181	3,078	()	2,619	2,316	3,103	2,312	3,260	2,384	2,766
60 - 64	2,694	3,108	3,563	2,794	4,284	4,063	3,457	3,131	4,146	3,214	2,750	4,347	3,750
65 - 69	4,008	4,436	4,414	3,596	5,625	(6,463)	5,284	4,450	6,897	4,322	9,990	4,580	5,191
70 - 74	5,876	5,021	5,555	4,746	7,708	()	6,634	6,126	10,212	5,238	4,330	7,030	6,928
75 - 79	4,676	5,978	6,742	5,124	10,953	()	10,274	8,573	11,851	6,916	3,420	3,550	9,128
80 - 84	6,209	5,671	8,836	6,335	14,062	(13,050)	13,569	11,798	20,143	8,702	2,530	(3)	12,278
85 +	5,401	8,628	9,057	7,353	20,203	()	19,009	16,594	34,659	9,624	(3)	(3)	16,998
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	1,588	1,699	1,629	1,368	1,680	1,835	1,895	1,897	2,276	1,580	1,602	1,970	1,745

(2) Excludes Ontario
(3) Population is less than 50

TABLE 2e (ii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

PATIENT-DAY RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN													
UNDER 1	3,451	3,835	3,120	2,916	3,218	2,195	3,441	2,097	3,298	2,876	1,460	7,265	3,130
1 - 4	1,027	1,081	871	946	857	937	987	1,851	1,143	1,045	817	2,502	1,021
5 - 9	645	626	455	521	450	464	475	626	584	535	543	883	507
10 - 14	574	445	429	429	335	362	425	500	617	421	582	882	420
15 - 19	1,223	858	963	914	730	{1,487}	894	977	1,267	987	2,094	1,670	900
20 - 24	2,294	2,078	1,945	1,745	1,772	()	1,852	2,128	2,524	1,914	2,790	3,545	1,934
25 - 29	2,402	2,185	2,081	2,102	2,068	()	2,144	2,329	2,445	2,004	2,213	3,333	2,139
30 - 34	2,143	2,073	1,819	1,855	1,905	{1,923}	1,704	1,997	2,100	1,717	1,684	2,984	1,897
35 - 39	2,249	2,004	1,762	1,896	1,972	()	1,581	1,772	2,078	1,629	1,420	3,095	1,890
40 - 44	2,112	2,291	1,705	1,751	1,988	()	1,608	1,843	2,043	1,623	1,600	3,000	1,881
45 - 49	2,355	1,780	1,825	1,863	2,254	{2,390}	1,751	2,003	2,521	1,806	1,797	3,700	2,113
50 - 54	1,987	2,263	2,016	2,023	2,537	()	2,005	2,241	2,688	1,961	2,077	2,048	2,318
55 - 59	2,438	2,595	2,367	2,278	3,231	()	2,290	2,525	3,175	2,262	1,820	2,980	2,810
60 - 64	2,696	3,232	3,110	2,651	3,908	3,745	3,296	3,317	3,989	2,671	2,585	2,887	3,476
65 - 69	3,855	4,013	3,698	3,173	5,142	{6,050}	4,174	4,411	5,724	3,349	1,930	2,555	4,532
70 - 74	4,183	4,812	4,653	3,828	7,251	()	6,019	5,473	8,743	4,030	940	5,560	6,094
75 - 79	6,633	5,956	6,133	4,996	10,511	{15,514}	9,467	7,748	12,198	4,984	(3)	1,640	8,500
80 - 84	4,947	5,899	7,499	6,034	16,495	()	15,197	11,445	21,122	6,539	(3)	(3)	12,591
85 +	7,438	6,901	8,641	6,213	21,859	()	18,425	15,759	41,970	8,189	(3)	(3)	17,341
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	1,932	2,100	1,938	1,750	2,159	2,453	2,241	2,277	2,694	1,880	1,757	2,784	2,152

(2) Excludes Ontario

(3) Population is less than 50

TABLE 2e (iii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968
(1) See notes on page 33 for details

PATIENT-DAY RATE PER 1,000 POPULATION													
AGE GROUP	N.F.L.D.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN													
UNDER 1	4,230	4,685	3,704	3,460	3,772	2,497	3,896	2,404	3,774	3,279	1,932	8,336	3,645
1 - 4	1,235	1,462	1,007	1,048	969	1,086	1,049	2,038	1,240	1,133	870	2,294	1,136
5 - 9	741	630	517	564	499	503	521	688	662	612	486	910	566
10 - 14	614	530	449	457	362	395	438	512	648	434	568	1,060	445
15 - 19	911	673	766	665	619	{1,054}	704	764	1,028	769	1,302	1,230	726
20 - 24	1,518	1,213	1,231	1,095	1,225	{ }	1,230	1,345	1,745	1,229	2,307	2,083	1,296
25 - 29	1,602	1,409	1,317	1,330	1,393	{ }	1,429	1,461	1,713	1,261	1,482	1,822	1,417
30 - 34	1,509	1,384	1,197	1,239	1,361	{1,416}	1,220	1,309	1,498	1,111	1,176	1,845	1,319
35 - 39	1,680	1,386	1,286	1,378	1,499	{ }	1,189	1,275	1,621	1,168	1,481	1,849	1,417
40 - 44	1,747	1,575	1,465	1,423	1,660	{ }	1,353	1,414	1,667	1,293	1,497	2,179	1,550
45 - 49	2,008	1,668	1,664	1,643	2,017	{2,340}	1,605	1,716	2,169	1,612	1,634	2,497	1,876
50 - 54	1,961	2,065	2,034	1,863	2,393	{ }	1,955	1,949	2,468	1,849	2,363	2,171	2,180
55 - 59	2,489	2,483	2,548	2,228	3,156	{ }	2,455	2,417	3,138	2,288	2,684	2,608	2,788
60 - 64	2,695	3,167	3,341	2,723	4,089	3,900	3,377	3,220	4,071	2,947	2,668	3,617	3,613
65 - 69	3,931	4,231	4,043	3,376	5,366	{6,238}	4,718	4,431	6,334	3,829	5,960	3,568	4,851
70 - 74	5,009	4,913	5,070	4,255	7,458	{ }	6,310	5,806	9,488	4,593	2,635	6,295	6,487
75 - 79	5,704	5,966	6,408	5,055	10,705	{14,521}	9,847	8,176	12,020	5,879	4,610	2,595	8,793
80 - 84	5,541	5,799	8,095	6,167	15,438	{ }	14,425	11,632	20,618	7,570	4,230	(3)	12,444
85 +	6,473	7,529	8,809	6,669	21,179	{ }	18,679	16,171	38,360	8,847	(3)	(3)	17,190
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	1,757	1,897	1,782	1,558	1,920	2,144	2,068	2,083	2,481	1,728	1,673	2,346	1,947

(2) Excludes Ontario
(3) Population is less than 50

TABLE 2f (i) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS													
AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	Canada(2)
MALES													
NEWBORN	17.8	12.2	12.9	12.3	13.4	12.4	10.9	10.1	10.2	10.7	12.7	17.5	12.1
UNDER 1	8.5	6.5	5.4	5.8	4.1	3.4	5.4	2.9	5.0	4.0	4.9	16.1	4.6
1 - 4	12.7	10.9	9.5	10.3	8.5	9.7	9.1	13.2	9.9	9.1	8.2	15.4	9.6
5 - 9	8.7	7.0	7.8	8.7	8.2	8.3	7.6	8.6	8.3	8.4	7.7	7.2	8.2
10 - 14	6.1	5.6	5.2	5.8	4.9	4.5	4.7	5.5	5.6	4.7	5.8	5.4	5.1
15 - 19	4.8	4.5	4.7	4.8	4.7	(8.4)	4.4	4.8	5.1	4.3	3.5	3.5	4.7
20 - 24	4.4	2.9	3.5	3.8	5.0	()	3.8	3.4	4.4	3.6	6.1	4.3	4.3
25 - 29	3.3	2.6	2.5	2.8	4.0	()	2.8	2.5	3.5	3.3	5.8	3.4	3.4
30 - 34	2.9	2.4	2.3	2.4	3.9	(15.7)	2.7	2.3	3.5	3.0	4.8	3.2	3.3
35 - 39	3.3	3.0	2.7	3.1	4.4	()	3.0	2.8	3.9	3.9	6.1	3.2	3.8
40 - 44	3.6	2.7	3.6	3.9	5.1	()	3.5	3.3	4.2	4.6	4.9	3.9	4.4
45 - 49	3.8	3.9	4.3	4.6	5.3	()	4.2	3.9	4.5	4.9	4.6	3.0	4.7
50 - 54	3.9	4.9	5.1	4.9	5.4	(15.8)	4.8	4.2	4.6	5.0	5.2	3.0	4.9
55 - 59	3.9	4.9	5.8	5.1	5.5	()	5.4	4.8	4.7	5.3	6.1	3.1	5.2
60 - 64	3.1	5.0	5.5	4.8	5.1	5.3	5.4	4.9	4.8	5.3	3.3	2.3	5.0
65 - 69	2.7	5.7	4.9	4.5	4.2	(9.1)	5.5	5.0	4.8	5.1	3.6	1.9	4.6
70 - 74	2.6	5.1	4.9	4.3	3.5	()	5.1	4.9	4.2	4.4	1.8	1.3	4.1
75 - 79	1.9	4.8	4.2	3.6	2.5	()	5.1	5.3	4.0	4.4	1.3	0.8	3.6
80 - 84	1.3	3.0	3.0	2.6	1.5	(7.0)	3.9	4.5	3.1	3.6	1.5	0.8	2.6
85 +	0.6	2.5	2.1	1.8	0.8	()	2.7	3.2	2.0	2.2	1.3	0.5	1.7
UNKNOWN	..	-	-	..	-	0.2	-	-	-	-	0.7	0.1	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(2) Excludes Ontario
.. Less than 0.05

TABLE 2f (ii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS												
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T. CANADA(2)
FEMALES												
NEWBORN	11.9	8.6	9.0	8.4	9.1	8.6	7.7	7.1	7.2	7.6	10.9	10.8
UNDER 1	4.3	3.5	2.8	2.9	2.1	1.7	3.1	1.6	2.8	2.2	2.7	8.1
1 - 4	6.1	5.5	5.0	5.6	4.5	5.3	5.4	7.7	5.9	5.3	5.4	9.6
5 - 9	4.8	4.9	4.6	5.3	4.7	5.1	5.0	5.7	5.4	5.4	5.4	5.2
10 - 14	4.0	3.5	3.4	3.9	2.9	2.9	3.5	3.8	3.8	3.1	3.7	3.2
15 - 19	9.5	6.7	7.6	8.1	5.7	(18.4)	6.8	6.4	7.3	6.6	8.7	7.1
20 - 24	14.9	11.5	12.5	11.9	13.2	(18.4)	11.0	10.7	12.2	11.6	14.6	12.8
25 - 29	10.1	8.2	9.3	8.8	11.4	()	9.1	8.6	9.5	9.8	13.3	11.3
30 - 34	7.0	6.5	6.4	6.6	8.0	(29.2)	6.1	6.2	6.8	6.9	9.0	9.4
35 - 39	6.0	5.4	5.5	5.9	7.0	()	5.4	5.2	5.9	5.9	7.3	6.8
40 - 44	4.3	5.0	4.6	5.1	5.8	()	4.9	5.0	5.2	5.6	4.9	4.6
45 - 49	3.4	3.9	4.4	4.5	4.9	()	4.8	4.7	5.0	5.5	4.2	3.2
50 - 54	2.9	4.0	4.0	4.1	4.3	(12.7)	4.2	4.5	4.2	4.9	2.5	1.8
55 - 59	2.5	3.5	3.6	3.6	3.8	()	3.8	3.8	3.2	4.0	1.7	1.8
60 - 64	1.9	3.5	3.4	3.2	3.4	3.4	3.8	3.6	3.2	3.2	1.7	1.1
65 - 69	2.1	3.7	3.3	3.0	3.0	(6.4)	3.6	3.5	3.0	3.1	0.7	1.0
70 - 74	1.8	4.0	3.4	3.1	2.5	()	3.6	3.5	2.9	3.0	0.5	0.9
75 - 79	1.4	3.4	3.2	2.7	1.9	()	3.6	3.3	2.6	2.7	0.6	0.3
80 - 84	0.7	2.5	2.2	1.9	1.2	(6.4)	2.7	2.9	1.9	2.1	0.5	0.3
85 +	0.4	2.2	1.9	1.4	0.6	()	2.0	2.2	1.3	1.5	0.9	0.4
UNKNOWN	..	-	-	..	-	0.2	-	-	-	-	0.7	0.1
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(2) Excludes Ontario
.. Less than 0.05

TABLE 2f (iii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS												
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T. CANADA ⁽²⁾
BOTH SEXES												
NEWBORN	14.3	10.1	10.7	10.0	10.9	10.2	9.1	8.4	8.5	8.9	11.7	13.5
UNDER 1	6.0	4.8	3.9	4.1	2.9	2.4	4.1	2.2	3.7	3.0	3.6	11.3
1 - 4	8.8	7.8	6.9	7.5	6.2	7.2	7.0	10.1	7.6	6.9	6.6	11.9
5 - 9	6.4	5.8	6.0	6.7	6.2	6.4	6.1	6.9	6.6	6.7	6.4	6.0
10 - 14	4.9	4.4	4.2	4.7	3.7	3.6	4.0	4.5	4.6	3.8	4.6	4.1
15 - 19	7.5	5.8	6.4	6.8	5.3	(14.2)	5.7	5.7	6.3	5.6	6.4	5.7
20 - 24	10.6	7.9	8.7	8.5	9.8	()	7.9	7.5	8.8	8.1	10.9	9.4
25 - 29	7.3	5.8	6.4	6.3	8.3	()	6.4	6.0	6.9	7.0	10.0	8.2
30 - 34	5.3	4.8	4.7	4.9	6.3	(23.5)	4.6	4.6	5.4	5.3	7.2	6.9
35 - 39	4.9	4.4	4.3	4.7	5.9	()	4.3	4.2	5.1	5.1	6.8	5.4
40 - 44	4.0	4.0	4.2	4.6	5.5	()	4.3	4.2	4.8	5.2	4.9	4.3
45 - 49	3.6	3.9	4.4	4.6	5.1	()	4.5	4.3	4.8	5.2	4.4	3.1
50 - 54	3.3	4.4	4.5	4.4	4.7	(14.0)	4.5	4.4	4.4	4.9	3.7	2.3
55 - 59	3.1	4.1	4.5	4.3	4.5	()	4.5	4.2	4.2	4.5	3.6	2.3
60 - 64	2.4	4.2	4.3	3.9	4.1	4.2	4.5	4.2	3.9	4.1	2.4	1.6
65 - 69	2.3	4.5	4.0	3.6	3.5	(7.6)	4.4	4.1	3.8	4.0	2.0	1.4
70 - 74	2.1	4.5	4.1	3.6	2.9	()	4.2	4.1	3.4	3.6	1.0	1.0
75 - 79	1.6	3.9	3.6	3.1	2.2	()	4.2	4.2	3.2	3.4	0.9	0.5
80 - 84	1.0	2.8	2.6	2.2	1.3	(6.6)	3.2	3.6	2.4	2.8	1.0	0.5
85 +	0.5	2.3	2.0	1.6	0.7	()	2.3	2.6	1.6	1.8	1.1	0.4
UNKNOWN	..	-	-	..	-	0.2	-	-	-	-	0.7	0.1
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(2) Excludes Ontario
.. Less than 0.05

TABLE 28 (i) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS													
AGE GROUP	Nfld.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA (2)
MALES													
NEWBORN	10.2	7.8	7.6	8.2	6.7	6.9	6.2	6.5	6.4	7.3	8.2	12.0	6.9
UNDER 1	8.0	5.9	4.8	5.7	4.3	2.7	4.1	2.6	3.7	3.8	3.7	17.2	4.2
1 - 4	9.7	9.1	5.9	7.5	5.2	5.4	4.7	9.7	5.1	5.7	5.6	14.7	5.9
5 - 9	7.0	4.5	4.1	5.4	3.8	3.3	3.3	4.5	3.9	4.7	3.3	6.5	4.1
10 - 14	5.2	4.1	3.2	4.2	2.6	2.4	2.5	3.0	3.3	2.9	3.4	6.3	3.0
15 - 19	4.3	3.1	3.7	3.5	3.1	{ 5.8 }	2.6	2.9	3.2	3.1	3.0	3.1	3.2
20 - 24	3.7	1.6	2.6	2.8	3.5	{ }	2.5	2.2	3.0	2.8	7.0	4.0	3.1
25 - 29	2.9	2.0	2.0	2.3	3.0	{ }	2.3	1.8	2.6	2.3	4.6	2.7	2.6
30 - 34	2.9	2.2	2.0	2.2	3.1	{ 13.1 }	2.2	1.8	2.5	2.2	3.5	3.8	2.6
35 - 39	3.6	2.4	2.6	3.0	3.8	{ }	2.4	2.3	3.4	3.1	7.1	3.2	3.3
40 - 44	4.3	2.5	4.0	4.1	4.9	{ }	3.3	2.9	3.5	3.9	6.6	4.5	4.1
45 - 49	5.0	4.4	4.9	5.3	5.6	{ }	4.3	4.1	4.3	5.0	5.9	3.5	5.0
50 - 54	5.3	5.3	6.6	5.9	6.1	{ 18.8 }	5.3	4.6	4.6	5.8	6.1	3.4	5.6
55 - 59	5.8	6.3	7.8	6.7	7.2	{ }	6.5	5.7	5.3	6.7	7.5	3.6	6.6
60 - 64	4.5	6.9	7.9	6.7	7.7	7.6	7.0	6.4	5.9	7.3	4.2	4.0	7.1
65 - 69	5.0	8.5	7.5	6.7	7.5	{ 16.3 }	8.3	7.0	7.7	7.6	7.7	2.8	7.4
70 - 74	5.9	8.5	7.7	7.3	7.4	{ }	8.3	7.9	8.4	7.3	3.3	2.1	7.6
75 - 79	3.2	7.0	6.7	5.6	6.7	{ }	9.8	9.1	7.4	7.7	2.6	1.1	7.2
80 - 84	2.4	4.2	5.3	4.0	4.5	{ 17.4 }	8.1	8.4	8.0	6.6	2.0	1.0	5.8
85 +	1.2	3.7	3.4	2.7	3.4	{ }	6.2	6.6	7.7	4.3	3.5	0.3	4.5
UNKNOWN	..	-	-	..	-	0.2	-	-	-	-	0.9	0.1	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(2) Excludes Ontario
.. Less than 0.05

TABLE 2g (ii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN	7.9	5.9	6.1	6.1	4.9	4.9	4.9	5.2	5.2	6.0	9.7	8.9	5.3
UNDER 1	4.7	3.4	2.9	3.2	2.4	1.5	2.7	1.7	2.4	2.5	2.4	10.9	2.5
1 - 4	5.6	4.4	3.7	4.6	3.1	2.9	3.4	6.7	3.6	4.0	4.7	13.2	3.8
5 - 9	4.4	3.5	2.6	3.5	2.3	2.0	2.2	3.1	2.6	3.0	4.5	4.9	2.7
10 - 14	3.8	2.4	2.4	2.9	1.7	1.5	1.9	2.4	2.5	2.2	3.8	3.5	2.1
15 - 19	7.4	4.4	5.0	5.8	3.3	{ 9.9 }	3.8	4.2	4.4	4.5	8.6	5.5	4.1
20 - 24	10.1	7.5	7.8	8.0	7.2		6.3	6.9	7.3	7.8	11.5	9.8	7.4
25 - 29	7.3	5.4	6.2	6.6	6.8	(5.7	5.7	6.0	7.1	11.0	9.2	6.5
30 - 34	5.4	4.7	4.9	5.3	5.5	{ 20.3 }	4.1	4.6	4.9	5.4	6.9	7.5	5.2
35 - 39	5.5	4.6	4.9	5.6	5.8		(4.0	4.2	4.8	5.2	5.9	6.2
40 - 44	5.0	5.2	4.9	5.4	5.7	(4.4	4.6	4.6	5.5	5.3	4.5	5.3
45 - 49	5.3	4.2	5.2	5.5	5.6	(4.6	5.0	5.1	5.8	4.4	4.6	5.4
50 - 54	4.2	5.3	5.5	5.4	5.5	{ 14.7 }	4.8	5.2	4.7	5.7	5.1	2.1	5.3
55 - 59	4.2	5.2	5.4	5.2	6.0	(4.8	5.1	4.5	5.5	3.0	2.2	5.4
60 - 64	3.5	5.4	5.6	5.0	5.9	5.5	5.7	5.3	4.5	5.0	4.3	2.2	5.4
65 - 69	4.2	6.0	5.7	5.1	6.1	{ 13.7 }	5.8	5.6	5.1	5.2	1.6	1.3	5.6
70 - 74	3.7	7.2	6.3	5.4	6.4	(7.2	5.9	6.1	5.5	0.8	1.4	6.1
75 - 79	4.3	6.8	6.3	5.1	6.3	(8.6	6.7	6.3	5.5	1.0	0.4	6.3
80 - 84	1.9	4.6	4.7	3.8	5.3	{ 22.9 }	8.5	6.3	6.9	4.7	1.4	0.4	5.6
85 +	1.6	4.2	4.0	2.7	4.1	(6.6	5.6	8.3	3.7	3.2	1.0	4.8
UNKNOWN	..	-	-	..	-	0.2	-	-	-	-	0.8	0.1	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(2) Excludes Ontario
.. Less than 0.05

TABLE 2g (iii) - HOSPITALIZATION BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(2)
BOTH SEXES													
NEWBORN													
UNDER 1	9.0	6.7	6.8	7.0	5.7	5.7	5.5	5.8	5.8	6.6	9.0	10.3	6.1
1 - 4	6.2	4.5	3.7	4.3	3.2	2.0	3.3	2.1	3.0	3.1	3.1	13.8	3.3
5 - 9	7.5	6.5	4.7	5.8	4.0	4.0	4.0	8.1	4.3	4.8	5.2	13.9	4.7
10 - 14	5.6	3.9	3.3	4.4	3.0	2.5	2.7	3.8	3.2	3.8	3.9	5.6	3.3
15 - 19	4.5	3.1	2.7	3.5	2.1	1.9	2.2	2.7	2.9	2.5	3.6	4.8	2.5
20 - 24	6.0	3.8	4.4	4.8	3.2	{ 8.1 }	3.2	3.6	3.8	3.9	5.7	4.4	3.7
25 - 29	7.2	4.8	5.4	5.7	5.6	{ }	4.6	4.7	5.3	5.5	9.2	7.2	5.4
30 - 34	5.2	3.8	4.3	4.7	5.1	{ }	4.1	3.9	4.4	4.9	7.7	6.3	4.8
35 - 39	4.3	3.6	3.6	3.9	4.4	{ 17.2 }	3.2	3.3	3.8	3.9	5.2	5.8	4.0
40 - 44	4.6	3.6	3.8	4.5	4.9	{ }	3.2	3.3	4.2	4.2	6.5	4.8	4.4
45 - 49	4.6	4.0	4.5	4.8	5.4	{ }	3.9	3.8	4.1	4.8	6.0	4.5	4.8
50 - 54	5.1	4.3	5.1	5.4	5.6	{ 16.5 }	4.5	4.6	4.7	5.5	5.2	4.1	5.2
55 - 59	4.7	5.3	6.0	5.6	5.8	{ }	5.1	4.9	4.6	5.8	5.6	2.7	5.4
60 - 64	4.9	5.7	6.5	5.9	6.5	{ }	5.6	5.4	4.9	6.0	5.3	2.9	6.0
65 - 69	4.0	6.1	6.6	5.8	6.7	6.4	6.3	5.8	5.2	6.1	4.3	3.0	6.1
70 - 74	4.5	7.1	6.5	5.8	6.7	{ 14.8 }	7.0	6.3	6.3	6.4	4.7	2.0	6.4
75 - 79	4.7	7.8	7.0	6.2	6.8	{ }	7.7	6.8	7.2	6.3	2.1	1.7	6.8
80 - 84	3.8	6.9	6.5	5.3	6.5	{ }	9.2	7.8	6.8	6.5	1.8	0.7	6.7
85 +	2.1	4.4	5.0	3.9	5.0	{ 20.5 }	8.3	7.3	7.4	5.6	1.7	0.7	5.7
UNKNOWN	1.4	4.0	3.7	2.7	3.8	{ }	6.4	6.1	8.0	4.0	3.4	0.7	4.7
	..	-	-	..	-	0.2	-	-	-	-	0.8	0.1	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(2) Excludes Ontario
.. Less than 0.05

NOTES

BASICALLY, TABLE 2 PRESENTS DATA ON PROVINCIAL OR TERRITORIAL PLAN IN-PATIENTS INCLUDING OUT-OF-PROVINCE OR OUT-OF-TERRITORY HOSPITALIZATION, WITH THE FOLLOWING EXCEPTIONS:

a) Newfoundland: Includes some non-plan separations and days.

b) Nova Scotia: Excludes out-of-province hospitalization.

c) New Brunswick: Excludes out-of-province hospitalization. (This should be noted in making year-to-year comparisons.)

d) Quebec: Includes all non-plan separations and days.

e) Ontario: Data are based on "claims processed" during the year and include out-of-province residents hospitalized in Ontario hospitals, as well as insured Ontario residents hospitalized in out-of-province hospitals. Totals also include all patients hospitalized in Federal (including D. V. A.) hospitals for whom the Ontario Hospital Services Commission was responsible for payment. Totals exclude patients in D. V. A. hospitals for whom the Department of Veterans Affairs was responsible.

f) Manitoba: Includes non-plan separations and days, but excludes non-residents.

g) Saskatchewan: Excludes Provincial Plan separations and days from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

h) Alberta: Also includes non-plan separations and days but excludes non-residents.

i) British Columbia: Includes in-province separations and days (Provincial Plan) from chronic (rehabilitation) hospitals. Excludes in-province separations and days (Provincial Plan) from Extended Care Units, and excludes out-of-province separations and days (Provincial Plan).

TABLE 5a (1) SEPARATIONS BY LENGTH OF STAY, FOR FOUR SEXES AND ALL AGES, (1) PROVINCIAL PLAN (2) IN-PATIENTS, BY PROVINCE, 1968

LENGTH OF STAY IN DAYS (4)	NUMBER OF SEPARATIONS, BOTH SEXES											
	NFLD.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (3)
1	4,950	1,058	5,732	75,240	104,292	13,990	17,509	27,935	25,380	298	819	277,203
2	7,336	1,526	9,135	62,274	125,105	23,983	26,322	44,174	50,719	441	812	351,827
3	7,472	1,749	8,570	49,134	83,436	14,885	18,671	31,078	28,682	261	661	244,599
4 - 6	20,428	5,016	27,176	195,720	260,516	45,521	52,360	82,077	78,818	720	2,058	770,410
7 - 10	13,807	4,120	21,232	157,983	209,987	31,166	36,757	62,005	63,501	446	1,380	602,384
11 - 14	7,388	2,148	11,254	96,877	109,083	14,999	18,077	28,049	29,999	186	585	318,645
15 - 29	10,031	2,448	12,846	132,389	147,271	19,102	21,551	31,901	37,001	210	665	415,415
30 - 59	3,394	778	2,730	38,252	58,532	6,953	7,037	10,840	13,545	71	266	142,398
60+	1,069	214	473	13,858	24,339	3,036	2,237	5,376	4,495	36	85	55,218
TOTAL	75,875	19,057	99,148	821,727	1,122,561	173,635	200,521	323,435	332,140	2,669	7,331	3,178,099

(1) Excludes newborn. Separations with "age unspecified" are excluded except for Ontario. See Tables 2a(iii) and 5a(xi).

(2) See footnotes at the end of Table 2 for exceptions.

(3) Excludes Nova Scotia.

(4) In this table, length of stay data have been consolidated into ten categories to facilitate comparison between provinces. For data by province, age group, and sex, see Table 5a(iii) and following tables.

TABLE 5a (ii) SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, (1) PROVINCIAL PLAN (2) IN-PATIENTS, BY PROVINCE, 1968

LENGTH OF STAY IN DAYS	PERCENTAGE DISTRIBUTION OF SEPARATIONS, BOTH SEXES											
	Nfld.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (3)
1	6.5	5.6	5.8	9.2	9.3	8.1	8.7	8.6	7.6	11.2	11.2	8.7
2	9.7	8.0	9.2	7.6	11.1	13.8	13.1	13.7	15.3	16.5	11.1	11.1
3	9.8	9.2	8.6	6.0	7.4	8.6	9.3	9.6	8.6	9.8	9.0	7.7
4 - 6	26.9	26.3	27.4	23.8	23.2	26.2	26.1	25.4	23.7	27.0	28.1	24.2
7 - 10	18.2	21.6	21.4	19.2	18.7	17.9	18.3	19.2	19.1	16.7	18.8	19.0
11 - 14	9.7	11.3	11.4	11.8	9.7	8.6	9.0	8.7	9.0	7.0	8.0	10.0
15 - 29	13.2	12.8	13.0	16.1	13.1	11.0	10.7	9.9	11.1	7.9	9.1	13.1
30 - 59	4.5	4.1	2.8	4.7	5.2	4.0	3.5	3.4	4.1	2.7	3.6	4.5
60+	1.4	1.1	0.5	1.7	2.2	1.7	1.1	1.7	1.4	1.3	1.2	1.7
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

- (1) Excludes newborn, but includes "age unspecified".
- (2) See footnotes at the end of Table 2 for exceptions.
- (3) Excludes Nova Scotia.

TABLE 5a (411) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, NEWFOUNDLAND, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN (2)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	117	2,303	164	397	526	408	375	272	98	63
2	273	3,104	260	713	1,003	356	368	266	78	60
3	1,030	2,558	276	548	629	338	367	255	76	69
4	1,597	2,169	279	425	423	305	322	274	82	59
5	1,729	1,953	260	384	362	233	313	246	93	62
6	454	1,619	236	307	266	187	237	261	75	50
7	286	1,715	213	308	333	190	287	257	65	62
8	226	1,529	188	229	246	170	254	284	108	50
9	129	1,367	187	193	214	148	224	257	91	53
10	124	1,176	136	157	164	130	228	230	73	58
11 - 14	180	3,266	354	369	419	329	605	744	257	189
15 - 19	110	2,423	219	222	279	227	460	617	230	169
20 - 29	117	2,486	177	198	261	171	420	754	295	210
30 - 59	86	1,770	109	151	206	114	261	510	252	167
60 - 89	24	322	20	31	61	23	37	75	37	38
90+	10	252	24	17	25	19	27	44	57	39
TOTAL	6,492	30,012	3,102	4,649	5,417	3,348	4,785	5,346	1,967	1,398

(1) See footnotes at the end of Table 2.

(2) In previous years, Newfoundland reported "sick newborn" only.

TABLE 5a (iv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN ⁽¹⁾ IN-PATIENTS, NEWFOUNDLAND, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN ⁽²⁾	TOTAL	UNDER 1.	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	102	2,647	113	282	352	762	746	247	85	60
2	266	4,232	166	490	891	1,028	1,174	359	74	50
3	1,056	4,914	231	372	592	1,560	1,678	337	80	64
4	1,591	5,687	204	280	421	2,159	2,172	303	91	57
5	1,563	5,417	186	293	288	2,199	2,029	282	87	53
6	454	3,583	173	216	292	1,315	1,195	244	92	56
7	238	2,668	190	203	266	816	783	266	90	54
8	185	2,120	156	182	211	574	615	229	94	59
9	131	1,780	125	120	156	449	527	263	79	61
10	96	1,452	88	104	131	315	467	235	72	40
11 - 14	160	4,122	252	251	302	675	1,291	862	292	197
15 - 19	117	2,680	112	147	245	350	690	703	281	152
20 - 29	112	2,442	123	143	225	295	541	678	269	168
30 - 59	84	1,624	80	58	156	173	302	449	227	179
60 - 89	20	301	12	21	37	23	44	71	54	39
90+	4	194	13	19	16	17	18	44	26	41
TOTAL	6,179	45,863	2,224	3,181	4,581	12,710	14,272	5,572	1,993	1,330

(1) See footnotes at the end of Table 2.

(2) In previous years, Newfoundland reported "sick newborn" only.

TABLE 5a (v) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, PRINCE EDWARD ISLAND, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	26	460	18	55	83	84	70	77	33	40
2	4	577	31	98	137	76	85	81	36	33
3	19	725	29	128	209	92	82	110	43	32
4	96	567	38	79	113	74	101	90	39	33
5	421	568	46	89	84	49	89	121	43	47
6	272	591	61	87	97	58	66	115	50	57
7	106	519	46	66	88	49	66	96	55	53
8	28	520	58	74	58	34	57	118	61	60
9	27	369	56	45	43	20	37	71	54	43
10	15	349	38	51	38	25	44	75	36	42
11 - 14	23	969	88	102	84	52	108	241	143	151
15 - 19	26	586	36	45	36	23	72	160	104	110
20 - 29	11	558	24	28	40	13	45	173	136	99
30 - 59	14	398	11	16	17	8	26	110	106	104
60 - 89	3	63	1	4	5	3	3	16	17	14
90+	1	34	2	5	3	1	2	10	9	2
TOTAL	1,092	7,853	583	972	1,135	661	953	1,664	965	920

(1) See footnotes at the end of Table 2.

TABLE 5a (vi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) PRINCE EDWARD ISLAND, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	12	598	4	45	74	165	185	65	33	27
2	3	949	16	69	179	208	288	138	29	22
3	29	1,024	32	92	213	236	255	130	32	34
4	114	840	41	67	109	207	245	92	36	43
5	452	1,338	37	57	83	437	527	110	49	38
6	221	1,112	31	53	68	338	403	121	45	53
7	110	833	40	72	52	224	228	106	54	57
8	32	625	52	33	56	121	181	94	46	42
9	23	492	32	47	30	74	112	95	41	61
10	11	413	32	23	22	72	109	84	37	34
11 - 14	19	1,179	59	64	64	81	265	307	177	162
15 - 19	12	695	27	20	39	30	142	186	112	139
20 - 29	11	609	18	18	21	15	82	179	142	134
30 - 59	6	380	2	10	13	15	46	93	90	111
60 - 89	2	74	1	2	4	3	5	18	13	28
90+	1	43	1	1	2	5	2	11	9	12
TOTAL	1,058	11,204	425	673	1,029	2,231	3,075	1,829	945	997

(1) See footnotes at the end of Table 2.

TABLE 5a (vii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, NEW BRUNSWICK, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	77	2,463	71	265	469	456	372	458	197	175
2	54	3,998	136	746	1,416	457	445	490	155	153
3	244	3,450	183	523	904	446	506	538	199	151
4	1,072	3,065	200	437	615	403	502	531	198	179
5	1,891	3,075	263	454	559	332	468	601	219	179
6	989	2,789	237	415	436	323	421	552	209	196
7	411	2,725	252	358	447	308	375	561	217	207
8	261	2,312	213	305	355	211	331	528	214	155
9	121	2,075	193	204	292	183	324	489	204	186
10	92	1,695	139	191	196	132	249	438	170	180
11 - 14	169	4,738	380	448	440	294	687	1,299	618	572
15 - 19	110	3,034	199	185	232	174	417	875	501	451
20 - 29	81	2,880	144	123	182	130	323	966	503	509
30 - 59	38	1,446	41	40	82	48	124	486	344	281
60 - 89	5	167	3	2	3	5	18	46	48	42
90+	-	66	1	2	1	2	4	10	28	18
TOTAL	5,615	39,978	2,655	4,698	6,629	3,904	5,566	8,868	4,024	3,634

(1) See footnotes at the end of Table 2.

TABLE 5a (viii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, NEW BRUNSWICK, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	61	3,269	44	195	341	959	1,082	378	127	143
2	76	5,137	61	543	1,333	1,133	1,313	491	140	123
3	318	5,120	128	421	884	1,327	1,434	617	166	143
4	1,079	5,688	176	344	610	1,697	1,826	672	212	151
5	1,852	7,179	175	352	498	2,515	2,613	644	209	173
6	897	5,380	180	298	424	1,763	1,782	554	188	191
7	356	4,217	195	297	412	1,074	1,215	587	208	229
8	209	3,166	168	214	348	645	874	546	187	184
9	112	2,682	127	163	204	435	830	547	186	190
10	74	2,360	95	147	178	285	699	558	204	194
11 - 14	144	6,516	270	324	389	607	1,805	1,791	683	647
15 - 19	106	3,825	148	147	166	247	849	1,213	545	510
20 - 29	80	3,107	102	120	108	154	550	936	566	571
30 - 59	30	1,284	21	28	47	50	139	371	278	350
60 - 89	6	177	-	3	5	14	10	45	34	66
90+	-	63	2	1	-	-	-	14	15	31
TOTAL	5,400	59,170	1,892	3,597	5,947	12,905	17,021	9,964	3,948	3,896

(1) See footnotes at the end of Table 2.

TABLE 5a (ix) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, QUEBEC, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,353	37,452	716	6,271	11,234	5,812	6,384	4,941	1,347	747
2	406	29,027	823	5,496	10,267	4,628	4,113	2,579	672	449
3	1,936	20,470	812	2,394	4,432	3,679	4,680	3,195	787	491
4	9,284	20,306	834	2,075	3,477	3,368	5,033	3,969	980	570
5	18,348	20,155	933	1,893	3,384	3,107	5,066	4,134	1,044	594
6	8,550	18,624	912	1,775	2,817	2,577	4,660	4,081	1,156	646
7	4,092	18,580	1,087	1,670	2,346	2,210	4,641	4,517	1,329	780
8	2,130	16,856	996	1,578	1,970	1,861	4,071	4,352	1,285	743
9	1,167	15,473	951	1,366	1,595	1,404	3,639	4,384	1,408	726
10	705	13,410	827	1,029	1,269	1,221	3,083	3,989	1,287	705
11 - 14	1,519	40,031	2,436	2,999	3,248	3,133	8,579	12,705	4,429	2,502
15 - 19	938	30,047	1,759	1,841	1,864	1,847	5,626	10,544	4,113	2,453
20 - 29	887	29,632	1,614	1,554	1,612	1,446	4,675	10,836	4,927	2,968
30 - 59	493	18,621	1,005	822	787	1,048	2,440	6,396	3,568	2,555
60 - 89	56	3,306	158	136	149	260	413	922	659	609
90+	30	3,504	90	87	101	224	313	811	834	1,044
TOTAL	51,894	335,494	15,953	32,986	50,552	37,825	67,416	82,355	29,825	18,582

(1) See footnotes at the end of Table 2.

TABLE 5a (x) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, QUEBEC, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,122	37,788	451	4,788	10,141	7,779	9,259	3,583	1,084	703
2	370	33,247	501	3,829	8,540	8,245	8,888	2,384	507	353
3	1,941	28,664	491	1,527	3,048	8,184	11,119	3,275	629	391
4	9,328	38,148	566	1,257	2,477	12,487	16,661	3,525	732	443
5	17,476	57,040	703	1,368	2,455	20,445	26,706	3,808	993	562
6	7,881	41,447	682	1,220	1,978	12,841	19,337	3,786	1,012	591
7	3,643	30,333	780	1,278	1,892	7,726	12,710	3,995	1,255	697
8	1,429	23,402	705	1,144	1,553	4,853	9,041	4,084	1,238	784
9	892	21,157	638	1,068	1,220	3,685	8,008	4,494	1,291	753
10	635	18,772	590	888	986	2,597	7,047	4,578	1,345	741
11 - 14	1,341	56,846	1,776	2,224	2,573	6,072	19,878	16,653	4,852	2,818
15 - 19	901	38,907	1,221	1,363	1,588	2,959	11,305	13,141	4,632	2,698
20 - 29	868	33,803	1,192	1,197	1,203	1,954	8,026	11,943	5,204	3,084
30 - 39	504	19,631	754	676	651	1,041	3,639	6,470	3,562	2,838
40 - 49	71	3,369	92	79	112	178	471	1,054	696	687
50 - 59	35	3,679	72	66	105	144	256	773	796	1,467
TOTAL	48,437	486,233	11,214	23,972	40,522	101,190	172,351	87,546	29,828	19,610

(1) See footnotes at the end of Table 2.

TABLE 5a (xi) SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, ADULTS AND CHILDREN OF ALL AGES,
IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES			
	NEWBORN	TOTAL SEPARATIONS, ADULTS AND CHILDREN, FROM ACTIVE, CONVALESCENT AND CHRONIC HOSPITALS	SEPARATIONS, ADULTS AND CHILDREN, FROM ACTIVE AND CONVALESCENT HOSPITALS	SEPARATIONS, ADULTS AND CHILDREN, FROM CHRONIC HOSPITALS
1	2,134	104,292	104,133	159
2	577	125,105	125,009	96
3	1,840	83,436	83,314	122
4 - 6	79,458	260,516	260,159	357
7 - 10	31,552	209,987	209,566	421
11 - 14	5,111	109,083	108,709	374
15 - 29	4,773	147,271	145,962	1,309
30 - 59	1,276	58,532	56,782	1,750
60 - 89	189	12,282	11,109	1,173
90+	58	12,057	7,128	4,929
TOTAL	126,968	1,122,561	1,111,871	10,690

(1) See footnotes at the end of Table 2.

TABLE 5a (xii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, MANITOBA, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	152	6,642	277	811	1,266	1,164	1,126	1,123	455	420
2	36	10,406	420	1,847	3,517	1,279	1,339	1,210	443	351
3	177	6,441	415	837	1,274	818	1,075	1,161	470	391
4	1,379	5,908	469	753	938	652	934	1,161	524	477
5	3,975	5,157	410	671	680	543	814	1,122	447	470
6	1,354	4,451	423	544	524	363	643	975	463	516
7	558	4,159	329	425	383	338	587	1,003	532	562
8	305	3,385	258	277	320	246	467	909	466	442
9	217	2,899	221	229	223	216	405	803	385	417
10	138	2,399	182	198	176	139	303	642	366	393
11 - 14	382	6,837	481	432	354	358	828	1,895	1,206	1,283
15 - 19	149	4,872	239	220	224	222	550	1,428	920	1,069
20 - 29	100	4,928	190	130	188	181	434	1,544	1,054	1,207
30 - 59	81	3,623	107	86	122	170	317	984	735	1,102
60 - 89	9	777	11	10	34	33	57	194	167	271
90+	1	700	10	8	15	30	47	131	126	333
TOTAL	9,013	73,584	4,442	7,478	10,238	6,752	9,926	16,285	8,759	9,704

(1) See footnotes at the end of Table 2.

TABLE 5a (xiii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, MANITOBA, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	90	7,348	176	564	987	1,864	2,156	912	325	364
2	37	13,577	288	1,338	3,401	2,625	3,317	1,962	350	296
3	186	8,444	363	691	1,072	1,638	2,331	1,502	445	402
4	1,488	8,828	368	596	908	2,023	2,733	1,335	445	420
5	3,710	12,452	371	518	571	4,123	4,893	1,120	452	404
6	1,227	8,725	306	392	513	2,554	3,066	1,011	459	424
7	440	6,047	291	378	413	1,325	1,788	992	439	421
8	223	4,660	206	259	242	740	1,368	957	441	447
9	192	4,042	152	217	185	533	1,173	976	412	394
10	101	3,575	119	166	136	385	1,001	1,010	381	377
11 - 14	330	8,162	329	366	342	679	1,783	2,357	1,120	1,186
15 - 19	154	4,838	181	181	186	278	872	1,434	780	926
20 - 29	98	4,464	148	141	137	227	624	1,280	848	1,059
30 - 59	72	3,330	76	55	82	153	401	873	657	1,033
60 - 89	12	741	13	7	20	34	70	170	141	286
90+	5	818	6	13	11	17	35	133	140	463
TOTAL	8,365	100,051	3,393	5,882	9,206	19,198	27,611	18,024	7,835	8,902

(1) See footnotes at the end of Table 2.

TABLE 5a (xiv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, SASKATCHEWAN, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	202	7,717	154	943	1,614	1,353	1,358	1,373	405	517
2	85	11,498	197	2,189	4,145	1,370	1,299	1,296	476	526
3	317	8,130	252	1,348	1,726	1,054	1,206	1,394	548	602
4	1,758	7,067	278	1,264	1,287	777	911	1,316	551	683
5	3,650	6,146	261	1,145	972	583	766	1,137	611	671
6	1,628	5,176	242	940	734	439	649	985	552	635
7	601	4,942	251	832	590	398	634	1,011	547	679
8	354	4,260	189	682	481	334	498	914	558	604
9	219	3,430	139	511	296	217	425	775	468	599
10	110	2,981	121	459	249	181	339	661	404	567
11 - 14	195	7,791	300	970	539	399	868	1,947	1,163	1,605
15 - 19	146	5,322	171	504	271	233	507	1,404	975	1,257
20 - 29	150	5,216	140	410	170	193	405	1,371	1,090	1,437
30 - 59	90	3,764	74	207	146	125	272	917	757	1,266
60 - 89	14	697	4	31	22	31	67	136	130	276
90+	5	490	4	26	15	14	22	87	82	240
TOTAL	9,524	84,627	2,777	12,461	13,257	7,701	10,226	16,724	9,317	12,164

(1) See footnotes at the end of Table 2.

TABLE 5a (xv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, SASKATCHEWAN, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	147	9,792	106	753	1,258	2,209	2,974	1,676	380	436
2	88	14,824	144	1,558	3,873	2,669	3,598	2,082	479	421
3	376	10,541	193	1,038	1,675	2,161	2,766	1,657	529	522
4	1,855	10,973	186	977	1,120	2,510	3,458	1,568	607	547
5	3,475	13,142	189	862	859	3,896	4,994	1,258	508	576
6	1,358	9,856	172	783	685	2,680	3,282	1,178	512	564
7	510	7,294	202	649	553	1,593	2,043	1,101	541	612
8	263	5,358	133	533	407	910	1,389	1,007	464	515
9	172	4,586	122	429	260	685	1,157	942	473	518
10	113	3,906	90	357	222	404	1,051	936	399	447
11 - 14	174	10,286	194	803	447	792	2,429	2,993	1,190	1,438
15 - 19	118	6,037	124	408	223	342	1,055	1,817	911	1,157
20 - 29	142	4,976	89	311	146	242	646	1,345	916	1,281
30 - 59	102	3,273	58	150	87	148	306	867	593	1,064
60 - 89	15	591	7	23	16	20	53	122	111	239
90+	7	459	3	19	8	15	21	92	91	210
TOTAL	8,915	115,894	2,012	9,653	11,839	21,276	31,222	20,641	8,704	10,547

(1) See footnotes at the end of Table 2.

TABLE 5a (xvi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, ALBERTA, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	228	13,202	388	1,392	2,616	2,380	2,862	2,173	702	689
2	71	19,349	546	3,562	6,632	2,338	2,709	2,293	676	593
3	178	13,719	685	1,911	2,891	2,045	2,593	2,185	749	660
4	1,456	11,669	820	1,588	1,928	1,516	2,206	2,069	797	745
5	4,555	10,092	756	1,345	1,498	1,193	1,792	1,976	781	751
6	3,705	8,548	714	1,095	1,082	843	1,601	1,805	722	686
7	2,086	7,661	641	894	898	712	1,356	1,683	780	697
8	919	6,585	524	632	653	589	1,234	1,578	709	666
9	533	5,412	417	483	484	415	937	1,363	674	639
10	381	4,608	349	411	347	350	769	1,169	637	576
11 - 14	624	12,120	820	879	820	773	1,971	3,214	1,815	1,828
15 - 19	347	8,346	433	450	452	476	1,205	2,437	1,439	1,454
20 - 29	289	7,642	327	308	355	367	974	2,310	1,459	1,542
30 - 59	202	5,578	156	190	298	266	662	1,506	1,128	1,372
60 - 89	39	1,282	30	22	119	99	113	292	254	353
90+	7	1,489	13	15	92	98	103	237	302	629
TOTAL	15,620	137,302	7,619	15,177	21,165	14,460	23,087	28,290	13,624	13,880

(1) See footnotes at the end of Table 2.

TABLE 5a (xvii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, ALBERTA, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	187	14,733	304	1,046	2,028	3,803	4,604	2,055	450	443
2	57	24,825	359	2,646	6,236	4,582	6,489	3,530	541	442
3	191	17,359	534	1,393	2,615	3,756	4,921	2,915	681	544
4	1,463	15,564	571	1,178	1,672	3,858	4,641	2,354	689	601
5	4,421	19,082	506	1,083	1,265	6,107	6,682	2,124	719	596
6	3,370	17,122	575	870	921	5,554	6,065	1,854	701	582
7	1,832	13,354	479	747	817	3,807	4,515	1,723	656	610
8	703	9,924	354	557	603	2,169	3,376	1,691	630	544
9	483	7,923	292	439	399	1,318	2,763	1,652	571	489
10	317	6,538	282	315	259	937	2,197	1,448	609	491
11 - 14	606	15,929	580	726	731	1,619	4,465	4,442	1,731	1,635
15 - 19	319	8,638	363	369	360	636	1,936	2,517	1,239	1,218
20 - 29	275	7,275	201	226	278	443	1,397	2,179	1,227	1,324
30 - 59	183	5,262	109	149	226	289	851	1,453	928	1,257
60 - 89	46	1,167	30	24	59	70	137	257	211	379
90+	12	1,438	13	21	76	57	99	218	256	698
TOTAL	14,465	186,133	5,552	11,789	18,545	39,005	55,138	32,412	11,839	11,853

(1) See footnotes at the end of Table 2.

TABLE 5a (xviii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN ⁽¹⁾ IN-PATIENTS, BRITISH COLUMBIA, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	206	12,642	275	1,182	2,227	1,953	3,443	2,208	632	722
2	83	21,777	468	4,180	7,787	2,060	2,963	2,758	860	701
3	319	12,205	573	1,558	2,312	1,709	2,432	2,352	575	594
4	1,935	10,303	602	1,211	1,540	1,229	2,124	2,229	720	648
5	4,890	9,277	544	1,055	1,230	1,038	1,888	2,129	719	674
6	4,266	8,146	542	885	949	787	1,572	1,949	739	723
7	2,089	7,473	478	758	790	644	1,325	1,906	748	824
8	857	6,582	412	584	667	456	1,095	1,765	804	799
9	505	5,421	355	487	439	353	826	1,464	748	749
10	292	4,546	312	349	339	263	704	1,277	669	633
11 - 14	437	13,043	707	866	836	666	1,882	3,826	2,108	2,152
15 - 19	273	9,059	382	444	498	382	1,215	2,694	1,635	1,809
20 - 29	302	9,272	301	351	412	341	906	2,851	1,914	2,196
30 - 59	198	7,219	217	242	305	289	619	2,062	1,436	2,049
60 - 89	36	1,442	38	53	93	80	87	360	284	447
90+	6	917	20	25	55	83	91	213	169	261
TOTAL	16,694	139,324	6,226	14,230	20,479	12,333	23,172	32,043	14,860	15,981

(1) See footnotes at the end of Table 2.

TABLE 5a (xix) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN ⁽¹⁾ IN-PATIENTS, BRITISH COLUMBIA, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	154	12,738	187	925	1,585	3,053	4,091	1,918	441	538
2	88	28,942	287	3,248	7,507	4,632	7,469	4,597	725	477
3	437	16,477	429	1,105	1,915	3,687	5,138	2,983	685	535
4	2,239	14,925	443	937	1,288	3,898	4,856	2,333	603	567
5	5,005	18,820	449	817	1,002	6,229	7,071	2,068	629	555
6	3,627	17,347	407	656	811	5,681	6,646	1,942	592	612
7	1,800	13,508	368	582	633	3,565	5,034	1,890	738	698
8	724	10,421	302	512	503	2,042	3,818	2,003	616	625
9	443	8,476	252	361	369	1,237	3,072	1,971	607	607
10	236	7,074	191	314	287	848	2,443	1,892	569	530
11 - 14	395	16,956	532	684	658	1,552	4,686	4,980	2,013	1,851
15 - 19	242	9,874	289	331	406	653	2,170	3,068	1,407	1,550
20 - 29	252	8,796	221	286	317	476	1,527	2,654	1,478	1,837
30 - 59	202	6,326	137	226	204	267	851	1,805	1,186	1,650
60 - 89	42	1,265	25	33	73	66	157	302	218	391
90+	18	871	28	34	57	46	80	191	144	291
TOTAL	15,904	192,816	4,547	11,051	17,615	37,932	59,109	36,597	12,651	13,314

(1) See footnotes at the end of Table 2.

TABLE 5a (xx) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, YUKON, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	3	149	7	14	32	35	28	24	5	4
2	2	185	9	26	57	20	41	30	1	1
3	10	104	7	14	21	9	32	16	3	2
4	36	78	7	14	11	5	22	7	5	7
5	63	82	9	8	15	8	18	16	5	3
6	20	59	3	5	7	4	13	23	3	1
7	7	56	4	2	7	6	18	13	5	1
8	2	47	1	2	5	4	13	16	1	5
9	9	45	4	3	3	4	12	11	4	4
10	4	32	1	4	2	1	11	5	4	4
11 - 14	3	107	5	7	7	10	27	33	10	8
15 - 19	1	67	3	2	5	4	20	20	5	8
20 - 29	6	64	3	2	3	8	19	20	7	2
30 - 59	2	47	2	5	3	6	6	13	10	2
60 - 89	-	9	-	-	-	-	2	6	1	-
90+	-	11	-	-	-	3	2	1	3	2
TOTAL	168	1,142	65	108	178	127	284	254	72	54

TABLE 5a (xxi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, YUKON, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	2	149	6	11	28	28	57	17	-	2
2	-	256	5	18	42	57	104	25	2	3
3	12	157	6	17	24	39	51	18	-	2
4	45	162	4	11	18	42	73	11	1	2
5	80	193	3	1	9	84	88	6	2	-
6	22	146	5	6	10	57	61	3	1	3
7	6	90	2	5	2	26	41	8	3	3
8	3	68	2	6	1	22	25	11	-	1
9	-	58	4	3	6	10	23	8	1	3
10	2	50	2	-	1	7	23	15	1	1
11 - 14	5	79	3	4	3	18	25	20	2	4
15 - 19	5	52	3	7	8	4	13	10	3	4
20 - 29	4	27	1	3	2	2	7	10	1	1
30 - 59	3	24	-	1	1	4	3	9	3	3
60 - 89	-	7	-	-	1	-	2	1	-	3
90+	-	9	-	-	2	2	1	3	-	1
TOTAL	189	1,527	46	93	158	402	597	175	20	36

TABLE 5a (xxii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN (1) IN-PATIENTS, NORTHWEST TERRITORIES, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	26	341	52	60	55	52	64	42	10	6
2	24	330	58	61	100	30	41	32	4	4
3	42	240	48	49	44	26	49	17	6	1
4	93	193	41	20	39	22	40	23	4	4
5	137	210	50	51	24	17	31	20	8	9
6	115	182	32	48	24	19	29	21	7	2
7	48	196	48	44	22	16	29	24	7	6
8	22	143	25	31	16	17	30	16	6	2
9	12	103	15	29	8	8	23	14	4	2
10	15	84	20	15	8	2	13	17	6	3
11 - 14	28	269	62	47	17	22	37	59	14	11
15 - 19	13	167	38	21	19	9	23	45	7	5
20 - 29	10	149	28	19	18	8	26	28	9	13
30 - 59	8	130	21	19	20	13	21	21	13	2
60 - 89	1	29	3	4	9	-	6	6	1	-
90+	-	22	5	4	5	3	3	1	1	-
TOTAL	594	2,788	546	522	428	264	465	386	107	70

(1) See footnotes at the end of Table 2.

TABLE 5a (xxiii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN (1) IN-PATIENTS, NORTHWEST TERRITORIES, 1968

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	13	478	45	46	54	119	155	46	10	3
2	14	482	34	46	87	103	164	41	6	1
3	45	421	26	33	61	101	163	34	1	2
4	105	462	33	33	41	121	200	27	3	4
5	149	555	38	57	30	161	228	34	6	1
6	92	456	33	35	23	135	186	30	8	6
7	40	329	33	33	22	82	125	22	7	5
8	29	214	22	22	13	40	93	15	8	1
9	10	163	20	16	11	37	49	20	6	4
10	5	148	20	25	5	22	45	21	8	2
11 - 14	14	316	38	60	22	31	114	34	9	8
15 - 19	13	187	23	29	18	27	46	28	14	2
20 - 29	11	162	19	23	25	23	37	26	6	3
30 - 59	7	136	23	24	14	10	26	27	4	8
60 - 89	1	24	6	5	1	2	4	4	1	1
90+	-	10	2	3	3	-	-	2	-	-
TOTAL	548	4,543	415	490	430	1,014	1,635	411	97	51

(1) See footnotes at the end of Table 2.

TABLE 5b (i) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES ⁽¹⁾, PROVINCIAL PLAN ⁽²⁾ IN-PATIENTS, BY PROVINCE, 1968

LENGTH OF STAY IN DAYS (4)	PATIENT-DAYS OF SEPARATIONS, BOTH SEXES									
	Nfld.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON N.W.T. CANADA (3)
1	4,950	1,058	5,732	75,240	104,292	13,990	17,509	27,935	25,380	298 819 277,203
2	14,672	3,052	18,270	124,548	250,210	47,966	52,644	88,348	101,438	882 1,624 703,654
3	22,416	5,247	25,710	147,402	250,308	44,655	56,013	93,234	86,046	783 1,983 733,797
4 - 6	99,486	25,376	135,296	980,217	1,308,341	226,045	258,792	408,822	394,355	3,565 10,273 3,850,568
7 - 10	114,476	33,993	175,781	1,315,945	1,751,018	258,011	303,610	510,652	524,164	3,689 11,245 4,987,584
11 - 14	91,123	26,285	138,524	1,197,593	1,342,928	184,541	222,412	341,021	368,635	2,286 7,169 3,922,517
15 - 29	202,352	49,172	256,429	2,656,787	2,995,727	385,744	431,272	630,449	747,132	4,169 13,319 8,372,552
30 - 59	134,709	30,715	107,907	1,508,129	2,335,150	277,520	279,065	428,815	539,803	2,920 10,746 5,655,479
60+	126,415	19,748	40,216	2,729,020	4,440,631	458,323	262,265	1,037,325	454,011	4,045 7,945 9,598,838
TOTAL	810,599	194,646	903,865	10,734,881	14,763,605	1,896,795	1,883,582	3,566,601	3,240,964	22,637 65,123 38,102,192

- (1) Excludes newborn. Days of separations with "age unspecified" are excluded, except for Ontario. See Tables 2b (iii) and 5b (xi).
 (2) See footnotes at the end of Table 2 for exceptions.
 (3) Excludes Nova Scotia.
 (4) In this table, length of stay data have been consolidated into ten categories to facilitate comparison between provinces. For data by province, age group, and sex, see Table 5b (iii) and following tables.

TABLE 5b (ii) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES (1), PROVINCIAL PLAN (2) IN-PATIENTS, BY PROVINCE, 1968

LENGTH OF STAY IN DAYS	PERCENTAGE DISTRIBUTION OF PATIENT-DAYS, BOTH SEXES											
	Nfld.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (3)
1	0.6	0.5	0.6	0.7	0.7	0.7	0.9	0.8	0.8	1.3	1.3	0.7
2	1.8	1.6	2.0	1.2	1.7	2.5	2.8	2.5	3.1	3.9	2.5	1.8
3	2.8	2.7	2.8	1.4	1.7	2.4	3.0	2.6	2.7	3.5	3.0	1.9
4 - 6	12.3	13.0	15.0	9.1	8.9	11.9	13.7	11.5	12.2	15.7	15.8	10.1
7 - 10	14.1	17.5	19.4	12.3	11.8	13.6	16.1	14.3	16.2	16.3	17.3	13.1
11 - 14	11.2	13.5	15.3	11.1	9.1	9.7	11.8	9.6	11.4	10.1	11.0	10.3
15 - 29	25.0	25.3	28.4	24.7	20.3	20.3	22.9	17.7	23.0	18.4	20.5	22.0
30 - 59	16.6	15.8	11.9	14.0	15.8	14.6	14.8	12.0	16.7	12.9	16.5	14.8
60+	15.6	10.1	4.4	25.4	30.1	24.2	13.9	29.1	14.0	17.9	12.2	25.2
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(1), (2), (3) See footnotes Table 5a (i).

TABLE 5b (iii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN ⁽¹⁾ IN-PATIENTS, NEWFOUNDLAND, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN (2)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	117	2,303	164	397	526	408	375	272	98	63
2	546	6,208	520	1,426	2,006	712	736	532	156	120
3	3,090	7,674	828	1,644	1,887	1,014	1,101	765	228	207
4	6,388	8,676	1,116	1,700	1,692	1,220	1,288	1,096	328	236
5	8,645	9,765	1,300	1,920	1,810	1,165	1,565	1,230	465	310
6	2,724	9,714	1,416	1,842	1,596	1,122	1,422	1,566	450	300
7	2,002	12,005	1,491	2,156	2,331	1,330	2,009	1,799	455	434
8	1,808	12,232	1,504	1,832	1,968	1,360	2,032	2,272	864	400
9	1,161	12,303	1,683	1,737	1,926	1,332	2,016	2,313	819	477
10	1,240	11,760	1,360	1,570	1,640	1,300	2,280	2,300	730	580
11 - 14	2,190	40,311	4,325	4,509	5,168	4,065	7,474	9,231	3,208	2,331
15 - 19	1,874	40,609	3,695	3,678	4,652	3,790	7,685	10,404	3,863	2,842
20 - 29	2,745	59,194	4,215	4,732	6,138	4,019	9,920	18,085	7,085	5,000
30 - 59	3,444	70,550	4,337	5,950	8,302	4,725	10,322	20,089	10,202	6,623
60 - 89	1,720	21,201	1,393	2,204	2,402	1,697	2,724	5,433	2,567	2,781
90+	2,369	44,140	3,639	2,380	6,066	3,712	3,089	7,055	13,016	5,183
TOTAL	42,063	368,645	32,986	39,677	50,110	32,971	56,038	84,442	44,534	27,887

(1) See footnotes at the end of Table 2.

(2) In previous years, Newfoundland reported "sick newborns" only.

TABLE 5b (iv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, NEWFOUNDLAND, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN (2)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	102	2,647	113	282	352	762	746	247	85	60
2	532	8,464	332	980	1,782	2,056	2,348	718	148	100
3	3,168	14,742	693	1,116	1,776	4,680	5,034	1,011	240	192
4	6,364	22,748	816	1,120	1,684	8,636	8,688	1,212	364	228
5	7,815	27,085	930	1,465	1,440	10,995	10,145	1,410	435	265
6	2,724	21,498	1,038	1,296	1,752	7,890	7,170	1,464	552	336
7	1,666	18,676	1,330	1,421	1,862	5,712	5,481	1,862	630	378
8	1,480	16,960	1,248	1,456	1,688	4,592	4,920	1,832	752	472
9	1,179	16,020	1,125	1,080	1,404	4,041	4,743	2,367	711	549
10	960	14,520	880	1,040	1,310	3,150	4,670	2,350	720	400
11 - 14	1,941	50,812	3,099	3,116	3,727	8,266	15,849	10,658	3,642	2,455
15 - 19	1,962	44,918	1,858	2,479	4,068	5,829	11,520	11,851	4,736	2,577
20 - 29	2,681	57,631	2,898	3,368	5,418	6,957	12,740	16,049	6,236	3,965
30 - 59	3,312	64,159	3,081	2,327	6,285	6,726	11,730	17,447	9,189	7,374
60 - 89	1,474	21,448	903	1,505	2,634	1,580	3,216	5,069	3,734	2,807
90+	520	39,626	2,086	2,953	2,231	2,212	2,161	7,376	5,860	14,745
TOTAL	37,880	441,954	22,430	27,004	39,413	84,084	111,163	82,923	38,034	36,903

(1) See footnotes at the end of Table 2.

(2) In previous years, Newfoundland reported "sick newborn" only.

TABLE 5b (v) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, PRINCE EDWARD ISLAND, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	26	460	18	55	83	84	70	77	33	40
2	8	1,154	62	196	274	152	170	162	72	66
3	57	2,175	87	384	627	276	246	330	129	96
4	384	2,268	152	316	452	296	404	360	156	132
5	2,105	2,840	230	445	420	245	445	605	215	235
6	1,632	3,546	336	522	582	348	396	690	300	342
7	742	3,633	322	462	616	343	462	672	385	371
8	224	4,160	464	592	464	272	456	944	488	480
9	243	3,321	504	405	387	180	333	639	486	387
10	150	3,490	380	510	380	250	440	750	360	420
11 - 14	279	11,872	1,076	1,256	1,021	645	1,324	2,950	1,767	1,833
15 - 19	434	9,809	592	753	598	379	1,216	2,688	1,730	1,853
20 - 29	251	13,309	545	675	922	307	1,072	4,119	3,272	2,397
30 - 59	533	15,714	381	662	659	364	979	4,223	4,376	4,070
60 - 89	196	4,431	67	305	324	214	241	1,124	1,166	990
90+	106	4,922	289	1,092	292	92	407	1,382	1,083	285
TOTAL	7,370	87,104	5,535	8,630	8,101	4,447	8,661	21,715	16,018	13,997

(1) See footnotes at the end of Table 2.

TABLE 5b (vi.) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, PRINCE EDWARD ISLAND, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	12	598	4	45	74	165	185	65	33	27
2	6	1,898	32	138	358	416	576	276	58	44
3	87	3,072	96	276	639	708	765	390	96	102
4	456	3,360	164	268	436	828	980	368	144	172
5	2,260	6,690	185	285	415	2,185	2,635	550	245	190
6	1,326	6,672	186	318	408	2,028	2,418	726	270	318
7	770	5,831	280	504	364	1,568	1,596	742	378	399
8	256	5,000	416	264	448	968	1,448	752	368	336
9	207	4,428	288	423	270	666	1,008	855	369	549
10	110	4,130	320	230	220	720	1,090	840	370	340
11 - 14	228	14,413	713	779	784	970	3,206	3,760	2,171	2,030
15 - 19	200	11,605	444	338	646	501	2,384	3,074	1,890	2,328
20 - 29	265	14,449	432	417	499	343	1,928	4,193	3,386	3,251
30 - 59	222	15,001	93	418	498	636	1,778	3,655	3,384	4,539
60 - 89	147	5,347	75	161	276	223	356	1,293	946	2,017
90+	134	5,048	107	107	323	568	321	1,486	895	1,241
TOTAL	6,686	107,542	3,835	4,971	6,658	13,493	22,674	23,025	15,003	17,883

(1) See footnotes at the end of Table 2.

TABLE 5b (vii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, NEW BRUNSWICK, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	77	2,463	71	265	469	456	372	458	197	175
2	108	7,996	272	1,492	2,832	914	890	980	310	306
3	732	10,350	549	1,569	2,712	1,338	1,518	1,614	597	453
4	4,288	12,260	800	1,748	2,460	1,612	2,008	2,124	792	716
5	9,455	15,375	1,315	2,270	2,795	1,660	2,340	3,005	1,095	895
6	5,934	16,734	1,422	2,490	2,616	1,938	2,526	3,312	1,254	1,176
7	2,877	19,075	1,764	2,506	3,129	2,156	2,625	3,927	1,519	1,449
8	2,088	18,496	1,704	2,440	2,840	1,688	2,648	4,224	1,712	1,240
9	1,089	18,675	1,737	1,836	2,628	1,647	2,916	4,401	1,836	1,674
10	920	16,950	1,390	1,910	1,960	1,320	2,490	4,380	1,700	1,800
11 - 14	2,066	58,410	4,674	5,450	5,400	3,620	8,468	16,076	7,644	7,078
15 - 19	1,837	50,767	3,330	3,094	3,819	2,867	6,992	14,707	8,392	7,566
20 - 29	1,913	68,296	3,350	2,870	4,280	3,023	7,680	22,986	12,124	11,983
30 - 59	1,620	57,222	1,584	1,625	3,300	1,889	4,877	18,856	13,723	11,368
60 - 89	351	11,897	222	134	209	404	1,276	3,208	3,419	3,025
90+	-	8,191	134	259	99	262	508	1,106	3,777	2,046
TOTAL	35,355	393,157	24,318	31,958	41,548	26,794	50,134	105,364	60,091	52,950

(1) See footnotes at the end of Table 2.

TABLE 5b (viii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, NEW BRUNSWICK, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	61	3,269	44	195	341	959	1,082	378	127	143
2	152	10,274	122	1,086	2,666	2,266	2,626	982	280	246
3	954	15,360	384	1,263	2,652	3,981	4,302	1,851	498	429
4	4,316	22,752	704	1,376	2,440	6,788	7,304	2,688	848	604
5	9,260	35,895	875	1,760	2,490	12,575	13,065	3,220	1,045	865
6	5,382	32,280	1,080	1,788	2,544	10,578	10,692	3,324	1,128	1,146
7	2,492	29,519	1,365	2,079	2,884	7,518	8,505	4,109	1,456	1,603
8	1,672	25,328	1,344	1,712	2,784	5,160	6,992	4,368	1,496	1,472
9	1,008	24,138	1,143	1,467	1,836	3,915	7,470	4,923	1,674	1,710
10	740	23,600	950	1,470	1,780	2,850	6,990	5,580	2,040	1,940
11 - 14	1,750	80,114	3,299	3,975	4,738	7,397	22,114	22,076	8,464	8,051
15 - 19	1,761	63,971	2,451	2,443	2,739	4,093	14,156	20,293	9,205	8,591
20 - 29	1,907	73,395	2,376	2,850	2,504	3,623	12,941	22,043	13,425	13,633
30 - 59	1,209	50,685	850	1,100	1,881	1,969	5,308	14,555	10,910	14,112
60 - 89	416	12,596	-	215	374	933	712	3,255	2,389	4,718
90+	-	7,532	215	90	-	-	-	1,869	1,715	3,643
TOTAL	33,080	510,708	17,202	24,869	34,653	74,605	124,259	115,514	56,700	62,906

(1) See footnotes at the end of Table 2.

TABLE 5b (ix) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, QUEBEC, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,353	37,452	716	6,271	11,234	5,812	6,384	4,941	1,347	747
2	812	58,054	1,646	10,992	20,534	9,256	8,226	5,158	1,344	898
3	5,808	61,410	2,436	7,182	13,296	11,037	14,040	9,585	2,361	1,473
4	37,136	81,224	3,336	8,300	13,908	13,472	20,132	15,876	3,920	2,280
5	91,740	100,775	4,665	9,465	16,920	15,535	25,330	20,670	5,220	2,970
6	51,300	111,744	5,472	10,650	16,902	15,462	27,960	24,486	6,936	3,876
7	28,644	130,060	7,609	11,690	16,422	15,470	32,487	31,619	9,303	5,460
8	17,040	134,848	7,968	12,624	15,760	14,888	32,568	34,816	10,280	5,944
9	10,503	139,257	8,559	12,294	14,355	12,636	32,751	39,456	12,672	6,534
10	7,050	134,100	8,270	10,290	12,690	12,210	30,830	39,890	12,870	7,050
11 - 14	18,620	495,320	30,213	36,952	39,923	38,465	106,009	157,449	55,161	31,148
15 - 19	15,861	503,356	29,424	30,673	31,019	30,735	94,050	176,973	69,153	41,329
20 - 29	21,037	703,330	38,064	36,652	38,258	34,098	110,566	257,072	117,619	71,001
30 - 59	19,398	736,182	39,228	31,982	30,861	41,932	95,705	251,283	142,461	102,730
60 - 89	3,852	235,993	11,113	9,561	10,511	18,794	29,449	65,606	47,108	43,851
90+	3,525	971,434	14,944	14,634	14,754	36,144	67,862	187,329	238,824	396,943
TOTAL	333,679	4,634,539	213,663	260,212	317,347	325,946	734,349	1,322,209	736,579	724,234

(1) See footnotes at the end of Table 2.

TABLE 5b (x) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, QUEBEC, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,122	37,788	451	4,788	10,141	7,779	9,259	3,583	1,084	703
2	740	66,494	1,002	7,658	17,080	16,490	17,776	4,768	1,014	706
3	5,823	85,992	1,473	4,581	9,144	24,552	33,357	9,825	1,887	1,173
4	37,312	152,592	2,264	5,028	9,908	49,948	66,644	14,100	2,928	1,772
5	87,380	285,200	3,515	6,840	12,275	102,225	133,530	19,040	4,965	2,810
6	47,286	248,682	4,092	7,320	11,868	77,046	116,022	22,716	6,072	3,546
7	25,501	212,331	5,460	8,946	13,244	54,082	88,970	27,965	8,785	4,879
8	11,432	187,216	5,640	9,152	12,424	38,824	72,328	32,672	9,904	6,272
9	8,028	190,413	5,742	9,612	10,980	33,165	72,072	40,446	11,619	6,777
10	6,350	187,720	5,900	8,880	9,860	25,970	70,470	45,780	13,450	7,410
11 - 14	16,459	702,273	21,949	27,350	31,502	74,183	244,582	206,800	60,655	35,252
15 - 19	15,127	650,836	20,432	22,565	26,458	49,125	188,133	220,473	78,068	45,582
20 - 29	20,576	799,265	28,333	28,464	28,399	45,895	188,053	282,173	124,353	73,595
30 - 59	19,778	771,947	29,741	26,424	25,824	41,247	140,930	251,974	140,941	114,866
60 - 89	4,935	240,340	6,630	5,541	7,979	12,956	33,408	75,179	49,231	49,416
90+	3,822	1,281,253	11,522	12,788	18,506	24,901	52,930	219,446	288,623	652,537
TOTAL	311,671	6,100,342	154,146	195,937	255,592	678,388	1,528,464	1,476,940	803,579	1,007,296

(1) See footnotes at the end of Table 2.

TABLE 5b (xi) PATIENT-DAYS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, ADULTS AND CHILDREN OF ALL AGES IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS ⁽¹⁾ , BOTH SEXES AND ALL AGES			
	NEWBORN	TOTAL PATIENT-DAYS, ADULTS AND CHILDREN FROM ACTIVE, CONVALES- CENT AND CHRONIC HOSPITALS	PATIENT-DAYS, ADULTS AND CHILDREN FROM ACTIVE AND CONVALESCENT HOSPITALS	PATIENT-DAYS, ADULTS AND CHILDREN FROM CHRONIC HOSPITALS
1	2,134	104,292	104,133	159
2	1,154	250,210	250,018	192
3	5,520	250,308	249,942	366
4 - 6	412,675	1,308,341	1,306,543	1,798
7 - 10	249,768	1,736,018	1,732,434	3,584
11 - 14	61,893	1,342,928	1,338,213	4,715
15 - 29	94,802	2,995,727	2,967,317	28,410
30 - 59	50,563	2,335,150	2,260,105	75,045
60 - 89	13,184	879,429	793,291	86,138
90+	8,802	3,561,202	1,005,705	2,555,497
TOTAL	900,495	14,763,605	12,007,701	2,755,904

(1) See footnotes at the end of Table 2.

TABLE 5b (xii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1), IN-PATIENTS, MANITOBA, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	152	6,642	277	811	1,266	1,164	1,126	1,123	455	420
2	72	20,812	840	3,694	7,034	2,558	2,678	2,420	886	702
3	531	19,323	1,245	2,511	3,822	2,454	3,225	3,483	1,410	1,173
4	5,516	23,632	1,876	3,012	3,752	2,608	3,736	4,644	2,096	1,908
5	19,875	25,785	2,050	3,355	3,400	2,715	4,070	5,610	2,235	2,350
6	8,124	26,706	2,538	3,264	3,144	2,178	3,858	5,850	2,778	3,096
7	3,906	29,113	2,303	2,975	2,681	2,366	4,109	7,021	3,724	3,934
8	2,440	27,080	2,064	2,216	2,560	1,968	3,736	7,272	3,728	3,536
9	1,953	26,091	1,989	2,061	2,007	1,944	3,645	7,227	3,465	3,753
10	1,380	23,990	1,820	1,980	1,760	1,390	3,030	6,420	3,660	3,930
11 - 14	4,821	84,473	5,875	5,273	4,343	4,419	10,193	23,423	15,009	15,938
15 - 19	2,436	81,621	3,981	3,666	3,737	3,705	9,207	23,850	15,479	17,996
20 - 29	2,402	117,224	4,479	3,055	4,397	4,257	10,327	36,627	25,091	28,991
30 - 59	3,153	144,512	4,228	3,375	4,933	7,036	12,637	38,445	29,244	44,614
60 - 89	588	55,728	780	694	2,422	2,386	4,193	13,864	11,983	19,406
90+	90	152,664	1,379	1,025	2,183	4,626	14,237	26,562	32,328	70,324
TOTAL	57,439	865,396	37,724	42,967	53,441	47,774	94,007	213,841	153,571	222,071

(1) See footnotes at the end of Table 2.

TABLE 5b (xiii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, MANITOBA, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	90	7,348	176	564	987	1,864	2,156	912	325	364
2	74	27,154	576	2,676	6,802	5,250	6,634	3,924	700	592
3	558	25,332	1,089	2,073	3,216	4,914	6,993	4,506	1,335	1,206
4	5,952	35,312	1,472	2,384	3,632	8,092	10,932	5,340	1,780	1,680
5	18,550	62,260	1,855	2,590	2,855	20,615	24,465	5,600	2,260	2,020
6	7,362	52,350	1,836	2,352	3,078	15,324	18,396	6,066	2,754	2,544
7	3,080	42,329	2,037	2,646	2,891	9,275	12,516	6,944	3,073	2,947
8	1,784	37,280	1,648	2,072	1,936	5,920	10,944	7,656	3,528	3,576
9	1,728	36,378	1,368	1,953	1,665	4,797	10,557	8,784	3,708	3,546
10	1,010	35,750	1,190	1,660	1,360	3,850	10,010	10,100	3,810	3,770
11 - 14	4,162	100,068	4,015	4,470	4,150	8,273	21,711	28,935	13,787	14,727
15 - 19	2,533	80,969	3,067	2,992	3,095	4,587	14,584	23,966	13,100	15,578
20 - 29	2,323	105,930	3,513	3,263	3,216	5,390	14,700	30,344	20,194	25,310
30 - 59	2,885	133,008	3,105	2,251	3,245	6,102	15,412	34,554	26,316	42,023
60 - 89	799	53,356	902	479	1,369	2,535	5,036	12,111	10,149	20,775
90+	543	196,575	1,057	2,303	1,695	2,336	11,164	26,542	33,857	117,621
TOTAL	53,433	1,031,399	28,906	36,728	45,192	109,124	196,210	216,284	140,676	258,279

(1) See footnotes at the end of Table 2.

TABLE 5b (xiv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, SASKATCHEWAN, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	202	7,717	154	943	1,614	1,353	1,358	1,373	405	517
2	170	22,996	394	4,378	8,290	2,740	2,598	2,592	952	1,052
3	951	24,390	756	4,044	5,178	3,162	3,618	4,182	1,644	1,806
4	7,032	28,268	1,112	5,056	5,148	3,108	3,644	5,264	2,204	2,732
5	18,250	30,730	1,305	5,725	4,860	2,915	3,830	5,685	3,055	3,355
6	9,768	31,056	1,452	5,640	4,404	2,634	3,894	5,910	3,312	3,810
7	4,207	34,594	1,757	5,824	4,130	2,786	4,438	7,077	3,829	4,753
8	2,832	34,080	1,512	5,456	3,848	2,672	3,984	7,312	4,464	4,832
9	1,971	30,870	1,251	4,599	2,664	1,953	3,825	6,975	4,212	5,391
10	1,100	29,810	1,210	4,590	2,490	1,810	3,390	6,610	4,040	5,670
11 - 14	2,386	96,082	3,684	11,898	6,623	4,899	10,663	24,048	14,345	19,922
15 - 19	2,476	89,205	2,859	8,435	4,480	3,917	8,446	23,470	16,407	21,191
20 - 29	3,530	123,672	3,324	9,524	4,003	4,570	9,519	32,529	25,923	34,280
30 - 59	3,596	149,298	2,849	8,212	5,895	5,135	10,670	35,579	30,008	50,950
60 - 89	1,013	49,910	280	2,149	1,519	2,193	4,866	9,775	9,325	19,803
90+	581	86,609	382	3,688	4,557	1,825	2,830	14,887	14,360	44,080
TOTAL	60,065	869,287	24,281	90,161	69,703	47,672	81,573	193,268	138,485	224,144

(1) See footnotes at the end of Table 2.

TABLE 5b (xv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, SASKATCHEWAN, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	147	9,792	106	753	1,258	2,209	2,974	1,676	380	436
2	176	29,648	288	3,116	7,746	5,338	7,196	4,164	958	842
3	1,128	31,623	579	3,114	5,025	6,483	8,298	4,971	1,587	1,566
4	7,420	43,892	744	3,908	4,480	10,040	13,832	6,272	2,428	2,188
5	17,375	65,710	945	4,310	4,295	19,480	24,970	6,290	2,540	2,880
6	8,148	59,136	1,032	4,698	4,110	16,080	19,692	7,068	3,072	3,384
7	3,570	51,058	1,414	4,543	3,871	11,151	14,301	7,707	3,787	4,284
8	2,104	42,864	1,064	4,264	3,256	7,280	11,112	8,056	3,712	4,120
9	1,548	41,274	1,098	3,861	2,340	6,165	10,413	8,478	4,257	4,662
10	1,130	39,060	900	3,570	2,220	4,040	10,510	9,360	3,990	4,470
11 - 14	2,144	126,330	2,403	9,822	5,435	9,650	29,596	36,835	14,772	17,817
15 - 19	1,984	100,768	2,085	6,823	3,731	5,636	17,511	30,303	15,234	19,445
20 - 29	3,375	117,627	2,113	7,283	3,392	5,604	15,102	31,756	21,858	30,519
30 - 59	3,997	129,767	2,198	5,934	3,449	6,022	11,985	33,928	23,504	42,747
60 - 89	1,096	42,462	477	1,611	1,115	1,448	3,722	8,959	7,930	17,200
90+	701	83,284	592	4,026	3,333	2,142	2,862	14,830	13,363	42,136
TOTAL	56,043	1,014,295	18,038	71,636	59,056	118,768	204,076	220,653	123,372	198,696

(1) See footnotes at the end of Table 2.

TABLE 5b (xvi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, ALBERTA, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	228	13,202	388	1,392	2,616	2,380	2,862	2,173	702	689
2	142	38,698	1,092	7,124	13,264	4,676	5,418	4,586	1,352	1,186
3	534	41,157	2,055	5,733	8,673	6,135	7,779	6,555	2,247	1,980
4	5,824	46,676	3,280	6,352	7,712	6,064	8,824	8,276	3,188	2,980
5	22,775	50,460	3,780	6,725	7,490	5,965	8,960	9,880	3,905	3,755
6	22,230	51,288	4,284	6,570	6,492	5,058	9,606	10,830	4,332	4,116
7	14,602	53,627	4,487	6,258	6,286	4,984	9,492	11,781	5,460	4,879
8	7,352	52,680	4,192	5,056	5,224	4,712	9,872	12,624	5,672	5,328
9	4,797	48,708	3,753	4,347	4,356	3,735	8,433	12,267	6,066	5,751
10	3,810	46,080	3,490	4,110	3,470	3,500	7,690	11,690	6,370	5,760
11 - 14	7,592	146,572	10,077	10,334	9,738	9,213	23,823	38,841	22,145	22,401
15 - 19	5,779	137,170	7,195	7,186	7,254	7,710	19,818	40,064	23,869	24,074
20 - 29	6,876	178,152	7,638	6,940	8,172	8,370	22,745	53,803	34,277	36,207
30 - 59	7,859	218,858	6,118	7,205	11,757	10,602	25,685	57,839	44,715	54,937
60 - 89	2,704	90,712	2,100	1,503	8,282	6,843	7,987	20,635	18,033	25,329
90+	823	438,211	1,663	2,634	17,679	20,678	33,590	53,883	100,929	207,155
TOTAL	113,927	1,652,251	65,592	89,469	128,465	110,625	212,584	355,727	283,262	406,527

(1) See footnotes at the end of Table 2.

TABLE 5b (xvii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, ALBERTA, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	187	14,733	304	1,046	2,028	3,803	4,604	2,055	450	443
2	114	49,650	718	5,292	12,472	9,164	12,978	7,060	1,082	884
3	573	52,077	1,602	4,179	7,845	11,268	14,763	8,745	2,043	1,632
4	5,852	62,256	2,284	4,712	6,688	15,432	18,564	9,416	2,756	2,404
5	22,105	95,410	2,530	5,415	6,325	30,535	33,410	10,620	3,595	2,980
6	20,220	102,732	3,450	5,220	5,526	33,324	36,390	11,124	4,206	3,492
7	12,824	93,478	3,353	5,229	5,719	26,649	31,605	12,061	4,592	4,270
8	5,624	79,392	2,832	4,456	4,824	17,352	27,008	13,528	5,040	4,352
9	4,347	71,307	2,628	3,951	3,591	11,862	24,867	14,868	5,139	4,401
10	3,170	65,380	2,820	3,150	2,590	9,370	21,970	14,480	6,090	4,910
11 - 14	7,342	194,449	6,994	8,657	8,916	19,649	54,394	54,217	21,345	20,277
15 - 19	5,318	143,479	5,950	5,945	6,005	10,526	32,278	41,855	20,624	20,296
20 - 29	6,457	171,648	4,772	5,231	6,613	10,403	32,997	51,213	28,993	31,426
30 - 59	7,256	209,957	4,424	5,741	9,186	10,993	33,428	57,736	37,031	51,418
60 - 89	3,227	83,650	2,183	1,611	4,152	4,925	9,818	18,617	15,169	27,175
90+	1,431	424,752	2,298	3,096	11,492	9,693	21,427	53,015	68,725	255,006
TOTAL	106,047	1,914,350	49,142	72,931	103,972	234,948	410,501	380,610	226,880	435,366

(1) See footnotes at the end of Table 2.

TABLE 5b (xviii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, BRITISH COLUMBIA, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	206	12,642	275	1,182	2,227	1,953	3,443	2,208	632	722
2	166	43,554	936	8,360	15,574	4,120	5,926	5,516	1,720	1,402
3	957	36,615	1,719	4,674	6,936	5,127	7,296	7,056	2,025	1,782
4	7,740	41,212	2,408	4,844	6,160	4,916	8,496	8,916	2,880	2,592
5	24,450	46,385	2,720	5,275	6,150	5,190	9,440	10,645	3,595	3,370
6	25,596	48,876	3,252	5,310	5,694	4,722	9,432	11,694	4,434	4,338
7	14,623	52,311	3,346	5,306	5,530	4,508	9,275	13,342	5,236	5,768
8	6,856	52,656	3,296	4,672	5,336	3,648	8,760	14,120	6,432	6,392
9	4,545	48,789	3,195	4,383	3,951	3,177	7,434	13,176	6,732	6,741
10	2,920	45,460	3,120	3,490	3,390	2,630	7,040	12,770	6,690	6,330
11 - 14	5,303	160,997	8,693	10,582	10,256	8,238	23,098	47,285	26,102	26,743
15 - 19	4,595	151,786	6,332	7,425	8,317	6,428	20,322	45,127	27,420	30,415
20 - 29	7,202	221,404	7,078	8,246	9,829	8,085	21,460	67,957	45,848	52,901
30 - 59	7,846	288,222	8,211	9,558	12,343	11,668	24,450	81,586	57,287	83,119
60 - 89	2,542	102,888	2,758	3,756	6,684	5,754	6,169	25,608	20,256	31,903
90+	1,017	135,586	3,852	4,758	12,298	14,547	13,441	30,388	22,253	34,049
TOTAL	116,564	1,489,383	61,191	91,821	120,675	94,711	185,482	397,394	239,542	298,567

(1) See footnotes at the end of Table 2.

TABLE 5b (xix) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, BRITISH COLUMBIA, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	154	12,738	187	925	1,585	3,053	4,091	1,918	441	538
2	176	57,884	574	6,496	15,014	9,264	14,938	9,194	1,450	954
3	1,311	49,431	1,287	3,315	5,745	11,061	15,414	8,949	2,055	1,605
4	8,956	59,700	1,772	3,748	5,152	15,592	19,424	9,332	2,412	2,268
5	25,025	94,100	2,245	4,085	5,010	31,145	35,355	10,340	3,145	2,775
6	21,762	104,082	2,442	3,936	4,866	34,086	39,876	11,652	3,552	3,672
7	12,600	94,556	2,576	4,074	4,431	24,955	35,238	13,230	5,166	4,886
8	5,792	83,368	2,416	4,096	4,024	16,336	30,544	16,024	4,928	5,000
9	3,987	76,284	2,268	3,249	3,321	11,133	27,648	17,739	5,463	5,463
10	2,360	70,740	1,910	3,140	2,870	8,480	24,430	18,920	5,690	5,300
11 - 14	4,834	207,638	6,545	8,347	8,091	18,847	56,887	61,053	24,912	22,956
15 - 19	4,060	164,981	4,832	5,584	6,766	10,852	36,095	51,210	23,577	26,065
20 - 29	6,009	208,961	5,181	6,703	7,485	11,048	36,118	63,103	35,319	44,004
30 - 59	7,776	251,581	5,311	8,873	8,201	10,629	33,868	71,018	47,301	66,380
60 - 89	2,961	90,783	1,823	2,376	5,403	4,793	11,265	21,630	15,668	27,824
90+	3,193	124,754	4,652	5,585	9,155	7,943	11,351	26,408	19,455	40,205
TOTAL	110,956	1,751,581	46,021	74,532	97,119	229,217	432,543	411,720	200,534	259,895

(1) See footnotes at the end of Table 2.

TABLE 5b (xx) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN (1) IN-PATIENTS, YUKON, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	3	149	7	14	32	35	28	24	5	4
2	4	370	18	52	114	40	82	60	2	2
3	30	312	21	42	63	27	96	48	9	6
4	144	312	28	56	44	20	88	28	20	28
5	315	410	45	40	75	40	90	80	25	15
6	120	354	18	30	42	24	78	138	18	6
7	49	392	28	14	49	42	126	91	35	7
8	16	376	8	16	40	32	104	128	8	40
9	81	405	36	27	27	36	108	99	36	36
10	40	320	10	40	20	10	110	50	40	40
11 - 14	33	1,317	63	86	84	128	326	407	128	95
15 - 19	19	1,108	49	34	84	63	334	327	82	135
20 - 29	141	1,555	69	45	71	193	475	481	172	49
30 - 59	73	1,912	81	237	128	230	214	484	443	95
60 - 89	-	673	-	-	-	-	152	459	62	-
90+	-	1,824	-	-	-	377	416	187	347	497
TOTAL	1,068	11,789	481	733	873	1,297	2,827	3,091	1,432	1,055

(1) See footnotes at the end of Table 2.

TABLE 5b (xxi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN (1) IN-PATIENTS, YUKON, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	2	149	6	11	28	28	57	17	-	2
2	-	512	10	36	84	114	208	50	4	6
3	36	471	18	51	72	117	153	54	-	6
4	180	648	16	44	72	168	292	44	4	8
5	400	965	15	5	45	420	440	30	10	-
6	132	876	30	36	60	342	366	18	6	18
7	42	630	14	35	14	182	287	56	21	21
8	24	544	16	48	8	176	200	88	-	8
9	-	522	36	27	54	90	207	72	9	27
10	20	500	20	-	10	70	230	150	10	10
11 - 14	62	969	39	50	38	214	306	244	27	51
15 - 19	85	864	49	119	127	68	217	168	50	66
20 - 29	89	642	23	67	50	53	161	236	26	26
30 - 59	110	1,008	-	43	32	179	116	398	120	120
60 - 89	-	492	-	-	63	-	141	75	-	213
90+	-	1,056	-	-	252	221	139	343	-	101
TOTAL	1,182	10,848	292	572	1,009	2,442	3,520	2,043	287	683

(1) See footnotes at the end of Table 2.

TABLE 5b (xxii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN (1) IN-PATIENTS, NORTHWEST TERRITORIES, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	26	341	52	60	55	52	64	42	10	6
2	48	660	116	122	200	60	82	64	8	8
3	126	720	144	147	132	78	147	51	18	3
4	372	772	164	80	156	88	160	92	16	16
5	685	1,050	250	255	120	85	155	100	40	45
6	690	1,092	192	288	144	114	174	126	42	12
7	336	1,372	336	308	154	112	203	168	49	42
8	176	1,144	200	248	128	136	240	128	48	16
9	108	927	135	261	72	72	207	126	36	18
10	150	840	200	150	80	20	130	170	60	30
11 - 14	342	3,295	768	574	204	261	451	727	176	134
15 - 19	225	2,802	626	342	321	153	392	760	123	85
20 - 29	240	3,587	687	450	431	198	633	662	217	309
30 - 59	334	5,330	872	765	766	515	871	910	543	88
60 - 89	80	2,095	234	303	629	-	438	427	64	-
90+	-	2,894	668	488	645	391	309	224	169	-
TOTAL	3,938	28,921	5,644	4,841	4,237	2,335	4,656	4,777	1,619	812

(1) See footnotes at the end of Table 2.

TABLE 5b (xxiii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN (1) IN-PATIENTS, NORTHWEST TERRITORIES, 1968

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	13	478	45	46	54	119	155	46	10	3
2	28	964	68	92	174	206	328	82	12	2
3	135	1,263	78	99	183	303	489	102	3	6
4	420	1,848	132	132	164	484	800	108	12	16
5	745	2,775	190	285	150	805	1,140	170	30	5
6	552	2,736	198	210	138	810	1,116	180	48	36
7	280	2,303	231	231	154	574	875	154	49	35
8	232	1,712	176	176	104	320	744	120	64	8
9	90	1,467	180	144	99	333	441	180	54	36
10	50	1,480	200	250	50	220	450	210	80	20
11 - 14	174	3,874	464	738	262	374	1,408	415	116	97
15 - 19	226	3,118	389	488	295	450	774	448	237	37
20 - 29	281	3,812	455	535	594	525	902	603	136	62
30 - 59	263	5,416	896	1,021	544	407	1,034	1,052	144	318
60 - 89	68	1,641	435	329	62	141	270	272	72	60
90+	-	1,315	222	478	328	-	-	287	-	-
TOTAL	3,557	36,202	4,359	5,254	3,355	6,071	10,926	4,429	1,067	741

(1) See footnotes at the end of Table 2.

TABLE 6. SEPARATIONS, PATIENT DAYS, AVERAGE STAY, SEPARATION RATE PER 100,000 POPULATION,
PATIENT-DAY RATE PER 100,000 POPULATION,
EXPECTED SEPARATIONS AND DAYS STANDARDIZED TO THE 1961 CANADA CENSUS POPULATION,
AND A COMPARISON WITH 1962 HOSPITALIZATION EXPERIENCE,
BY DIAGNOSIS, AGE GROUP AND SEX, CANADA(1), 1968

(1) Excluding Nova Scotia

(2) Excluding Diagnoses 96 and 97, for newborn

(3) See notes on page 178

Table 6 is a summary table prepared from detailed information submitted by the provincial and territorial hospital insurance plans. Each diagnosis in the Canadian List of 98 Diagnoses (2) is considered separately. Data for each diagnosis include the number of separations in Canada during the year, the number of patient-days of these separations, the average length of stay, the separation rate and the patient-day rate per 100,000 population, the "expected" separations (cases) and days standardized to the 1961 Census population, and a comparison of the 1968 separation (case) rate and patient-day (day) rate for each age group with comparable rates for 1962, assuming the 1962 rates for each age group = 100. This "case" rate and "day" rate comparison between the 1968 and 1962 experience is particularly useful, as it indicates the general trend in Canada over a 7-year period for a particular disease or disease group by sex and age group.

1963

DIAGNOSIS 1 - TUBERCULOSIS, ALL FORMS

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	2043	20	67	107	156	498	523	469	207
F	1577	9	47	119	134	560	297	220	141
PATIENT DAYS									
M	41066	517	1790	1421	2792	8640	9763	11155	4978
F	33512	200	1043	2156	2668	10273	5213	4186	7775
AVERAGE STAY									
M	20.1	25.8	26.7	13.3	17.9	17.3	18.7	23.8	24.5
F	21.3	22.2	22.2	18.1	14.5	18.3	17.6	19.0	50.1
SEPARATION RATE PER 100,000 POPULATION									
M	20.4	11.2	6.1	4.8	8.9	19.7	35.8	60.0	78.9
F	15.8	5.3	6.0	5.6	10.6	22.4	20.2	26.0	43.2
PATIENT DAY RATE PER 100,000 POPULATION									
M	410	289	217	64	159	341	668	1427	1935
F	337	117	134	101	154	411	555	495	2360
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	1879	27	75	97	117	482	473	437	189
F	1429	12	53	100	139	543	256	194	114
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	37793	688	1989	1248	2093	8353	8322	10394	4613
F	31396	266	1173	1943	2013	9953	4467	3686	6280
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	50	75	75	64	55	79	100	119	123
F	32	35	63	61	60	83	61	90	104
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	65	101	69	50	20	42	108	143	79
F	69	51	43	62	45	97	81	62	56

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS				75 +
			1 - 4	5 - 14	15 - 24	25 - 44	
SEPARATIONS DURING YEAR							
M	1038	24	56	421	246	145	2
F	974	17	63	313	217	223	3
PATIENT DAYS							
M	37158	377	945	5219	3872	12583	367
F	29074	165	1025	7473	3341	8898	141
AVERAGE STAY							
M	35.8	11.1	9.8	12.4	36.1	86.8	153.5
F	29.9	9.7	16.3	24.1	15.4	39.0	47.0
SEPARATION RATE PER 100,000 POPULATION							
M	10.4	19.0	11.7	18.9	14.0	5.7	3.5
F	9.8	9.9	8.1	14.5	12.6	8.9	4.0
PATIENT DAY RATE PER 100,000 POPULATION							
M	371	211	115	234	504	497	119
F	292	96	131	350	193	343	43
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	955	46	107	300	134	141	26
F	883	23	71	200	164	217	30
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	34203	502	1054	4709	6634	12174	4232
F	26337	218	1147	6733	2513	8428	1832
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	62	83	43	50	116	66	100
F	65	71	37	46	78	100	83
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	59	32	9	25	35	95	490
F	35	9	10	37	42	65	9

1968
DIAGNOSIS 3 - INFECTIOUS HEPATITIS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS									
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	2516	12	128	803	584	655	209	83	42
F	2329	10	90	777	563	590	192	86	21
PATIENT DAYS									
M	33069	209	1552	8948	7170	9137	3545	1634	874
F	31302	163	1090	8544	6863	8697	3539	2159	247
AVERAGE STAY									
M	13.1	17.4	12.1	11.1	12.3	13.9	17.0	19.7	20.8
F	13.4	16.3	12.1	11.0	12.2	14.7	18.4	25.1	11.3
SEPARATION RATE PER 100,000 POPULATION									
M	25.1	6.7	15.5	36.0	33.2	25.9	14.3	10.6	16.3
F	23.4	5.8	11.5	36.4	32.6	23.6	13.1	10.2	6.4
PATIENT DAY RATE PER 100,000 POPULATION									
M	330	117	189	401	407	361	243	209	340
F	314	95	140	400	397	348	241	255	76
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	2313	16	143	725	437	634	189	78	99
F	2110	14	102	701	424	572	166	76	17
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	30423	279	1732	8069	5357	8843	3209	1523	811
F	28321	216	1226	7695	5162	8428	3046	1899	201
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	55	36	74	48	50	54	65	68	70
F	49	69	67	48	38	50	63	66	39
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	53	28	74	46	47	54	64	62	73
F	47	36	69	44	36	47	63	79	24

1968

DIAGNOSIS 4 - OTHER DISEASES ATTRIBUTABLE TO VIRUSES

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
				5 - 14	15 - 24	25 - 44	45 - 59			
				SEPARATIONS DURING YEAR						
M	6817	687	1740	1734	1123	671	310		314	238
F	6356	583	1502	1436	1143	586	379		427	300
				PATIENT DAYS						
M	58727	5867	15054	12051	9500	5308	3034		3734	4179
F	59961	4753	13062	11334	9985	5087	3807		5752	6181
				AVERAGE STAY						
M	3.6	8.5	8.7	6.9	8.5	7.9	9.8		11.9	17.6
F	9.4	8.2	8.7	7.9	8.7	8.7	10.0		13.5	20.6
				SEPARATION RATE PER 100,000 POPULATION						
M	68.0	384.4	211.3	77.7	63.8	26.5	21.2		40.1	92.5
F	63.8	340.1	192.6	67.3	66.1	23.5	25.8		50.5	92.0
				PATIENT DAY RATE PER 100,000 POPULATION						
M	586	3283	1828	540	540	210	208		477	1624
F	602	2773	1675	531	578	204	259		680	1895
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	6267	915	1937	1564	840	649	281		293	221
F	5759	773	1687	1294	860	568	326		376	243
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	54023	7810	16749	10365	7108	5144	2747		3475	3871
F	54297	6297	14661	10214	7515	4941	3274		5064	4994
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	80	100	79	76	85	91	101		103	123
F	77	93	77	71	86	96	99		93	90
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	76	91	73	70	80	89	99		91	118
F	76	78	73	75	80	97	84		89	83

"CANADA"

DIAGNOSIS 5 - OTHER INFECTIVE BACTERIAL, SPIROCHAETAL, RICKETTSIAL OR PARASITIC DISEASES

SEX	ALL AGES	UNDER 15	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		
			SEPARATIONS DURING YEAR						
M	7623	1092	1553	1751	880	1092	586	457	212
F	8025	1021	1601	1886	1061	1175	688	415	173
			PATIENT DAYS						
M	97164	16877	20300	15655	7101	11573	7770	10939	6949
F	95733	17068	21615	17014	7817	11521	8795	7194	4709
			AVERAGE STAY						
M	12.7	15.5	13.1	9.9	8.1	10.6	13.3	23.9	32.8
F	11.9	16.7	13.5	9.0	7.4	9.8	12.8	17.3	26.5
			SEPARATION RATE PER 100,000 POPULATION						
M	76.0	611.1	188.6	78.5	50.0	43.1	40.1	58.4	82.4
F	80.6	595.7	205.3	82.3	61.4	47.0	46.3	49.0	54.6
			PATIENT DAY RATE PER 100,000 POPULATION						
M	969	5444	2466	702	403	457	532	1398	2701
F	962	5958	2772	797	452	461	598	850	1444
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	7008	1454	1729	1580	659	1056	530	426	197
F	7271	1353	1798	1700	796	1139	592	366	144
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	89332	22466	22594	14125	5305	11194	7026	10183	6458
F	86767	22613	24262	15331	5877	11164	7558	6229	3806
			CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	86	109	114	84	32	82	80	96	110
F	87	115	107	88	78	88	86	94	105
			DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	74	109	102	78	81	91	32	99	70
F	77	114	106	78	73	87	86	39	91

1968

"CANADA"

DIAGNOSIS 6 - MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	2093	0	1	12	16	180	664	785	435
F	860	0	2	14	24	119	300	254	147
SEPARATIONS DURING YEAR									
M	48958	0	23	164	115	2482	14576	19969	11529
F	18622	0	120	105	188	1459	6299	5069	5382
PATIENT DAYS									
M	23.4	C.C	23.0	13.7	7.2	13.8	22.1	25.4	26.5
F	21.7	C.C	60.0	7.5	7.8	12.3	21.0	20.0	36.6
AVERAGE STAY									
M	20.9	C.C	0.1	0.5	0.9	7.1	45.4	100.4	169.1
F	8.6	C.C	0.3	0.7	1.4	4.8	20.4	30.0	45.1
SEPARATION RATE PER 100,000 POPULATION									
M	488	0	3	7	7	98	1004	2553	4481
F	187	0	15	5	11	58	429	599	1650
PATIENT DAY RATE PER 100,000 POPULATION									
M	1925	0	2	11	12	175	600	731	403
F	780	0	3	13	19	116	258	224	119
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	44989	0	28	141	93	2401	13259	18595	10681
F	16867	0	132	97	144	1455	5422	4461	4349
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	106	0	100	275	50	96	122	105	96
F	124	0	0	118	36	113	138	123	96
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	109	0	233	111	36	100	137	101	103
F	131	0	0	68	86	142	157	100	120
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									

1968

DIAGNOSIS 7 - MALIGNANT NEOPLASM OF STOMACH

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	3137	0	1	2	2	130	654	1426	922
F	1704	0	1	0	1	98	326	646	632
				PATIENT DAYS					
M	81482	0	14	13	27	2900	15335	35780	27413
F	57266	0	8	0	3	2699	8559	21069	24928
				AVERAGE STAY					
M	26.0	0.0	14.0	6.5	13.5	22.3	23.4	25.1	29.7
F	33.6	0.0	8.0	0.0	3.0	27.5	26.3	32.6	39.4
				SEPARATION RATE PER 100,000 POPULATION					
M	31.3	0.0	0.1	0.1	0.1	5.1	44.7	182.3	358.3
F	17.1	0.0	0.1	0.0	0.1	3.9	22.2	76.4	193.7
				PATIENT DAY RATE PER 100,000 POPULATION					
M	813	0	2	1	2	114	1049	4574	10654
F	575	0	1	0	0	108	582	2490	7642
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	2884	0	2	2	2	126	591	1328	855
F	1544	0	2	0	1	95	281	569	511
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	74950	0	19	21	27	2793	13853	33314	25395
F	51862	0	9	0	1	2616	7356	18541	20139
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	93	0	0	200	50	94	82	95	100
F	108	0	200	0	.33	79	111	91	118
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	87	0	0	350	19	81	80	84	100
F	122	0	26	0	0	89	108	102	139

1968
DIAGNOSIS 8 - MALIGNANT NEOPLASM OF LARGE INTESTINE EXCEPT RECTUM
"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	3892	0	0	4	16	239	860	1674	1099
F	4474	0	1	4	17	278	1080	1817	1277
PATIENT DAYS									
M	122226	0	0	39	268	5491	22771	53131	40526
F	150881	0	2	65	267	7461	29493	56167	57426
AVERAGE STAY									
M	31.4	0.0	0.0	9.8	16.8	23.0	26.5	31.7	36.9
F	33.7	0.0	2.0	16.3	15.7	26.8	27.3	30.9	45.0
SEPARATION RATE PER 100,000 POPULATION									
M	38.8	0.0	0.0	0.2	0.9	9.4	58.8	214.0	427.1
F	44.9	0.0	0.1	0.2	1.0	11.1	73.5	214.8	391.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	1219	0	0	2	15	217	1558	6793	15750
F	1516	0	0	3	15	299	2006	6638	17605
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	3578	0	0	4	12	232	777	1559	1019
F	4054	0	2	4	13	270	929	1599	1032
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	112379	0	0	41	198	5316	20575	49476	37542
F	136734	0	1	58	196	7241	25352	49426	46393
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	125	0	0	100	79	134	125	121	134
F	122	0	0	79	162	91	107	120	125
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	121	0	0	151	58	97	124	125	122
F	120	0	0	101	129	88	101	104	142

1968
DIAGNOSIS 9 - MALIGNANT NEOPLASM OF RECTUM

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	2471	0	0	1	4	106	581	1078	701	
F	1847	0	0	1	14	91	454	724	563	
PATIENT DAYS										
M	91161	0	0	10	141	3101	15880	39402	32627	
F	69510	0	0	36	296	2478	12727	25140	28833	
AVERAGE STAY										
M	36.9	0.0	0.0	10.0	35.3	29.3	27.3	36.6	46.5	
F	37.6	0.0	0.0	36.0	21.1	27.2	28.0	34.7	51.2	
SEPARATION RATE PER 100,000 POPULATION										
M	24.6	0.0	0.0	0.0	0.2	4.2	39.7	137.8	272.4	
F	18.6	0.0	0.0	0.0	0.8	3.6	30.9	85.6	172.6	
PATIENT DAY RATE PER 100,000 POPULATION										
M	909	0	0	0	8	122	1036	5037	12681	
F	698	0	0	2	17	99	866	2971	8839	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	2272	0	0	1	3	103	525	1004	650	
F	1674	0	0	1	11	89	391	638	455	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	83800	0	0	1	106	2989	14342	36686	30226	
F	62956	0	0	39	222	2398	10945	22122	23293	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	110	0	0	100	100	91	113	110	114	
F	115	0	0	0	275	80	94	107	139	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	110	0	0	33	173	96	94	116	117	
F	115	0	0	0	181	73	73	100	163	

1968

DIAGNOSIS 13 -- MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA AND LUNG, PRIMARY, AND UNSPECIFIED AS TO WHETHER PRIMARY OR SECONDARY

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
					SEPARATIONS DURING YEAR				
M	7954	C	0	3	12	326	2374	4081	1158
F	1631	C	0	3	7	168	544	617	292
					PATIENT DAYS				
M	201658	C	0	21	151	8219	55937	104748	32582
F	49777	C	0	45	119	4396	14529	20143	10545
					AVERAGE STAY				
M	25.4	C.C	C.C	7.0	12.6	25.2	23.6	25.7	28.1
F	30.5	C.C	C.C	15.0	17.0	26.2	26.7	32.6	36.1
					SEPARATION RATE PER 100,000 POPULATION				
M	79.3	C.C	C.C	0.1	0.7	12.9	162.4	521.7	450.1
F	16.4	C.C	C.C	0.1	0.4	6.7	37.0	72.9	89.5
					PATIENT DAY RATE PER 100,000 POPULATION				
M	2011	0	0	1	9	324	3827	13391	12663
F	500	0	0	2	7	176	988	2381	3233
					EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION				
M	7313	0	0	3	9	316	2145	3800	1073
F	1478	0	0	3	6	163	468	543	236
					EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION				
M	185352	0	0	21	119	7936	50539	97531	30184
F	45057	0	0	39	92	4263	12487	17729	8520
					CASE RATE COMPARISON WITH 1962 CANADA RATE = 100				
M	147	0	0	300	81	144	142	149	161
F	146	0	0	75	100	161	132	135	162
					DAY RATE COMPARISON WITH 1962 CANADA RATE = 100				
M	136	0	0	161	48	145	121	141	158
F	157	0	0	54	87	151	134	150	182

1968

DIAGNOSIS 11 - MALIGNANT NEOPLASM OF BREAST

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
				5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	138	0	0	0	1	6	45	55	31		
F	11947	1	0	3	20	2132	4824	3463	1504		
PATIENT DAYS											
M	3037	0	0	0	15	72	818	1327	805		
F	296742	29	0	50	98	38319	103747	94798	59701		
AVERAGE STAY											
M	22.0	0.0	0.0	0.0	15.0	12.0	18.2	24.1	26.0		
F	24.8	29.0	0.0	16.7	4.9	18.0	21.5	27.4	39.7		
SEPARATION RATE PER 100,000 POPULATION											
M	1.4	0.0	0.0	0.0	0.1	0.2	3.1	7.0	12.0		
F	120.0	0.6	0.0	0.1	1.2	85.3	328.2	405.3	461.1		
PATIENT DAY RATE PER 100,000 POPULATION											
M	30	0	0	0	1	3	56	170	313		
F	2981	17	0	2	6	1534	7058	11204	18302		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	127	0	0	0	1	6	41	52	29		
F	10824	2	0	3	16	2067	4148	3048	1216		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	2766	0	0	0	14	74	740	1239	747		
F	268867	39	0	39	79	37148	89197	83423	48230		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	81	0	0	0	100	85	110	86	59		
F	119	0	0	75	88	107	120	113	121		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	56	0	0	0	200	77	80	81	31		
F	105	0	0	60	30	92	101	99	115		

1968

DIAGNOSIS 12 - MALIGNANT NEOPLASM OF CERVIX UTERI

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44		
SEPARATIONS DURING YEAR								
M	0	0	0	0	0	0	0	0
F	10379	0	0	2	336	5308	1318	391
PATIENT DAYS								
M	3	0	0	0	0	0	0	0
F	144307	0	0	18	2378	56624	30105	11458
AVERAGE STAY								
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	13.9	0.0	0.0	9.0	7.1	10.7	22.8	29.3
SEPARATION RATE PER 100,000 POPULATION								
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	104.3	0.0	0.0	0.1	19.4	212.4	155.8	119.9
PATIENT DAY RATE PER 100,000 POPULATION								
M	0	0	0	0	0	0	0	0
F	1449	0	0	1	138	2266	3558	3513
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	0	0	0	0	0	0	0	0
F	9403	0	0	2	253	5145	1160	316
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	0	0	0	0	0	0	0	0
F	130691	0	0	20	1795	54874	26493	9258
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	0	0	0	0	0	0	0	0
F	163	0	0	50	.459	214	109	117
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	0	0	0	0	0	0	0	0
F	120	0	0	33	242	152	105	107

1968

DIAGNOSIS 13 - MALIGNANT NEOPLASM OF UTERUS OTHER THAN OF CERVIX UTERI

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	0	0	0	0	0	0	0	0	0
F	3213	0	0	0	22	280	1256	1283	372
M	0	0	0	0	0	0	0	0	0
F	59159	0	0	0	431	3961	17356	23732	13679
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	18.4	0.0	0.0	0.0	19.6	14.1	13.8	18.5	36.8
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	32.3	0.0	0.0	0.0	1.3	11.2	85.4	151.6	114.0
M	0	0	0	0	0	0	0	0	0
F	594	0	0	0	25	159	1181	2805	4193
M	0	0	0	0	0	0	0	0	0
F	2911	0	0	0	17	272	1080	1130	301
M	0	0	0	0	0	0	0	0	0
F	53575	0	0	0	326	3851	14926	20880	11050
M	0	0	0	0	0	0	0	0	0
F	120	0	0	0	.169	97	117	119	119
M	0	0	0	0	0	0	0	0	0
F	108	0	0	0	232	79	101	103	118

SEPARATIONS DURING YEAR

PATIENT DAYS

AVERAGE STAY

SEPARATION RATE PER 100,000 POPULATION

PATIENT DAY RATE PER 100,000 POPULATION

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

1968

"CANADA"

DIAGNOSIS 14 - MALIGNANT NEOPLASM OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	0	0	0	0	0	0	0	0	0
F	2455	0	1	16	40	340	1012	826	220
M	0	0	0	0	0	0	0	0	0
F	59933	0	19	264	825	6981	24390	20533	6921
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	24.4	0.0	19.0	16.5	20.6	20.5	24.1	24.9	31.5
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	24.7	0.0	0.1	0.7	2.3	13.6	68.8	97.6	67.4
M	0	0	0	0	0	0	0	0	0
F	602	0	2	12	48	279	1659	2427	2122
M	0	0	0	0	0	0	0	0	0
F	2225	0	2	15	31	330	871	727	178
M	0	0	0	0	0	0	0	0	0
F	54297	0	18	231	625	6757	20966	18072	5592
M	0	0	0	0	0	0	0	0	0
F	130	0	200	250	103	106	131	134	115
M	0	0	0	0	0	0	0	0	0
F	117	0	600	316	144	101	125	110	95

SEPARATIONS DURING YEAR

PATIENT DAYS

AVERAGE STAY

SEPARATION RATE PER 100,000 POPULATION

PATIENT DAY RATE PER 100,000 POPULATION

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100

1968

DIAGNOSIS 15 - MALIGNANT NEOPLASM OF PROSTATE

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
						SEPARATIONS DURING YEAR			
M	7384	0	1	0	2	16	491	3137	3737
F	0	0	0	0	0	0	0	0	0
						PATIENT DAYS			
M	225794	0	6	0	64	360	11503	84695	129166
F	0	0	0	0	0	0	0	0	0
						AVERAGE STAY			
M	30.6	0.0	6.0	0.0	32.0	22.5	23.4	27.0	34.6
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
						SEPARATION RATE PER 100,000 POPULATION			
M	73.6	0.0	0.1	0.0	0.1	0.6	33.6	401.0	1452.4
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
						PATIENT DAY RATE PER 100,000 POPULATION			
M	2252	0	1	0	4	14	787	10828	50201
F	0	0	0	0	0	0	0	0	0
						EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION			
M	6789	0	2	0	2	16	444	2921	3462
F	0	0	0	0	0	0	0	0	0
						EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION			
M	207610	0	10	0	53	343	10393	78864	119658
F	0	0	0	0	0	0	0	0	0
						CASE RATE COMPARISON WITH 1962 CANADA RATE = 100			
M	127	0	0	0	200	123	130	124	132
F	0	0	0	0	0	0	0	0	0
						DAY RATE COMPARISON WITH 1962 CANADA RATE = 100			
M	124	0	0	0	15	213	103	117	134
F	0	0	0	0	0	0	0	0	0

1968

DIAGNOSIS 16 - MALIGNANT NEOPLASM OF KIDNEY, BLADDER AND OTHER URINARY ORGANS

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS								75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
SEPARATIONS DURING YEAR										
M	5463	10	35	49	9	209	1094	2429	1628	
F	2204	1	38	55	8	113	441	845	703	
PATIENT DAYS										
M	122153	213	584	616	246	3314	19668	56669	40843	
F	52822	5	722	758	72	1978	8965	21883	18439	
AVERAGE STAY										
M	22.4	21.3	16.7	12.6	27.3	15.9	18.0	23.3	25.1	
F	24.0	5.0	19.0	13.8	9.0	17.5	20.3	25.9	26.2	
SEPARATION RATE PER 100,000 POPULATION										
M	54.5	5.6	4.3	2.2	0.5	8.2	74.8	310.5	632.7	
F	22.1	0.6	4.9	2.6	0.5	4.5	30.0	95.9	215.5	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1218	119	71	28	14	131	1345	7245	15874	
F	531	3	93	36	4	79	610	2586	5653	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	5023	14	39	45	7	203	989	2262	1509	
F	1997	2	43	50	7	110	380	744	568	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	112287	284	651	564	135	3209	17762	52768	37837	
F	47893	7	814	693	53	1914	7709	19255	14897	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	120	279	125	132	77	111	108	120	133	
F	127	200	148	161	350	94	127	113	132	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	108	234	86	85	156	123	95	108	115	
F	123	63	97	109	196	71	113	118	127	

1968
DIAGNOSIS 17 - LEUKAEMIA AND ALEUKAEMIA

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
				5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	2935	25	290	508	151	278	419	679	585		
F	1839	6	171	340	87	199	246	467	323		
PATIENT DAYS											
M	53979	302	4825	6325	2744	5023	6025	11877	16258		
F	41855	53	3059	4334	1799	4013	5434	11657	11251		
AVERAGE STAY											
M	18.4	12.1	16.6	12.5	18.2	18.1	15.3	17.5	27.8		
F	22.8	8.8	17.9	12.7	20.7	20.2	22.3	25.4	34.8		
SEPARATION RATE PER 100,000 POPULATION											
M	29.3	14.0	35.2	22.8	8.6	11.0	23.7	86.3	227.4		
F	18.5	3.5	21.9	15.9	5.0	8.0	16.7	55.2	59.0		
PATIENT DAY RATE PER 100,000 POPULATION											
M	538	169	586	283	156	198	453	1518	6315		
F	420	31	392	203	104	151	373	1401	3449		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	2699	34	323	459	113	269	379	630	542		
F	1667	8	192	307	65	193	212	411	261		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	49593	403	5370	5694	254	4350	5953	11057	15062		
F	27882	71	3431	3905	1353	3899	4714	10432	5089		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	125	200	155	173	124	123	94	103	156		
F	117	72	119	156	113	95	33	117	143		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	118	79	171	136	111	129	72	82	222		
F	130	22	127	146	124	93	89	130	139		

1968

"CANADA"

DIAGNOSIS 13 - OTHER MALIGNANT NEOPLASMS AND NEOPLASMS OF LYMPHATIC AND HAEMATOPOIETIC TISSUES

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS						60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		
SEPARATIONS DURING YEAR									
M	15576	43	203	536	652	2100	3951	5325	2766
F	12770	23	134	329	504	1751	3350	4213	2466
PATIENT DAYS									
M	376632	777	3651	10093	12026	42440	94979	135970	76696
F	352578	473	3580	6049	9081	34257	80162	121567	98009
AVERAGE STAY									
M	24.2	18.1	18.0	18.8	18.4	20.2	24.0	25.5	27.7
F	27.7	20.6	26.7	18.4	18.0	19.6	23.9	29.0	39.7
SEPARATION RATE PER 100,000 POPULATION									
M	155.3	24.1	24.7	24.0	37.0	82.9	270.3	680.8	1075.0
F	128.3	13.4	17.2	15.4	29.2	70.1	227.9	497.9	756.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	3756	435	443	452	683	1675	6497	17383	29808
F	3551	276	459	233	525	1371	5454	14415	30046
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	14319	58	226	484	488	2031	3570	4559	2563
F	11569	21	151	297	379	1698	2881	3708	1993
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	346262	1035	4059	9095	8990	41027	85798	126606	71050
F	320278	627	4018	5444	6826	33201	68926	107332	79178
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	124	113	113	123	105	122	129	123	130
F	117	114	99	107	115	113	109	110	124
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	118	108	100	109	86	109	124	121	124
F	112	85	34	78	105	101	95	112	136

1968
DIAGNOSIS 19 - BENIGN NEOPLASM OF UTERUS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	0	0	0	0	0	0	0	0	0
F	25668	1	1	10	543	14752	12904	1251	206
SEPARATIONS DURING YEAR									
M	0	0	0	0	0	0	0	0	0
F	288749	4	2	44	3271	141961	128251	12514	2702
PATIENT DAYS									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	9.7	4.0	2.0	4.4	6.0	9.6	9.9	10.0	13.1
AVERAGE STAY									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	298.0	0.6	0.1	0.5	31.4	590.4	877.9	147.9	63.2
SEPARATION RATE PER 100,000 POPULATION									
M	0	0	0	0	0	0	0	0	0
F	2900	2	0	2	189	5682	8725	1479	828
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	0	0	0	0	0	0	0	0
F	26878	2	2	10	409	14298	11095	1101	167
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	261562	5	1	39	2458	137597	110264	11013	2182
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	117	100	66	71	81	115	125	116	131
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	108	15	1	33	69	109	112	100	142
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	108	15	1	33	69	109	112	100	142

1968

DIAGNOSIS 20 - BENIGN NEOPLASM OF OVARY

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
				5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	0	0	0	0	0	0	0	0	0	0	
F	8563	2	3	166	2338	4578	1127	276	70	70	
PATIENT DAYS											
M	0	0	0	0	0	0	0	0	0	0	
F	86176	43	78	1119	19142	46465	13909	4283	1137	1137	
AVERAGE STAY											
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
F	10.1	21.5	13.0	6.7	8.2	10.1	12.3	15.5	16.2	16.2	
SEPARATION RATE PER 100,000 POPULATION											
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
F	86.0	1.2	0.8	7.8	135.2	183.2	76.7	32.6	21.5	21.5	
PATIENT DAY RATE PER 100,000 POPULATION											
M	0	0	0	0	0	0	0	0	0	0	
F	866	25	10	52	1107	1860	946	506	349	349	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	0	0	0	0	0	0	0	0	0	0	
F	7758	3	7	150	1759	4437	969	243	57	57	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	0	0	0	0	0	0	0	0	0	0	
F	78108	57	88	1001	14392	45043	11956	3768	920	920	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	0	0	0	0	0	0	0	0	0	0	
F	88	100	233	89	76	87	109	86	79	79	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	0	0	0	0	0	0	0	0	0	0	
F	82	135	209	71	68	82	103	91	64	64	

- 100 -

1968

DIAGNOSIS 21 - BENIGN NEOPLASMS (EXCL. UTERUS AND OVARY) AND NEOPLASM OF UNSPECIFIED NATURE

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	17535	314	620	1518	3456	4616	3461	2726	924		
F	26802	386	674	1610	5404	9432	5674	2731	341		
PATIENT DAYS											
M	162768	2936	5242	9738	27519	35311	33908	35071	13043		
F	207136	3398	5062	10968	31493	58566	51211	34182	12256		
AVERAGE STAY											
M	9.2	5.4	8.5	6.4	8.0	7.6	9.8	12.9	14.1		
F	7.7	8.8	7.5	6.8	5.8	6.2	9.0	12.3	14.6		
SEPARATION RATE PER 100,000 POPULATION											
M	175.9	175.7	75.3	68.0	196.3	182.2	236.8	348.5	359.1		
F	269.2	225.2	86.4	75.4	312.6	377.5	386.0	328.7	257.8		
PATIENT DAY RATE PER 100,000 POPULATION											
M	1623	1643	637	436	1563	1394	2320	4484	5069		
F	2081	1982	649	514	1822	2344	3484	4040	3757		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	16212	418	690	1369	2585	4463	3127	2539	856		
F	24281	512	757	1451	4064	9142	4879	2448	680		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	149623	3509	5837	8773	20572	34145	30638	32659	12083		
F	187693	4501	5681	9887	23687	56763	44030	30082	9901		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	101	85	82	91	106	100	97	110	115		
F	107	91	95	99	103	107	106	111	105		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	99	83	92	88	91	95	101	112	103		
F	94	82	95	98	96	100	102	75	79		

1968

DIAGNOSIS 22 - ASTHMA

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	12436	384	2361	2870	540	1216	2072	2259	734		
F	11280	161	1359	1822	936	2082	2559	1854	507		
PATIENT DAYS											
M	125672	2862	17693	20856	3550	10040	24197	32170	13304		
F	120577	1383	10104	13188	6659	18670	32955	27423	10195		
AVERAGE STAY											
M	10.1	10.1	7.5	7.3	6.6	8.3	11.7	14.2	18.1		
F	10.7	8.6	7.4	7.2	7.1	9.0	12.9	14.8	20.1		
SEPARATION RATE PER 100,000 POPULATION											
M	124.0	214.9	286.8	128.6	30.7	48.0	141.7	288.8	285.3		
F	113.3	92.9	174.3	85.3	54.1	33.3	174.1	219.1	155.4		
PATIENT DAY RATE PER 100,000 POPULATION											
M	1253	2161	2149	935	202	396	1655	4113	5171		
F	1211	807	1296	618	385	747	2242	3241	3125		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	11433	512	2628	2589	404	1176	1872	2104	680		
F	10219	214	1526	1642	704	2018	2201	1632	410		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	115513	5141	19690	18813	2659	9700	21856	29957	12326		
F	109225	1833	11343	11888	5006	18090	28334	24132	8236		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	123	104	183	178	100	105	110	162	108		
F	130	83	198	174	116	106	125	130	118		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	113	107	181	195	97	96	106	103	86		
F	126	73	226	187	105	101	131	116	103		

1968

DIAGNOSIS 23 - OTHER ALLERGIC DISORDERS (EXCL. ASTHMA)

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	3381	357	749	822	333	550	315	198	57
F	3543	266	448	645	502	864	509	230	79
PATIENT DAYS									
M	25180	3844	5958	4702	1904	3784	2499	1848	601
F	26250	2990	3513	3958	3247	5852	3949	1888	853
AVERAGE STAY									
M	7.4	10.8	8.0	5.7	5.7	6.9	7.9	9.3	10.5
F	7.4	11.2	7.8	6.1	6.5	6.8	7.8	8.2	10.8
SEPARATION RATE PER 100,000 POPULATION									
M	33.7	199.8	91.0	36.8	18.9	21.7	21.5	25.3	22.2
F	35.6	155.2	57.5	30.2	29.0	34.6	34.6	27.2	24.2
PATIENT DAY RATE PER 100,000 POPULATION									
M	251	2151	729	211	108	149	171	236	234
F	264	1744	451	185	188	234	269	223	261
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	3109	476	834	742	249	532	285	185	53
F	3210	353	503	582	378	838	438	203	64
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	23140	5117	6680	4246	1422	3650	2259	1719	558
F	23812	3561	3948	3559	2445	5667	3400	1661	688
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	103	135	149	128	83	79	87	113	96
F	103	161	126	112	78	102	107	103	108
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	88	101	106	111	71	84	86	118	99
F	86	142	98	90	60	92	86	88	96

1968

DIAGNOSIS 24 - DISEASES OF THYROID GLAND

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS						75 +
				5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
SEPARATIONS DURING YEAR										
M	1709	16	18	70	173	508	520	334	70	
F	8235	13	40	206	833	3026	2628	1223	266	
PATIENT DAYS										
M	25562	262	276	736	1796	6842	6113	6399	3138	
F	97843	238	564	2044	8664	29431	29974	18881	8047	
AVERAGE STAY										
M	15.0	16.4	15.3	10.5	10.4	13.5	11.8	19.2	44.8	
F	11.9	18.3	14.1	9.9	10.4	9.7	11.4	15.4	30.3	
SEPARATION RATE PER 100,000 POPULATION										
M	17.0	9.0	2.2	3.1	9.8	20.1	35.6	42.7	27.2	
F	82.7	7.6	5.1	9.6	48.2	121.1	178.8	144.5	81.5	
PATIENT DAY RATE PER 100,000 POPULATION										
M	255	147	34	33	102	270	418	818	1220	
F	983	139	72	96	501	1178	2039	2232	2467	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	1572	22	21	64	130	492	470	311	65	
F	7461	18	45	186	627	2933	2260	1077	215	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	23569	350	312	664	1343	6614	5520	5958	2908	
F	88661	316	631	1847	6514	28527	25769	16620	6502	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	85	78	55	62	69	75	90	116	151	
F	79	52	118	72	61	71	87	98	109	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	99	59	56	68	68	96	75	137	303	
F	79	56	118	63	62	71	81	88	106	

1968

DIAGNOSIS 25 - DIABETES MELLITUS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	17717	8	179	860	1099	2825	4702	5364	2680
F	24124	6	161	1042	1478	2890	5727	8766	4054
PATIENT DAYS									
M	377737	257	3071	10603	12363	35426	72171	138843	105003
F	532006	99	3262	13446	15864	34841	87112	205353	172029
AVERAGE STAY									
M	21.3	32.1	17.2	12.3	11.2	12.5	15.3	25.9	39.2
F	22.1	16.5	20.3	12.9	10.7	12.1	15.2	23.4	42.4
SEPARATION RATE PER 100,000 POPULATION									
M	176.7	4.5	21.7	38.5	62.4	111.5	321.7	685.8	1041.6
F	242.3	3.5	20.6	48.8	85.5	115.7	389.6	1036.0	1242.8
PATIENT DAY RATE PER 100,000 POPULATION									
M	3767	144	373	475	702	1398	4937	17750	40810
F	5344	58	418	630	918	1394	5926	24271	52737
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	16288	11	200	776	822	2732	4248	4595	2483
F	21855	8	181	939	1112	2801	4924	7715	3276
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	347276	343	3418	9557	9240	34243	65197	129279	97274
F	481955	132	3659	12119	11935	33758	74891	180718	138974
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	129	91	150	112	129	144	126	125	133
F	124	200	161	126	149	134	115	111	123
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	141	168	165	106	133	132	123	151	152
F	123	244	186	116	147	131	108	106	130

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	1298	48	118	234	207	286	229	145	31
F	2211	50	110	198	423	680	414	280	56
				PATIENT DAYS					
M	20232	1018	1815	2836	2832	3775	3593	3898	465
F	31442	932	1237	2281	4337	8186	7500	5672	1297
				AVERAGE STAY					
M	15.6	21.2	15.4	12.1	13.7	13.2	15.7	26.9	15.0
F	14.2	18.6	11.2	11.5	10.3	12.0	18.1	20.3	23.2
				SEPARATION RATE PER 100,000 POPULATION					
M	12.9	26.9	14.3	10.5	11.8	11.3	15.7	18.5	12.0
F	22.2	29.2	14.1	9.3	24.5	27.2	28.2	33.1	17.2
				PATIENT DAY RATE PER 100,000 POPULATION					
M	202	570	220	127	161	149	246	498	181
F	316	544	159	107	251	328	510	670	398
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	1194	64	132	212	155	277	207	136	29
F	2004	67	124	179	319	660	356	247	46
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	18623	1356	2016	2556	2120	3650	3249	3628	432
F	28502	1236	1392	2059	3264	7943	6446	4989	1049
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	129	123	155	132	128	122	122	181	87
F	102	159	154	123	80	83	106	170	131
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	143	181	183	144	134	108	137	214	104
F	96	235	132	124	73	72	119	106	157

1968

DIAGNOSIS 27 - AVITAMINOSES AND OTHER METABOLIC DISEASES

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	3991	233	571	389	239	751	848	637	323
F	5074	190	461	427	662	1447	1049	589	249
				PATIENT DAYS					
M	60622	4139	9296	4607	2608	8685	11926	11849	7512
F	83553	3369	8461	5347	9152	19948	16517	14248	6511
				AVERAGE STAY					
M	15.2	17.8	16.3	11.8	10.9	11.6	14.1	18.6	23.3
F	16.5	17.7	18.4	12.5	13.8	13.8	15.7	24.2	26.1
				SEPARATION RATE PER 100,000 POPULATION					
M	39.8	130.4	69.4	17.4	13.6	29.6	58.0	81.4	125.5
F	51.0	110.9	59.1	20.0	38.3	57.9	71.4	69.6	76.3
				PATIENT DAY RATE PER 100,000 POPULATION					
M	605	2316	1129	206	148	343	816	1515	2920
F	839	1966	1085	250	529	798	1124	1684	1956
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	3669	311	636	351	179	727	767	594	300
F	4597	252	518	385	498	1403	902	519	202
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	55775	5510	10345	4145	1948	8402	10776	11035	6900
F	75673	4465	9497	4809	6878	19325	14205	12539	5260
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	115	69	126	127	132	130	130	135	134
F	129	73	115	111	146	162	134	133	141
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	105	59	130	119	103	116	116	132	123
F	139	69	123	101	182	166	149	161	177

1968

DIAGNOSIS 28 - DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	8528	609	1264	1557	606	689	987	1533	1283
F	10253	386	805	825	775	2169	1780	1882	1631
PATIENT DAYS									
M	115363	8053	12740	13044	5895	8149	14400	25673	27409
F	168471	4660	9453	7933	8217	24921	26225	38345	48717
AVERAGE STAY									
M	13.5	13.2	10.1	8.4	9.7	11.8	14.6	16.7	21.4
F	16.4	12.1	11.7	9.6	10.6	11.5	14.7	20.4	29.9
SEPARATION RATE PER 100,000 POPULATION									
M	85.0	240.8	153.5	69.8	34.4	27.2	67.5	196.0	498.6
F	103.0	225.2	103.2	38.6	44.3	86.8	121.1	222.4	500.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	1150	4506	1547	585	335	322	985	3282	10653
F	1692	2719	1212	372	475	997	1784	4532	14935
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	7840	811	1407	1405	454	667	892	1428	1189
F	9289	512	904	744	583	2103	1531	1657	1318
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	106018	10719	14174	11771	4410	7837	15008	23904	25393
F	152608	6175	10608	7156	6176	24144	22546	33745	39357
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	112	113	121	111	112	131	129	107	130
F	114	117	127	111	86	112	120	113	128
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	99	113	107	99	110	129	121	94	96
F	105	99	115	106	85	102	124	111	90

1968
DIAGNOSIS 29 - PSYCHOSES

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	10108	4	46	191	1406	3527	2857	1407	670
F	14649	0	16	181	1771	5839	3961	2033	848
				PATIENT DAYS					
M	236272	26	614	4647	38754	67047	59261	34280	31643
F	391385	0	380	3507	49454	130074	93821	67694	46455
				AVERAGE STAY					
M	23.4	6.5	13.3	24.3	27.6	19.0	20.7	24.4	47.2
F	26.7	0.0	23.8	19.4	27.9	22.3	23.7	33.3	54.8
				SEPARATION RATE PER 100,000 POPULATION					
M	100.0	2.2	5.6	8.6	79.9	139.2	195.4	179.9	260.4
F	147.1	0.0	2.1	8.5	102.4	233.7	269.5	240.3	260.0
				PATIENT DAY RATE PER 100,000 POPULATION					
M	2356	15	75	208	2202	2646	4054	4383	12298
F	3931	0	49	164	2860	5206	6383	8001	14241
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	9293	6	52	173	1052	3410	2581	1311	621
F	13272	0	18	164	1332	5660	3406	1790	686
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	217198	36	688	4195	22983	64811	53536	31923	29314
F	354551	0	429	3155	37181	126070	80667	59574	37529
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	159	0	866	218	157	146	176	145	162
F	152	0	150	188	137	152	147	147	175
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	131	0	649	188	165	105	162	124	116
F	133	0	120	151	135	141	145	114	124

1968

DIAGNOSIS 30 - PSYCHONEUROTIC DISORDERS

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	17022	13	82	733	2289	6940	4881	1691	393
F	39245	9	80	1119	6573	17897	9034	3815	718
PATIENT DAYS									
M	246932	117	898	7567	32704	92604	76401	29760	6881
F	613592	124	701	11373	36119	271943	149500	77111	16715
AVERAGE STAY									
M	14.5	9.0	11.0	10.3	14.3	13.3	15.7	17.6	17.5
F	15.6	13.8	8.8	10.2	13.1	15.2	16.5	20.2	23.3
SEPARATION RATE PER 100,000 POPULATION									
M	169.7	7.3	10.0	32.9	130.0	273.9	333.9	216.2	152.7
F	394.2	5.3	10.3	52.4	380.2	716.3	614.6	450.9	220.1
PATIENT DAY RATE PER 100,000 POPULATION									
M	2462	65	109	339	1858	3655	5227	3805	2674
F	6163	72	90	533	4981	10884	10171	9114	5124
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	15649	18	92	662	1712	6710	4410	1575	365
F	35554	12	90	1009	4943	17346	7768	3358	581
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	226970	155	999	6821	24455	89525	69027	27713	6374
F	555863	164	788	10253	64755	263570	128538	67862	13503
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	128	112	135	127	120	123	134	130	172
F	129	79	125	125	111	132	127	131	145
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	120	60	172	126	123	110	125	125	136
F	121	63	131	122	106	119	119	129	157

1968

"CANADA"

DIAGNOSIS 31 - DISORDERS OF CHARACTER, BEHAVIOUR, AND INTELLIGENCE

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	14687	150	626	1341	1330	5107	4608	1387	138
F	6552	114	437	921	1289	2166	1271	310	44
PATIENT DAYS									
M	208317	2671	25747	25582	22228	55393	55816	19124	1756
F	145087	6527	28367	20000	24961	37541	20499	6303	889
AVERAGE STAY									
M	14.2	17.8	41.1	19.1	16.7	10.8	12.1	13.8	12.7
F	22.1	57.3	64.9	21.7	19.4	17.3	16.1	20.3	20.2
SEPARATION RATE PER 100,000 POPULATION									
M	146.5	82.9	76.0	60.1	75.6	201.6	315.2	177.3	53.6
F	65.8	66.5	56.0	43.1	74.5	86.7	86.5	36.6	13.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	2077	1495	3127	1147	1263	2186	3818	2445	682
F	1457	3808	3638	937	1444	1502	1395	745	273
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	13502	200	697	1210	995	4938	4163	1292	128
F	5936	152	491	830	970	2100	1093	273	36
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	191477	3557	28650	23078	16624	53544	50420	17808	1626
F	131412	8648	31841	18024	18773	36373	17630	5548	720
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	148	163	177	188	185	143	143	138	115
F	166	197	165	203	161	163	153	166	138
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	183	133	385	139	222	172	193	153	126
F	236	648	629	285	162	193	205	163	115

1968

"CANADA"

DIAGNOSIS 32 - VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	20004	77	139	206	221	785	3162	7597	7817
F	18683	35	108	181	216	849	2309	6383	8602
PATIENT DAYS									
M	866941	1870	5530	2927	8556	16128	88713	328814	414403
F	1051929	636	1474	3851	4529	17456	69810	307401	646772
AVERAGE STAY									
M	43.3	24.3	39.8	14.2	38.7	20.5	28.1	43.3	53.0
F	56.3	18.2	13.6	21.3	21.0	20.6	30.2	48.2	75.2
SEPARATION RATE PER 100,000 POPULATION									
M	199.5	43.1	16.9	9.2	12.6	31.0	216.3	971.2	3038.1
F	187.7	20.4	13.9	8.5	12.5	34.0	157.1	754.4	2637.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	8645	1046	672	131	486	637	6069	42037	161058
F	10566	371	189	180	262	699	4749	36332	198275
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	18390	103	155	186	166	759	2857	7074	7242
F	16926	47	122	164	163	323	1986	5618	6950
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	796973	2489	6157	2636	6397	15603	80146	306169	383892
F	952985	843	1655	3463	3457	15923	60017	270522	522497
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	111	122	104	76	95	109	111	108	120
F	114	70	84	93	120	137	106	101	110
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	110	142	200	58	172	98	100	110	114
F	111	45	52	88	144	121	111	109	98

1968
DIAGNOSIS 33 - INFLAMMATORY AND OTHER DISEASES OF C.N.S.

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
						SEPARATIONS DURING YEAR			
M	16930	555	1337	2374	1574	2819	3150	3469	1652
F	16200	367	1119	1906	1758	3614	3059	2846	1531
						PATIENT DAYS			
M	743881	10821	65917	40215	31450	98854	149003	232743	114878
F	829352	13635	31006	34299	36006	124844	155137	264039	170386
						AVERAGE STAY			
M	43.9	19.5	49.3	16.9	20.0	35.1	47.3	67.1	69.5
F	51.2	37.2	27.7	18.0	20.5	34.5	50.7	92.8	111.3
						SEPARATION RATE PER 100,000 POPULATION			
M	168.8	210.6	162.4	106.4	89.4	111.3	215.5	443.5	642.1
F	162.7	214.1	143.5	89.3	101.7	144.6	208.1	336.4	469.3
						PATIENT DAY RATE PER 100,000 POPULATION			
M	7418	6055	8006	1802	1787	3902	10193	29755	44647
F	8330	7955	3977	1607	2083	4997	10554	31207	52234
						EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION			
M	15564	739	1488	2141	1177	2726	2846	3231	1531
F	14677	487	1257	1718	1322	3503	2631	2505	1237
						EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION			
M	682858	14404	73352	36257	23521	95575	134606	216715	106419
F	751312	18065	34808	30911	27080	121009	133379	232362	137648
						CASE RATE COMPARISON WITH 1962 CANADA RATE = 100			
M	124	100	119	118	106	107	133	158	165
F	122	91	117	113	102	114	132	151	150
						DAY RATE COMPARISON WITH 1962 CANADA RATE = 100			
M	124	99	340	124	116	107	132	132	97
F	134	171	203	126	142	118	143	169	87

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	5101	13	51	151	357	1620	1673	930	306
F	5685	15	28	159	476	1887	1699	1009	412
PATIENT DAYS									
M	63474	219	906	2050	3330	16992	20287	14491	5199
F	74728	598	485	1821	4772	22423	20274	17452	6903
AVERAGE STAY									
M	12.4	16.8	17.8	13.6	9.3	10.5	12.1	15.6	17.0
F	13.1	39.9	17.3	11.5	10.0	11.9	11.9	17.3	16.8
SEPARATION RATE PER 100,000 POPULATION									
M	50.9	7.3	6.2	6.8	20.3	63.9	114.4	118.9	118.9
F	57.1	8.8	3.6	7.4	27.5	75.5	115.6	115.3	126.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	633	123	110	92	189	671	1388	1853	2021
F	751	349	62	85	276	897	1379	2063	2116
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	4690	18	57	137	267	1567	1512	866	284
F	5151	20	32	144	358	1829	1461	888	333
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	58356	293	1008	1852	2488	16436	18330	13496	4818
F	67736	793	543	1635	3589	21722	17428	15361	5577
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	102	81	103	111	83	99	114	101	98
F	104	200	91	95	76	106	103	107	100
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	98	83	106	80	67	95	108	103	105
F	102	362	80	76	67	102	96	118	102

1968

DIAGNOSIS 35 - DISEASES AND CONDITIONS OF THE EYE

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	24313	433	3162	4765	1653	2443	3386	5194	3277
F	25757	397	2967	4164	1513	2081	3298	6483	4854
				PATIENT DAYS					
M	190227	1576	10641	19687	9617	18232	32987	58220	38867
F	211443	1859	10009	14706	7610	14387	31999	72760	58113
				AVERAGE STAY					
M	7.8	4.6	3.4	4.1	5.8	7.5	9.7	11.2	11.9
F	8.2	4.7	3.4	3.5	5.0	6.9	9.7	11.2	12.0
				SEPARATION RATE PER 100,000 POPULATION					
M	242.4	242.3	384.1	213.6	93.9	96.4	231.6	664.0	1273.6
F	258.7	231.6	380.5	195.0	87.5	83.3	224.4	766.2	1488.0
				PATIENT DAY RATE PER 100,000 POPULATION					
M	1897	1106	1292	882	546	720	2257	7443	15106
F	2124	1085	1284	689	440	576	2177	8599	17815
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	22351	577	3519	4298	1237	2362	3059	4837	3036
F	23335	526	3331	3752	1138	2017	2836	5706	3922
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	174883	2621	11838	17746	7187	17636	29806	54210	36007
F	191572	2464	11238	13254	5721	13949	27513	64027	46947
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	122	102	139	123	109	111	119	129	144
F	125	103	135	114	101	107	117	132	148
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	94	89	115	103	84	95	79	104	96
F	110	99	121	90	86	96	100	111	113

1968

DIAGNOSIS 26 - DISEASES OF EAR AND MASTOID PROCESS

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	19375	2207	4273	5344	1487	2911	2007	574	172
F	18706	1638	3102	4207	1770	3708	2740	1273	268
PATIENT DAYS									
M	134228	21699	34581	30924	9187	16593	12557	6503	1784
F	127141	16080	25007	25080	10411	21397	17105	9362	2699
AVERAGE STAY									
M	6.9	9.8	8.1	5.8	6.2	5.7	6.3	7.1	10.4
F	6.8	9.8	8.1	6.0	5.9	5.8	6.2	7.4	10.1
SEPARATION RATE PER 100,000 POPULATION									
M	193.2	1235.0	519.0	239.5	84.5	114.9	137.3	124.5	66.8
F	187.9	955.7	397.8	197.0	102.4	148.4	186.4	150.5	82.2
PATIENT DAY RATE PER 100,000 POPULATION									
M	1339	12143	4200	1386	522	655	859	883	693
F	1277	9382	3207	1175	602	856	1164	1106	827
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	17812	2938	4756	4820	1112	2815	1814	907	160
F	16947	2171	3483	3791	1331	3594	2356	1121	217
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	123441	26886	38481	27887	6871	16044	11344	6432	1652
F	115178	21305	28069	22602	7827	20730	14711	8236	2180
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	113	102	118	127	122	132	138	157	105
F	108	100	115	122	112	118	116	125	121
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	91	91	105	99	97	107	122	120	60
F	84	93	101	99	90	99	97	101	19

1968

CANADA

DIAGNOSIS 37 - RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	4579	3	86	1162	510	912	1142	622	144
F	6483	1	82	1047	642	1649	1832	990	240
PATIENT DAYS									
M	87450	15	1281	23110	9530	15079	21002	13111	4322
F	134232	3	1834	21471	10643	29575	38656	22074	9976
AVERAGE STAY									
M	19.1	5.0	14.9	19.9	18.7	16.5	18.4	21.1	30.4
F	20.7	3.0	22.4	20.5	16.6	17.9	21.1	22.3	41.6
SEPARATION RATE PER 100,000 POPULATION									
M	45.7	1.7	10.4	52.1	29.0	36.0	78.1	79.5	55.2
F	65.1	0.6	10.5	49.0	37.1	66.0	124.6	117.0	73.6
PATIENT DAY RATE PER 100,000 POPULATION									
M	872	8	156	1036	541	595	1437	1676	1680
F	1348	2	235	1006	616	1184	2630	2609	3058
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	4210	4	96	1048	332	832	1032	580	132
F	5874	2	93	944	483	1599	1576	872	194
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	80389	20	1430	20845	7121	14574	18977	12207	4000
F	121581	5	2057	19351	8009	28672	33238	19427	8059
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	90	400	55	75	73	82	108	131	119
F	87	19	72	66	58	82	103	121	110
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	87	105	47	73	70	71	103	134	189
F	81	2	81	65	56	77	99	108	56

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS						60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		
SEPARATIONS DURING YEAR									
M	71719	17	23	89	143	5912	22942	26804	15789
F	45805	15	26	63	110	1774	9015	18843	15959
PATIENT DAYS									
M	1504171	233	339	948	1655	96488	408920	528455	467133
F	1322455	133	354	470	1418	28800	171284	441031	678965
AVERAGE STAY									
M	21.0	13.7	14.7	10.7	11.6	16.3	17.8	19.7	29.6
F	28.9	8.9	13.6	7.5	12.9	16.2	19.0	23.4	42.5
SEPARATION RATE PER 100,000 POPULATION									
M	715.2	9.5	2.8	4.0	8.1	233.3	1569.4	3426.7	6136.4
F	460.1	8.8	3.3	3.0	6.4	71.0	613.3	2227.0	4892.4
PATIENT DAY RATE PER 100,000 POPULATION									
M	14999	130	41	42	94	3808	27974	67560	181552
F	13283	78	45	22	82	1153	11653	52125	208144
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	65932	23	26	81	107	5716	20726	24959	14627
F	41457	20	30	57	83	1720	7751	16583	12893
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	1382741	210	376	846	1238	93273	369417	492060	432741
F	1198040	178	394	424	1067	27922	147267	338114	548504
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	122	95	37	69	69	133	127	118	123
F	119	105	51	51	64	111	112	111	117
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	108	109	54	52	55	120	113	104	108
F	117	62	46	29	59	105	105	106	113

1968
DIAGNOSIS 29 - OTHER DISEASES OF THE HEART

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	15805	69	121	343	349	1395	2872	5290	5366
F	13507	31	96	267	318	1268	2236	4285	5006
PATIENT DAYS									
M	271278	578	1604	4275	3768	15014	39258	86589	119792
F	260548	430	1281	3215	3085	14207	30650	71836	135844
AVERAGE STAY									
M	17.2	14.2	13.3	12.5	10.8	10.8	13.7	16.4	22.3
F	19.3	13.9	13.3	12.0	9.7	11.2	13.7	16.8	27.1
SEPARATION RATE PER 100,000 POPULATION									
M	157.6	38.6	14.7	15.4	15.3	55.1	190.5	676.3	2085.5
F	135.7	18.1	12.3	12.5	18.4	50.7	152.1	506.4	1534.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	2705	547	195	192	214	593	2686	11070	46557
F	2617	251	164	151	178	569	2085	8490	41644
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	14530	92	135	310	261	1349	2595	4926	4971
F	12237	42	108	241	240	1229	1923	3771	4045
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	249372	1302	1787	3864	2817	14525	35471	80627	110972
F	236037	570	1436	2905	2315	13780	26350	63216	109741
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	129	158	275	146	125	141	123	122	137
F	122	110	276	143	99	117	116	107	123
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	119	152	240	170	128	124	103	112	131
F	115	100	269	165	97	111	111	97	111

1968

DIAGNOSIS 40 - HYPERTENSIVE HEART DISEASE AND OTHER HYPERTENSIVE DISEASE

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	10241	4	5	28	249	1626	3209	3412	1708
F	17657	4	5	49	257	2699	4916	6106	3661
PATIENT DAYS									
M	173971	77	76	399	2840	17295	42865	59191	51228
F	340656	31	88	557	2800	31958	63958	104132	137132
AVERAGE STAY									
M	17.0	15.3	15.2	14.3	11.4	10.6	13.4	17.3	30.0
F	19.2	7.8	17.6	11.4	10.9	11.3	13.0	17.1	37.5
SEPARATION RATE PER 100,000 POPULATION									
M	102.1	2.2	0.6	1.3	14.1	64.2	219.5	436.2	663.8
F	177.8	2.3	0.6	2.3	14.9	108.0	334.4	721.7	1122.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	1735	43	9	18	161	683	2932	7567	19910
F	3422	18	11	26	162	1279	4351	12307	42039
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	9415	6	6	26	137	1572	2899	3178	1583
F	16033	6	6	45	194	2616	4227	5374	2958
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	159948	103	83	363	2120	16730	38720	55113	47457
F	308643	41	97	501	2107	30973	54987	91636	110782
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	118	200	66	53	94	128	123	112	122
F	116	150	50	83	126	182	107	99	104
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	106	367	107	48	99	105	109	96	120
F	101	63	55	51	106	173	99	81	97

1968

DIAGNOSIS 41 - DISEASES OF ARTERIES

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	11865	4	14	58	100	743	2985	4590	3371
F	6978	3	10	50	147	662	1097	2171	2838
				PATIENT DAYS					
M	407888	43	206	667	1734	14995	62558	146435	181240
F	384020	68	85	680	2292	12371	26462	92358	249664
				AVERAGE STAY					
M	34.4	10.8	14.7	11.5	17.3	20.2	21.0	31.9	53.8
F	55.0	22.7	8.5	13.6	15.6	18.7	24.1	42.6	88.0
				SEPARATION RATE PER 100,000 POPULATION					
M	118.3	2.2	1.7	2.6	5.7	29.3	204.2	586.8	1310.1
F	70.1	1.8	1.3	2.3	8.5	26.5	74.6	256.6	870.0
				PATIENT DAY RATE PER 100,000 POPULATION					
M	4067	24	25	30	99	592	4280	18721	70439
F	3857	40	11	32	133	495	1800	10920	76537
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	10908	6	16	53	75	719	2697	4274	3123
F	6322	4	12	46	111	642	944	1911	2293
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	374933	58	230	604	1304	14501	56521	136351	167896
F	347877	51	97	616	1730	11988	22748	81309	201694
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	133	39	79	135	72	118	141	136	131
F	130	100	38	106	112	144	132	122	116
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	124	29	79	83	68	118	124	136	119
F	106	252	18	132	110	150	134	122	86

1968

DIAGNOSIS 42 - VARICOSE VEINS OF LOWER EXTREMITIES

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	5288	1	8	8	196	1540	1930	1211	344
F	19492	0	2	8	491	9522	6295	2481	653
				PATIENT DAYS					
M	70043	6	170	116	1511	14129	23847	20349	9915
F	215477	0	16	45	3135	75687	69448	45967	21179
				AVERAGE STAY					
M	13.2	6.0	21.3	14.5	7.7	9.2	12.0	16.8	28.8
F	11.1	0.0	8.0	5.6	6.4	7.9	11.0	18.5	30.6
				SEPARATION RATE PER 100,000 POPULATION					
M	52.7	0.6	1.0	0.4	11.1	60.8	135.4	154.8	133.7
F	195.8	0.0	0.3	0.4	28.4	381.1	428.3	293.2	212.4
				PATIENT DAY RATE PER 100,000 POPULATION					
M	698	3	21	5	86	558	1631	2602	3853
F	2164	0	2	2	181	3029	4725	5433	6493
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	4862	2	9	8	147	1489	1789	1128	319
F	17659	0	3	8	370	9229	5413	2184	563
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	64348	8	193	101	1132	13668	21539	18952	9184
F	195179	0	18	39	2354	73351	59714	40454	17111
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	119	100	300	100	136	122	119	118	109
F	127	0	59	39	86	134	131	115	104
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	99	75	1608	99	128	112	113	104	63
F	114	0	36	21	82	126	111	100	110

1968
DIAGNOSIS 43 - HAEMORRHOIDS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
						SEPARATIONS DURING YEAR			
M	11524	3	8	19	618	5088	3998	1519	271
F	10409	1	5	11	639	4962	3287	1220	284
						PATIENT DAYS			
M	98997	35	70	100	4417	39871	35484	15883	3137
F	92781	7	35	85	4646	40951	30601	13175	3281
						AVERAGE STAY			
M	8.6	11.7	8.8	5.3	7.1	7.8	8.9	10.5	11.6
F	8.9	7.0	7.0	7.7	7.3	8.3	9.3	10.3	11.6
						SEPARATION RATE PER 100,000 POPULATION			
M	114.9	1.7	1.0	0.9	35.1	200.8	273.5	194.2	105.3
F	104.6	0.6	0.6	0.5	37.0	198.6	223.6	144.2	87.1
						PATIENT DAY RATE PER 100,000 POPULATION			
M	987	20	9	4	251	1574	2427	2031	1219
F	932	4	4	4	269	1639	2082	1557	1006
						EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION			
M	10594	4	9	18	463	4919	3612	1415	252
F	9430	2	6	10	481	4810	2827	1074	230
						EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION			
M	90991	48	83	81	3304	38554	32051	14793	2906
F	84061	10	36	77	3498	39691	25312	11594	2652
						CASE RATE COMPARISON WITH 1962 CANADA RATE = 100			
M	110	100	47	105	112	107	116	112	114
F	103	200	54	52	79	104	104	111	113
						DAY RATE COMPARISON WITH 1962 CANADA RATE = 100			
M	102	105	73	70	110	99	106	106	96
F	98	32	78	76	80	98	96	104	109

1968

DIAGNOSIS 44 - PHLEBITIS AND THROMBOPHLEBITIS

"CANADA"

- 124 -

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS						60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		
SEPARATIONS DURING YEAR									
M	2488	1	2	22	79	451	839	768	326
F	5004	0	3	18	298	1573	1455	1173	484
PATIENT DAYS									
M	39165	6	8	195	1209	6238	11833	12231	7445
F	75755	0	18	161	3600	20862	21202	19419	10493
AVERAGE STAY									
M	15.7	6.0	4.0	8.9	15.3	13.8	14.1	15.9	22.8
F	15.1	6.0	6.0	8.9	12.1	13.3	14.6	16.6	21.7
SEPARATION RATE PER 100,000 POPULATION									
M	24.8	0.6	0.2	1.0	4.5	17.8	57.4	98.2	126.7
F	50.3	0.0	0.4	0.8	17.2	63.0	99.0	138.6	148.4
PATIENT DAY RATE PER 100,000 POPULATION									
M	391	3	1	9	69	246	809	1564	2894
F	761	0	2	8	208	835	1442	2295	3217
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	2288	2	3	20	60	437	758	716	302
F	4534	0	4	17	225	1525	1251	1033	391
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	36046	8	10	182	909	6026	10684	11352	6899
F	68638	0	18	154	2705	20221	18224	17089	8478
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	102	100	300	105	89	88	104	103	133
F	114	0	100	84	128	132	111	92	111
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	104	25	200	104	150	89	99	92	175
F	111	0	37	107	134	131	105	89	112

1968

DIAGNOSIS 45 -- OTHER DISEASES OF THE CIRCULATORY SYSTEM

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	8406	120	822	3157	854	893	1107	571	462
F	8056	102	602	2869	1082	1262	939	799	441
				PATIENT DAYS					
M	84525	1334	5914	15453	5124	8821	19049	18203	10622
F	80137	1038	4216	14322	7214	13982	13822	14585	10556
				AVERAGE STAY					
M	10.1	11.1	7.2	4.9	6.0	9.9	17.2	18.7	22.5
F	9.9	10.2	7.0	5.0	6.7	11.1	14.7	18.3	24.3
				SEPARATION RATE PER 100,000 POPULATION					
M	83.8	67.2	99.8	141.5	48.5	35.2	75.7	124.1	187.3
F	81.3	59.5	77.2	134.4	62.6	50.5	63.9	94.4	135.2
				PATIENT DAY RATE PER 100,000 POPULATION					
M	343	747	718	693	291	348	1303	2327	4128
F	805	605	541	671	417	560	940	1724	3359
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	7728	160	915	2847	639	864	1001	905	447
F	7335	126	676	2585	814	1224	808	704	357
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	77716	1777	6579	13944	3831	8524	17208	16949	9840
F	72606	1377	4735	12907	5422	13562	11880	12637	8852
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	102	83	91	93	87	106	136	129	141
F	102	90	81	89	88	120	134	146	133
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	111	84	88	82	76	92	153	142	160
F	108	91	68	79	84	134	131	135	113

DIAGNOSIS 46 - ACUTE UPPER RESPIRATORY INFECTIONS

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	30400	6313	13836	5838	1705	1318	629	478	283
F	25799	4749	9784	5290	2553	1714	809	576	324
PATIENT DAYS									
M	169601	46331	74608	24442	7444	6444	3727	3777	2828
F	143582	33546	53766	22395	10838	9110	5421	5052	3454
AVERAGE STAY									
M	5.6	7.3	5.4	4.2	4.4	4.9	5.9	7.9	10.0
F	5.6	7.1	5.5	4.2	4.2	5.3	6.7	8.8	10.7
SEPARATION RATE PER 100,000 POPULATION									
M	303.1	3532.7	1680.6	261.7	96.9	52.0	43.0	61.1	110.0
F	259.1	2770.7	1254.8	247.8	147.7	63.6	55.0	68.1	99.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	1691	25927	9062	1096	423	254	255	483	1099
F	1442	19572	6896	1049	627	365	369	597	1059
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	27947	8404	15398	5265	1275	1275	569	446	263
F	23373	6292	10983	4767	1920	1662	696	507	262
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	155892	61675	83028	22052	5568	6222	3368	3518	2620
F	130060	44444	60356	20178	8152	8839	4664	4446	2791
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	113	149	151	119	83	80	86	93	110
F	105	141	144	112	83	87	78	94	100
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	103	143	139	105	75	72	75	73	113
F	96	135	134	97	74	78	71	88	96

1968
DIAGNOSIS 47 - INFLUENZA

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	8162	724	1394	1538	801	1100	948	510	747
F	9662	566	1246	1455	1279	1610	1262	1278	966
				PATIENT DAYS					
M	53750	6831	8759	7031	3349	5548	6323	7176	8735
F	67490	4793	8294	6999	5831	9295	9359	11558	11311
				AVERAGE STAY					
M	6.6	9.4	6.3	4.6	4.2	5.0	6.7	7.9	11.7
F	7.0	8.5	6.7	4.8	4.6	5.8	7.4	9.0	11.7
				SEPARATION RATE PER 100,000 POPULATION					
M	81.4	405.1	169.3	88.9	45.5	43.4	64.9	116.3	290.5
F	97.0	320.2	159.8	68.1	74.0	64.4	85.9	151.0	256.1
				PATIENT DAY RATE PER 100,000 POPULATION					
M	536	3223	1064	315	190	219	433	917	3394
F	678	2796	1064	328	340	372	637	1266	3468
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	7554	564	1552	1387	599	1064	857	848	695
F	8754	750	1399	1311	962	1561	1086	1125	781
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	49414	9095	9749	6338	2501	5365	5719	6679	8090
F	61152	6250	9313	6310	4421	9009	8051	10171	9139
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	84	115	115	84	64	71	84	90	93
F	84	98	114	75	63	80	87	93	100
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	86	140	121	76	58	70	83	86	107
F	83	114	132	71	53	78	88	92	74

1968

DIAGNOSIS 48 - PNEUMONIA

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
				5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	55831	10786	15348	7437	2285	3701	4559	6117	5598		
F	44510	7542	11991	6288	2078	4609	3796	4110	4096		
PATIENT DAYS											
M	636266	123577	145350	63169	19257	35922	56844	90590	101557		
F	498730	83303	113527	52889	17962	47035	46322	59527	77765		
AVERAGE STAY											
M	11.4	11.5	9.5	8.5	3.4	9.7	12.5	14.8	18.1		
F	11.2	11.0	9.5	8.4	3.6	10.2	12.2	14.6	19.0		
SEPARATION RATE PER 100,000 POPULATION											
M	556.7	6035.8	1864.2	333.3	129.8	146.1	311.9	782.0	2175.7		
F	447.1	4400.2	1537.9	294.5	120.2	184.5	258.2	485.8	1255.7		
PATIENT DAY RATE PER 100,000 POPULATION											
M	6345	69153	17655	2831	1094	1418	3889	11581	39470		
F	5009	48602	14560	2477	1039	1882	3151	7083	23840		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	51326	14358	17081	6707	1709	3578	4119	5696	5186		
F	40324	9592	13461	5666	1563	4467	3264	3617	3309		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	584939	164501	161758	56960	14399	34733	51357	84248	94080		
F	451780	110365	127434	47646	13508	45575	39822	52739	62824		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	102	120	136	124	84	87	92	103	117		
F	97	113	129	113	88	91	91	92	102		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	95	115	129	119	80	86	89	95	101		
F	92	109	124	109	85	89	88	86	90		

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
SEPARATIONS DURING YEAR										
M	38371	6576	10859	3782	757	1909	4607	6678	3253	1585
F	27313	4377	7315	3012	1432	2992	3396	3204		
PATIENT DAYS										
M	441613	60496	78747	23728	4879	16777	60397	121219	75373	32012
F	265625	38412	52533	19922	9913	27298	39356	46179		
AVERAGE STAY										
M	11.5	5.2	7.3	6.3	6.4	8.8	13.1	18.2	23.5	20.2
F	9.7	8.8	7.2	6.6	6.9	9.1	11.6	14.4		
SEPARATION RATE PER 100,000 POPULATION										
M	382.6	2679.9	1319.0	169.5	43.0	75.3	315.2	853.7	1244.8	485.9
F	274.3	2552.7	938.2	141.1	82.8	119.7	231.0	278.7		
PATIENT DAY RATE PER 100,000 POPULATION										
M	4404	32853	9565	1064	277	662	4132	15497	29294	9814
F	2668	22411	6738	933	573	1093	2677	5458		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	35275	8754	12085	3411	567	1846	4162	6219	2968	1281
F	24744	5799	8212	2714	1077	2900	2920	2820		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	406301	80530	87636	21408	3646	16215	54566	112870	69824	25862
F	240637	50891	58974	17947	7450	26469	33832	40640		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	116	119	150	125	70	97	132	143	140	110
F	106	110	146	118	83	94	116	129		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	125	118	152	119	65	97	139	140	165	121
F	110	111	143	110	80	97	121	134		

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	94956	192	30296	50978	8265	4790	364	64	
F	99996	112	24092	54229	15512	5393	555	92	
PATIENT DAYS									
M	200535	736	58667	100215	23885	15344	1303	312	73
F	220464	551	46117	107839	45147	13022	2236	432	70
AVERAGE STAY									
M	2.1	3.6	1.9	2.0	2.9	3.2	3.6	4.9	16.4
F	2.2	4.9	1.9	2.0	2.9	3.3	4.0	4.7	6.4
SEPARATION RATE PER 100,000 POPULATION									
M	946.9	107.4	3679.8	2284.9	469.5	189.1	24.9	8.2	2.7
F	1004.4	65.3	3039.9	2540.0	897.2	215.8	37.8	10.9	3.4
PATIENT DAY RATE PER 100,000 POPULATION									
M	2000	412	7126	4492	1357	606	89	40	23
F	2214	321	5915	5053	2611	721	152	51	21
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	37293	256	33715	45972	6181	4631	329	60	7
F	90591	149	27044	48858	11635	5227	478	81	9
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	184373	981	65290	90380	17861	14844	1176	292	67
F	199689	729	51770	97196	33944	17460	1921	300	56
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	94	71	107	92	112	92	74	77	58
F	95	71	108	93	107	95	69	66	59
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	93	66	111	95	79	87	53	52	45
F	94	87	112	94	101	69	67	56	50

1968

DIAGNOSIS 51 - OTHER DISEASES OF RESPIRATORY SYSTEM

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
		SEPARATIONS DURING YEAR							
M	34809	887	2105	2734	5801	8521	6378	6009	2374
F	21717	565	1328	1918	3983	6170	3726	2656	1371
		PATIENT DAYS							
M	349217	9511	17777	17734	32197	53861	64867	102106	51164
F	217746	5739	11596	12515	21700	42324	38449	45534	39859
		AVERAGE STAY							
M	10.0	10.7	8.4	6.5	5.6	6.3	10.2	17.0	21.6
F	10.0	10.2	8.7	6.5	5.4	6.9	10.3	17.1	29.1
		SEPARATION RATE PER 100,000 POPULATION							
M	347.1	456.4	255.7	122.5	329.6	336.3	436.3	768.2	922.7
F	218.1	329.6	170.3	89.8	230.4	246.9	253.5	312.9	420.3
		PATIENT DAY RATE PER 100,000 POPULATION							
M	3482	5322	2159	795	1829	2126	4437	13054	19885
F	2187	3348	1487	586	1255	1694	2616	5382	12228
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	32000	1181	2343	2466	4338	8238	5762	5596	2200
F	19675	749	1491	1729	2995	5980	3204	2338	1108
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	321002	12660	19782	15996	24073	52074	58594	95077	47398
F	197254	7603	13015	11272	16316	41023	33061	40074	32224
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	116	137	165	103	106	109	114	122	134
F	106	113	161	95	101	106	100	102	106
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	111	112	140	94	94	103	105	125	125
F	102	96	137	82	84	93	97	105	124

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	14720	54	1141	3120	4074	3793	1784	646	108	
F	18272	47	1080	3521	5317	5365	2169	676	97	
PATIENT DAYS										
M	31263	257	2311	5974	7496	8297	4509	1886	533	
F	38462	203	2152	6470	10057	11524	5459	2197	400	
AVERAGE STAY										
M	2.1	4.8	2.0	1.9	1.8	2.2	2.5	2.9	4.9	
F	2.1	4.3	2.0	1.8	1.9	2.1	2.5	3.3	4.1	
SEPARATION RATE PER 100,000 POPULATION										
M	146.8	30.2	138.6	139.8	231.5	149.7	122.0	82.6	42.0	
F	183.5	27.4	138.5	164.9	307.5	214.7	147.6	75.9	29.7	
PATIENT DAY RATE PER 100,000 POPULATION										
M	312	144	281	268	426	327	308	241	207	
F	386	118	276	303	582	461	371	260	123	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	13533	72	1270	2814	3047	3667	1612	602	101	
F	16554	63	1213	3173	3999	5200	1865	595	79	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	28763	243	2575	5393	5607	8010	4068	1756	494	
F	34815	268	2416	5829	7567	11164	4689	1936	325	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	109	89	110	104	97	111	111	111	127	
F	95	83	108	96	83	91	102	126	97	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	105	90	112	104	91	111	110	39	108	
F	91	79	115	93	76	88	100	113	89	

1968

DIAGNOSIS 53- ULCER OF STOMACH, DUODENUM AND JEJUNUM

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	30750	5	41	217	1639	10109	10330	6372	1927	
F	12859	1	23	217	748	3722	4320	2625	1212	
PATIENT DAYS										
M	438765	55	475	1941	17568	122727	147293	107626	41070	
F	193739	27	205	1974	7013	43134	64769	45788	25626	
AVERAGE STAY										
M	14.3	11.0	11.6	8.9	10.4	12.1	14.3	16.5	20.7	
F	15.1	27.0	8.9	9.1	9.4	12.9	15.0	17.4	21.5	
SEPARATION RATE PER 100,000 POPULATION										
M	306.6	2.3	5.0	9.7	90.0	399.0	706.7	814.6	772.3	
F	129.2	0.6	2.9	10.2	43.3	149.0	293.9	310.2	308.3	
PATIENT DAY RATE PER 100,000 POPULATION										
M	4375	31	58	87	998	4844	10076	13759	15964	
F	1946	16	26	92	406	1928	4406	5412	7916	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	28269	7	46	196	1263	9773	9332	5934	1041	
F	11650	2	26	196	563	3608	3715	2311	572	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	403327	74	532	1751	13136	118648	133061	100211	38052	
F	175517	37	228	1770	5279	46689	55682	40297	20866	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	89	30	121	76	86	87	90	94	96	
F	91	50	109	92	77	84	88	96	106	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	88	21	97	69	81	88	88	89	91	
F	91	63	83	89	68	86	89	91	92	

1968

"CANADA"

DIAGNOSIS 54 - GASTRITIS, DUODENITIS AND OTHER DISORDERS AND DISEASES OF THE STOMACH AND DUODENUM

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	13835	308	476	882	1232	4495	3792	1948	752	
F	13106	237	391	842	1966	3978	2920	1892	830	
PATIENT DAYS										
M	110020	2422	2479	3863	6721	33087	33185	19795	8468	
F	114310	1853	1954	3917	12380	32875	28794	20655	11882	
AVERAGE STAY										
M	7.9	7.9	5.2	4.4	5.5	7.4	8.8	10.2	11.3	
F	8.7	7.8	5.0	4.7	6.3	8.3	9.9	10.9	13.5	
SEPARATION RATE PER 100,000 POPULATION										
M	138.5	172.4	57.8	39.5	70.0	177.4	259.4	249.0	292.3	
F	131.6	138.3	50.1	30.4	113.7	159.2	198.7	223.6	269.3	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1097	1355	301	173	382	1306	2270	2531	3291	
F	1148	1081	251	183	716	1316	1959	2441	3643	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	12765	410	530	796	922	4346	3426	1814	697	
F	11874	314	439	759	1479	3856	2511	1665	711	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	101132	3224	2758	3481	5028	31989	29977	18435	7845	
F	103543	2455	2197	3521	9309	31869	24758	18176	9001	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	103	116	163	116	94	93	111	97	107	
F	105	110	127	112	97	103	100	106	113	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	100	54	151	117	89	100	109	96	96	
F	108	87	124	108	93	106	109	106	121	

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	24780	14	458	9151	7143	5155	1836	800	223
F	21376	9	355	7751	7734	3789	1061	492	185
PATIENT DAYS									
M	187533	121	4400	63336	47474	38542	18346	10399	3920
F	158427	93	3000	52302	50752	30279	11481	7245	3275
AVERAGE STAY									
M	7.6	8.6	9.6	6.9	6.6	7.5	10.3	13.6	17.6
F	7.4	10.3	8.5	6.7	6.6	8.0	10.8	14.7	17.7
SEPARATION RATE PER 100,000 POPULATION									
M	247.1	7.8	55.6	410.2	405.8	203.5	125.6	102.3	86.7
F	214.7	5.2	45.5	363.0	447.3	151.6	72.2	58.1	56.7
PATIENT DAY RATE PER 100,000 POPULATION									
M	1879	68	534	2839	2697	1521	1289	1393	1524
F	1591	54	385	2450	2936	1212	781	856	1004
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	22781	19	510	8253	5342	4984	1659	745	207
F	19366	12	399	6984	5816	3673	913	433	159
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	172394	162	4893	57121	35498	37255	17023	10146	3633
F	143498	123	3370	47127	38169	29351	9871	6374	2646
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	81	90	73	78	74	76	86	89	90
F	72	59	73	70	61	77	83	76	77
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	77	96	75	75	68	72	81	85	91
F	69	63	68	66	55	74	78	77	45

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
				5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	51870	2758	4967	4528	3225	10062	12856	10051	3423		
F	18092	732	1141	1069	668	4323	4848	3802	1509		
PATIENT DAYS											
M	419370	17374	22885	21533	20604	74088	113506	103318	46162		
F	197226	5120	5357	4740	4835	41067	58445	53570	24092		
AVERAGE STAY											
M	8.1	6.3	4.6	4.8	6.4	7.4	8.9	10.3	13.5		
F	10.9	7.0	4.7	4.4	7.2	9.5	12.1	14.1	16.0		
SEPARATION RATE PER 100,000 POPULATION											
M	517.2	1543.4	603.3	202.9	135.2	397.1	879.5	1285.0	1330.4		
F	181.7	427.1	146.3	50.1	38.6	173.0	329.8	449.4	462.6		
PATIENT DAY RATE PER 100,000 POPULATION											
M	4187	5722	2780	965	1171	2924	7792	13209	17941		
F	1981	2587	687	222	280	1644	3976	6331	7386		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	47684	3672	5528	4034	2412	9728	11614	9359	3171		
F	16391	570	1281	964	503	4190	4169	3346	1220		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	385956	23127	25471	19416	15413	71620	102899	96206	42764		
F	178674	6783	6013	4271	3641	39912	50248	47140	19464		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	105	119	107	105	82	109	113	112	116		
F	106	105	95	113	83	96	115	125	121		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	97	103	93	84	69	98	106	103	112		
F	102	90	85	86	72	90	107	119	103		

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4		5 - 14		15 - 24		25 - 44		45 - 59		60 - 74		75 +	
M	4501	169	228	409	605	871	1041	875								
	5411	103	123	236	1076	1256	1201	1108								
SEPARATIONS DURING YEAR																
M	54078	1544	1814	2592	6079	11293	15923	13156								
	74477	821	788	1556	12674	13317	19023	18756								
PATIENT DAYS																
M	12.2	9.1	8.0	6.3	10.0	13.0	15.3	15.0								
	13.3	8.0	6.4	6.6	11.3	14.6	15.8	16.9								
AVERAGE STAY																
M	44.9	54.6	27.7	18.3	23.9	59.6	133.1	340.1								
	54.4	60.1	15.8	11.1	43.1	85.4	141.9	339.7								
SEPARATION RATE PER 100,000 POPULATION																
M	548	864	220	116	146	773	2036	5113								
	748	479	101	73	147	1246	2248	5750								
PATIENT DAY RATE PER 100,000 POPULATION																
M	4133	225	254	369	227	787	970	811								
	4903	137	139	213	232	1080	1057	890								
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION																
M	55520	2056	2016	2334	1922	10209	14829	12183								
	67405	1088	884	1405	1512	15747	16739	15153								
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION																
M	94	79	83	80	109	99	97	111								
	90	81	78	76	77	100	101	101								
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100																
M	100	81	100	82	106	92	110	110								
	98	77	87	82	80	108	90	97								
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100																
M	100	81	100	82	106	92	110	110								
	98	77	87	82	80	108	90	97								

1968

"CANADA"

DIAGNOSIS 58 - GASTRO-ENTERITIS AND COLITIS, EXCEPT ULCERATIVE, AGE 4 WEEKS AND OVER

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44		
SEPARATIONS DURING YEAR								
M	25257	8004	8098	3102	1259	1703	1031	786
F	26223	6574	6354	2892	2259	3063	1801	1230
PATIENT DAYS								
M	182173	71863	56820	13200	5227	9752	8997	7759
F	194027	58829	43444	12463	9982	19651	18161	14713
AVERAGE STAY								
M	7.2	5.0	7.0	4.3	4.2	5.7	8.7	9.9
F	7.4	8.9	6.8	4.3	4.4	6.4	10.1	12.0
SEPARATION RATE PER 100,000 POPULATION								
M	251.9	4475.0	983.6	139.0	71.5	67.2	131.8	305.5
F	263.4	3835.5	814.9	135.5	130.7	122.6	212.9	377.1
PATIENT DAY RATE PER 100,000 POPULATION								
M	1817	40214	6901	592	297	385	1150	3016
F	1949	34323	5572	584	577	786	2146	4510
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	23219	10655	9012	2798	942	1647	960	729
F	23757	8710	7133	2606	1699	2969	1585	994
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	167508	95661	63228	11912	3910	9431	8376	7189
F	175788	77941	48763	11234	7512	19034	15979	11885
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	100	116	146	114	96	100	100	125
F	104	119	141	112	95	117	119	119
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	90	102	131	113	90	104	111	128
F	97	107	136	109	88	113	128	119

1968

DIAGNOSIS 59 - CHRONIC ENTERITIS AND ULCERATIVE COLITIS

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	5453	19	66	106	434	974	1346	1549	359
F	7992	26	38	89	449	1264	1738	2474	1914
					PATIENT DAYS				
M	85372	434	653	1190	8338	15738	21656	22467	14856
F	136044	508	633	1207	7624	20622	26316	36619	46016
					AVERAGE STAY				
M	15.7	22.8	10.5	11.2	19.2	16.2	16.1	14.5	15.5
F	17.0	19.5	16.7	13.6	17.5	16.3	15.4	15.6	20.9
					SEPARATION RATE PER 100,000 POPULATION				
M	54.4	10.6	8.0	4.8	24.7	38.4	92.1	159.0	372.1
F	80.3	15.2	4.9	4.2	26.0	50.6	118.2	292.4	585.8
					PATIENT DAY RATE PER 100,000 POPULATION				
M	851	243	64	53	474	621	1481	2672	5774
F	1366	296	81	57	441	825	1824	4564	12267
					EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION				
M	5013	26	74	96	325	942	1216	1443	869
F	7241	35	43	81	338	1226	1495	2178	1547
					EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION				
M	78453	579	770	1067	6239	15211	19558	25518	13763
F	123205	673	709	1097	5734	19979	23052	33933	22327
					CASE RATE COMPARISON WITH 1962 CANADA RATE = 100				
M	113	83	132	126	131	122	117	103	107
F	117	218	143	94	126	113	112	102	121
					DAY RATE COMPARISON WITH 1962 CANADA RATE = 100				
M	111	150	174	106	114	121	127	100	97
F	113	190	179	87	134	139	116	101	103

1968

DIAGNOSIS 60 - CIRRHOSIS AND OTHER DISEASES OF LIVER

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	5232	16	31	169	201	1281	2067	1224	243
F	3366	16	46	158	235	816	1162	727	206
PATIENT DAYS									
M	105594	416	356	2188	3209	22420	42710	28649	5646
F	71211	467	567	1833	3416	14797	25451	17862	6768
AVERAGE STAY									
M	20.2	26.0	11.5	12.9	16.0	17.5	20.7	23.4	23.2
F	21.2	29.2	12.3	11.9	14.5	18.1	21.9	24.6	32.9
SEPARATION RATE PER 100,000 POPULATION									
M	52.2	9.0	3.8	7.6	11.4	50.6	141.4	156.5	94.4
F	33.8	5.3	5.9	7.4	13.6	32.7	79.1	85.9	63.2
PATIENT DAY RATE PER 100,000 POPULATION									
M	1053	233	43	98	182	885	2922	3663	2194
F	715	272	73	88	198	592	1731	2111	2075
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	4810	22	35	153	151	1239	1868	1140	226
F	3050	22	52	143	177	791	1000	640	167
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	97075	555	394	1972	2396	21677	38588	26679	5230
F	64489	618	639	1693	2575	14336	21876	15719	5469
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	113	59	62	45	59	123	128	125	109
F	89	115	144	42	44	79	108	116	107
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	121	79	45	56	83	139	141	127	62
F	106	95	155	43	67	93	113	127	106

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	23712	68	110	182	581	6363	7396	6102	2410
F	68642	42	102	320	7915	24675	18952	12311	4525
PATIENT DAYS									
M	345513	2752	2486	2992	6108	74985	107218	103072	45995
F	882574	1421	3359	3935	78424	274921	244431	192452	83631
AVERAGE STAY									
M	14.6	40.5	22.6	16.4	10.5	11.8	13.6	16.9	19.1
F	12.9	33.8	32.9	12.3	9.9	11.1	12.9	15.6	19.3
SEPARATION RATE PER 100,000 POPULATION									
M	235.5	28.1	13.4	8.2	33.0	251.1	540.2	760.1	936.6
F	689.5	24.5	13.1	15.0	457.3	987.6	1289.3	1455.0	1325.9
PATIENT DAY RATE PER 100,000 POPULATION									
M	3446	1540	302	134	347	2960	7335	13177	17875
F	8865	829	431	184	4536	11033	16629	22746	25603
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	21799	91	123	165	435	6152	7134	5632	2235
F	62186	56	115	289	5952	23915	16295	10934	3494
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	317684	3664	2767	2697	4568	72502	96864	95973	42009
F	799566	1883	3773	3540	58970	266451	210153	169363	67562
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	146	98	119	163	141	161	143	140	143
F	141	84	132	135	162	149	128	126	125
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	140	163	152	209	139	160	136	136	139
F	133	97	164	166	155	140	119	115	12

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
				5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	18003	641	1324	1694	1496	4988	4139	2811	1510		
F	18308	362	1221	1487	2214	4971	5788	2705	1540		
PATIENT DAYS											
M	178062	6568	10963	10486	10890	39383	42177	35174	23021		
F	191612	3677	9146	9293	15842	45572	44153	35942	27982		
AVERAGE STAY											
M	9.6	10.2	8.3	6.2	7.3	7.9	10.2	12.5	15.2		
F	10.5	9.6	7.5	6.3	7.2	9.2	11.7	13.3	18.2		
SEPARATION RATE PER 100,000 POPULATION											
M	185.5	358.7	160.8	75.9	85.0	193.9	283.1	359.4	566.9		
F	183.9	222.9	156.6	69.6	128.1	199.0	257.7	319.7	472.1		
PATIENT DAY RATE PER 100,000 POPULATION											
M	1782	2675	1332	470	619	1554	2885	4497	8947		
F	1925	2145	1173	436	916	1824	3004	4248	8578		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	17102	854	1474	1520	1119	4823	3740	2618	1399		
F	16586	507	1371	1340	1665	4818	3257	2381	1245		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	154281	8743	12204	9457	5143	38064	38099	32753	21325		
F	173623	4871	10267	8337	11979	44171	57904	31730	22605		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	106	96	118	107	96	103	113	114	127		
F	100	89	119	99	88	97	98	109	115		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	102	95	112	100	89	99	106	110	122		
F	98	95	109	94	82	94	90	100	109		

1968
DIAGNOSIS 63 - NEPHRITIS AND NEPHROSIS

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					75 +
				5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	10224	22	357	1201	1331	4126	2224	676	247
F	6324	14	276	914	1145	2276	1130	333	151
PATIENT DAYS									
M	92782	450	8283	21165	10874	19699	14604	10420	7287
F	66513	177	4730	16306	9328	13687	10295	7849	6141
AVERAGE STAY									
M	9.1	20.5	20.9	17.6	8.2	4.8	6.6	15.4	29.2
F	11.8	12.6	17.1	17.6	3.1	6.0	9.1	25.2	32.2
SEPARATION RATE PER 100,000 POPULATION									
M	102.0	12.3	48.2	53.8	75.6	162.9	152.1	26.4	96.5
F	63.6	8.2	35.4	42.8	66.2	91.1	76.9	45.9	56.6
PATIENT DAY RATE PER 100,000 POPULATION									
M	925	252	1006	949	618	778	999	1332	2332
F	688	103	607	764	540	548	700	928	1383
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	9399	20	442	1084	996	3989	2010	620	220
F	5739	19	310	824	861	2205	972	242	155
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	85275	600	9218	19094	8134	19057	13193	5702	6751
F	62054	234	5313	14696	7021	13271	8847	3910	4963
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	248	68	92	101	234	566	413	167	113
F	176	61	84	94	212	316	221	111	100
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	109	57	87	86	105	158	143	109	105
F	98	23	71	96	111	138	101	86	69

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	4927	89	277	797	529	885	892	849	609
F	15178	176	1164	2590	3066	4001	2018	1396	767
PATIENT DAYS									
M	60358	1295	3296	6323	4116	7947	9438	14782	13111
F	151642	2416	11607	19362	21724	34571	23870	22027	16065
AVERAGE STAY									
M	12.3	14.6	11.9	7.9	7.8	9.0	10.6	17.4	21.5
F	10.0	13.7	10.0	7.5	7.1	8.6	11.8	15.8	20.9
SEPARATION RATE PER 100,000 POPULATION									
M	49.1	49.8	33.6	35.7	30.1	34.9	61.0	108.5	236.7
F	152.5	102.7	149.3	121.3	177.3	151.1	137.3	165.0	235.1
PATIENT DAY RATE PER 100,000 POPULATION									
M	602	725	400	283	234	314	649	1890	5096
F	1523	1410	1489	907	1257	1384	1624	2603	4925
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	4530	119	309	719	396	856	806	791	565
F	13751	234	1307	2334	2306	3878	1736	1229	620
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	55493	1725	3665	5694	3180	7692	8571	13766	12147
F	137365	2202	13033	17447	16342	33516	20524	19282	12979
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	89	104	121	95	88	72	86	93	99
F	99	112	125	92	90	99	91	100	111
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	84	79	111	90	78	65	78	91	96
F	94	90	122	88	69	94	91	101	113

1968

DIAGNOSIS 65 - CALCULI OF KIDNEY, URETER AND OTHER PARTS OF URINARY SYSTEM

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	14549	1	15	104	956	5738	4918	2315	502
F	6240	3	36	106	847	2476	1617	915	240
PATIENT DAYS									
M	126689	15	224	1062	6479	41426	42746	26319	8418
F	64526	9	444	987	6093	22921	18162	11961	3949
AVERAGE STAY									
M	8.7	15.0	14.9	10.2	6.8	7.2	8.7	11.4	16.8
F	10.3	3.0	12.3	9.3	7.2	9.3	11.2	13.1	16.5
SEPARATION RATE PER 100,000 POPULATION									
M	145.1	0.6	1.8	4.7	54.3	226.5	336.4	296.0	195.1
F	62.7	1.8	4.6	5.0	49.0	99.1	110.0	108.1	73.6
PATIENT DAY RATE PER 100,000 POPULATION									
M	1263	8	27	48	368	1635	2924	3365	3272
F	648	5	57	46	352	917	1236	1414	1211
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	13375	2	17	94	715	5548	4443	2156	466
F	5654	4	41	96	637	2400	1391	806	194
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	116435	20	248	966	4844	40048	38614	24509	7800
F	58446	12	499	885	4577	22207	15621	10529	3192
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	117	200	121	144	120	117	118	118	119
F	120	200	512	127	110	127	115	109	87
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	106	250	103	150	100	105	110	105	108
F	125	19	674	118	109	133	124	120	94

1968

DIAGNOSIS 66-- OTHER DISEASES OF URINARY SYSTEM

"CANADA"

- 146 -

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				ADULTS AND CHILDREN, BY AGE IN YEARS					
				SEPARATIONS DURING YEAR					
M	16187	371	1070	2245	1144	2754	2702	3369	2532
F	26495	380	2631	4714	2924	6136	4671	3383	1656
				PATIENT DAYS					
M	181104	5892	10224	18352	10188	23606	28140	43173	41529
F	247807	5233	21053	32038	19255	51529	49095	37035	32569
				AVERAGE STAY					
M	11.2	15.9	9.6	8.2	8.9	8.6	10.4	12.3	16.4
F	9.4	13.8	8.0	6.8	6.6	8.4	10.5	10.9	19.7
				SEPARATION RATE PER 100,000 POPULATION					
M	161.4	207.6	130.0	100.6	65.0	108.7	184.8	430.7	984.1
F	266.1	221.7	337.4	220.8	169.1	245.6	317.8	395.8	507.7
				PATIENT DAY RATE PER 100,000 POPULATION					
M	1806	3257	1242	823	579	932	1925	5519	16140
F	2489	3053	2700	1501	1114	2062	3340	4377	9964
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	14881	494	1191	2025	856	2663	2441	3137	2346
F	24003	504	2954	4248	2199	5947	4416	2978	1336
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	166494	7843	11380	16559	7621	22829	25421	40197	38471
F	224492	6533	23632	26873	14403	40934	42210	52591	26310
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	113	212	186	133	95	102	99	107	127
F	136	213	245	186	124	118	110	117	131
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	107	210	171	120	79	87	91	107	127
F	133	277	236	169	112	114	121	116	129

DIAGNOSIS 67 - HYPERPLASIA OF PROSTATE

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS						60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		
SEPARATIONS DURING YEAR									
M	20556	3	2	7	17	214	3155	10395	6763
F	0	0	0	0	0	0	0	0	0
PATIENT DAYS									
M	390230	26	13	34	176	2475	43555	182259	161692
F	0	0	0	0	0	0	0	0	0
AVERAGE STAY									
M	19.0	8.7	6.5	4.9	10.4	11.6	13.8	17.5	23.9
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SEPARATION RATE PER 100,000 POPULATION									
M	205.0	1.7	0.2	0.3	1.0	8.4	215.8	1328.9	2628.4
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	3891	15	2	2	10	98	2980	23301	62842
F	0	0	0	0	0	0	0	0	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	18898	4	3	7	13	207	2851	5680	6266
F	0	0	0	0	0	0	0	0	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	358708	36	19	41	132	2401	39353	169709	149788
F	0	0	0	0	0	0	0	0	0
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	115	400	300	69	43	71	120	118	113
F	0	0	0	0	0	0	0	0	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	102	109	172	29	49	81	115	100	104
F	0	0	0	0	0	0	0	0	0

1968
DIAGNOSIS 68 - REDUNDANT PREPUCE AND PHIMOSIS

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	10045	1546	2923	2480	1218	1156	352	263	107
F	0	0	0	0	0	0	0	0	0
M	31634	4314	8374	7329	4048	3758	1520	1524	767
F	0	0	0	0	0	0	0	0	0
PATIENT DAYS									
M	3.1	2.8	2.9	3.0	3.3	3.3	4.3	5.8	7.2
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AVERAGE STAY									
M	100.2	865.1	355.0	111.2	69.2	45.6	24.1	33.6	41.6
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SEPARATION RATE PER 100,000 POPULATION									
M	315	2414	1017	328	230	148	104	195	258
F	0	0	0	0	0	0	0	0	0
PATIENT DAY RATE PER 100,000 POPULATION									
M	9235	2058	3253	2237	911	1118	318	245	100
F	0	0	0	0	0	0	0	0	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	29040	5743	9318	5600	3028	3626	1374	1421	711
F	0	0	0	0	0	0	0	0	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	81	79	98	85	87	102	103	101	90
F	0	0	0	0	0	0	0	0	0
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	80	82	98	87	81	88	98	83	71
F	0	0	0	0	0	0	0	0	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									

1968

"CANADA"

DIAGNOSIS 69 - DISEASES OF OVARY, FALLOPIAN TUBE AND PARAMETRIUM, AND INFECTIVE DISEASE OF UTERUS, VAGINA, AND VULVA

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	0	0	0	0	0	0	0	0	0	0
F	35182	11	76	434	9320	19712	4492	893	244	244
PATIENT DAYS										
M	0	C	0	0	0	0	0	0	0	0
F	250362	115	516	2884	58840	140685	35100	8705	3153	3153
AVERAGE STAY										
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	C.0	C.0	C.0
F	7.1	10.8	6.8	6.6	6.3	7.1	7.8	5.7	12.9	12.9
SEPARATION RATE PER 100,000 POPULATION										
M	0.0	C.0	C.0	0.0	0.0	0.0	0.0	C.0	C.0	C.0
F	353.4	6.4	5.7	20.3	539.1	788.9	305.6	105.5	74.3	74.3
PATIENT DAY RATE PER 100,000 POPULATION										
M	0	0	0	0	0	0	0	0	0	0
F	2511	69	66	135	3403	5631	2388	1029	967	967
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	0	C	0	0	0	0	0	C	C	C
F	31873	15	86	392	7009	19105	3863	786	158	158
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	0	C	0	0	0	0	0	C	C	C
F	226476	157	578	2597	44241	136362	30179	7662	2549	2549
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	0	0	0	0	0	0	0	C	C	C
F	96	107	53	71	98	95	90	90	103	103
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	0	0	0	0	0	0	0	0	0	0
F	63	127	39	64	89	88	85	85	103	103

1968

DIAGNOSIS 70 - UTEROVAGINAL PROLAPSE

"CANADA"

		ADULTS AND CHILDREN, BY AGE IN YEARS													
		1 - 4		5 - 14		15 - 24		25 - 44		45 - 59		60 - 74		75 +	
SEX	ALL AGES	UNDER 1													
SEPARATIONS DURING YEAR															
M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F	22996	0	3	2	184	8131	8703	4931	1042						
PATIENT DAYS															
M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F	321690	0	18	10	1877	108170	120096	73830	17689						
AVERAGE STAY															
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	14.0	0.0	6.0	5.0	10.2	13.3	13.8	15.0	17.0						
SEPARATION RATE PER 100,000 POPULATION															
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	231.0	0.0	0.4	0.1	10.6	325.4	592.1	582.8	319.4						
PATIENT DAY RATE PER 100,000 POPULATION															
M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F	3231	0	2	0	109	4329	8170	8726	5423						
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION															
M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F	20833	0	4	2	139	7881	7483	4240	842						
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION															
M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F	291416	0	18	1	1418	104832	103250	64573	14291						
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100															
M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F	118	0	100	100	72	129	117	103	110						
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100															
M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F	112	0	22	14	58	127	110	96	99						

- 150 -

1968

DIAGNOSIS 71 - DISORDERS OF MENSTRUATION

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	0	0	0	0	0	0	0	0	0
F	44345	0	1	503	8285	23017	11324	1061	154
PATIENT DAYS									
M	0	0	0	0	0	0	0	0	0
F	197318	0	12	2185	33255	105040	50359	5427	1040
AVERAGE STAY									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	4.4	0.0	12.0	4.3	4.0	4.6	4.4	5.1	6.8
SEPARATION RATE PER 100,000 POPULATION									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	445.4	0.0	0.1	23.6	479.2	921.2	770.4	125.4	47.2
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	0	0	0	0	0	0	0	0
F	1982	0	2	102	1923	4204	3426	641	319
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	40174	0	2	454	6250	22308	9736	924	125
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	178764	0	18	1962	25000	101015	43297	4773	841
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	126	66	66	97	105	121	149	184	181
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	115	46	46	89	94	115	128	146	134

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	14241	361	1035	1454	1593	3249	3168	2475	906
F	34102	31	66	253	4999	17398	9445	1539	371
PATIENT DAYS									
M	102597	2451	5018	7694	9288	20033	24202	25062	15209
F	187998	154	366	1286	22320	93513	54423	11849	4047
AVERAGE STAY									
M	7.7	6.9	4.8	5.3	5.8	6.2	7.6	10.1	16.8
F	5.5	6.3	5.5	5.1	4.5	5.4	5.8	7.7	10.9
SEPARATION RATE PER 100,000 POPULATION									
M	142.0	202.0	125.7	65.2	90.5	128.2	216.7	316.4	352.1
F	342.5	18.1	8.5	11.9	289.1	696.3	642.6	181.9	113.7
PATIENT DAY RATE PER 100,000 POPULATION									
M	1087	1354	609	345	528	791	1656	3204	5911
F	1888	113	47	60	1291	3743	5702	1400	1241
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	13092	481	1152	1312	1192	3141	2862	2305	840
F	30895	42	75	228	3759	16862	8121	1355	300
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	100210	3317	5580	6942	6950	19375	21869	23336	14090
F	170286	257	412	1155	16784	90642	46785	10425	3271
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	110	105	120	120	106	114	111	109	119
F	106	60	120	95	100	103	109	140	185
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	97	103	110	108	88	97	95	93	110
F	99	45	160	92	88	98	99	124	160

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
		SEPARATIONS DURING YEAR							
M	0	0	0	0	0	0	0	0	0
F	70881	0	0	79	34653	35888	261	0	0
		PATIENT DAYS							
M	0	0	0	0	0	0	0	0	0
F	303146	0	0	542	141891	159502	1411	0	0
		AVERAGE STAY							
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	4.3	0.0	0.0	4.3	4.1	4.4	5.4	0.0	0.0
		SEPARATION RATE PER 100,000 POPULATION							
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	712.0	0.0	0.0	3.7	2004.3	1436.3	17.8	0.0	0.0
		PATIENT DAY RATE PER 100,000 POPULATION							
M	0	0	0	0	0	0	0	0	0
F	3045	0	0	16	8207	6384	96	0	0
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	0	0	0	0	0	0	0	0	0
F	64214	0	0	72	25058	34783	225	0	0
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	0	0	0	0	0	0	0	0	0
F	274640	0	0	308	106094	154597	1214	0	0
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	0	0	0	0	0	0	0	0	0
F	83	0	0	135	85	75	69	0	0
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	0	0	0	0	0	0	0	0	0
F	79	0	0	97	81	72	52	0	0

1968

DIAGNOSIS 74- ABORTION

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
				5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	0	0	0	0	0	0	0	0	0	0	
F	42268	0	0	36	15419	26300	506	4	4	3	
PATIENT DAYS											
M	0	0	0	0	0	0	0	0	0	0	
F	153759	0	0	175	54244	97180	2089	51	51	20	
AVERAGE STAY											
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
F	3.6	0.0	0.0	4.9	3.5	3.7	4.1	12.8	6.7	6.7	
SEPARATION RATE PER 100,000 POPULATION											
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
F	424.6	0.0	0.0	1.7	891.3	1052.6	34.4	0.5	0.5	0.9	
PATIENT DAY RATE PER 100,000 POPULATION											
M	0	0	0	0	0	0	0	0	0	0	
F	1544	0	0	8	3137	3889	142	6	6	6	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	0	0	0	0	0	0	0	0	0	0	
F	28253	0	0	33	11595	25490	436	4	4	3	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	0	0	0	0	0	0	0	0	0	0	
F	139259	0	0	154	40782	94177	1795	45	45	16	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	0	0	0	0	0	0	0	0	0	0	
F	66	0	0	137	70	63	60	400	400	0	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	0	0	0	0	0	0	0	0	0	0	
F	59	0	0	125	62	56	60	1500	1500	0	

1968

DIAGNOSIS 75 - DELIVERY WITHOUT MENTION OF COMPLICATIONS

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS						60 - 74	75 +	
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	0	0	0	0	0	0	0	0	0	0
F	274658	0	0	167	129829	144057	605	0	0	0
PATIENT DAYS										
M	0	0	0	0	0	0	0	0	0	0
F	1563295	0	0	1004	734237	824120	3934	0	0	0
AVERAGE STAY										
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	5.7	0.0	0.0	6.0	5.7	5.7	6.5	0.0	0.0	0.0
SEPARATION RATE PER 100,000 POPULATION										
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	2758.8	0.0	0.0	7.8	7509.3	5765.5	41.2	0.0	0.0	0.0
PATIENT DAY RATE PER 100,000 POPULATION										
M	0	0	0	0	0	0	0	0	0	0
F	15702	0	0	47	42468	32983	268	0	0	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	0	0	0	0	0	0	0	0	0	0
F	248324	0	0	151	97624	139619	521	0	0	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	0	0	0	0	0	0	0	0	0	0
F	1416218	0	0	905	552098	798723	3387	0	0	0
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	0	0	0	0	0	0	0	0	0	0
F	59	0	0	71	59	55	56	0	0	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	0	0	0	0	0	0	0	0	0	0
F	56	0	0	62	57	52	53	0	0	0

1968

DIAGNOSIS 76 - DELIVERY WITH SPECIFIED COMPLICATION

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS						75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74
M	0							
F	76600	0	0	0	0	0	0	0
				70	34392	41923	215	
M	0							
F	655243	0	0	0	0	0	0	0
				653	278657	373378	2555	0
M	0.0							
F	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		0.0	0.0	9.3	8.1	8.9	11.9	0.0
								0.0
M	0.0							
F	769.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		0.0	0.0	3.3	1989.2	1677.9	14.6	0.0
M	0							
F	6582	0	0	0	0	0	0	0
				31	16118	14943	174	0
M	0							
F	69395	0	0	0	0	0	0	0
				64	25861	40632	185	0
M	0							
F	593654	0	0	0	0	0	0	0
				597	209539	361863	2199	0
M	0							
F	156	0	0	0	0	0	0	0
				290	228	170	149	0
M	0							
F	187	0	0	0	0	0	0	0
				329	222	163	157	0

1968

DIAGNOSIS 77 - COMPLICATIONS OF THE PUERPERIUM

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	0	0	0	0	0	0	0	0	0	0	
F	7238	0	7	3101	4088	41	1	1	1	3	
PATIENT DAYS											
M	0	0	0	0	0	0	0	0	0	0	
F	55096	0	63	21222	33417	390	4	4	4	0	
AVERAGE STAY											
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
F	7.6	0.0	9.0	6.3	8.2	9.5	4.0	4.0	4.0	0.0	
SEPARATION RATE PER 100,000 POPULATION											
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
F	72.7	0.0	0.3	179.4	163.6	2.8	0.1	0.1	0.1	0.0	
PATIENT DAY RATE PER 100,000 POPULATION											
M	0	0	0	0	0	0	0	0	0	0	
F	553	0	3	1227	1337	27	0	0	0	0	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	0	0	0	0	0	0	0	0	0	0	
F	6558	0	7	2332	3963	36	1	1	1	0	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	0	0	0	0	0	0	0	0	0	0	
F	49877	0	58	15952	32378	342	1	1	1	0	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	0	0	0	0	0	0	0	0	0	0	
F	144	0	175	134	142	112	100	100	100	0	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	0	0	0	0	0	0	0	0	0	0	
F	116	0	54	116	112	91	25	25	25	0	

DIAGNOSIS 78 - INFECTION OF SKIN AND SUBCUTANEOUS TISSUE

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
				5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	13408	545	2206	3440	2066	2283	1547	547		374	
F	10867	457	2109	2629	1359	1807	1256	811		399	
PATIENT DAYS											
M	105907	5643	17689	21116	12431	16022	15222	11544		5805	
F	88647	4891	17075	15699	7661	13729	12440	10086		6863	
AVERAGE STAY											
M	7.9	10.4	8.0	6.2	6.0	7.0	9.8	12.6		15.5	
F	8.2	9.8	8.1	6.0	5.6	7.6	9.9	12.4		17.2	
SEPARATION RATE PER 100,000 POPULATION											
M	133.7	205.0	267.9	154.2	117.4	90.1	105.8	121.1		145.4	
F	109.2	250.0	270.5	123.1	78.6	72.3	85.4	95.9		122.3	
PATIENT DAY RATE PER 100,000 POPULATION											
M	1057	3161	2149	952	705	632	1041	1527		2256	
F	890	2854	2190	745	443	549	846	1192		2105	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	12326	726	2455	3103	1545	2203	1396	262		347	
F	9845	659	2368	2369	1022	1752	1080	714		323	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	97444	7520	19690	19155	9289	15481	13748	11122		5378	
F	80273	6481	19166	14331	5760	13295	10692	8676		5548	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	69	70	89	77	57	58	71	82		72	
F	70	70	93	77	52	61	73	78		91	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	71	57	90	78	60	63	80	93		77	
F	70	57	92	78	52	70	76	72		81	

1968

DIAGNOSIS 79 - OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	14021	921	1241	2219	2397	2678	2158	1606	801	
F	16016	781	992	2046	2900	3797	2887	1741	872	
PATIENT DAYS										
M	165690	11292	12997	15594	16833	32296	30009	28207	18412	
F	178379	10169	10459	16017	21490	37369	35385	26262	21228	
AVERAGE STAY										
M	11.3	12.1	10.5	7.0	7.0	12.1	13.9	17.6	23.0	
F	11.1	12.0	10.5	7.8	7.4	9.8	12.3	15.1	24.3	
SEPARATION RATE PER 100,000 POPULATION										
M	139.9	521.0	150.7	99.5	136.2	105.7	147.6	205.3	311.3	
F	160.9	455.7	127.2	95.8	167.7	152.0	196.4	205.8	267.3	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1652	6319	1579	699	959	1275	2053	3606	7155	
F	1792	5933	1341	750	1243	1496	2407	3104	6508	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	12899	1240	1382	2002	1793	2589	1950	1496	745	
F	14510	1035	1114	1844	2181	3681	2483	1533	705	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	152297	15022	14467	14064	12623	31230	27112	25264	17557	
F	161627	13473	11737	14427	16160	36228	30419	23112	17150	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	84	93	99	75	66	90	100	92	95	
F	87	110	108	77	78	89	88	85	102	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	86	75	84	77	73	106	101	87	102	
F	87	93	92	85	79	90	89	81	97	

1968

"CANADA"

DIAGNOSIS 89 - ARTHRITIS AND RHEUMATISM, EXCEPT RHEUMATIC FEVER

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44		
SEPARATIONS DURING YEAR								
M	17901	29	195	806	821	3943	5581	2036
F	23603	15	177	793	1076	4364	6789	3545
PATIENT DAYS								
M	361080	460	2998	10006	10028	57159	105903	72362
F	694638	208	2164	10218	16183	73844	152540	216568
AVERAGE STAY								
M	20.2	15.5	15.4	12.4	12.2	14.5	19.0	35.5
F	29.4	13.9	12.2	12.9	15.0	16.9	22.5	61.1
SEPARATION RATE PER 100,000 POPULATION								
M	178.5	16.2	23.7	36.1	46.6	155.6	381.8	791.3
F	237.1	8.8	22.7	37.1	62.2	174.7	461.9	1086.8
PATIENT DAY RATE PER 100,000 POPULATION								
M	3601	257	364	448	570	2256	7245	28124
F	6977	121	278	479	936	2955	10378	66391
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	16457	39	218	727	614	3812	5042	1887
F	21383	20	195	715	810	4230	5837	2864
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	331973	612	3336	9014	7503	55258	95128	67036
F	629281	275	2434	9214	12169	71559	196168	174955
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	98	79	106	97	68	92	103	104
F	107	68	100	93	78	96	113	107
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	97	57	99	99	65	86	94	95
F	109	54	60	95	101	92	112	101

1958

DIAGNOSIS 81- DISPLACEMENT OF INTERVERTEBRAL DISC

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	12523	1	2	18	566	6204	4275	1272	165	
F	9756	1	1	30	510	4431	3448	1119	215	
PATIENT DAYS										
M	193378	46	31	126	7552	89920	69084	23780	2839	
F	166755	6	3	420	6673	72995	60512	21397	4749	
AVERAGE STAY										
M	15.5	46.0	15.5	7.0	13.3	14.5	16.2	18.7	17.2	
F	17.1	6.0	3.0	14.0	13.1	16.5	17.5	19.1	22.0	
SEPARATION RATE PER 100,000 POPULATION										
M	124.7	0.6	0.2	0.8	32.2	244.9	292.4	162.6	64.1	
F	98.0	0.6	0.1	1.4	29.5	177.3	234.6	132.3	66.2	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1923	26	4	6	429	3549	4720	3040	1103	
F	1675	4	0	20	386	2921	4117	2529	1456	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	11494	2	3	17	424	5998	3862	1185	153	
F	8859	2	2	28	384	4295	2965	585	175	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	177741	62	37	121	5647	86929	62411	22142	2630	
F	151075	10	1	335	5019	70736	52030	18831	3837	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	104	0	75	130	75	101	113	126	131	
F	117	0	66	186	81	109	127	142	144	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	95	0	97	48	65	88	105	130	123	
F	107	0	1	237	69	99	115	131	154	

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	27402	323	1233	4086	5043	7875	5409	2696	732	
F	28542	181	773	3266	4433	6728	7339	4167	1655	
PATIENT DAYS										
M	343959	4826	16234	58321	53429	81653	66227	39508	23192	
F	379083	2390	10195	40872	43192	64152	83636	72524	62122	
AVERAGE STAY										
M	12.6	14.7	13.2	14.4	10.6	10.4	12.2	14.7	31.7	
F	13.3	13.2	13.2	12.5	9.7	9.5	11.4	17.4	37.5	
SEPARATION RATE PER 100,000 POPULATION										
M	273.2	183.5	145.8	183.1	286.5	310.8	370.0	344.7	284.5	
F	286.7	105.6	95.1	153.0	256.4	269.3	499.3	492.5	507.4	
PATIENT DAY RATE PER 100,000 POPULATION										
M	2430	2701	1979	2636	3035	3223	4531	5051	9014	
F	3808	1394	1303	1914	2498	2568	5690	8572	19044	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	25191	437	1373	3685	3771	7614	4887	2511	679	
F	25858	240	868	2943	3334	6521	6310	3668	1337	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	316209	6426	18132	53037	39946	78944	59836	36788	21486	
F	343457	2166	11449	36817	32475	62188	71909	63626	50185	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	129	54	112	116	132	135	131	134	131	
F	134	92	112	111	129	132	141	136	143	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	105	81	93	98	114	114	111	83	135	
F	114	62	99	89	116	119	104	109	141	

1968

DIAGNOSIS 83- CONGENITAL MALFORMATIONS

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	
			SEPARATIONS DURING YEAR					
M	18181	3800	3588	6269	1761	1542	797	352
F	14855	2673	2926	3312	2339	2238	967	315
			PATIENT DAYS					
M	254334	75091	58772	64892	18880	19085	11114	4741
F	225170	56334	58051	41591	23012	25756	14229	4706
			AVERAGE STAY					
M	14.0	19.8	16.4	10.4	10.7	12.4	13.9	13.5
F	15.2	21.1	19.8	12.6	9.8	11.5	14.7	14.9
			SEPARATION RATE PER 100,000 POPULATION					
M	181.3	2126.5	435.8	281.0	100.0	60.9	54.5	45.0
F	149.2	1559.5	375.3	155.1	135.3	89.6	65.8	37.2
			PATIENT DAY RATE PER 100,000 POPULATION					
M	2536	42021	7139	2909	1673	753	760	606
F	2262	32867	7445	1948	1331	1031	968	556
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	16714	5059	3993	5654	1317	1491	720	228
F	13458	3542	3285	2984	1759	2170	832	278
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	235732	99960	65409	58530	14123	18444	10037	4414
F	204018	74635	65161	37471	17304	24967	12234	4140
			CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	117	122	144	132	109	120	128	115
F	113	120	125	128	110	123	135	106
			DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	105	128	149	116	70	96	113	77
F	106	129	150	107	98	117	114	85

1968

DIAGNOSIS 84 - CERTAIN DISEASES OF EARLY INFANCY

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	5315	5134	167	11	0	1	1	1	
F	4266	4083	148	21	8	5	0	1	
PATIENT DAYS									
M	70321	65549	4659	95	0	7	3	8	
F	54032	51717	1682	539	56	30	0	8	
AVERAGE STAY									
M	13.2	12.8	27.9	8.6	0.0	7.0	3.0	8.0	
F	12.7	12.7	11.4	25.7	7.0	6.0	0.0	8.0	
SEPARATION RATE PER 100,000 POPULATION									
M	53.0	2873.0	20.3	0.5	0.0	0.0	0.1	0.1	
F	42.8	2382.1	19.0	1.0	0.5	0.2	0.0	0.1	
PATIENT DAY RATE PER 100,000 POPULATION									
M	701	36681	566	4	0	0	0	1	
F	543	30173	216	25	3	1	0	1	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	4887	6835	186	10	0	1	1	1	
F	3865	5410	167	19	7	5	0	1	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	64625	87257	5186	81	0	1	1	8	
F	48976	68517	1891	481	40	25	0	8	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	70	100	131	37	0	25	100	100	
F	67	98	129	63	100	38	0	50	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	69	96	286	26	0	1	3	13	
F	62	90	129	64	78	21	0	30	

1968

"CANADA"

DIAGNOSIS 85 - SYMPTOMS, SENILITY, AND ILLDEFINED CONDITIONS

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	43400	1624	3986	7614	4208	9895	8133	5145	2795	
F	43663	1287	3290	6917	7415	11140	6998	4265	2351	
PATIENT DAYS										
M	305584	14830	26989	42084	22320	56579	57549	47062	38171	
F	329825	10125	23478	37721	39184	79305	59075	42686	38251	
AVERAGE STAY										
M	7.0	9.1	6.8	5.5	5.3	5.7	7.1	9.1	13.7	
F	7.6	7.9	7.1	5.5	5.3	7.1	8.4	10.0	16.6	
SEPARATION RATE PER 100,000 POPULATION										
M	432.3	508.8	484.1	341.3	239.1	393.0	506.4	657.3	1085.3	
F	428.6	750.9	422.0	324.0	428.9	445.5	476.1	504.1	720.7	
PATIENT DAY RATE PER 100,000 POPULATION										
M	3047	8299	3278	1386	1268	2233	3937	6017	14835	
F	3313	5907	3011	1767	2266	3174	4019	5045	11726	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	39898	2162	4436	6867	3147	9567	7348	4791	2590	
F	39557	1706	3694	6232	5576	10797	8017	3754	1900	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	280900	19742	30034	37947	16690	54695	51991	43824	35301	
F	298812	13414	26354	33989	29459	76863	50751	37565	30901	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	129	147	148	136	113	140	140	116	100	
F	125	134	140	128	113	134	128	112	93	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	104	139	156	137	109	121	108	97	64	
F	97	121	157	122	102	118	111	79	43	

1968

"CANADA"

DIAGNOSIS 86 - FRACTURE OF OR INVOLVING SKULL OR FACE BONES, AND HEAD INJURY, EXCEPT OPEN WOUND, CONTUSION AND HAEMATOMA OF SCALP

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	31698	570	2858	7769	9435	6489	2660	1376	541
F	14114	451	2040	3612	2999	2296	1367	789	560
PATIENT DAYS									
M	228237	3900	14980	32824	63399	54770	28610	21135	8619
F	109947	2528	9165	17732	22550	21831	13568	9886	12687
AVERAGE STAY									
M	7.2	6.8	5.2	4.2	6.7	8.4	10.8	15.4	15.9
F	7.8	5.6	4.5	4.9	7.5	9.5	9.9	12.5	22.7
SEPARATION RATE PER 100,000 POPULATION									
M	316.1	319.0	347.1	348.2	536.0	256.1	182.0	175.9	210.3
F	141.8	262.1	261.6	169.2	173.5	91.9	93.0	93.3	171.7
PATIENT DAY RATE PER 100,000 POPULATION									
M	2276	2182	1820	1471	3602	2162	1957	2702	3350
F	1104	1475	1175	831	1304	874	923	1168	3889
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	29140	759	3181	7007	7055	6274	2404	1282	502
F	12787	598	2290	3255	2256	2226	1176	695	453
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	209822	5191	16676	29597	47409	52956	25844	19680	7985
F	99574	3350	10284	15985	16953	21165	11665	8697	10249
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	123	168	128	127	120	109	110	115	139
F	123	163	133	130	117	114	122	113	149
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	120	142	122	107	121	108	114	138	160
F	123	125	125	129	112	123	114	112	132

1968

DIAGNOSIS 87 - FRACTURE OF SPINE AND TRUNK

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	8925	4	54	404	1852	2389	1982	1498	742
F	6577	3	31	258	984	1131	1214	1407	1549
				PATIENT DAYS					
M	187501	38	789	6078	46053	47874	36646	32193	17850
F	151758	21	312	3850	18982	22322	23617	20630	52024
				AVERAGE STAY					
M	21.0	5.5	14.6	15.0	24.9	20.0	18.5	21.5	24.0
F	23.1	7.0	10.1	14.9	19.3	19.7	19.5	21.8	33.6
				SEPARATION RATE PER 100,000 POPULATION					
M	89.0	2.2	6.6	18.1	105.2	94.3	135.6	191.5	280.4
F	66.1	1.8	4.0	12.1	56.9	45.3	52.6	166.3	474.9
				PATIENT DAY RATE PER 100,000 POPULATION					
M	1870	21	96	272	2616	1890	2507	4116	6530
F	1524	12	40	180	1098	893	1607	3620	15948
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	8205	6	61	365	1385	2310	1791	1395	688
F	5959	4	35	233	740	1097	1044	1239	1252
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	172394	50	880	5473	34432	46294	33107	29979	18519
F	137455	28	351	3463	14275	21526	20309	26554	42027
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	101	200	105	96	114	91	93	103	102
F	113	79	100	103	119	103	97	105	119
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	104	250	126	111	119	88	95	112	103
F	112	22	102	76	100	103	100	95	122

1968

DIAGNOSIS 89 - FRACTURE OF UPPER LIMB

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	18194	29	898	7493	3835	2917	1637	936	449	
F	13794	27	693	3824	912	1293	2425	2893	1727	
PATIENT DAYS										
M	99941	389	3879	24461	18076	19181	14190	10456	9309	
F	91414	229	2565	12043	4840	6934	14702	23870	26231	
AVERAGE STAY										
M	5.5	13.4	4.3	3.3	4.7	6.6	6.7	11.2	20.7	
F	6.6	8.5	3.7	3.1	5.3	5.4	6.1	8.3	15.2	
SEPARATION RATE PER 100,000 POPULATION										
M	181.4	16.2	109.1	335.8	217.9	115.1	112.0	119.7	174.5	
F	138.6	15.8	88.9	179.1	52.8	51.7	165.0	341.9	529.4	
PATIENT DAY RATE PER 100,000 POPULATION										
M	957	218	471	1096	1027	757	971	1337	3618	
F	918	134	329	564	280	278	1000	2821	8041	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	16726	39	1000	6758	2868	2821	1479	872	416	
F	12497	36	778	3446	686	1254	2085	2546	1356	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	91913	519	4316	22052	13518	18542	12823	9738	8624	
F	82798	305	2880	10849	3641	6733	12638	21005	21190	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	89	66	90	85	90	87	83	84	83	
F	87	59	88	87	86	81	82	84	93	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	89	90	100	84	84	84	93	74	129	
F	90	54	78	86	83	83	91	90	84	

1968
DIAGNOSIS 89 - FRACTURE OF FEMUR

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	6942	63	529	1200	928	657	664	1066	1835	
F	11282	79	260	500	257	302	964	2683	6237	
PATIENT DAYS										
M	287829	1372	15615	38219	32122	25414	26590	49272	99225	
F	560292	1522	7373	16144	10375	11066	34287	119824	359701	
AVERAGE STAY										
M	41.5	21.8	29.5	31.8	34.6	38.7	40.0	46.2	54.1	
F	49.7	19.3	28.4	32.3	40.4	36.6	35.6	44.7	57.7	
SEPARATION RATE PER 100,000 POPULATION										
M	69.2	35.3	64.3	53.8	52.7	25.9	45.4	136.3	713.2	
F	113.3	46.1	33.3	23.4	14.9	12.1	65.6	317.1	1912.0	
PATIENT DAY RATE PER 100,000 POPULATION										
M	2870	766	1897	1713	1825	1003	1819	6299	38564	
F	5628	888	946	756	600	443	2333	14162	110270	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	5382	84	589	1083	694	636	600	993	1700	
F	10221	105	292	451	194	293	829	2362	5039	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	264583	1827	17381	34466	24021	24568	24022	45878	91920	
F	507610	2017	8280	14542	7801	10728	29484	105448	290585	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	116	93	104	109	133	107	104	115	132	
F	117	107	102	118	131	98	105	101	115	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	112	98	103	112	115	108	101	103	124	
F	103	102	107	115	133	97	102	92	94	

1968

DIAGNOSIS 90 - OTHER FRACTURES OF LOWER LIMBS (EXCL. FEMUR)

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	15273	11	358	2603	4033	4403	2419	1145	301
F	9233	10	204	1376	1243	1902	1597	1722	779
				PATIENT DAYS					
M	201384	167	2401	19846	52404	55524	38070	24274	8698
F	145590	75	1724	8888	13013	23097	29301	38683	30809
				AVERAGE STAY					
M	13.2	15.2	6.7	7.6	13.0	12.6	15.7	21.2	28.9
F	15.8	7.5	8.5	6.5	10.5	12.1	14.7	22.5	35.5
				SEPARATION RATE PER 100,000 POPULATION					
M	152.3	6.2	43.5	116.7	229.1	173.8	165.5	146.4	117.0
F	92.7	5.8	26.2	64.4	71.9	76.1	135.9	203.5	238.8
				PATIENT DAY RATE PER 100,000 POPULATION					
M	2008	93	292	890	2977	2192	2604	3103	3380
F	1462	44	221	416	753	924	1993	4572	9445
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	14041	15	399	2348	3016	4257	2186	1067	279
F	8365	14	229	1240	935	1844	1717	1516	630
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	185116	222	2676	17907	39183	53691	34388	22601	8057
F	131863	100	1935	8002	9790	22376	25187	34043	24890
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	94	115	50	97	102	89	83	81	81
F	97	107	82	94	109	86	93	100	51
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	87	76	110	94	111	79	78	67	85
F	90	42	106	82	100	79	88	89	84

ADULTS AND CHILDREN, BY AGE IN YEARS

	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 54	55 - 74	75 +
				SEPARATIONS DURING YEAR					
				669	1197	999	590	327	103
	3984	6	93	246	313	325	195	103	66
	1356	1	53						
				PATIENT DAYS					
				7392	17242	14097	10857	1986	2382
	59145	67	1120	2657	4362	5068	3411	1905	1354
	19349	2	640						
				AVERAGE STAY					
				11.0	14.4	14.1	16.4	16.3	23.1
	14.3	11.2	12.0	10.3	14.2	15.6	17.4	16.3	19.3
	14.8	2.0	11.0						
				SEPARATION RATE PER 100,000 POPULATION					
				30.0	68.0	39.4	40.4	41.0	44.4
	39.7	3.4	11.3	11.5	17.8	13.0	13.3	13.3	20.2
	13.1	0.6	7.4						
				PERCENT DAY RATE PER 10,000 POPULATION					
				331	980	556	743	171	200
	590	37	136	124	252	203	232	175	100
	194	1	82						
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
				604	836	966	533	185	200
	3663	8	104	222	232	315	169	175	100
	1184	2	66						
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
				6550	12899	13619	9812	1717	2000
	54392	89	1247	2385	3277	4916	2932	1716	1135
	17498	3	718						
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
				147	171	152	155	147	147
	163	159	138	173	198	170	165	147	147
	181	50	227						
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
				131	197	140	181	147	147
	177	157	152	163	223	189	145	147	147
	186	11	319						

1968

"CANADA"

DIAGNOSIS 11 - FRACTURE WITHOUT FRACTURE, AND SPRAIN AND STRAIN OF JOINTS AND ATTACHING MUSCLES

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	16428	8	116	1117	4110	6718	3027	1047	285
F	7645	20	82	632	1739	2272	1548	891	461
PATIENT DAYS									
M	126374	24	494	5722	25317	53610	27140	10392	3675
F	64306	127	723	3103	10839	19695	14699	9184	5936
AVERAGE STAY									
M	7.7	3.0	4.3	5.1	6.2	8.0	9.0	9.9	12.9
F	8.4	6.3	8.8	4.9	6.2	8.7	9.5	10.3	12.9
SEPARATION RATE PER 100,000 POPULATION									
M	163.8	4.5	14.1	50.1	233.5	265.2	207.1	133.9	110.8
F	76.8	11.7	10.5	29.6	100.6	90.9	105.3	105.3	141.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	1260	13	60	256	1438	2116	1857	1329	1428
F	646	74	93	145	627	788	1000	1085	1820
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	15103	11	130	1008	3074	6495	2735	975	265
F	6926	27	93	570	1308	2203	1331	785	373
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	116159	31	550	5151	18927	51829	24523	9680	3404
F	58266	165	814	2790	8152	19083	12638	8079	4797
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	97	47	75	79	87	98	99	101	95
F	94	112	80	75	93	95	95	87	88
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	92	7	49	88	82	90	93	113	114
F	93	208	143	77	77	90	93	113	114

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	6504	233	1570	1172	1085	1354	614	331	145
F	3613	170	1105	631	437	571	548	228	123
				PATIENT DAYS					
M	106994	2740	21906	21698	13763	20109	12224	9523	4626
F	59572	2262	15357	9582	5496	8375	6092	5676	6032
				AVERAGE STAY					
M	16.5	11.8	14.0	18.5	12.7	14.9	19.9	30.0	31.9
F	16.5	13.3	13.9	15.3	12.6	14.7	19.2	24.9	49.0
				SEPARATION RATE PER 100,000 POPULATION					
M	64.9	120.4	190.7	52.5	61.6	53.4	42.0	42.3	56.4
F	36.3	99.2	141.7	29.6	25.3	22.9	23.7	26.9	37.7
				PATIENT DAY RATE PER 100,000 POPULATION					
M	1067	1523	2661	973	782	794	336	1269	1798
F	598	1320	1970	453	313	335	455	671	1849
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	5980	311	1748	1057	812	1309	555	309	135
F	3274	226	1241	569	329	554	300	201	100
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	98366	3647	24381	19577	10293	19449	11040	9243	4286
F	53936	2998	17243	8714	4135	8113	5751	4957	4873
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	90	115	99	103	87	83	89	112	56
F	88	111	96	96	85	89	96	96	90
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	92	100	95	97	88	84	93	128	103
F	86	96	81	83	96	91	84	105	150

1968

"CANADA"

DIAGNOSIS 94 - OTHER AND UNSPECIFIED EFFECTS OF ACCIDENTS, POISONINGS AND VIOLENCE

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	61877	617	7794	10440	14655	14264	7716	4582	1859
F	41135	462	5880	6002	7692	10102	5511	3259	2227
PATIENT DAYS									
M	389113	3515	30062	54795	76408	91927	61706	47319	23377
F	268351	3158	21052	27144	37855	65045	44961	36898	32238
AVERAGE STAY									
M	6.3	5.7	3.9	5.2	5.2	6.4	8.0	10.3	12.6
F	6.5	6.8	3.6	4.5	4.9	6.4	8.2	11.3	14.5
SEPARATION RATE PER 100,000 POPULATION									
M	617.0	345.3	946.7	467.9	829.7	563.0	527.8	585.8	722.5
F	413.2	265.5	754.1	281.1	444.9	404.3	374.9	385.2	682.7
PATIENT DAY RATE PER 100,000 POPULATION									
M	3880	1569	3651	2456	4341	3628	4221	6049	9080
F	2655	1842	2700	1271	2190	2693	5059	4361	5885
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	56984	822	8674	9415	10921	13790	6971	4267	1723
F	37266	613	6601	5408	5784	9791	4739	2868	1800
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	357694	4684	33451	49415	57136	88864	55742	44057	21658
F	243072	4183	23632	24443	28471	63035	36659	32472	26044
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	96	112	107	92	90	88	96	117	127
F	115	126	113	100	114	131	117	114	119
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	96	112	94	91	89	90	98	107	127
F	120	161	104	97	118	135	120	119	118

1968

"CANADA"

DIAGNOSIS 95 - MEDICAL OR SPECIAL EXAMINATION (WITHOUT SICKNESS)

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		
			SEPARATIONS DURING YEAR						
M	244	38	11	27	20	40	61	35	12
F	207	35	13	24	25	62	28	15	5
			PATIENT DAYS						
M	1024	376	35	101	66	127	176	113	30
F	751	225	52	66	91	179	69	49	20
			AVERAGE STAY						
M	4.2	5.9	3.2	3.7	3.3	3.2	2.9	3.2	3.5
F	3.6	6.4	4.0	2.8	3.6	2.9	2.5	3.3	4.0
			SEPARATION RATE PER 100,000 POPULATION						
M	2.4	21.3	1.3	1.2	1.1	1.6	4.2	4.5	4.7
F	2.1	20.4	1.7	1.1	1.4	2.5	1.9	1.8	1.5
			PATIENT DAY RATE PER 100,000 POPULATION						
M	10	210	4	5	4	5	12	14	12
F	8	131	7	3	5	7	5	6	9
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	225	51	13	25	15	39	56	33	12
F	188	47	15	22	19	61	25	14	5
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	922	500	37	101	53	123	159	102	29
F	722	298	62	58	66	170	64	45	16
			CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	56	212	64	67	41	39	49	55	100
F	38	247	83	78	11	39	42	55	50
			DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	91	574	50	97	64	52	75	57	70
F	56	313	144	75	24	49	51	25	9

DIAGNOSIS 98 - OTHER SPECIAL ADMISSIONS, EXAMINATIONS, ETC.

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	10272	349	401	962	1426	2047	2079	2056	952	
F	14159	370	374	862	1803	3980	2054	2696	2020	
PATIENT DAYS										
M	208494	3635	7122	16176	23632	31614	40602	53185	32524	
F	362104	4200	7605	18273	19314	45975	57793	56884	112060	
AVERAGE STAY										
M	20.3	10.4	17.8	16.8	16.6	15.4	19.5	25.9	34.2	
F	25.6	11.4	20.3	21.2	10.7	11.6	28.1	35.9	55.5	
SEPARATION RATE PER 100,000 POPULATION										
M	102.4	155.3	48.7	43.1	81.0	80.8	142.2	262.8	370.0	
F	142.2	215.9	48.0	40.4	104.3	159.3	139.7	318.6	619.3	
PATIENT DAY RATE PER 100,000 POPULATION										
M	79	2036	865	725	1343	1248	2778	6799	12640	
F	1637	2450	975	856	1117	1840	3932	11451	34353	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	5444	465	447	868	1067	1979	1879	1915	882	
F	12823	491	420	777	1356	3353	1766	2373	1632	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	191661	4844	7926	14587	17677	31569	36686	49520	30129	
F	328034	5564	8534	16456	14522	44558	49692	85263	90528	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	152	127	163	141	156	147	164	156	166	
F	174	208	153	177	126	256	156	160	186	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	224	230	219	294	258	162	244	239	221	
F	231	356	352	319	204	259	197	191	235	

1968

DIAGNOSIS 99 - TOTAL ALL DIAGNOSES EXCEPT 96 and 97 (MATURE NEWBORN AND IMMATURE NEWBORN)

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	1311733	61813	144597	196716	131349	228491	227197	208132	113438
F	136379	42705	108443	167096	385745	593022	261506	192092	116470
PATIENT DAYS									
M	16614117	651380	1023231	1174298	1079680	2307334	3176266	4064309	3137619
F	21432743	478854	777296	906724	2441391	4865936	3523517	4056265	4332625
AVERAGE STAY									
M	12.0	10.0	7.0	5.0	8.0	10.0	13.0	19.0	27.0
F	11.0	10.0	7.0	5.0	6.0	8.0	13.0	21.0	37.0
SEPARATION RATE PER 100,000 POPULATION									
M	13080.3	34590.3	17563.0	8816.9	7462.1	9018.4	15542.2	26608.4	44087.7
F	18713.4	25498.8	13908.2	7806.4	22022.3	23734.1	17790.6	22703.1	35705.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	165674	364507	124286	52633	61342	91072	217286	519600	1219444
F	215273	279400	99690	44611	141209	194745	239710	479417	1328215
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	1205913	82216	160953	177442	98250	220935	205279	193839	105128
F	1687884	57940	121772	150596	286342	574793	224880	169087	94132
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	15273351	867126	1138762	1059017	807414	2030739	2869455	3784446	2906683
F	19416276	634492	872556	861995	1835832	4716029	3029425	3569699	3500170
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	108	115	122	101	97	106	115	116	122
F	97	113	121	99	81	87	113	112	117
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	106	110	126	98	95	100	110	112	114
F	102	108	123	96	82	91	109	108	104

NOTES

BASICALLY, TABLE 6 PRESENTS DATA ON PROVINCIAL OR TERRITORIAL PLAN IN-PATIENTS INCLUDING OUT-OF-PROVINCE OR OUT-OF-TERRITORY HOSPITALIZATION, WITH THE FOLLOWING EXCEPTIONS:

a) Newfoundland: Includes some non-plan separations and days.

b) Prince Edward Island: Excludes out-of-province hospitalization.

c) New Brunswick: Excludes out-of-province hospitalization.

d) Quebec: Also includes all non-plan separations and days.

e) Ontario: Data are based on "claims processed" during the year and include out-of-province residents hospitalized in Ontario hospitals, as well as insured Ontario residents hospitalized in out-of-province hospitals. Totals also include all patients hospitalized in Federal (including D.V.A.) hospitals for whom the Ontario Hospital Services Commission was responsible for payment. Totals exclude patients in D.V.A. hospitals for whom the Department of Veterans Affairs was responsible.

f) Manitoba: Includes non-plan separations and days, but excludes non-resident.

g) Saskatchewan: Excludes Provincial Plan separations and days from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

h) Alberta: Also includes non-plan separations and days but excludes non-residents.

i) British Columbia: Includes in-province separations, and days (Provincial Plan) from Chronic (Rehabilitation) hospitals. Excludes in-province separations and days (Provincial Plan) from extended care units, and excludes out-of-province separations and days (Provincial Plan).

TABLE 1(a) NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES(1), 1964

NO.	CANADIAN LIST OF 98 CATEGORIES	Nfld. P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
	Psychoneurotic disorders				18892							
35	Diseases and conditions of the eye					19777						134
36	Diseases of ear and mastoid process											184
38	Arteriosclerotic and degenerative heart disease	1568	843	4816	3879	30487	47037	5953	6479	9217	11975	
46	Acute upper respiratory infections	2008	536	2239	2871			3859	4972	7949		
48	Pneumonia	4125	1176	5497	3652	16688	31623	8457	9911	11902	11481	114
49	Bronchitis	1831	554	2532	2338	15916		5215	6844	9124	6992	53
50	Hypertrophy of tonsils and adenoids	3033	764	6071	5756	46622	82491	8360	9998	17087	20557	97
52	Diseases of teeth and supporting structure											56
53	Ulcer of stomach, duodenum and jejunum		403									
56	Hernia of abdominal cavity					17845	29703			7099		
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over				2178			3757	4943	7671		147
61	Diseases of gallbladder and pancreas		454	2786	2613	29309	29291	5587	5873	9158	8770	58
73	Complications of pregnancy	2660	433	3102	2585	16263	25936	3492	4584	6908	7694	62
74	Abortion	1267										53
75	Delivery without mention of complications	11165	2218	12168	9644	90603	86271(1)	14522	15685	19505	23725	296
76	Delivery with specified complications	1732					41035(1)			11116	8899	75
78	Infection of skin and subcutaneous tissue											152
85	Symptoms, senility and ill-defined conditions	1836	964	4363	3354	25757	27785	6845	6886		6894	
86	Fracture of or involving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp											68
			2058									

See Footnotes on next page.

(1) All of the reporting provinces and territories include Provincial Plan in-patients in Table 7, as well as out-of-province hospitalization, with the following exceptions:-

Nfld.: - Includes some non-plan separations and days.

P.E.I.: - Excludes out-of-province hospitalization.

N.S.: - Excludes out-of-province hospitalization.

N.B.: - Excludes out-of-province hospitalization.

Que.: - Includes all non-plan separations and days.

Ont.: - Data are based on "claims processed" during the year and include out-of-province residents hospitalized in Ontario hospitals, as well as insured Ontario residents hospitalized in out-of-province hospitals. Totals also include all patients hospitalized in Federal (including D.V.A.) hospitals for whom the Ontario Hospital Services Commission was responsible for payment. Totals exclude patients in D.V.A. hospitals for whom the Department of Veterans Affairs was responsible. Also note (2) below.

Man.: - Includes non-plan separations and days but excludes non-residents.

Sask.: - Excludes Provincial Plan separations and days from Geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

Alta.: - Includes non-plan separations and days but excludes non-residents.

B.C.: - Excludes out-of-province hospitalization.

(2) Changes in coding procedures in Ontario for 1963 as compared to 1962 resulted in more separations coded to "Delivery with specified complications" (Diag. 75) and fewer separations added to "Delivery without mention of complications" (Diag. 76).

TABLE 7 (b) - RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES,
FOR TEN PROVINCES AND TWO TERRITORIES⁽¹⁾, 1968.

(1) See footnotes, Table 7(a)

NO.	CANADIAN LIST OF 98 CATEGORIES	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
30	Psychoneurotic disorders					6							
35	Diseases and conditions of the eye						10						10
36	Diseases of ear and mastoid process												6
38	Arteriosclerotic and degenerative heart disease	9	4	4	3	3	3	5	6	5	3		
46	Acute upper respiratory infections	5	7	9	6			8	8	8			
48	Pneumonia	2	2	3	4	8	5	2	3	3	4	2	1
49	Bronchitis	7	6	8	9	10		7	5	7	9	9	4
50	Hypertrophy of tonsils and adenoids	3	5	2	2	2	2	3	2	2	2	3	5
52	Diseases of teeth and supporting structure											8	
53	ulcer of stomach, duodenum and jejunum		10								8		
56	Hernia of abdominal cavity					7	6						
	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over				10			9	9	9			8
61	Diseases of gallbladder and pancreas		8	7	7	4	7	6	7	6	6	7	
73	Complications of pregnancy	4	9	6	8	9	9	10	10	10	7	6	3
74	Abortion	10										10	
75	Delivery without mention of complications.	1	1	1	1	1	1	1	1	1	1	1	2
76	Delivery with specified complications	8					4			4	5	4	9
78	Infection of skin and subcutaneous tissue												7
85	Symptoms, senility and ill-defined conditions	6	3	5	5	5	8	4	4		10		
86	Fracture of or involving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp											5	

181

TABLE 7(c) - PATIENT-DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS,
BOTH SEXES AND ALL AGES, FOR TEN PROVINCES AND TWO TERRITORIES(1), 1968

(1) See footnotes, Table 7(a)

NO.	CANADIAN LIST OF 18 CATEGORIES	Nfld.	N.E.L.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
50	Psychoneurotic disorders					317418	153151						
51	Diseases and conditions of the eye												1420
52	Diseases of ear and mastoid process												2115
53	Arteriosclerotic and degenerative heart disease												
54	Acute upper respiratory infections	30064	15350	91000	61230	846607	1235359	110231	108358	213857	204025		
55	Pneumonia	9828	3353	15350	10400			15391	26734	41242			
56	Bronchitis	39685	12159	67000	39276	233400	379671	75048	102961	117690	126206	1308	10545
57	Hypertrophy of tonsils and adenoids	16058	5191	27005	20926	247496		46274	53739	78727	64497	291	1272
58	Diseases of teeth and supporting structure	9884	2674	16566	19513	99900	162989	17031	23387	43337	46507	224	755
59	Ulcer of stomach, duodenum and jejunum		1040									116	
60	Hernia of abdominal cavity					168184	250380				59424		
61	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over				14170			23126	34895	46858			920
62	Diseases of gallbladder and pancreas		5753	39634	33162	417000	410005	61506	67801	106435	109219	515	
73	Complications of pregnancy	43244	1470	13490	8800	69668	117699	12087	18443	28224	32345	222	957
74	Abortion	5379										191	
75	Delivery without mention of complications.	64108	13669	74000	53067	487316	503099(1)	83747	89495	123464	137571	1665	6094
76	Delivery with specified complications	16407					350201(1)			82943	76997	458	1131
77	Infection of skin and subcutaneous tissue												1366
85	Symptoms, senility and ill-defined conditions	11499	7670	32242	24755	256637	172123	48587	48664		38053		
86	Fracture of or involving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp											313	
				13341									

TABLE 7(a) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See footnotes Table 7(a)

NEWFOUNDLAND

		ALL AGES				UNDER 1				1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+			
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
NO.	DIAGNOSIS	Separations																							
75	Delivery without mention of complications	11165	-	11165	-	-	738	530	-	725	517	-	-	364	310	98	5868	-	5252	-	39	64	-	-	67
48	Pneumonia	4125	2316	1809	-	-	2	1	-	298	214	-	-	809	973	188	76	106	125	145	114	70	1	-	75
50	Hypertrophy of tonsils and adenoids	3033	1375	1658	-	-	2	-	-	298	214	-	-	809	973	188	370	72	90	6	9	1	-	-	-
73	Complications of pregnancy	2660	-	2660	-	-	-	-	-	-	-	-	-	-	-	-	1419	-	1226	-	13	-	-	-	-
46	Acute upper respiratory infections	2008	1087	921	-	-	351	290	-	503	381	-	-	135	132	47	55	33	36	15	15	2	5	1	1
85	Symptoms, senility and ill-defined conditions	1836	879	957	-	-	64	41	-	116	91	-	-	210	241	118	209	169	187	148	129	28	18	31	7
49	Bronchitis	1831	1095	736	-	-	365	260	-	329	183	-	-	57	50	10	12	31	64	178	82	57	32	28	9
76	Delivery with specified complications	1732	-	1732	-	-	-	-	-	-	-	-	-	-	1	-	845	-	883	-	3	-	-	-	-
38	Arteriosclerotic and degenerative heart disease	1568	999	569	-	-	-	-	1	-	-	-	-	-	3	4	-	87	26	535	239	192	150	109	-
74	Abortion	1267	-	1267	-	-	-	-	-	-	-	-	-	-	1	-	490	-	753	-	23	-	-	-	-
		Separations per 1,000 population																							
75	Delivery without mention of complications	22.0	-	45.0	-	-	111.8	81.5	-	26.2	19.7	-	-	5.4	4.8	1.9	116.9	-	105.7	-	1.1	-	-	-	-
48	Pneumonia	8.1	9.0	7.3	-	-	0.3	0.2	-	10.8	8.1	-	-	12.0	15.1	3.7	1.5	2.0	2.5	3.7	3.2	7.4	14.3	11.4	
50	Hypertrophy of tonsils and adenoids	6.0	5.3	6.7	-	-	-	-	-	-	-	-	-	-	-	-	7.4	1.4	1.8	0.2	0.3	0.1	-	-	
73	Complications of pregnancy	5.2	-	10.7	-	-	-	-	-	-	-	-	-	-	-	-	28.3	-	24.7	-	0.4	-	-	-	
46	Acute upper respiratory infections	4.0	4.2	3.7	-	-	53.2	44.6	-	18.2	14.5	-	-	2.0	2.0	0.9	1.1	0.6	0.7	0.4	0.4	0.5	0.2	1.2	
85	Symptoms, senility and ill-defined conditions	3.6	3.4	3.9	-	-	9.7	6.3	-	4.2	3.5	-	-	3.1	3.7	2.3	4.2	3.2	3.8	3.7	3.6	2.9	3.4	5.3	
49	Bronchitis	3.6	4.2	3.0	-	-	55.3	40.0	-	11.9	7.0	-	-	0.8	0.8	0.2	0.2	0.6	1.3	4.5	2.3	6.0	6.0	4.7	
76	Delivery with specified complications	3.4	-	7.0	-	-	-	-	-	-	-	-	-	-	-	-	16.8	-	17.8	-	0.1	-	-	-	
38	Arteriosclerotic and degenerative heart disease	3.1	3.9	2.3	-	-	-	-	-	-	-	-	-	-	-	0.1	-	1.6	0.5	13.5	6.7	24.1	28.3	18.5	
74	Abortion	2.5	-	2.5	-	-	-	-	-	-	-	-	-	-	-	-	9.8	-	15.2	-	0.6	-	-	-	

TABLE 7(a) Cont'd

NO.	DIAGNOSIS	ALL AGES																UNDER 1								Patient-days															
		T				M				F				1 - 4				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75+			
		T	M	F		M	F			M	F			M	F			M	F			M	F			M	F			M	F			M	F						
75	Delivery without mention of complications	64108	-	64108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
48	Pneumonia	39685	22962	16723	8074	4790	6209	4212	2811	2652	801	33716	-	29963	1847	1237	1089	965	1149	1145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
50	Hypertrophy of tonsils and adenoids	9884	4395	5489	16	9	907	639	2345	2972	748	1353	982	1091	20	67	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
73	Complications of pregnancy	13244	-	13244	-	-	-	-	-	-	-	6787	-	6341	-	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
46	Acute upper respiratory infections	9828	5177	4651	1803	1705	2314	1720	559	596	215	6787	-	6341	-	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
85	Symptoms, senility, and ill-defined conditions	11499	5669	5830	340	194	623	478	1330	1351	534	231	147	143	97	110	28	28	14	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
49	Bronchitis	16058	10088	5970	3004	1937	2115	1024	378	391	55	968	1049	1285	1338	883	273	259	182	412	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
76	Delivery with specified complications	16407	-	16407	-	-	-	-	-	-	10	7506	-	8842	-	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
38	Arteriosclerotic and degenerative heart disease	30064	19921	10143	-	-	15	-	-	5	53	-	1496	288	9746	4167	5794	3349	2817	2334	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
74	Abortion	5379	-	5379	-	-	-	-	-	5	-	2057	-	3223	-	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Patient-days per 1,000 population																																									
75	Delivery without mention of complications	126	-	258	-	-	-	-	-	-	-	672	-	603	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
48	Pneumonia	78	89	67	1223	737	224	160	42	41	16	13	19	22	47	35	118	102	217	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
50	Hypertrophy of tonsils and adenoids	19	17	22	2	1	33	24	35	46	15	27	7	9	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
73	Complications of pregnancy	26	-	53	-	-	-	-	-	-	-	135	-	128	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
46	Acute upper respiratory infections	19	20	19	273	262	84	68	8	9	4	5	3	3	2	3	3	3	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
85	Symptoms, senility and ill-defined conditions	23	22	23	52	30	22	18	20	21	11	19	20	26	34	25	30	27	34	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
49	Bronchitis	32	39	24	455	298	76	39	6	6	1	2	5	10	57	27	170	76	82	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
76	Delivery with specified complications	32	-	66	-	-	-	-	-	-	-	150	-	178	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
38	Arteriosclerotic and degenerative heart disease	59	77	41	-	-	1	-	-	-	1	-	28	6	247	117	630	353	532	396	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
74	Abortion	11	-	22	-	-	-	-	-	-	-	41	-	65	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Average days stay of separations																																									
75	Delivery without mention of complications	5.7	-	5.7	-	-	-	-	-	-	-	7.8	-	5.7	-	9.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
48	Pneumonia	9.6	9.9	9.2	10.9	9.0	8.6	8.1	7.7	8.6	8.2	8.3	9.3	8.7	12.7	10.9	17.0	13.8	15.1	17.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
50	Hypertrophy of tonsils and adenoids	3.3	3.2	3.3	8.0	9.0	3.0	3.0	2.9	3.1	4.0	3.7	5.0	4.9	3.3	7.4	-	6.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
73	Complications of pregnancy	4.9	-	5.0	-	-	-	-	-	-	-	4.8	-	5.2	-	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
46	Acute upper respiratory infections	5.0	4.8	5.0	5.1	5.9	4.6	4.7	4.1	4.5	4.6	4.2	4.5	4.0	6.5	7.3	14.0	5.6	14.0	6.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
85	Symptoms, senility and ill-defined conditions	6.3	6.4	6.1	5.3	4.7	5.4	5.3	6.3	5.6	4.5	4.6	6.2	6.9	9.0	6.8	7.6	9.2	10.1	13.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
49	Bronchitis	8.8	9.2	8.1	8.2	7.4	6.4	5.6	6.6	7.8	5.5	6.9	8.7	7.4	12.7	11.7	16.8	12.7	13.6	13.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
76	Delivery with specified complications	9.5	-	9.5	-	-	-	-	-	-	-	8.9	-	10.0	-	16.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
38	Arteriosclerotic and degenerative heart disease	19.2	19.9	17.8	-	-	15.0	-	-	1.7	13.2	-	17.2	11.1	18.2	17.4	26.1	17.4	18.8	21.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
74	Abortion	4.2	-	4.2	-	-	-	-	-	5.0	-	4.2	-	4.3	-	4.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
.. indicates less than 0.5																																									

TABLE 7(e) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See footnotes Table 7(a)

PRINCE EDWARD ISLAND

NO.	DIAGNOSIS	ALL AGES				UNDER 1				1 - 4				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75+			
		T	M	F		T	M	F		T	M	F		T	M	F		T	M	F		T	M	F		T	M	F		T	M	F					

TABLE 7(e) Cont'd

[illegible]

TABLE 7(f) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS
(EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE, 1968

(1) See footnotes Table 7(a)

NOVA SCOTIA

NO.	DIAGNOSIS	Separations				Patient-days				Average days stay of Separations		
		T		M		T	M	F	T	M	F	
		per 1,000 population	per 1,000 population	per 1,000 population	per 1,000 population							
		T	M	F	T	T	M	F	T	M	F	
75	Delivery without mention of complications	12168	-	12168	74603	-	-	74603	6.1	-	6.1	
50	Hypertrophy of tonsils and adenoids	6071	2906	3165	16566	7748	-	8818	2.7	2.7	2.8	
48	Pneumonia	5497	3064	2433	62195	34971	-	27224	11.3	11.4	11.2	
38	Arteriosclerotic and degenerative heart disease	4816	2931	1885	91000	54847	-	36153	18.9	18.7	19.2	
85	Symptoms, senility and ill-defined conditions	4363	2203	2160	32248	16738	-	15510	7.4	7.6	7.2	
73	Complications of pregnancy	3102	-	3102	13496	-	-	13496	4.4	-	4.4	
61	Diseases of gallbladder and pancreas	2786	678	2108	39634	10864	-	28770	14.2	16.0	13.6	
49	Bronchitis	2532	1496	1036	27005	16841	-	10164	10.7	11.3	9.8	
46	Acute upper respiratory infections	2239	1216	1023	15380	8320	-	7060	6.9	6.8	6.9	
86	Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp	2058	Not Avail-able	Not Avail-able	13341	Not Avail-able	Not Avail-able	Not Avail-able	6.5	Not Avail-able	Not Avail-able	
		Separations		Separations		Patient-days		Patient-days		Patient-days		
		per 1,000 population	per 1,000 population	per 1,000 population	per 1,000 population	per 1,000 population	per 1,000 population	per 1,000 population	per 1,000 population	per 1,000 population	per 1,000 population	
		T	M	F	T	M	F	T	M	F		
75	Delivery without mention of complications	16.0	-	32.2	98	-	197	98	-	197		
50	Hypertrophy of tonsils and adenoids	8.0	7.6	8.4	22	20	23	22	20	23		
48	Pneumonia	7.2	8.0	6.4	82	92	72	82	92	72		
38	Arteriosclerotic and degenerative heart disease	6.3	7.7	5.0	120	144	96	120	144	96		
85	Symptoms, senility and ill-defined conditions	5.7	5.8	5.7	42	44	41	42	44	41		
73	Complications of pregnancy	4.1	-	8.2	18	-	36	18	-	36		
61	Diseases of gallbladder and pancreas	3.7	1.8	5.6	52	28	76	52	28	76		
49	Bronchitis	3.3	3.9	2.7	36	44	27	36	44	27		
46	Acute upper respiratory infections	2.9	3.2	2.7	20	22	19	20	22	19		
86	Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp	2.7	Not Avail-able	Not Avail-able	18	Not Avail-able	Not Avail-able	18	Not Avail-able	Not Avail-able		

TABLE 7(g) Cont'd

		ALL AGES						UNDER 1						5 - 14						15 - 24						25 - 44						45 - 64						65 - 74						75+	
NO.	DIAGNOSIS	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F													
		Patient-days																																											
		Average days stay of separations																																											
75	Delivery without mention of complications	53067	-	53067	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-														
50	Hypertrophy of tonsils and adenoids	19513	9207	10306	35	40	2418	1918	4965	5408	1220	2134	529	656	38	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-														
38	Arteriosclerotic and degenerative heart disease	61230	35802	25428	-	-	-	-	36	-	54	30	2609	951	16467	7597	8868	7728	7768	9132	-	-	-	-	-	-	-	-	-	-	-														
48	Pneumonia	39276	20976	18300	3883	2941	4967	3671	2909	2456	772	774	1169	1773	2610	2425	2314	1629	2352	2631	-	-	-	-	-	-	-	-	-	-	-														
35	Symptoms, senility, and ill-defined conditions	24755	12174	12581	437	259	958	1072	1622	1495	740	1468	1938	3073	3303	2475	1470	1351	1706	1388	-	-	-	-	-	-	-	-	-	-	-														
46	Acute upper respiratory infections	19474	10765	8709	3737	2175	4072	2890	1307	1463	476	678	436	518	299	526	194	190	244	269	-	-	-	-	-	-	-	-	-	-	-														
61	Diseases of gallbladder and pancreas	33162	7121	26041	4	6	-	15	38	86	102	2470	1547	7181	3044	10496	1528	3310	858	2477	-	-	-	-	-	-	-	-	-	-	-														
73	Complications of pregnancy	8802	-	8802	-	-	-	-	-	12	-	4334	-	4395	-	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-														
49	Bronchitis	20926	11702	9224	2507	1695	2470	1719	817	809	220	438	623	970	2414	1550	1500	994	1151	1049	-	-	-	-	-	-	-	-	-	-	-														
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	14170	7039	7131	2878	2200	1416	1215	647	556	224	403	489	689	613	1049	372	554	400	465	-	-	-	-	-	-	-	-	-	-	-														
75	Delivery without mention of complications	85	-	171	-	-	-	-	-	-	1	-	469	-	385	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-														
50	Hypertrophy of tonsils and adenoids	31	29	33	6	7	87	73	65	74	20	36	8	10	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-														
38	Arteriosclerotic and degenerative heart disease	98	114	82	-	-	-	-	-	-	-	1	40	15	304	142	607	474	863	808	-	-	-	-	-	-	-	-	-	-	-														
48	Pneumonia	63	67	59	637	498	178	140	38	34	13	13	18	27	48	45	158	100	261	233	-	-	-	-	-	-	-	-	-	-	-														
35	Symptoms, senility, and ill-defined conditions	40	39	40	72	44	34	41	21	20	12	25	30	47	61	46	101	83	190	123	-	-	-	-	-	-	-	-	-	-	-														
46	Acute upper respiratory infections	31	34	28	613	369	146	110	17	20	8	11	7	8	6	10	13	12	27	24	-	-	-	-	-	-	-	-	-	-	-														
61	Diseases of gallbladder and pancreas	53	23	84	1	1	-	1	-	-	2	42	24	110	56	196	105	203	95	219	-	-	-	-	-	-	-	-	-	-	-														
73	Complications of pregnancy	14	-	28	-	-	-	-	-	-	-	73	-	67	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-														
49	Bronchitis	34	37	30	411	287	89	65	11	11	4	7	10	15	45	29	103	61	128	93	-	-	-	-	-	-	-	-	-	-	-														
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	23	22	23	472	373	51	46	8	8	4	7	8	11	11	20	25	34	44	41	-	-	-	-	-	-	-	-	-	-	-														
75	Delivery without mention of complications	5.5	-	5.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-														
50	Hypertrophy of tonsils and adenoids	3.4	3.4	3.4	8.8	13.3	3.4	3.3	3.1	3.1	4.0	4.0	4.8	4.5	4.2	6.4	2.0	3.0	-	-	-	-	-	-	-	-	-	-	-	-	-														
38	Arteriosclerotic and degenerative heart disease	15.8	15.5	16.2	-	-	-	-	6.0	-	10.8	6.0	15.6	14.0	16.0	15.8	15.1	16.6	15.0	16.7	-	-	-	-	-	-	-	-	-	-	-														
48	Pneumonia	10.8	10.7	10.9	11.0	10.8	9.5	9.8	8.7	8.5	9.2	9.2	9.5	9.8	11.9	12.0	14.6	15.2	13.6	14.9	-	-	-	-	-	-	-	-	-	-	-														
35	Symptoms, senility and ill-defined conditions	7.4	7.3	7.4	7.8	6.5	6.1	7.3	5.8	5.9	5.4	5.7	6.3	6.9	8.2	7.9	8.9	11.0	11.2	11.8	-	-	-	-	-	-	-	-	-	-	-														
46	Acute upper respiratory infections	6.8	7.0	6.5	8.1	7.2	6.7	6.5	5.9	5.7	5.6	5.4	6.4	5.5	6.6	8.0	7.8	10.0	9.0	10.3	-	-	-	-	-	-	-	-	-	-	-														
61	Diseases of gallbladder and pancreas	12.7	12.9	12.6	4.0	6.0	-	15.0	12.7	10.8	11.3	10.6	11.3	11.2	12.8	13.4	15.1	14.3	13.8	15.3	-	-	-	-	-	-	-	-	-	-	-														
73	Complications of pregnancy	3.4	-	3.4	-	-	-	-	-	3.0	-	3.2	-	3.6	-	6.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-														
49	Bronchitis	9.0	8.9	9.0	8.9	8.7	7.5	7.5	6.8	7.2	7.3	8.0	7.5	8.9	9.7	9.9	12.7	11.6	12.0	12.1	-	-	-	-	-	-	-	-	-	-	-														
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	6.5	6.6	6.4	7.9	7.7	5.7	5.8	4.4	4.2	4.1	4.2	6.4	5.2	6.7	7.5	9.8	8.1	8.3	9.3	-	-	-	-	-	-	-	-	-	-	-														
... indicates less than 0.5																																													

TABLE 7(h) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See footnotes Table 7(a)

QUEBEC

[illegible]

.. indicates less than 0.5

TABLE 7(h) Cont'd

NO.	DIAGNOSIS	ALL AGES										UNDER 1										5 - 14										15 - 24										25 - 44										45 - 64										65 - 74										75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M

TABLE 7(1) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See footnotes Table 7(a)

ONTARIO

NO. DIAGNOSIS	ALL AGES																			
	UNDER 1					5 - 14					15 - 24					25 - 44				
	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F
Separations																				
75 Delivery without mention of complications (1)	86271	-	86271	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Hypertrophy of tonsils and adenoids	82491	40726	41765	63	26	14977	12000	20351	21743	2994	5565	2166	44658	2178	159	12888	5517	133	238	133
38 Arteriosclerotic and degenerative heart disease	47037	28230	18837	12	11	13	22	56	26	50	47	2462	641	12888	5517	6987	5459	13	14	13
76 Delivery with specified complications (1)	41035	-	41035	-	-	-	-	-	33	-	18737	-	22164	22164	101	-	-	-	-	-
48 Pneumonia	31823	17762	13861	2700	1748	4565	3411	2514	2075	698	624	1194	1496	2426	1740	1599	1034	1599	2066	1733
56 Hernia of abdominal cavity	29703	21974	7729	1003	252	2013	494	1722	378	1278	260	4506	1872	7732	2772	2429	1037	2429	1291	664
61 Diseases of gallbladder and pancreas	29291	7686	21605	23	10	33	40	77	87	182	2302	2064	7518	3390	7681	1257	2483	7681	660	1484
73 Symptoms, senility and ill-defined conditions	14325	-	14325	-	-	-	-	-	-	-	-	3851	3793	3353	1220	937	652	1220	584	510
73 Complications of pregnancy	25936	-	25936	-	-	-	-	-	22	-	13053	-	12789	-	72	-	-	-	-	-
35 Diseases and conditions of the eye	19777	9445	10332	118	123	1288	1221	1808	1526	606	468	967	713	1979	1996	1460	2110	1460	1219	2175
Separations per 1,000 population																				
75 Delivery without mention of complications (1)	11.8	-	23.6	-	-	-	-	-	0.1	-	69.2	-	47.2	2.3	0.2	-	-	-	-	-
50 Hypertrophy of tonsils and adenoids	11.3	11.2	11.4	1.0	0.4	50.7	42.8	26.0	29.0	4.9	9.3	2.3	2.3	0.2	0.3	0.1	0.1	0.1
38 Arteriosclerotic and degenerative heart disease	6.4	7.7	5.1	0.2	0.2	..	0.1	0.1	..	0.1	0.1	2.6	0.7	19.0	8.1	41.3	26.9	41.3	64.5	53.5
76 Delivery with specified complications (1)	5.6	-	11.2	-	-	-	-	-	..	-	31.3	-	23.4	-	0.1	-	-	-	-	-
48 Pneumonia	4.3	4.9	3.8	41.7	28.5	15.4	12.2	3.2	2.8	1.1	1.0	1.2	1.6	3.6	2.5	9.5	5.1	9.5	23.1	13.1
56 Hernia of abdominal cavity	4.1	6.0	2.1	15.5	4.1	6.8	1.8	2.2	0.5	2.1	0.4	4.7	2.0	11.4	4.0	14.4	5.1	14.4	14.5	5.0
61 Diseases of gallbladder and pancreas	4.0	2.1	5.9	0.4	0.2	0.1	0.1	0.1	0.1	0.3	3.8	2.2	7.9	5.0	11.2	7.4	12.2	7.4	7.4	11.2
85 Symptoms, senility and ill-defined conditions	3.8	3.9	3.7	8.3	6.4	4.4	4.1	3.2	3.1	2.2	3.9	4.0	3.7	5.0	3.8	4.9	3.2	4.9	6.5	3.9
73 Complications of pregnancy	3.5	-	7.1	-	-	-	-	-	..	-	21.8	-	13.5	-	0.1	-	-	-	-	-
35 Diseases and conditions of the eye	2.7	2.6	2.8	1.8	2.0	4.4	4.4	2.3	2.0	1.0	0.8	1.0	0.8	2.9	2.9	8.6	10.4	8.6	13.7	16.4

.. Less than 0.05

TABLE 7(j) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN)
INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See footnotes Table 7(a)

MANITOBA

NO. DIAGNOSIS	ALL AGES														75+
	UNDER 1							65 - 74							
	T	M	F	M	F	M	F	M	F	M	F	M	F		
Separations															
75 Delivery without mention of complications	14522	-	14522	-	-	-	-	-	-	-	7530	-	36	-	-
48 Pneumonia	8457	4551	3906	1094	795	1183	1012	16	538	185	196	225	368	241	338
50 Hypertrophy of tonsils and adenoids	8360	3952	4408	4	4	962	816	2368	2527	417	828	178	196	1	-
85 Symptoms, senility and ill-defined condition	6845	3228	3517	133	104	271	219	509	464	250	576	562	752	313	329
38 Arteriosclerotic and degenerative heart disease	5953	3627	2326	1	1	-	-	3	8	3	3	207	66	650	976
61 Diseases of gallbladder and pancreas	5587	1548	4039	5	7	8	9	13	30	41	453	314	1301	260	308
49 Bronchitis	5215	2041	3174	753	404	711	421	353	388	53	101	96	179	500	202
46 Acute upper respiratory infections	3857	2013	1844	403	442	200	141	276	267	132	156	88	113	180	30
58 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	3757	1709	2048	581	545	448	377	232	245	83	172	93	232	30	1
73 Complications of pregnancy	3492	-	3492	-	-	-	-	-	7	-	1684	-	1792	129	126
Separations per 1,000 population															
75 Delivery without mention of complications	15.0	-	30.0	-	-	-	-	-	0.2	-	84.1	-	67.6	-	-
48 Pneumonia	8.7	9.3	8.1	125.7	94.6	30.5	27.2	5.6	5.4	2.2	2.4	2.0	3.3	8.6	17.0
50 Hypertrophy of tonsils and adenoids	8.6	8.1	9.1	0.5	0.5	24.8	21.9	22.6	25.2	4.9	10.0	1.6	1.8	30.2	-
85 Symptoms, senility and ill-defined conditions	7.0	6.3	7.3	15.3	12.4	7.0	5.2	4.5	4.6	3.0	7.0	5.0	6.8	-	-
38 Arteriosclerotic and degenerative heart disease	6.1	7.4	4.8	0.1	0.1	-	-	-	0.1	-	-	1.9	0.6	22.7	16.5
61 Diseases of gallbladder and pancreas	5.8	3.2	8.3	0.6	0.8	0.2	0.2	0.1	0.3	0.5	5.5	2.8	11.7	59.9	49.0
49 Bronchitis	5.4	6.2	4.5	63.6	48.1	18.4	13.2	3.1	2.9	0.6	1.2	0.9	1.6	12.5	15.5
46 Acute upper respiratory infections	4.0	4.1	3.3	58.4	53.0	21.1	16.7	3.6	3.7	1.6	1.9	0.8	1.0	25.0	10.2
58 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	3.9	3.5	4.2	66.8	64.9	11.5	10.1	2.2	2.4	1.0	2.1	0.8	2.1	1.3	1.5
73 Complications of pregnancy	3.6	-	7.2	-	-	-	-	-	0.1	-	20.4	-	16.1	5.8	6.3

.. Less than 0.05

TABLE 7(k) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN)
INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1968

(1) See footnotes Table 7(a)

SASKATCHEWAN

NO. DIAGNOSIS	ALL AGES										SEPARATIONS									
	T	M	F	M	F	M	F	M	F	T	M	F	M	F	M	F	M	F	T	M
75 Delivery without mention of complications	1563	-	1563	-	-	-	-	10	-	7301	-	8305	-	69	-	-	-	-	-	-
50 Hypertrophy of tonsils and adenoids	673	320	506	430	325	3004	1674	677	250	308	178	216	39	39	3	282	3	2	-	-
43 Pneumonia	211	55	413	430	325	769	1674	677	250	225	288	425	539	424	396	490	413	621	413	413
55 Symptoms, senility and ill-defined conditions	1386	240	362	370	301	127	381	599	359	562	496	743	666	690	347	297	490	424	424	424
43 Bronchitis	1384	237	373	374	301	436	1319	372	87	136	114	212	414	324	339	168	406	212	212	212
55 Arteriosclerotic and degenerative heart disease	647	320	440	-	-	7	9	11	177	56	177	56	1363	611	1018	704	1412	1098	1098	1098
41 Diseases of gallbladder and pancreas	275	150	351	-	-	15	32	413	207	1264	207	1264	624	1647	273	569	265	451	451	451
46 Acute upper respiratory infections	497	50	250	301	301	541	1458	537	144	167	86	135	71	98	41	35	43	43	43	43
55 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	443	140	223	450	310	1173	1035	285	104	195	113	233	142	215	56	140	112	112	112	112
43 Complications of pregnancy	4594	-	4594	-	-	8	-	2202	-	2345	-	2345	-	29	-	-	-	-	-	-
Separations per 1,000 population																				
75 Delivery without mention of complications	12.3	-	23.4	-	-	-	-	0.1	-	90.2	-	80.8	-	0.8	-	-	-	-	-	-
50 Hypertrophy of tonsils and adenoids	10.4	10.1	10.8	-	-	27.5	23.5	29.6	4.9	10.0	1.9	2.1	0.4	0.4	0.1	0.1	0.1	0.1	0.1	0.1
43 Pneumonia	10.3	11.0	9.5	47.8	37.8	7.0	43.3	6.5	3.0	2.8	2.7	4.1	5.7	5.5	14.9	11.2	30.7	21.9	21.9	21.9
55 Symptoms, senility and ill-defined conditions	7.4	6.7	6.3	6.1	5.1	5.7	6.0	5.7	4.3	6.9	4.7	7.2	7.1	7.5	13.0	11.8	24.3	22.1	22.1	22.1
43 Bronchitis	7.1	7.9	6.3	39.3	26.6	4.0	34.1	3.6	1.0	1.7	1.1	2.1	4.4	3.6	12.7	6.7	20.1	11.2	11.2	11.2
55 Arteriosclerotic and degenerative heart disease	6.7	8.1	5.3	-	-	0.1	0.1	0.1	0.1	0.1	1.7	0.5	14.5	6.8	38.3	27.3	69.2	58.1	58.1	58.1
41 Diseases of gallbladder and pancreas	6.1	3.1	6.3	0.3	-	0.1	0.1	0.1	0.4	5.1	2.9	12.3	6.6	18.2	10.3	22.6	13.1	23.7	23.7	23.7
46 Acute upper respiratory infections	5.0	5.4	4.7	30.8	23.4	4.9	28.0	5.1	1.7	2.1	0.8	1.3	0.8	1.1	1.5	1.4	2.4	2.4	2.4	2.4
55 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	4.1	4.9	5.0	30.6	37.1	2.4	25.5	2.7	1.2	2.4	1.1	2.3	1.5	2.4	2.1	5.6	5.5	7.3	7.3	7.3
43 Complications of pregnancy	4.3	-	4.3	-	-	0.1	-	0.1	-	27.2	-	22.8	-	0.3	-	-	-	-	-	-

.. Less than 0.05

TABLE 7(k) Cont'd

[illegible]

TABLE 7(n) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-TERRITORY HOSPITALIZATION, 1968

(1) See footnotes Table 7(a)

YUKON

		ALL AGES																65 - 74				75+					
		UNDER 1				5 - 14				15 - 24				25 - 44				45 - 64				M		F			
NO.	DIAGNOSIS	T		M		F		M		F		M		F		M		F		M		F		M		F	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
		Separations																									
75	Delivery without mention of complications	296	-	296	-	16	-	-	-	1	-	149	-	146	-	-	-	-	-	-	-	-	-	-	-	-	
48	Pneumonia	129	72	57	16	16	19	9	-	8	5	1	16	5	5	2	-	-	-	-	2	-	-	-	-	-	
50	Hypertrophy of tonsils and adenoids	97	41	56	-	-	12	21	-	36	3	4	5	3	-	-	-	-	-	-	-	-	-	-	-	-	
76	Delivery with specified complications	75	-	75	-	-	-	-	-	-	-	38	-	37	-	-	-	-	-	-	-	-	-	-	-	-	
86	Fracture of or involving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp	68	40	28	-	-	2	13	-	8	9	5	13	10	3	-	-	-	-	-	-	-	-	-	-	-	
73	Complications of pregnancy	62	-	62	-	-	-	-	-	-	-	34	-	28	-	-	-	-	-	-	-	-	-	-	-	-	
61	Diseases of gallbladder and pancreas	58	19	39	-	-	-	-	-	-	-	6	8	19	6	11	2	-	-	-	1	3	-	-	-	-	
52	Diseases of teeth and supporting structure	56	26	30	-	-	-	1	-	1	9	11	12	12	4	-	-	-	-	-	-	-	-	-	-	-	
49	Bronchitis	53	34	19	7	7	9	4	-	-	-	-	4	2	9	-	-	-	-	-	-	-	-	-	-	-	
74	Abortion	53	-	53	-	-	-	-	-	-	-	21	-	31	-	-	-	-	-	-	-	-	-	-	-	-	
		Separations per 1,000 population																									
75	Delivery without mention of complications	19.7	-	42.9	-	80.0	70.0	-	-	-	-	149.0	-	73.0	-	-	-	-	-	-	-	-	-	-	-	-	
48	Pneumonia	8.6	8.9	8.3	-	-	27.1	5.0	-	0.6	4.5	1.0	6.4	2.5	2.3	5.0	25.0	10.0	10.0	10.0	-	-	-	-	-	-	
50	Hypertrophy of tonsils and adenoids	6.5	5.1	8.1	-	-	15.0	17.1	11.7	20.0	2.7	4.0	2.0	1.5	-	1.0	-	-	-	-	-	-	-	-	-	-	
76	Delivery with specified complications	5.0	-	10.9	-	-	-	-	-	-	-	38.0	-	18.5	-	-	-	-	-	-	-	-	-	-	-	-	
86	Fracture of or involving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp	4.5	4.9	4.1	-	-	2.9	7.2	4.4	8.2	5.0	5.2	5.0	3.8	3.0	-	-	-	-	-	-	-	-	-	-	-	
73	Complications of pregnancy	4.1	-	9.0	-	-	-	-	-	-	-	34.0	-	14.0	-	-	-	-	-	-	-	-	-	-	-	-	
61	Diseases of gallbladder and pancreas	3.9	2.3	5.7	-	-	-	-	-	-	-	6.0	3.2	9.5	4.6	11.0	10.0	5.0	15.0	15.0	-	-	-	-	-	-	
52	Diseases of teeth and supporting structure	3.7	3.2	4.3	-	-	-	0.6	0.6	8.2	11.0	4.8	6.0	3.1	6.0	-	-	-	-	-	-	-	-	-	-	-	
49	Bronchitis	3.5	4.2	2.8	35.0	35.0	11.2	7.1	2.2	-	-	1.6	1.0	6.0	5.0	-	-	-	5.0	-	-	-	-	-	-	-	
74	Abortion	3.5	-	7.7	-	-	-	-	-	-	-	21.0	-	15.5	-	-	-	-	-	-	-	-	-	-	-	-	

(2) Population less than 50

TABLE 7(c) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN), INCLUDING OUT-OF-TERRITORY HOSPITALIZATION, 1968

(1) See footnotes Table 7(a)

NORTHWEST TERRITORIES

		ALL AGES		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+		
NO.	DIAGNOSIS	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	F	
		Separations																		
48	Pneumonia	1197	547	550	259	187	181	160	47	54	27	17	40	48	50	52	25	19	18	13
75	Delivery without complications	1024	-	1024	-	-	-	-	-	2	-	410	-	603	-	9	-	-	-	-
73	Complications of pregnancy	265	-	265	-	-	-	-	-	2	-	111	-	151	-	1	-	-	-	-
49	Bronchitis	199	106	93	47	33	39	27	3	3	3	4	5	8	3	11	3	3	3	4
50	Hypertrophy of tonsils and adenoids	187	85	102	2	-	20	17	49	70	6	8	8	4	-	3	-	-	-	-
36	Diseases of ear and mastoid processes	184	92	92	14	16	23	22	40	32	10	15	4	4	1	2	-	1	-	-
78	Infection of skin and subcutaneous tissue	152	87	65	6	3	17	24	22	11	13	11	13	8	9	6	3	2	4	-
58	Gastro-enteritis and colitis except ulcerative, age 4 weeks and over	147	67	80	29	19	21	34	6	11	4	6	4	8	2	1	-	1	1	-
76	Delivery with specified complications	146	-	146	-	-	-	-	-	3	-	69	-	73	-	1	-	-	-	-
35	Diseases and conditions of the eye	134	71	63	5	3	8	9	16	14	5	7	19	12	13	7	4	4	1	7
Separations per 1,000 population																				
48	Pneumonia	38.6	38.7	38.5	431.7	311.7	78.7	76.2	11.8	14.2	10.0	7.1	8.5	13.7	25.0	34.7	83.3	63.3	180	130
75	Delivery without complications	33.0	-	71.6	-	-	-	-	-	0.5	-	170.8	-	172.3	-	6.0	-	-	-	-
73	Complications of pregnancy	8.5	-	18.5	-	-	-	-	-	0.5	-	46.2	-	43.1	-	0.7	-	-	-	-
49	Bronchitis	6.4	6.3	6.5	78.3	55.0	17.0	12.9	0.8	0.8	1.1	1.7	1.1	2.3	1.5	7.3	10.0	10.0	30	40
50	Hypertrophy of tonsils and adenoids	6.0	5.1	7.1	3.3	-	8.7	8.1	12.2	18.4	2.2	3.3	1.7	1.1	-	2.0	-	-	-	-
36	Diseases of ear and mastoid processes	5.9	5.5	6.4	23.3	26.7	10.0	10.5	10.0	8.4	3.7	6.2	0.9	1.1	0.5	1.3	-	3.3	-	-
78	Infection of skin and subcutaneous tissue	4.9	5.2	4.5	10.0	5.0	7.4	11.4	5.5	2.9	4.8	4.6	2.3	2.3	4.5	4.0	10.0	5.7	40	-
58	Gastro-enteritis and colitis except ulcerative, age 4 weeks and over	4.7	4.0	5.6	48.3	31.7	9.1	16.2	1.5	2.9	1.5	2.5	0.9	2.3	1.0	0.7	-	3.3	10	-
76	Delivery with specified complications	4.7	-	10.2	-	-	-	-	-	0.8	-	28.7	-	20.9	-	0.7	-	-	-	-
35	Diseases and conditions of the eye	4.3	4.3	4.4	8.3	5.0	3.5	4.3	4.0	3.7	1.9	2.9	4.0	3.4	6.5	4.7	13.3	13.3	10	70

TABLE 7(c) Cont'd

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
NEWFOUNDLAND, 1968

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	76.3	Episiotomy without low forceps	2,681	1,079.7 (4)	35.3
2	27.2	Tonsillectomy with adenoidectomy	1,905	375.7	25.1
3	72.8	Dilation and curettage of uterus	1,188	478.5 (4)	15.7
4	45.1	Appendectomy	1,151	227.0	15.2
5	27.1	Tonsillectomy without adenoidectomy	1,057	208.5	13.9
6	77.1	Dilation and curettage after delivery or abortion	983	395.9 (4)	13.0
7	76.4	Delivery by low forceps with episiotomy	911	366.9 (4)	12.0
8	40.0	Repair of inguinal hernia, except recurrent	738	145.6	9.7
9	53.5	Cholecystectomy	664	131.0	8.8
10	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	539	106.3	7.1
11	69.2	Circumcision	466	180.1 (3)	6.1
12	76.5	Delivery by low forceps without episiotomy	394	158.7 (4)	5.2
13	72.4	Total hysterectomy	389	156.7 (4)	5.1
14	89.4	Suture	359	70.8	4.7
15	81.8	Traction or fixation without reduction	358	70.6	4.7
16	82.0	Closed reduction of fracture of long bone	350	69.0	4.6
17	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	340	67.1	4.5
18	99.0	Shock therapy	340	67.1	4.5
19	78.1	Caesarean section, low cervical	335	134.9 (4)	4.4
20	72.6	Hysterectomy, vaginal	293	118.0 (4)	3.9
21	77.3	Repair of obstetrical laceration other than cervix or uterus	291	117.2 (4)	3.8
22	93.2	Retrograde pyelography	291	57.4	3.8
23	89.0	Incision of skin and subcutaneous tissue	286	56.4	3.8
24	82.3	Closed reduction of fracture of extremity of long bone	258	50.9	3.4
25	24.1	Extraction of tooth, simple	253	49.9	3.3

(1) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 Edition.

(2) Population: T: 507,000 M: 258,700 F: 248,300

(3) Based on male population

(4) Based on female population

(5) Separations: T: 75,880 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
PRINCE EDWARD ISLAND, 1968

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	683	620.9	35.8
2	72.8	Dilation and curettage of uterus	450	827.2 (4)	23.6
3	45.1	Appendectomy	265	240.9	13.9
4	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	264	240.0	13.9
5	53.5	Cholecystectomy	249	226.4	13.1
6	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	210	190.0	11.0
7	77.1	Dilation and curettage after delivery or abortion	208	382.4 (4)	10.9
8	40.0	Repair of inguinal hernia, except recurrent	184	167.3	9.7
9	27.1	Tonsillectomy without adenoidectomy	152	138.2	8.0
10	78.4	Caesarean section, type unspecified	95	174.6 (4)	5.0
11	84.8	Open reduction of dislocation of joint	92	83.6	4.8
12	41.1	Exploratory laparotomy or celiotomy	90	81.8	4.7
13	88.4	Excision and ligation of varicose veins	85	77.3	4.5
14	72.6	Hysterectomy, vaginal	79	145.2 (4)	4.1
15	72.3	Hysterectomy, partial or subtotal	79	145.2 (4)	4.1
16	89.0	Incision of skin and subcutaneous tissue	71	64.5	3.7
17	84.0	Arthroplasty of hip without mechanical device	67	60.9	3.5
18	38.8	Biopsy of breast	67	60.9	3.5
19	90.5	Proctoscopy without effect upon tissue or lesion	64	58.2	3.4
20	89.4	Suture	59	53.6	3.1
21	69.2	Circumcision	59	106.1 (3)	3.1
22	90.3	Bronchoscopy without effect upon tissue or lesion	56	50.9	2.9
23	64.5	Dilation of urethra	54	49.1	2.8
24	27.3	Adenoidectomy without tonsillectomy	48	43.6	2.5
25	82.8	Open reduction of other bones (except nasal and skull) with fixation	45	40.9	2.4

(1) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 Edition.

(2) Population: T: 110,000 M: 55,600 F: 54,400

(3) Based on male population (4) Based on female population

(5) Separations: T: 19,057 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TEN MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
NOVA SCOTIA, 1968

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.1 - 27.2	Tonsillectomy with and without adenoidectomy	5,978	786.6	52.3
2	76.3	Episiotomy (includes that with and without forceps)	5,114	1,351.8 (4)	44.8
3	69.2	Circumcision	2,790	730.9 (3)	24.4
4	72.8	Dilation and curettage of uterus (includes endometrial biopsy, therapeutic abortion, and after delivery or abortion)	2,166	572.6 (4)	19.0
5	45.1	Appendectomy	1,840	242.1	16.1
6	53.5	Cholecystectomy	1,733	228.0	15.2
7	40.0	Repair of inguinal hernia except recurrent	1,285	169.1	11.2
8	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	954	125.5	8.3
9	72.4	Abdominal hysterectomy (complete or total)	944	249.5 (4)	8.3
10	72.6	Vaginal hysterectomy	747	197.5 (4)	6.5

- 208 -

- (1) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 Edition.
(2) Population: T: 760,000 M: 381,700 F: 378,300
(3) Based on male population
(4) Based on female population
(5) Separations: T: 114,267 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
NEW BRUNSWICK, 1968

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	76.0	Artificial rupture of membranes	9,801	3,154.5 (4)	98.8
2	27.2	Tonsillectomy with adenoidectomy	4,711	755.0	47.5
3	53.5	Cholecystectomy	1,622	259.9	16.4
4	72.8	Dilation and curettage of uterus	1,473	474.1 (4)	14.9
5	45.1	Appendectomy	1,351	216.5	13.6
6	72.4	Hysterectomy, complete or total	1,129	363.4 (4)	11.4
7	77.1	Dilation and curettage after delivery or abortion	1,065	343.8 (4)	10.7
8	40.0	Repair of inguinal hernia except recurrent	1,004	160.9	10.1
9	27.1	Tonsillectomy without adenoidectomy	977	156.6	9.9
10	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	822	131.7	8.3
11	76.3	Episiotomy without low forceps	760	244.6 (4)	7.7
12	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	730	117.0	7.4
13	24.1	Extraction of tooth (simple)	668	107.1	6.7
14	20.4	Operations on tympanum	540	86.5	5.4
15	89.4	Suture	538	86.2	5.4
16	72.6	Hysterectomy, vaginal	527	169.6 (4)	5.3
17	64.5	Dilation of urethra	495	79.3	5.0
18	49.3	Hemorrhoidectomy	474	76.0	4.8
19	78.4	Caesarean section, type unspecified	471	151.6 (4)	4.8
20	88.4	Excision and ligation of varicose veins	432	69.2	4.4
21	69.2	Circumcision	416	132.8 (3)	4.2
22	90.5	Proctoscopy without effect upon tissue or lesion	412	66.0	4.2
23	90.8	Vaginoscopy without effect upon tissue or lesion	412	66.0	4.2
24	89.0	Incision of skin and subcutaneous tissue	395	63.3	4.0
25	82.0	Closed reduction of fracture of shaft of long bone	393	63.0	4.0

(1) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 Edition.
 (2) Population: T: 624,000 M: 313,300 F: 310,700
 (3) Based on male population (4) Based on female population
 (5) Separations: T: 99,150 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
 QUEBEC 1968

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	37,476	632.3	45.6
2	53.5	Cholecystectomy	23,185	391.2	28.2
3	76.3	Episiotomy without low forceps	14,608	491.8 (4)	17.8
4	27.1	Tonsillectomy without adenoidectomy	12,440	209.9	15.1
5	40.0	Repair of inguinal hernia, except recurrent	12,021	202.8	14.6
6	77.1	Dilation and curettage after delivery or abortion	11,886	400.1 (4)	14.5
7	72.8	Dilation and curettage of uterus	11,875	399.8 (4)	14.5
8	45.1	Appendectomy	11,757	198.4	14.3
9	72.4	Hysterectomy, complete or total	9,699	326.5 (4)	11.8
10	24.1	Extraction of tooth, simple	9,166	154.6	11.2
11	76.4	Delivery by low forceps with episiotomy	7,822	263.3 (4)	9.5
12	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	6,939	117.1	8.4
13	49.3	Hemorrhoidectomy	6,113	103.1	7.4
14	69.2	Circumcision	5,527	186.9 (3)	6.7
15	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	4,568	77.1	5.6
16	77.3	Repair of other obstetrical laceration	4,303	144.9 (4)	5.2
17	88.4	Excision and ligation of varicose veins	4,277	72.2	5.2
18	76.5	Delivery by low forceps without episiotomy	4,184	140.9 (4)	5.1
19	81.8	Traction or fixation without reduction	4,095	69.1	5.0
20	17.4	Extraction of lens, intracapsular	4,063	68.6	4.9
21	73.1	Local excision and destruction of lesion of cervix	4,026	67.9	4.9
22	72.6	Hysterectomy, vaginal	4,022	135.4 (4)	4.9
23	20.4	Operations on tympanum	3,971	67.0	4.8
24	82.0	Closed reduction of fracture of shaft of long bone	3,733	63.0	4.5
25	90.5	Protoscopy without effect upon tissue or lesion	3,302	55.7	4.0

(1) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 Edition.
 (2) Population: T: 5,927,000 M: 2,956,600 F: 2,970,400
 (3) Based on male population (4) Based on female population
 (5) Separations: T: 821,727 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
ONTARIO, 1968

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	62,965	861.8	56.1
2	72.8	Dilation and curettage of uterus	28,872	789.7 (4)	25.7
3	53.5	Cholecystectomy	19,707	269.7	17.6
4	40.0	Repair of inguinal hernia, except recurrent	18,785	257.1	16.7
5	27.1	Tonsillectomy without adenoidectomy	17,749	242.9	15.8
6	45.1	Appendectomy	17,065	233.6	15.2
7	76.3	Episiotomy without low forceps	15,167	414.8 (4)	13.5
8	77.1	Dilation and curettage after delivery or abortion	14,643	400.5 (4)	13.0
9	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	9,597	131.4	8.5
10	24.1	Extraction of tooth, simple	9,595	131.3	8.5
11	76.4	Delivery by low forceps with episiotomy	9,250	253.0 (4)	8.2
12	76.5	Delivery by low forceps without episiotomy	9,141	250.0 (4)	8.1
13	88.4	Excision and ligation of varicose veins	8,904	121.9	7.9
14	49.3	Hemorrhoidectomy	7,526	103.0	6.7
15	72.4	Hysterectomy, complete or total	7,321	200.2 (4)	6.5
16	66.2	Prostatectomy, transurethral	6,028	165.2 (3)	5.4
17	78.4	Caesarean section, type unspecified	5,305	145.1 (4)	4.7
18	89.4	Suture	4,861	66.5	4.3
19	17.3	Extraction of lens, extracapsular	4,609	63.1	4.1
20	38.1	Partial mastectomy	4,548	62.2	4.1
21	72.3	Hysterectomy, partial or subtotal	4,449	121.7 (4)	4.0
22	72.6	Hysterectomy, vaginal	4,449	121.7 (4)	4.0
23	83.5	Excision of semilunar cartilage of knee joint	4,380	60.0	3.9
24	82.5	Open reduction of fracture of extremity of long bone with internal fixation			
25	21.1	Operations on nasal septum	3,958	54.2	3.5
			3,922	53.7	3.5

SOURCE: Claims processed by Ontario Hospital Services Commission, January - December, 1968.

(1) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 Edition.

(2) Population: T: 7,306,000 M: 3,649,800 F: 3,656,200

(3) Based on male population (4) Based on female population

(5) Separations: T: 1,122,561 (excluding newborn)

TABLE 3 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
MANITOBA, 1968

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	6,214	640.0	35.8
2	53.5	Cholecystectomy	3,140	323.4	18.1
3	72.8	Dilation and curettage of uterus	2,448	505.8	14.1
4	40.0	Repair of inguinal hernia, except recurrent	2,091	215.3	12.0
5	45.1	Appendectomy, with or without drainage	1,950	200.8	11.2
6	24.1	Extraction of tooth, simple	1,834	188.9	10.6
7	27.1	Tonsillectomy without adenoidectomy	1,773	182.6	10.2
8	82.3	Closed reduction of fracture of extremity of long bone	841	86.6	4.8
9	89.4	Suture of skin and subcutaneous tissue	834	85.9	4.8
10	17.4	Extraction of lens, intracapsular	823	84.8	4.7
11	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	812	83.6	4.7
12	66.2	Prostatectomy, transurethral	802	164.7	4.6
13	88.4	Excision and ligation of varicose veins	780	80.3	4.5
14	49.3	Hemorrhoidectomy	724	74.6	4.2
15	72.4	Hysterectomy, complete or total	635	131.2	3.7
16	21.1	Operations on nasal septum	621	64.0	3.6
17	82.0	Closed reduction of fracture of shaft of long bone	603	62.1	3.5
18	82.5	Open reduction of fracture of extremity of long bone	548	56.4	3.2
19	72.5	Hysterectomy, radical	514	106.2	3.0
20	74.4	Repair of cystocele and/or rectocele	507	104.8	2.9
21	21.4	Rhinoplasty and repair of nose	440	45.3	2.5
22	38.1	Partial mastectomy	439	45.2	2.5
23	89.0	Incision of skin and subcutaneous tissue	430	44.3	2.5
24	84.2	Repair and plastic operations on joints of foot and toes	410	42.2	2.4
25	11.3	Advancement or recession of eye muscle	410	42.2	2.4

- (1) International Classification of Diseases, Adapted for Indexing of Hospital Records by Diseases and Operations, 1962 Edition.
 (2) Population: T: 971,000 M: 487,000 F: 484,000
 (3) Based on male population
 (5) Separations: T: 173,635 (excluding newborn)
 (4) Based on female population

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
SASKATCHEWAN, 1968

Rank	J.S. Code (1.)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	8,020	835.4	40.0
2	72.8	Dilation and curettage of uterus	4,053	862.2 (4)	20.2
3	53.5	Cholecystectomy	2,941	306.4	14.7
4	45.1	Appendectomy	2,572	267.9	12.8
5	76.3	Episiotomy without low forceps	2,498	531.4 (4)	12.5
6	24.1	Extraction of tooth, simple	2,063	214.9	10.3
7	40.0	Repair of inguinal hernia, except recurrent	1,938	201.9	9.7
8	77.1	Dilation and curettage after delivery or abortion	1,790	380.8 (4)	8.9
9	72.4	Hysterectomy, complete or total	1,661	353.3 (4)	8.3
10	27.1	Tonsillectomy without adenoidectomy	1,650	171.9	8.2
11	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	1,275	132.8	6.4
12	64.5	Dilation of urethra	1,181	123.0	5.9
13	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	1,132	117.9	5.6
14	81.8	Traction or fixation without reduction	1,030	107.3	5.1
15	49.3	Hemorrhoidectomy	1,002	104.4	5.0
16	66.2	Prostatectomy, transurethral	957	195.3 (3)	4.8
17	88.4	Excision and ligation of varicose veins	935	97.4	4.7
18	89.4	Suture	896	93.3	4.5
19	17.4	Extraction of lens, intracapsular	826	86.0	4.1
20	74.4	Repair of cystocele and/or rectocele	818	174.0 (4)	4.1
21	77.3	Repair of other obstetrical laceration	812	172.7 (4)	4.0
22	38.1	Partial mastectomy	806	84.0	4.0
23	89.0	Incision of skin and subcutaneous tissue	770	80.2	3.8
24	82.0	Closed reduction of fracture of shaft of long bone	754	78.5	3.8
25	21.1	Operations on nasal septum	740	77.1	3.7

- (1) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 Edition.
 (2) Population: T: 960,000 M: 489,900 F: 470,100
 (3) Based on male population (4) Based on female population
 (5) Separations: T: 200,521 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN AND NON-RESIDENTS),
ALBERTA, 1968

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	13,433	880.3	41.5
2	76.3	Episiotomy without low forceps	10,038	1,338.6 (4)	31.0
3	93.1	Intravenous pyelography	6,408	419.9	19.8
4	72.8	Dilation and curettage of uterus	6,326	843.6 (4)	19.6
5	53.5	Cholecystectomy	5,161	338.2	16.0
6	76.4	Delivery by low forceps with episiotomy	4,943	659.2 (4)	15.3
7	45.1	Appendectomy	4,449	291.5	13.8
8	77.3	Repair of other obstetrical laceration	3,332	444.3 (4)	10.3
9	77.1	Dilation and curettage after delivery or abortion	3,310	441.4 (4)	10.2
10	40.0	Repair of inguinal hernia, except recurrent	3,257	213.4	10.1
11	24.1	Extraction of tooth, simple	3,144	206.0	9.7
12	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	2,877	188.5	8.9
13	72.4	Hysterectomy, complete or total	2,860	381.4 (4)	8.8
14	81.8	Traction or fixation without reduction	2,732	179.0	8.4
15	27.1	Tonsillectomy without adenoidectomy	2,697	176.7	8.3
16	82.3	Closed reduction of extremity of long bone	2,133	139.8	6.6
17	89.4	Suture	2,055	134.7	6.4
18	88.4	Excision and ligation of varicose veins	1,998	130.9	6.2
19	90.5	Proctoscopy without effect upon tissue or lesion	1,801	118.0	5.6
20	49.3	Hemorrhoidectomy	1,797	117.8	5.6
21	93.2	Retrograde pyelography	1,532	100.4	4.7
22	03.3	Spinal puncture	1,395	91.4	4.3
23	66.2	Prostatectomy, transurethral	1,308	168.5 (3)	4.0
24	17.4	Extraction of lens, intracapsular	1,276	83.6	3.9
25	99.0	Shock therapy	1,275	83.6	3.9

(1) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 Edition.
 (2) Population: T: 1,526,000 M: 776,100 F: 749,900
 (3) Based on male population (4) Based on female population
 (5) Separations: T: 323,435 (excluding newborn)

TABLE 3 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
BRITISH COLUMBIA, 1968

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	16,400	817.1	49.4
2	72.8	Dilation and curettage of uterus	8,067	814.4 (4)	24.3
3	53.5	Cholecystectomy	5,639	281.0	17.0
4	40.0	Repair of inguinal hernia, except recurrent	,333	215.9	13.0
5	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	4,107	204.6	12.4
6	45.1	Appendectomy	3,714	185.1	11.2
7	27.1	Tonsillectomy without adenoidectomy	3,605	179.6	10.9
8	72.4	Hysterectomy, complete or total	3,378	341.0 (4)	10.2
9	88.4	Excision and ligation of varicose veins	3,130	150.0	9.4
10	77.1	Dilation and curettage after delivery or abortion	3,101	313.0 (4)	9.3
11	99.5	Use of artificial kidney	3,086	153.8	9.3
12	24.1	Extraction of tooth, simple	2,751	137.1	8.3
13	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	2,600	129.5	7.8
14	76.3	Episiotomy without low forceps	2,565	258.9 (4)	7.7
15	66.2	Prostatectomy, transurethral	2,558	251.7 (3)	7.7
16	93.2	Retrograde pyelography (a)	2,364	117.8	7.1
17	82.3	Closed reduction of fracture of extremity of long bone	2,122	105.7	6.4
18	49.3	Hemorrhoidectomy	1,981	98.7	6.0
19	17.4	Extraction of lens, intracapsular	1,847	92.0	5.6
20	72.6	Hysterectomy, vaginal	1,682	169.8 (4)	5.1
21	21.4	Rhinoplasty and repair of nose	1,644	81.9	4.9
22	20.4	Operations on tympanum	1,592	79.3	4.8
23	81.8	Traction or fixation without reduction	1,590	79.2	4.8
24	89.4	Suture	1,519	75.7	4.6
25	38.1	Partial mastectomy	1,462	72.8	4.4

- (1) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 Edition.
 (2) Population: T: 2,007,000 M: 1,016,400 F: 990,600
 (3) Based on male population (4) Based on female population (5) Separations: T: 332,140 (excluding newborn)
 (a) Increase in Cases due to different interpretation of coding "Cystoscopy and Retrograde Pyelography" during 1968.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
YUKON, 1968

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	85	566.7	31.6
2	72.8	Dilation and curettage of uterus	57	826.1 (3)	21.2
3	77.1	Dilation and curettage after delivery or abortion	55	797.1 (3)	20.4
4	76.3	Episiotomy without low forceps	42	608.7 (3)	15.6
5	76.4	Delivery by low forceps with episiotomy	41	594.2 (3)	15.2
6	24.2	Surgical removal of tooth	37	246.7	13.8
7	45.1	Appendectomy	33	220.0	12.3
8	20.4	Operations on tympanum	30	200.0	11.2
9	89.4	Suture	28	186.7	10.4
10	53.5	Cholecystectomy	27	180.0	10.0
11	40.0	Repair of inguinal hernia, except recurrent	27	180.0	10.0
12	76.5	Delivery by low forceps without episiotomy	21	304.3 (3)	7.8
13	82.0	Closed reduction of fracture of shaft of long bone	20	133.3	7.4
14	24.1	Extraction of tooth, simple	18	120.0	6.7
15	88.4	Excision and ligation of varicose veins	17	113.3	6.3
16	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	16	106.7	5.9
17	27.1	Tonsillectomy without adenoidectomy	14	93.3	5.2
18	89.6	Skin graft except of lip and mouth	12	80.0	4.5
19	89.0	Incision of skin and subcutaneous tissue	12	80.0	4.5
20	84.7	Closed reduction of dislocation of joint	11	73.3	4.1
21	49.3	Hemorrhoidectomy	11	73.3	4.1
22	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	10	66.7	3.7
23	38.1	Partial mastectomy	10	66.7	3.7
24	11.2	Myectomy or recession of eye muscle	10	66.7	3.7
25	78.4	Caesarean section, type unspecified	9	130.4 (3)	3.3

(1) Population: T: 15,000 M: 8,100 F: 6,900
 (2) Based on male population
 (3) Based on female population
 (4) Separations: T: 2,690 (excluding newborn)
 (5) International Classification of Diseases, Adapted for Indexing of Hospital Records and Operations Classification -
 Classification of Operations and Treatments, U.S. Department of Health, Education and Welfare, Public Health Service, 1962.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), NORTHWEST TERRITORIES, 1968

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	181	583.9	24.7
2	72.8	Dilation and curettage of uterus	98	685.3 (4)	13.4
3	20.4	Operations on tympanum	62	200.0	8.4
4	45.1	Appendectomy	55	177.4	7.5
5	77.1	Dilation and curettage after delivery or abortion	55	384.6 (4)	7.5
6	76.3	Episiotomy without low forceps	50	349.7 (4)	6.8
7	89.0	Incision of skin and subcutaneous tissue	44	141.9	6.0
8	53.5	Cholecystectomy	40	129.0	5.5
9	82.0	Closed reduction of fracture of shaft of long bone	39	125.8	5.3
10	40.0	Repair of inguinal hernia, except recurrent	32	103.2	4.4
11	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	31	100.0	4.2
12	03.3	Spinal puncture	31	100.0	4.2
13	24.1	Extraction of tooth, simple	31	100.0	4.2
14	27.1	Tonsillectomy without adenoidectomy	29	93.5	4.0
15	89.4	Suture	29	93.5	4.0
16	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	26	83.9	3.5
17	69.2	Circumcision	24	143.7 (3)	3.3
18	71.5	Ligation and division of Fallopian tubes, bilateral	18	125.9 (4)	2.5
19	76.4	Delivery by low forceps with episiotomy	18	125.9 (4)	2.5
20	72.4	Hysterectomy, complete or total	17	118.9 (4)	2.3
21	82.2	Open reduction of fracture of shaft of long bone	16	51.6	2.2
22	27.3	Adenoidectomy without tonsillectomy	16	51.6	2.2
23	78.4	Caesarean section, type unspecified	16	111.9 (4)	2.2
24	84.7	Closed reduction of dislocation of joint	16	51.6	2.2
25	20.7	Operations on mastoid antrum	12	38.7	1.6

(1) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 Edition.
(2) Population: T: 31,000 M: 16,700 F: 14,300
(3) Based on male population (4) Based on female population
(5) Separations: T: 7,338 (excluding newborn)

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR
PROVINCIAL PLAN IN-PATIENTS, (EXCLUDING NEWBORN) NEWFOUNDLAND, 1968.

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of			
			Cases	Days	Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	359 65	15,116 848	1.3 0.2	4.1 0.2
		Residual	294	14,268	1.0	3.9
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	110 66	1,473 809	0.4 0.2	0.4 0.2
		Residual	44	664	0.2	0.2
10-18 11.3 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Advancement or recession of eye muscle Operations on eye (ocular) muscles Operations on lens	906 (243) 414 178	11,010 (1,186) 2,227 4,672	3.2 1.5 0.6	3.0 0.6 1.3
		Residual	314	4,111	1.1	1.1
20-22 21.0 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Excision of lesion of nose Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	656 (107) 222 374 (78)	7,309 (772) 2,440 2,785 (491)	2.3 0.8 1.3	2.0 0.7 0.8
		Residual	60	2,084	0.2	0.6
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	3,540 (1,905) 269 3,032 (1,905)	17,582 (6,059) 2,738 10,483 (6,059)	12.5 1.0 10.7	4.8 0.7 2.8
		Residual	239	4,361	0.8	1.2

NEWFOUNDLAND (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of	
					Cases	Days
30-32	6	Operations on heart and great vessels	149	4,806	0.5	1.3
30.4	6(i)	Catheterization of the right heart	89	3,029	0.3	0.8
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	20	657	0.1	0.2
		Residual	40	1,120	0.1	0.3
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum	92	2,748	0.3	0.7
34.0	7(i)	Thoracotomy and pleurotomy	24	545	0.1	0.1
		Residual	68	2,203	0.2	0.6
38	8	Operations on breast	412	3,967	1.5	1.1
38.1	8(i)	Partial mastectomy	(184)	(1,171)		
38.1-38.3	8(ii)	Mastectomy	282	3,180	1.0	0.9
		Residual	130	787	0.5	0.2
40-49	9	Operations on gastro-intestinal tract	3,563	53,187	12.6	14.5
45.1	9(i)	Appendectomy	(1,151)	(10,951)		
41.1	9(ii)	Exploratory laparotomy or celiotomy	110	2,578	0.4	0.7
40	9(iii)	Repair of hernia	1,021	12,678	3.6	3.4
44.2-44.3	9(iv)	Gastrectomy	259	6,706	0.9	1.8
45	9(v)	Operations on appendix	1,170	11,202	4.1	3.0
49.3	9(vi)	Hemorrhoidectomy	252	2,870	0.9	0.8
		Residual	751	17,153	2.7	4.7
51-56	10	Operations on liver, biliary tract, pancreas, and spleen	750	19,869	2.7	5.4
53.5	10(i)	Cholecystectomy	(664)	(17,181)		
53.5	10(ii)	Cholecystectomy	664	17,181	2.4	4.7
		Residual	86	2,688	0.3	0.7

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
60-64 62.0	11 11(i)	Operations on urinary system Ureterotomy	651 107	16,426 2,239	2.3 0.4 4.5 0.6
		Residual	544	14,187	1.9 3.9
66-69 69.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system Circumcision Prostatectomy Circumcision	1,044 (466) 302 466	14,736 (2,259) 9,283 2,259	3.7 1.1 1.7 2.5 0.6
		Residual	276	3,194	1.0 0.9
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs excluding obstetrical Dilation and curettage of uterus Oophorectomy Hysterectomy Dilation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	3,104 (1,188) 67 707 1,188 33 245	33,923 (6,440) 1,090 14,404 6,440 586 3,835	11.0 0.2 2.5 4.2 0.1 0.9 0.3 3.9 1.8 0.2 1.0
		Residual	864	7,568	3.1 2.1
76-78 76.3 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Episiotomy without low forceps Episiotomy Dilation and curettage after delivery or abortion Caesarean section	6,282 (2,681) 3,592 983 612	44,029 (16,539) 23,277 5,214 8,217	22.3 12.7 3.5 2.2 12.0 6.3 1.4 2.2
		Residual	1,095	7,321	3.9 2.0

NEWFOUNDLAND (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
80-87	15	Operations on musculoskeletal system			
81.8	15(i)	Traction or fixation without reduction	2,891	59,244	10.2
82	15(ii)	Reduction of fracture	358	5,896	1.3
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	975	17,916	3.5
87.0-87.9	15(iv)	Amputation and disarticulation of extremities	(673)	(8,501)	
			162	5,346	0.6
		Residual	1,396	30,086	4.9
					8.2
88	16	Operations on peripheral blood vessels and lymphatic system			
88.4	16(i)	Excision and ligation of varicose veins	347	5,665	1.2
88.4	16(ii)	Excision and ligation of varicose veins	(236)	(3,257)	
			236	3,257	0.8
		Residual	111	2,408	0.4
					0.7
89	17	Operations on skin and subcutaneous tissue			
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	1,504	20,990	5.3
89.1	17(ii)	Incision of skin and subcutaneous tissue	(539)	(7,041)	
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	286	2,684	1.0
			539	7,041	1.9
89.2	17(iv)	Removal of nail	111	870	0.4
89.4	17(v)	Suture	359	2,265	1.3
		Residual	209	8,130	0.7
					2.2

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
90-99	18	Certain non-surgical procedures	1,853	35,608	6.6
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(340)	(4,750)	9.7
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	225	3,584	0.8
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	340	4,750	1.0
92.0	18(iv)	Encephalography and ventriculography	35	1,149	1.2
93.1-93.2	18(v)	Pyelography	298	4,187	0.1
99.3	18(vi)	Exchange transfusion	30	380	1.1
Residual			925	21,558	0.1
Total			28,213	367,688	3.3
					5.9
					100.0

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service 1962.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS), PRINCE EDWARD ISLAND, 1968.

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
01-06 03.0	1 1(i)	Operations on nervous system Laminotomy	102 33	2,394 891	1.8 0.6	4.0 1.5
		Residual	69	1,503	1.2	2.5
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	37 25	403 310	0.6 0.4	0.7 0.5
		Residual	12	93	0.2	0.2
10-18 17.0 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Removal of cataracts Operations on eye (ocular) muscles Operations on lens	103 (43) 13 44	1,108 (566) 57 577	1.8 0.2 0.8	1.9 0.1 1.0
		Residual	46	474	0.8	0.8
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	153 (39) 32 98 (39)	1,212 (232) 354 604 (232)	2.7 0.6 1.7	2.0 0.6 1.0
		Residual	23	254	0.4	0.4
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy and adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy and adenoidectomy	961 (683) 34 887 (683)	3,907 (2,509) 166 3,510 (2,509)	16.8 0.6 15.5	6.6 0.3 5.9
		Residual	40	231	0.7	0.4

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
30-32	6(i)	Operations on heart and intrathoracic vessels	32	691	0.6	1.2
30.4	6(ii)	Catheterization of heart	11	206	0.2	0.3
30.2-30.3	6(iii)	Repair of heart and pericardium and operations on valves	6	158	0.1	0.3
33-35	7	Residual	15	327	0.3	0.6
34.0	7(i)	Operations on bronchus, lung, pleura, chest- wall and mediastinum	16	364	0.3	0.6
		Thoracotomy and pleurotomy	4	143	0.1	0.2
38	8	Residual	12	221	0.2	0.4
38.8	8(i)	Operations on breast	105	918	1.8	1.5
38.1-38.3	8(ii)	Biopsy of breast	67	447	1.2	0.8
		Mastectomy	36	468	0.6	0.8
40-49	9	Residual	2	3
45.1	9(i)	Operations on gastro-intestinal tract	831	11,249	14.5	18.9
41.1	9(ii)	Appendectomy	(265)	(2,355)		
40	9(iii)	Exploratory laparotomy or celiotomy	90	1,908	1.6	3.2
44.2-44.3	9(iv)	Repair of hernia	236	2,218	4.1	3.7
45	9(v)	Gastrectomy	37	993	0.6	1.7
49.3	9(vi)	Operations an appendix	267	2,395	4.7	4.0
		Hemorrhoidectomy	41	452	0.7	0.8
		Residual	160	3,283	2.8	5.5

PRINCE EDWARD ISLAND (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
51-56	10	Operations on liver, biliary tract, pancreas and spleen	271	4,170	4.7	7.0
53.5	10(i)	Cholecystectomy	(249)	(3,701)		
53.5	10(ii)	Cholecystectomy	249	3,701	4.3	6.2
		Residual	22	469	0.4	0.8
60-64	11	Operations on urinary system	131	1,625	2.3	2.7
64.5	11(i)	Dilation of urethra	54	416	0.9	0.7
		Residual	77	1,209	1.3	2.0
66-69	12	Operations on male genital system	178	2,102	3.1	3.5
69.2	12(i)	Circumcision	(59)	(222)		
66.1-66.3	12(ii)	Prostatectomy	57	1,319	1.0	2.2
69.2	12(iii)	Circumcision	59	222	1.0	0.4
		Residual	62	561	1.1	0.9
70-75	13	Operations on female genital organs excluding obstetrical	811	6,104	14.2	10.3
72.8	13(i)	Dilation and curettage of uterus	(450)	(1,987)		
70.2-70.5	13(ii)	Oophorectomy	18	229	0.3	0.4
72.3-72.6	13(iii)	Hysterectomy	170	2,267	3.0	3.8
72.8	13(iv)	Dilation and curettage of uterus	450	1,987	7.9	3.3
74.3	13(v)	Colporrhaphy	32	415	0.6	0.7
74.4	13(vi)	Repair of cystocele and/or rectocele	12	112	0.2	0.2
		Residual	129	1,094	2.3	1.8

PRINCE EDWARD ISLAND (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
76-78 77.1	14 14(i)	Obstetrical procedures Dilation and curettage after delivery or abortion	342	2,003	6.0	3.4
76.3-76.4 77.1	14(ii) 14(iii)	Episiotomy Dilation and curettage after delivery or abortion	(208) 12	(703) 88	0.2	0.1
78.0-78.4	14(iv)	Caesarean section	208 96	703 1,043	3.6 1.7	1.2 1.8
		Residual	26	169	0.5	0.3
80-87 84.8 82	15 15(i) 15(ii)	Operations on musculoskeletal system Open reduction of dislocation of joint Reduction of fracture	544 92 131	8,147 1,046 1,640	9.5 1.6 2.3	13.7 1.8 2.8
82.0, 82.3-82.6 87.0-87.9	15(iii) 15(iv)	Closed reduction of fracture Amputation and disarticulation of extremities	(62) 43	(621) 1,698	0.8	2.9
		Residual	278	3,763	4.9	6.3
88 88.4 88.4	16 16(i) 16(ii)	Operations on peripheral blood vessels and lymphatic system Excision and ligation of varicose veins Excision and ligation of varicose veins	97 (85) 85	1,117 (864) 864	1.7 1.5	1.9 1.5
		Residual	12	253	0.2	0.4

PRINCE EDWARD ISLAND (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
89	17	Operations on skin and subcutaneous tissue	420	4,567	7.3	7.7
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(210)	(1,912)		
			71	650	1.2	1.1
89.0	17(ii)	Incision of skin and subcutaneous tissue	210	1,912	3.6	3.2
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	23	125	0.4	0.2
89.2	17(iv)	Removal of nail	59	583	1.0	1.0
89.4	17(v)	Suture				
		Residual	57	1,297	1.0	2.2
90-99	18	Certain nonsurgical procedures	593	7,353	10.3	12.4
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(264)	(2,992)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	64	976	1.1	1.6
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	264	2,992	4.6	5.0
92.0	18(iv)	Encephalography and ventriculography	14	150	0.2	0.2
93.1, 93.2	18(v)	Pyelography	6	113	0.1	0.2
99.3	18(vi)	Exchange transfusion	-	-	-	-
		Residual	245	3,122	4.3	5.3
		Total	5,727	59,434	100.0	100.0

(1) International Classification of Diseases. Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

.. Less than 0.05

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS, (EXCLUDING NEWBORNS, AND OUT-OF-PROVINCE SEPARATIONS), NEW BRUNSWICK, 1968.

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
01-06	1	Operations on nervous system	251	3,773	1.0
06.1	1(i)	Sympathectomy or excision of sympathetic nerve or ganglion	85	1,038	0.3
		Residual	166	2,735	0.7
08-09	2	Operations on endocrine system	185	2,062	0.5
08.1	2(i)	Partial or subtotal thyroidectomy	128	1,326	0.3
		Residual	57	736	0.2
10-18	3	Operations on eye	1,001	7,882	2.1
17.4	3(i)	Extraction of lens, intracapsular	(255)	(3,477)	
11	3(ii)	Operations on eye (ocular) muscles	367	1,341	0.3
17	3(iii)	Operations on lens	292	3,780	1.0
		Residual	342	2,761	0.7
20-22	4	Operations on ear, nose and throat	1,613	11,972	3.1
20.4	4(i)	Operations on tympanum	(540)	(3,753)	
20	4(ii)	Operations on ear	946	7,075	1.8
21	4(iii)	Operations on nose and accessory sinuses	559	3,642	0.9
21.1	4(iv)	Operations on nasal septum	(131)	(760)	
		Residual	108	1,255	0.3
24-28	5	Operations on buccal cavity and esophagus	6,721	25,623	6.7
27.2	5(i)	Tonsillectomy with adenoidectomy	(4,711)	(15,840)	
24.1-24.3	5(ii)	Extraction of tooth and root resection	672	2,940	0.8
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	5,775	20,135	5.2
27.2	5(iv)	Tonsillectomy with adenoidectomy	(4,711)	(15,840)	
		Residual	274	2,548	0.7

NEW BRUNSWICK (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Cases	Percent Distribution of	Days
30-32	6	Operations on heart and intrathoracic vessels	19	340	..	0.1	0.1
30.9	6(i)	Other operations on heart and pericardium	18	334	..	0.1	0.1
30.2, 30.3, 30.6	6(ii)	Repair of heart and pericardium and operation on valves	-	-	-	-	-
		Residual	1	6
33-35	7	Operations on bronchi, lung, pleura, chest-wall and mediastinum	112	2,653	0.3	0.7	0.7
34.1	7(i)	Thoracentesis and pleuracentesis	25	587	0.1	0.2	0.2
		Residual	87	2,066	0.2	0.5	0.5
38	8	Operations on breast	807	6,388	1.8	1.7	1.7
38.1	8(i)	Partial mastectomy	(361)	(1,761)			
38.1-38.3	8(ii)	Mastectomy	576	4,995	1.3	1.3	1.3
		Residual	231	1,393	0.5	0.4	0.4
40-49	9	Operations on gastro-intestinal tract	4,644	58,393	10.4	15.2	15.2
45.1	9(i)	Appendectomy	(1,351)	(11,951)			
41.1	9(ii)	Exploratory laparotomy or celiotomy	91	1,768	0.2	0.5	0.5
40	9(iii)	Repair of hernia	1,418	14,789	3.2	3.9	3.9
44.2-44.3	9(iv)	Gastrectomy	256	5,764	0.6	1.5	1.5
45	9(v)	Operations on appendix	1,358	12,092	3.0	3.2	3.2
49.3	9(vi)	Hemorrhoidectomy	474	5,114	1.1	1.3	1.3
		Residual	1,047	18,866	2.3	4.9	4.9
51-57	10	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels	1,745	28,347	3.9	7.4	7.4
53.5	10(i)	Cholecystectomy	1,622	25,034	3.6	6.5	6.5
53.5	10(ii)	Cholecystectomy	(1,622)	(25,034)			
		Residual	123	3,313	0.3	0.9	0.9

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Cases
60-64	11	Operations on urinary system	1,221	16,471	2.7
64.5	11(i)	Dilation of urethra	495	4,815	1.1
		Residual	726	11,656	1.6
66-69	12	Operations on male genital system			3.0
69.2	12(i)	Circumcision	1,197	16,271	2.7
66.1-66.3	12(ii)	Prostatectomy	(416)	(2,122)	4.2
69.2	12(iii)	Circumcision	426	9,991	1.0
			416	2,122	0.9
		Residual	355	4,158	0.8
70-75	13	Operations on female genital organs, excluding obstetrical			1.1
72.8	13(i)	Dilation and curettage of uterus	4,723	44,296	10.6
70.2-70.5	13(ii)	Oophorectomy	(1,473)	(6,507)	11.5
72.3-72.6	13(iii)	Hysterectomy	257	3,052	0.6
72.8	13(iv)	Dilation and curettage of uterus	1,665	23,129	3.7
74.3	13(v)	Colporrhaphy	1,473	6,507	3.3
74.4	13(vi)	Repair of cystocele and/or rectocele	24	350	0.1
			280	3,830	0.6
		Residual	1,024	7,428	2.3
76-78	14	Obstetrical procedures			1.9
76.0	14(i)	Artificial rupture of membranes	12,170	68,832	27.3
76.3-76.4	14(ii)	Episiotomy	9,801	54,486	22.0
77.1	14(iii)	Dilation and curettage after delivery or abortion	767	5,089	1.7
78.0-78.4	14(iv)	Caesarean section	1,065	3,884	2.4
			513	5,234	1.2
		Residual	24	139	0.1
					..

NEW BRUNSWICK (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of			
			Cases	Days	Cases	Days
80-87	15	Operations on musculoskeletal system				
82.0	15(i)	Closed reduction of fracture of shaft of long bone	3,108 (393)	41,862 (3,707)	7.0	10.9
82	15(ii)	Reduction of fracture	1,333 (937)	15,565 (6,813)	3.0	4.1
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	175	4,590	0.4	1.2
87	15(iv)	Amputation and disarticulation of extremities				
		Residual	1,600	21,707	3.6	5.7
88	16	Operations on peripheral blood vessels and lymphatic system				
88.4	16(i)	Excision and ligation of varicose veins	639 (432)	7,974 (5,084)	1.4	2.1
88.4	16(ii)	Excision and ligation of varicose veins	432	5,084	1.0	1.3
		Residual	207	2,890	0.5	0.8
89	17	Operations on skin and subcutaneous tissue				
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	2,224	19,232	5.0	5.0
89.0	17(ii)	Incision of skin and subcutaneous tissue	(822)	(6,939)	0.9	0.8
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	395	3,122		
89.2	17(iv)	Removal of nail	822	6,939	1.8	1.8
89.4	17(v)	Suture	236	1,538	0.5	0.4
		Residual	538	3,167	1.2	0.8
		Residual	233	4,466	0.5	1.2

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain nonsurgical procedures	2,183	21,226	4.9	5.5
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(730)	(6,665)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	412	4,240	0.9	1.1
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	730	6,665	1.6	1.7
92.0	18(iv)	Encephalography and ventriculography	-	-	-	-
93.1-93.2	18(v)	Pyelography	248	2,696	0.6	0.7
99.3	18(vi)	Exchange transfusion	3	33
		Residual	790	7,592	1.8	2.0
		Total	44,563	383,597	100.0	100.0

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

.. Less than 0.05

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), QUEBEC, 1968.

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Cases
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	4,912 804	109,840 12,368	1.3 0.2
		Residual	4,108	97,472	1.1
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	1,355 856	20,465 11,668	0.3 0.2
		Residual	499	8,797	0.1
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	12,770 (4,063) 3,853 4,297	108,309 (53,808) 11,954 56,193	3.3 1.0 1.1
		Residual	4,620	40,162	1.2
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	19,345 (3,971) 8,165 9,339 (2,672)	136,257 (23,176) 51,458 51,483 (13,634)	5.0 2.1 2.4
		Residual	1,841	33,316	0.5
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	63,564 (37,476) 9,506 51,363 (37,476)	148,378 (66,861) 12,968 104,165 (66,861)	16.3 2.4 13.2
		Residual	2,695	31,245	0.7
		Residual			0.8

1
2
3
4

QUEBEC (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
30-32	6	Operations on heart and great vessels	2,377	52,342	1.4
30.3	6(i)	Operations on valves of heart	(665)	(19,276)	
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	668	19,313	0.5
		Residual	1,709	33,029	0.9
33-35	7	Operations on bronchus, lung, pleura, chest wall, and mediastinum	2,117	58,394	1.5
34.0	7(i)	Thoracotomy and pleurotomy	570	12,933	0.3
		Residual	1,547	45,461	1.2
38	8	Operations on breast	7,062	60,570	1.6
38.1	8(i)	Partial mastectomy	(3,127)	(17,701)	
38.1-38.3	8(ii)	Mastectomy	4,803	46,487	1.2
		Residual	2,259	14,083	0.4
40-49	9	Operations on gastro-intestinal tract	48,953	608,937	15.8
40.0	9(i)	Repair of inguinal hernia except recurrent	(12,021)	(97,907)	
41.1	9(ii)	Exploratory laparotomy or celiotomy	643	13,586	0.4
40	9(iii)	Repair of hernia	16,357	151,563	3.9
44.2-44.3	9(iv)	Gastrectomy	1,686	39,706	1.0
45	9(v)	Operations on appendix	11,823	94,863	2.5
49.3	9(vi)	Hemorrhoidectomy	6,113	60,094	1.6
		Residual	12,331	249,125	6.4

QUEBEC (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Cases	Percent Distribution of	Days
51-56	10	Operations on liver, biliary tract, pancreas, and spleen	24,959	401,717	6.4	10.4	
53.5	10(i)	Cholecystectomy	(23,185)	(351,536)			
53.5	10(ii)	Cholecystectomy	23,185	351,536	6.0	9.1	
		Residual	1,774	50,181	0.5	1.3	
60-64	11	Operations on urinary system	7,780	138,898	2.0	3.6	
64.5	11(i)	Dilation of urethra	1,145	11,530	0.3	0.3	
		Residual	6,635	127,368	1.7	3.3	
66-69	12	Operations on male genital system	12,903	141,805	3.3	3.7	
69.2	12(i)	Circumcision	(5,527)	(21,355)			
66.1-66.3	12(ii)	Prostatectomy	3,626	85,471	0.9	2.2	
69.2	12(iii)	Circumcision	5,527	21,355	1.4	0.6	
		Residual	3,750	34,979	1.0	0.9	
70-75	13	Operations on female genital organs excluding obstetrical	42,860	447,778	11.0	11.6	
72.8	13(i)	Dilation and curettage of uterus	(11,875)	(68,217)			
70.2-70.5	13(ii)	Oophorectomy	1,732	23,172	0.4	0.6	
72.8	13(iii)	Hysterectomy	13,887	217,356	3.6	5.6	
72.8	13(iv)	Dilation and curettage of uterus	11,875	68,217	3.1	1.8	
74.3	13(v)	Colporrhaphy	340	4,180	0.1	0.1	
74.4	13(vi)	Repair of cystocele and/or rectocele	2,159	34,382	0.6	0.9	
		Residual	12,867	100,471	3.3	2.6	

QUEBEC (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of			
			Cases	Days	Cases	Days
76-78	14	Obstetrical procedures	49,583	283,177	12.7	7.3
76.3	14(i)	Episiotomy without low forceps	(14,608)	(83,287)		
76.3-76.4	14(ii)	Episiotomy	22,430	130,346	5.8	3.4
77.1	14(iii)	Dilation and curettage after delivery or abortion	11,886	45,300	3.1	1.2
78.0-78.4	14(iv)	Caesarean section	4,263	43,880	1.1	1.1
		Residual	11,004	63,651	2.8	1.6
80-87	15	Operations on musculoskeletal system	42,771	590,826	11.0	15.3
81.8	15(i)	Traction or fixation without reduction	4,095	54,606	1.1	1.4
82	15(ii)	Reduction of fracture	12,264	160,679	3.2	4.2
82.0,82.3,82.6	15(iii)	Closed reduction of fracture	(6,408)	(49,946)		
87	15(iv)	Amputation and disarticulation of extremities	1,481	52,736	0.4	1.4
		Residual	24,931	322,805	6.4	8.4
88	16	Operations on peripheral blood vessels and lymphatic system	7,357	109,761	1.9	2.8
88.4	16(i)	Excision and ligation of varicose veins	(4,277)	(47,425)		
88.4	16(ii)	Excision and ligation of varicose veins	4,277	47,425	1.1	1.2
		Residual	3,080	62,336	0.8	1.6
89	17	Operations on skin and subcutaneous tissue	16,566	154,143	4.3	4.0
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(6,939)	(51,316)		
89.0	17(ii)	Incision of skin and subcutaneous tissue	2,581	20,472	0.7	0.5
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	6,939	51,316	1.8	1.3
89.2	17(iv)	Removal of nail	1,407	5,817	0.4	0.2
89.4	17(v)	Suture	2,442	10,615	0.6	0.3
		Residual	3,197	65,923	0.8	1.7

QUEBEC (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	21,695	291,747	5.6	7.6
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(4,568)	(46,832)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	3,302	39,714	0.8	1.0
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	4,568	46,832	1.2	1.2
92.0	18(iv)	Encephalography and ventriculography	1,612	28,715	0.4	0.7
93.1-93.2	18(v)	Pyelography	1,189	12,571	0.3	0.3
99.3	18(vi)	Exchange transfusion	280	4,976	0.1	0.1
		Residual	10,744	158,939	2.8	4.1
		Total	388,929	3,863,344	100.0	100.0

(1) International Classification of Diseases, Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1962.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS⁽²⁾, (EXCLUDING NEWBORN), ONTARIO, 1968.

U.S. Code	Group	(1) Operation or Treatment	Cases (3)	Days (3)	Cases	Percent Distribution of
						Days
01-06 03.0	1 1(i)	Operations on nervous system Laminotomy	7,218 1,409	166,434 43,663	1.4 0.3	3.4 0.9
	Residual		5,809	122,771	1.2	2.5
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	2,232 1,682	24,669 16,739	0.4 0.3	0.5 0.3
	Residual		550	7,930	0.1	0.2
10-18 17.3 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, extracapsular Operations on eye (ocular) muscles Operations on lens	19,094 (4,609) 5,554 7,697	154,149 (54,827) 14,463 89,309	3.8 1.1 1.5	3.2 0.3 1.8
	Residual		5,843	50,377	1.2	1.0
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	20,856 (3,922) 8,094 11,044 (3,922)	130,666 (15,975) 42,872 55,852 (15,975)	4.1 1.6 2.2	2.7 0.9 1.2
	Residual		1,718	31,942	0.3	0.7
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	96,603 (62,965) 10,460 82,405 (62,965)	240,651 (119,091) 35,385 168,519 (119,091)	19.2 2.1 16.3	5.0 0.7 3.5
	Residual		3,738	36,747	0.7	0.8

ONTARIO (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases (3)	Days (3)	Percent Distribution of Cases	Days
30-32	6	Operations on heart and intrathoracic vessels	2,973	68,016	0.6	1.4
30.4	6(i)	Catheterization of the right heart	568	6,864	0.1	0.1
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	564	18,857	0.1	0.4
		Residual	1,841	42,295	0.4	0.9
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum	2,375	55,896	0.5	1.2
35.2	7(i)	Partial lobectomy	455	12,396	0.1	0.3
		Residual	1,920	43,500	0.4	0.9
38	8	Operations on breast	9,414	71,318	1.9	1.5
38.1	8(i)	Partial mastectomy	(4,548)	(20,814)		
38.1-38.3	8(ii)	Mastectomy	6,956	59,241	1.4	1.2
		Residual	2,458	12,077	0.5	0.2
40-49	9	Operations on gastro-intestinal tract	72,967	883,985	14.5	18.3
40.0	9(i)	Repair of inguinal hernia, except recurrent	(18,785)	(128,436)		
40	9(ii)	Repair of hernia	26,326	215,540	5.2	4.5
41.1	9(iii)	Exploratory laparotomy or celiotomy	2,186	50,744	0.4	1.0
44.2-44.3	9(iv)	Gastrectomy	2,572	65,323	0.5	1.4
45	9(v)	Operations on appendix	17,300	133,940	3.4	2.8
49.3	9(vi)	Hemorrhoidectomy	7,526	67,234	1.5	1.4
		Residual	17,057	351,204	3.4	7.3

ONTARIO (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases (3)	Days (3)	Percent Distribution of Cases	Days
51-57	10	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels	21,831 (19,707)	364,196 (305,640)	4.3	7.5
53.5	10(i)	Cholecystectomy	19,707	305,640	3.9	6.3
53.5	10(ii)	Cholecystectomy				
		Residual	2,124	58,556	0.4	1.2
60-64	11	Operations on urinary system	14,200	209,668	2.8	4.3
64.5	11(i)	Dilation of urethra	2,907	29,648	0.6	0.6
		Residual	11,293	180,020	2.2	3.7
66-69	12	Operations on male genital system	15,028	211,706	3.0	4.4
66.2	12(i)	Prostatectomy, transurethral	(6,028)	(127,258)		
66.1-66.3	12(ii)	Prostatectomy	6,983	153,678	1.4	3.2
69.2	12(iii)	Circumcision	3,090	11,225	0.6	0.2
		Residual	4,955	46,803	1.0	1.0
70-75	13	Operations on female genital organs excluding obstetrical	68,145 (28,872)	561,041 (118,684)	13.5	11.6
72.8	13(i)	Dilation and curettage of uterus	1,766	22,413	0.4	0.5
70.2-70.5	13(ii)	Oophorectomy	16,290	228,876	3.2	4.7
72.3-72.6	13(iii)	Hysterectomy	28,872	118,684	5.7	2.5
72.8	13(iv)	Dilation and curettage of uterus	668	8,591	0.1	0.2
74.3	13(v)	Colporrhaphy	3,367	46,299	0.7	1.0
74.4	13(vi)	Repair of cystocele and/or rectocele				
		Residual	17,182	136,178	3.4	2.8

ONTARIO (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases (3)	Days (3)	Cases	Percent Distribution of	Days
76-78	14	Obstetrical procedures	60,823	389,531	12.1		8.1
77.1	14(i)	Dilation and curettage after delivery or abortion	(14,643)	(50,212)			
76.3-76.4	14(ii)	Episiotomy	24,417	160,602	4.8		3.3
77.1	14(iii)	Dilation and curettage after delivery or abortion	14,643	50,212	2.9		1.0
78.0-78.4	14(iv)	Caesarean section	7,060	82,750	1.4		1.7
		Residual	14,703	95,967	2.9		2.0
80-87	15	Operations on musculoskeletal system	53,761	908,249	10.7		18.8
83.5	15(i)	Excision of semilunar cartilage of knee joint	4,380	42,280	0.9		0.9
82	15(ii)	Reduction of fracture	15,595	298,718	3.1		6.2
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(8,070)	(80,884)			
87	15(iv)	Amputation and disarticulation of extremities	2,706	85,628	0.5		1.8
		Residual	31,080	481,623	6.2		10.0
88	16	Operations on peripheral blood vessels and lymphatic system	12,241	148,588	2.4		3.1
88.4	16(i)	Excision and ligation of varicose veins	(8,904)	(80,394)			
88.4	16(ii)	Excision and ligation of varicose veins	8,904	80,394	1.8		1.7
		Residual	3,337	68,194	0.7		1.4
89	17	Operations on skin and subcutaneous tissue	24,551	244,774	4.9		5.1
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(9,597)	(77,986)			
89.0	17(ii)	Incision of skin and subcutaneous tissue	3,160	26,963	0.6		0.6
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	9,597	77,986	1.9		1.6
89.2	17(iv)	Removal of nail	2,257	13,199	0.4		0.3
89.4	17(v)	Suture	4,861	31,376	1.0		0.6
		Residual	4,676	95,250	0.9		2.0

ONTARIO (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases (3)	Days (3)	Cases Days
90-99	18	Not coded in Ontario			
		Total (17 groups)	504,312 (3)	4,833,537 (3)	100.0 100.0

- (1) International Classification of Diseases. Adapted for Indexing of Hospital Records by Diseases and Operations, 1962 edition.
- (2) Ontario Hospital Services Commission claims processed January - December, 1968.
- (3) The total number of cases and days excludes Group 18 - "Certain non-surgical procedures". This should be noted in making comparisons with data from other provinces.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR
MANITOBA RESIDENT IN-PATIENTS(2) (EXCLUDING NEWBORN), MANITOBA, 1968.

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Cases
01-06	1	Operations on nervous system	538	9,761	1.1
05.2	1(i)	Excision and destruction of lesion of peripheral nerve	102	468	0.2
		Residual	436	9,293	0.9
08-09	2	Operations on endocrine system	292	2,471	0.6
08.1	2(i)	Partial or subtotal thyroidectomy	191	1,406	0.4
		Residual	101	1,065	0.2
10-18	3	Operations on eye	2,225	17,759	4.4
17.4	3(i)	Extraction of lens, intracapsular	(823)	(9,886)	4.1
11	3(ii)	Operations on eye (ocular) muscles	604	1,518	1.2
17	3(iii)	Operations on lens	893	10,398	1.8
		Residual	728	5,843	1.4
20-22	4	Operations on ear, nose and throat	2,344	9,796	4.6
21.1	4(i)	Operations on nasal septum	(621)	(2,247)	2.3
20	4(ii)	Operations on ear	868	3,497	1.7
21	4(iii)	Operations on nose and accessory sinuses	1,426	5,717	2.8
21.1	4(iv)	Operations on nasal septum	(621)	(2,247)	1.3
		Residual	50	582	0.1
24-28	5	Operations on buccal cavity and esophagus	10,883	23,796	21.5
27.2	5(i)	Tonsillectomy with adenoidectomy	(6,214)	(12,524)	5.5
24.1-24.3	5(ii)	Extraction of tooth and root resection	2,082	3,811	4.1
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	8,382	17,192	16.6
27.2	5(iv)	Tonsillectomy with adenoidectomy	(6,214)	(12,524)	4.0
		Residual	419	2,793	0.8
					0.6

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
30-32	6	Operations on heart and great vessels	199	5,074	1.2
30.3	6(i)	Operations on valves of heart	(71)	(2,688)	
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	72	2,695	0.6
32.0-32.1	6(iii)	Open heart surgery	-	-	
		Residual	127	2,379	0.6
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum	185	3,877	0.9
35.3	7(i)	Complete lobectomy	58	1,527	0.4
		Residual	127	2,350	0.5
38	8	Operations on breast			2.4
38.1	8(i)	Partial mastectomy	1,342	8,631	2.0
38.1-38.3	8(ii)	Mastectomy	(439)	(1,463)	
		Residual	792	6,650	1.5
		Residual	550	1,981	0.5
40-49	9	Operations on gastro-intestinal tract			
40.0	9(i)	Repair of inguinal hernia, except recurrent	8,298	91,624	21.3
41.1	9(ii)	Exploratory laparotomy or celiotomy	(2,091)	(14,506)	
40	9(iii)	Repair of hernia	248	4,172	1.0
44.2-44.3	9(iv)	Gastrectomy	2,966	23,120	5.4
45	9(v)	Operations on appendix	252	6,668	1.5
49.3	9(vi)	Hemorrhoidectomy	1,970	14,405	3.3
		Residual	724	5,501	1.3
		Residual	2,138	37,758	8.8

MANITOBA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of	Cases	Days
51-57	10	Operations on liver, biliary tract, spleen, pancreas and intra-abdominal blood vessels	3,440	48,545	6.8		11.3
53.5	10(i)	Cholecystectomy	(3,140)	(41,329)			
53.5	10(ii)	Cholecystectomy	3,140	41,329	6.2		9.6
		Residual	300	7,216	0.6		1.7
60-64	11	Operations on urinary system	927	15,168	1.8		3.5
63.1	11(i)	Local excision and destruction of lesion of bladder	180	2,178	0.4		0.5
		Residual	747	12,990	1.5		3.0
66-69	12	Operations on male genital organs	1,987	29,379	3.9		6.8
66.2	12(i)	Prostatectomy, transurethral	(802)	(16,384)			2.4
66.1-66.3	12(ii)	Prostatectomy	1,117	24,558	2.2		5.7
69.2	12(iii)	Circumcision	334	815	0.7		0.2
		Residual	536	4,006	1.1		0.9
70-75	13	Operations on female genital organs except obstetrical	6,473	44,872	12.8		10.4
72.8	13(i)	Dilation and curettage of uterus	(2,448)	(6,047)			
70.2-70.5	13(ii)	Oophorectomy	218	2,533	0.4		0.6
72.3-72.6	13(iii)	Hysterectomy	1,512	18,879	3.0		4.4
72.8	13(iv)	Dilation and curettage of uterus	2,448	6,047	4.8		1.4
74.3	13(v)	Colporrhaphy	141	1,558	0.3		0.4
74.4	13(vi)	Repair of cystocele and/or rectocele	507	5,586	1.0		1.3
		Residual	1,647	10,269	3.3		2.4

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of			
			Cases	Days	Cases	Days
76-78	14	Obstetrical procedures				
78.1	14(i)	Caesarean section, low cervical	646 (409)	7,570 (4,951)	1.3	1.8
76.3-76.4	14(ii)	Episiotomy	-	-	-	-
77.1	14(iii)	Dilation and curettage after delivery or abortion	2	9
78.0-78.4	14(iv)	Caesarean section	556	6,742	1.1	1.6
		Residual	88	819	0.2	0.2
80-87	15	Operations on musculoskeletal system				
82.3	15(i)	Closed reduction of fracture of extremity of long bone	6,354 (841)	85,904 (5,001)	12.6	20.0
82	15(ii)	Reduction of fracture	2,441	35,190	4.8	8.2
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(1,570)	(12,812)		
87.0-87.9	15(iv)	Amputation and disarticulation of extremities	282	5,452	0.6	1.3
		Residual	3,631	45,262	7.2	10.5
88	16	Operations on peripheral blood vessels and lymphatic system				
88.4	16(i)	Excision and ligation of varicose veins	1,041 (780)	9,018 (5,014)	2.1	2.1
88.4	16(ii)	Excision and ligation of varicose veins	780	5,014	1.5	1.2
		Residual	261	4,004	0.5	0.9
89	17	Operations on skin and subcutaneous tissue				
89.4	17(i)	Suture of skin and subcutaneous tissue	2,751 (834)	15,907 (3,757)	5.4	3.7
89.0	17(ii)	Incision of skin and subcutaneous tissue	430	2,066	0.9	0.5
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	812	4,335	1.6	1.0
89.2	17(iv)	Removal of nail	229	662	0.5	0.2
89.4	17(v)	Suture of skin and subcutaneous tissue	834	3,757	1.6	0.9
		Residual	446	5,087	0.9	1.2

MANITOBA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Cases	Percent Distribution of	Days
90-99	18	Certain non-surgical procedures	652	1,404	1.3		0.3
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(181)	(329)			
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	28	39	0.1		..
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	181	329	0.4		0.1
92.0	18(iv)	Encephalography and ventriculography	1	2
93.1-93.2	18(v)	Pyelography	69	154	0.1		..
99.3	18(vi)	Exchange transfusion	-	-	-		-
Residual			373	880	0.7		0.2
Total			50,577	430,556	100.0		100.0

.. Less than 0.05

(1) International Classification of Diseases, Adapted for Indexing of Hospital Records by Diseases and Operations, 1962 edition.

(2) M.A.C. Hospital Admission - Discharge Record forms for adult and child separations. This table includes only those cases where the reason for admission was believed to be for surgical intervention in the treatment of the primary disease.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), SASKATCHEWAN, 1968.

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	777 169	14,911 1,836	1.1 0.2 2.2 0.3
		Residual	608	13,075	0.8 1.9
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	370 274	4,649 3,197	0.5 0.4 0.7 0.5
		Residual	96	1,452	0.1 0.2
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscle Operations on lens	2,284 (826) 603 876	19,596 (10,050) 2,410 10,410	3.2 0.8 1.2 2.9 0.4 1.5
		Residual	805	6,776	1.1 1.0
20-22 21.1 20 21	4 4(i) 4(ii) 4(iii)	Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses	2,910 (740) 1,012 1,714	16,992 (2,801) 5,977 7,968	4.1 1.4 2.4 2.5 0.9 1.2
		Residual	184	3,047	0.3 0.4
24-28 27.2 24.1-24.3 27.1-27.4	5 5(i) 5(ii) 5(iii)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids	12,589 (8,020) 2,088 9,946	35,185 (18,649) 6,267 24,228	17.5 2.9 13.8 5.1 0.9 3.5
		Residual	555	4,690	0.8 0.7

SASKATCHEWAN (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Cases
30-32	6	Operations on heart and intrathoracic vessels	380	6,318	0.5
30.5	6(i)	Catheterization of the left heart	189	1,863	0.3
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	41	1,532	0.1
		Residual	150	2,923	0.2
33-35	7	Operations on bronchi, lung, pleura, chest wall and mediastinum	353	9,422	0.5
34.1	7(i)	Thoracentesis and pleuracentesis	130	3,014	0.2
		Residual	223	6,408	0.3
38	8	Operations on breast	1,354	11,506	1.9
38.1	8(i)	Partial mastectomy	(806)	(3,692)	
38.1-38.3	8(ii)	Mastectomy	1,141	10,495	1.6
		Residual	213	1,011	0.3
40-57	9	Operations on gastro-intestinal tract and related organs and tissues	12,451	168,408	17.3
45.1	9(i)	Appendectomy	(2,572)	(20,798)	
41.1	9(ii)	Exploratory laparotomy or celiotomy	240	7,857	0.3
40	9(iii)	Repair of hernia	2,792	26,553	3.9
44.2-44.3	9(iv)	Gastrectomy, partial or complete	311	7,547	0.4
45	9(v)	Operations on appendix	2,598	21,296	3.6
49.3	9(vi)	Hemorrhoidectomy	1,002	9,526	1.4
51.0-57.9	9(vii)	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels	3,197	51,804	4.5
		Cholecystectomy	(2,941)	(44,308)	
53.5	9(viii)	Residual	2,311	43,825	3.2
					6.4

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
60-69	10	Operations on urinary and male genital system			
66.2	10(i)	Prostatectomy, transurethral	4,050 (957)	68,948 (24,812)	10.0
66.0-69.9	10(ii)	Operations of male genital system	2,408	43,029	6.3
66.1-66.3	10(iii)	Prostatectomy, perineal, transurethral and other	(1,268)	(34,795)	
69.2	10(iv)	Circumcision	565	2,385	0.3
		Residual	1,077	23,534	3.4
70-75	11	Operations on female genital organs excluding obstetrical			
72.8	11(i)	Dilation and curettage of uterus	9,213	69,251	10.1
70.2-70.5	11(ii)	Oophorectomy	4,053	12,995	1.9
72.3-72.6	11(iii)	Hysterectomy	166	1,983	0.3
74.3	11(iv)	Colporrhaphy	2,196	30,521	4.4
74.4	11(v)	Repair of cystocele and/or rectocele	55	675	0.1
		Residual	818	10,873	1.6
			1,925	12,204	1.8
76-78	12	Obstetrical procedures			
76.3	12(i)	Episiotomy without low forceps	7,316	43,687	6.4
76.3-76.4	12(ii)	Episiotomy	(2,498)	(14,440)	
77.1	12(iii)	Dilation and curettage after delivery or abortion	3,169	18,612	2.7
78.0-78.4	12(iv)	Caesarean section	1,790	5,844	0.9
		Residual	689	8,455	1.2
			1,668	10,776	1.6
80-87	13	Operations on musculoskeletal system			
81.8	13(i)	Traction or fixation without reduction	7,248	106,044	15.4
82	13(ii)	Reduction of fracture	1,030	14,882	2.2
82.0,82.3,82.6	13(iii)	Closed reduction of fracture	2,329	30,223	4.4
87.0-87.9	13(iv)	Amputation and disarticulation of extremities	(1,646)	(10,680)	
		Residual	337	9,443	1.4
			3,552	51,496	7.5

SASKATCHEWAN (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
88	14	Operations on peripheral blood vessels and lymphatic system	1,385	17,104	2.5
88.4	14(i)	Excision and ligation of varicose veins	(935)	(8,113)	
88.4	14(ii)	Excision and ligation of varicose veins	935	8,113	1.2
		Residual	450	8,991	1.3
89	15	Operations on skin and subcutaneous tissue	3,594	36,578	5.3
89.0	15(i)	Incision of skin and subcutaneous tissue	770	5,003	0.7
89.1	15(ii)	Excision and destruction of lesion of skin and subcutaneous tissue	1,132	12,902	1.9
89.2	15(iii)	Removal of nail	326	2,138	0.3
89.4	15(iv)	Suture	896	7,070	1.0
		Residual	470	9,465	1.4
90-99	16	Certain non-surgical procedures	5,551	58,527	8.5
90.6	16(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	1,257	13,468	2.0
90.5	16(ii)	Proctoscopy without effect upon tissue or lesion	588	7,256	1.1
92.0	16(iii)	Encephalography and ventriculography	131	1,730	0.3
93.1-93.2	16(iv)	Pyelography, intravenous and retrograde	776	8,445	1.2
99.3	16(v)	Exchange transfusion	17	278	..
		Residual	2,764	27,350	4.0
		Total	71,825	687,126	100.0

.. Less than 0.05

(1) International Classification of Diseases. Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR ALBERTA RESIDENTS (EXCLUDING NEWBORN) WHO WERE HOSPITAL IN-PATIENTS, ALBERTA, 1968.

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	2,658 1,395	47,338 21,142	1.7 0.9	3.3 1.5
	Residual		1,263	26,196	0.8	1.8
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	587 422	5,960 3,574	0.4 0.3	0.4 0.2
	Residual		165	2,386	0.1	0.2
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	4,100 (1,276) 1,295 1,411	34,404 (18,031) 4,006 19,369	2.6 0.8 0.9	2.4 0.3 1.4
	Residual		1,394	11,029	0.9	0.8
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	5,556 (1,122) 1,939 3,226 (1,122)	29,298 (3,561) 8,949 13,614 (3,561)	3.6 1.2 2.1	2.0 0.6 1.0
	Residual		391	6,735	0.2	0.5
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	21,699 (13,433) 3,742 16,725 (13,433)	69,540 (32,263) 14,235 42,225 (32,263)	13.9 2.4 10.7	4.9 1.0 3.0
	Residual		1,232	13,080	0.8	0.9

ALBERTA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
30-32	6	Operations on heart and great vessels	916	12,779	0.6	0.9
30.4	6(i)	Catheterization of the right heart	403	3,147	0.3	0.2
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	132	2,990	0.1	0.2
		Residual	381	6,642	0.2	0.5
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum	1,095	23,801	0.7	1.7
34.1	7(i)	Thoracentesis and pleurocentesis	338	7,088	0.2	0.5
		Residual	757	16,713	0.5	1.2
38	8	Operations on breast	2,325	14,872	1.5	1.0
38.1	8(i)	Partial mastectomy	(963)	(3,435)		
38.1-38.3	8(ii)	Mastectomy	1,406	10,977	0.9	0.8
		Residual	919	3,895	0.6	0.3
40-49	9	Operations on gastro-intestinal tract	16,119	181,313	10.3	12.7
45.1	9(i)	Appendectomy	(4,449)	(33,261)		
41.1	9(ii)	Exploratory laparotomy or celiotomy	267	4,726	0.2	0.3
40	9(iii)	Repair of hernia	4,661	38,701	3.0	2.7
44.2-44.3	9(iv)	Gastrectomy	590	12,709	0.4	0.9
45	9(v)	Operations on appendix	4,492	33,945	2.9	2.4
49.3	9(vi)	Hemorrhoidectomy	1,797	15,194	1.2	1.1
		Residual	4,312	76,038	2.8	5.3
51-56	10	Operations on liver, biliary tract, pancreas and spleen	5,815	89,594	3.7	6.3
53.5	10(i)	Cholecystectomy	(5,161)	(71,688)		
53.5	10(ii)	Cholecystectomy	5,161	71,688	3.3	5.0
		Residual	654	17,906	0.4	1.3

ALBERTA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of	Cases	Days
60-64 64.5	11 11(i)	Operations on urinary system Dilation of urethra	2,956 1,142	38,962 9,207	1.9 0.7	2.7 0.6	
	Residual		1,814	29,755	1.2	2.1	
66-69 66.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system Prostatectomy, transurethral Prostatectomy Circumcision	3,381 (1,308) 1,525 754	46,291 (28,100) 33,974 2,739	2.2 1.0 0.5	3.2 2.4 0.2	
	Residual		1,102	9,578	0.7	0.7	
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs excluding obstetrical Dilation and curettage of uterus Oophorectomy Hysterectomy Dilation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	16,439 (6,326) 507 3,999 6,326 172 726	124,063 (21,385) 5,898 51,665 21,385 2,365 9,631	10.5 0.3 2.6 4.1 0.1 0.5	8.7 0.4 3.6 1.5 0.2 0.7	
	Residual		4,709	33,119	3.0	2.3	
76-78 76.3 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Episiotomy without low forceps Episiotomy Dilation and curettage after delivery or abortion Caesarean section	26,824 (10,038) 14,981 3,310 1,225	170,885 (62,918) 97,085 10,908 14,878	17.2 9.6 2.1 0.8 0.8	11.9 6.8 0.8 1.0	
	Residual		7,308	48,014	4.7	3.4	

ALBERTA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
80-87	15	Operations on musculoskeletal system	17,798	239,704	11.4	16.8
81.8	15(i)	Traction or fixation without reduction	2,732	34,383	1.8	2.4
82	15(ii)	Reduction of fracture	4,577	53,501	2.9	3.7
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(3,144)	(19,607)		
87.0-87.9	15(iv)	Amputation and disarticulation of extremities	467	12,792	0.3	0.9
		Residual	10,022	139,028	6.4	9.7
88	16	Operations on peripheral blood vessels and lymphatic system	2,944	33,822	1.9	2.4
88.4	16(i)	Excision and ligation of varicose veins	(1,998)	(16,839)		
88.4	16(ii)	Excision and ligation of varicose veins	1,998	16,839	1.3	1.2
		Residual	946	16,983	0.6	1.2
89	17	Operations on skin and subcutaneous tissue	7,611	59,496	4.9	4.2
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(2,877)	(23,428)		
89.0	17(ii)	Incision of skin and subcutaneous tissue	1,263	8,481	0.8	0.6
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	2,877	23,428	1.8	1.6
89.2	17(iv)	Removal of nail	729	3,914	0.5	0.3
89.4	17(v)	Suture	2,055	12,027	1.3	0.8
		Residual	687	11,646	0.4	0.8

ALBERTA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	17,080	208,500	11.0	14.6
93.1	18(i)	Intravenous pyelography	(6,408)	(63,785)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	1,801	21,789	1.2	1.5
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	940	7,553	0.6	0.5
92.0	18(iv)	Encephalography and ventriculography	422	7,265	0.3	0.5
93.1-93.2	18(v)	Pyelography	7,940	74,158	5.1	5.2
99.3	18(vi)	Exchange transfusion	13	186
		Residual	5,964	97,549	3.8	6.8
		Total	155,903	1,430,622	100.0	100.0

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1962.

.. Less than 0.05

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR
PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND OUT-OF-PROVINCE SEPARATIONS), BRITISH COLUMBIA, 1968.

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Cases
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	2,192 469	44,214 5,632	1.4 0.3
		Residual	1,723	38,582	1.1
					2.6
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	665 496	6,927 4,144	0.4 0.3
		Residual	169	2,783	0.1
					0.2
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	5,526 (1,847) 1,625 1,966	38,492 (19,091) 4,364 20,069	3.4 1.0 1.2
		Residual	1,935	14,059	1.2
					0.9
20-22 21.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Rhinoplasty and repair of nose Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	7,182 (1,644) 2,961 3,617 (469)	38,704 (8,542) 12,804 17,922 (1,722)	4.5 1.8 2.3
		Residual	604	7,978	0.4
					0.5
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids(c) Tonsillectomy with adenoidectomy	25,536 (16,400) 2,881 20,770 (16,400)	75,974 (37,312) 11,192 49,783 (37,312)	15.9 1.8 12.9
		Residual	1,885	14,999	1.2
					1.0

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Cases
30-32	6	Operations on heart and intrathoracic vessels	1,264	22,383	0.8
30.4-30.5	6(i)	Catheterization of heart	559	4,439	0.3
30.2,30.3,30.6	6(ii)	Repair of heart and pericardium and operations on valves of heart	260	7,812	0.2
		Residual	445	10,132	0.3
33-35	7	Operations on bronchi, lung, pleura, chest wall and mediastinum	901	20,761	0.6
34.0	7(i)	Thoracotomy and pleurotomy	190	4,481	0.1
		Residual	711	16,280	0.4
38	8	Operations on breast	3,386	21,141	2.1
38.1	8(i)	Partial mastectomy	(1,462)	(4,674)	
38.1-38.3	8(ii)	Mastectomy	2,228	16,550	1.4
		Residual	1,158	4,591	0.7
40-49	9	Operations on gastro-intestinal tract(d)	20,042	240,076	12.5
40.0	9(i)	Repair of inguinal hernia except recurrent	(4,333)	(31,435)	
41.1	9(ii)	Exploratory laparotomy or celiotomy	659	11,948	0.4
40	9(iii)	Repair of hernia	6,437	54,670	4.0
44.2-44.3	9(iv)	Gastrectomy	962	20,967	0.6
45	9(v)	Operations on appendix	3,735	29,850	2.3
49.3	9(vi)	Hemorrhoidectomy	1,981	15,834	1.2
		Residual	6,268	106,807	3.9
					7.2

BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
51-57	10	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels	6,564	102,283	6.9
53.5	10(i)	Cholecystectomy	(5,639)	(78,619)	
53.5	10(ii)	Cholecystectomy	5,639	78,619	5.3
		Residual	925	23,664	1.6
60-64	11	Operations on urinary system	4,690	60,730	4.1
63.1	11(i)	Local excision and destruction of lesion of bladder	1,033	11,693	0.8
		Residual	3,657	49,037	3.3
66-69	12	Operations on male genital system	5,378	73,969	5.0
66.2	12(i)	Prostatectomy, transurethral	(2,558)	(47,623)	
66.1-66.3	12(ii)	Prostatectomy	2,963	57,958	3.9
69.2	12(iii)	Circumcision	809	2,771	0.2
		Residual	1,606	13,240	0.9
70-75	13	Operations on female genital organs, excluding obstetrical	20,642	144,823	9.8
72.8	13(i)	Dilation and curettage of uterus	(8,067)	(23,731)	
70.2-70.5	13(ii)	Oophorectomy	466	5,208	0.4
72.3-72.6	13(iii)	Hysterectomy	5,126	61,909	4.2
72.8	13(iv)	Dilation and curettage of uterus	8,067	23,731	1.6
74.3	13(v)	Colporrhaphy	288	3,127	0.2
74.4	13(vi)	Repair of cystocele and/or rectocele	943	11,198	0.8
		Residual	5,752	39,650	2.7

BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
76-78	14	Obstetrical procedures	12,364	79,330	5.4
77.1	14(i)	Dilation and curettage after delivery or abortion	(3,101)	(10,453)	
76.3-76.4	14(ii)	Episiotomy	3,078	19,399	1.9
77.1	14(iii)	Dilation and curettage after delivery or abortion	3,101	10,453	1.9
78.0-78.4)	14(iv)	Caesarean section(g)	1,717	19,407	1.1
78.7-78.8)		Residual	4,468	30,071	2.8
80-87	15	Operations on musculoskeletal system	18,233	277,627	11.4
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(2,122)	(15,060)	
82	15(ii)	Reduction of fracture	5,314	91,465	3.3
82.0, 82.3, 83.6	15(iii)	Closed reduction of fracture	(3,461)	(32,690)	
87	15(iv)	Amputation and disarticulation of extremities	463	14,666	0.3
		Residual	12,456	171,496	7.8
88	16	Operations on peripheral blood vessels and lymphatic system	4,372	47,065	2.7
88.4	16(i)	Excision and ligation of varicose veins	(3,130)	(26,081)	
88.4	16(ii)	Excision and ligation of varicose veins	3,130	26,081	1.9
		Residual	1,242	20,984	0.8
89	17	Operations on skin and subcutaneous tissue	6,570	71,036	4.1
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(2,600)	(24,275)	
89.0	17(ii)	Incision of skin and subcutaneous tissue	959	8,134	0.6
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	2,600	24,275	1.6
89.2	17(iv)	Removal of nail	438	2,992	0.3
89.4	17(v)	Suture	1,519	9,108	0.9
		Residual	1,054	26,527	0.7
					1.8

BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	15,095	113,319	9.4	7.7
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(4,107)	(30,526)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	893	10,871	0.6	0.7
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	4,107	30,526	2.6	2.1
92.0	18(iv)	Encephalography and ventriculography	311	5,997	0.2	0.4
93.1-93.2	18(v)	Pyelography(h)	2,562	18,089	1.6	1.2
99.3	18(vi)	Exchange transfusion	14	208
		Residual	7,208	47,628	4.5	3.2
		Total	160,602	1,478,854	100.0	100.0

- 261 -

.. Less than 0.05

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1962.

(c) "Arrest of haemorrhage", "excision of lesion", "ligation", and "removal of foreign body" are included.
"Incision and drainage of peritonsillar abscess" and "biopsy" are excluded.

(d) "Abdominal wall and peritoneum" are included. "Repair of rectocele", and "repair of rectocele and cystocele" are excluded.

(g) Caesarean Section with hysterectomy is in group 14(iv).

(h) Increase due to different interpretation of coding cystoscopy and retrograde pyelography during 1968.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR YUKON PLAN IN-PATIENTS(2) (EXCLUDING NEWBORN), YUKON, 1968.

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	13 9	137 57	1.2 0.8	1.3 0.5
	Residual		4	80	0.4	0.8
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	3 2	14 10	0.3 0.2	0.1 0.1
	Residual		1	4	0.1	..
10-18 11.2 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Myectomy or recession of eye muscle Operations on eye (ocular) muscles Operations on lens	24 (10) 13 7	138 (20) 23 66	2.2 1.2 0.6	1.3 0.2 0.6
	Residual		4	49	0.4	0.5
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	70 (30) 43 23 (2)	400 (142) 261 132 (19)	6.5 4.0 2.1	3.8 2.4 1.2
	Residual		4	7	0.4	0.1
24-28 27.2 24.1-24.3 27.1-27.4	5 5(i) 5(ii) 5(iii)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids	174 (85) 55 106	484 (191) 105 245	16.1 5.1 9.8	4.5 1.0 2.3
	Residual		13	134	1.2	1.3

YUKON (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
30-32	6	Operations on heart and great vessels	11	106	1.0
30.4	6(i)	Catheterization of the right heart	6	19	0.6
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	1	35	0.1
		Residual	4	52	0.4
33-35	7	Operations on bronchus, lung, pleura, chest wall, and mediastinum	13	456	1.2
34.0	7(i)	Thoracotomy and pleurotomy	4	269	0.4
		Residual	9	187	0.8
38	8	Operations on breast	27	182	2.5
38.1	8(i)	Partial mastectomy	(10)	(23)	(23)
38.1-38.3	8(ii)	Mastectomy	13	111	1.2
		Residual	14	71	1.3
40-49	9	Operations on gastro-intestinal tract	105	1,101	9.7
45.1	9(i)	Appendectomy	(33)	(244)	(244)
41.1	9(ii)	Exploratory laparotomy or celiotomy	3	98	.3
40	9(iii)	Repair of hernia	30	249	2.8
44.2-44.3	9(iv)	Gastrectomy	5	101	0.5
45	9(v)	Operations on appendix	34	278	3.1
49.3	9(vi)	Hemorrhoidectomy	11	77	1.0
		Residual	22	298	2.0
51-56	10	Operations on liver, biliary tract, pancreas, and spleen	27	346	2.5
53.5	10(i)	Cholecystectomy	27	346	2.5
		Residual	-	-	-

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
60-64 64.5	11 11(i)	Operations on urinary system Dilation of urethra	15 7	167 32	1.4 0.6	1.6 0.3
		Residual	8	135	0.7	1.3
66-69 69.2 66.1-66.3	12 12(i) 12(ii)	Operations on male genital system Circumcision Prostatectomy	18 8 4	161 21 106	1.7 0.7 0.4	1.5 0.2 1.0
		Residual	6	34	0.6	0.3
70-75 72.8 70.2-70.5 72.3-72.6 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v)	Operations on female genital organs excluding obstetrical Dilatation and curettage of uterus Oophorectomy Hysterectomy Colporrhaphy Repair of cystocele and/or rectocele	119 57 12 11 2 2	782 187 126 128 16 23	11.0 5.3 1.1 1.0 0.2 0.2	7.3 1.8 1.2 1.2 0.2 0.2
		Residual	35	302	3.2	2.8
76-78 77.1 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Dilation and curettage after delivery or abortion Episiotomy Dilatation and curettage after delivery or abortion Caesarean section	206 (55) 83 55 14	1,150 (200) 479 200 177	19.0 7.7 5.1 1.3	10.8 4.5 1.9 1.7
		Residual	54	294	5.0	2.8

YUKON (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
80-87	15	Operations on musculoskeletal system	101	3,122	29.3
82.0	15(i)	Closed reduction of fracture of long bone	(20)	(976)	
82	15(ii)	Reduction of fracture	38	1,542	14.5
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(31)	(1,048)	
87.0-87.9	15(iv)	Amputation and disarticulation of extremities	2	295	2.8
		Residual	61	1,285	12.1
88	16	Operations on peripheral blood vessels and lymphatic system	27	336	3.2
88.4	16(i)	Excision and ligation of varicose veins	17	145	1.4
		Residual	10	191	1.8
89	17	Operations on skin and subcutaneous tissue	75	940	8.8
89.4	17(i)	Suture	28	168	1.6
89.0	17(ii)	Incision of skin and subcutaneous tissue	12	97	0.9
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	16	116	1.1
89.2	17(iv)	Removal of nail	3	23	0.2
		Residual	16	536	5.0

YUKON (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	54	640	5.0	6.0
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(10)	(108)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	8	182	0.7	1.7
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	10	108	0.9	1.0
92.0	18(iv)	Encephalography and ventriculography	1	5	0.1	..
93.1-93.2	18(v)	Pyelography	5	25	0.5	0.2
99.3	18(vi)	Exchange transfusion	2	10	0.2	0.1
		Residual	28	310	2.6	2.9
		Total	1,082	10,662	100.0	100.0

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, edition.

(2) Includes out-of-Yukon Hospitalization.

.. Less than 0.05

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS⁽²⁾, (EXCLUDING NEWBORN), NORTHWEST TERRITORIES, 1968.

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	49 31	868 303	2.9 1.8	4.0 1.4
	Residual		18	565	1.1	2.6
08-09 08.4	2 2(i)	Operations on endocrine system Excision of thyroglossal duct or tract	6 3	57 36	0.4 0.2	0.3 0.2
	Residual		3	21	0.2	0.1
10-18 17.0 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Discission of lens or cataract Operations on eye (ocular) muscles Operations on lens	83 (9) 9 10	1,312 (195) 139 220	4.9 0.5 0.6	6.1 0.6 1.0
	Residual		64	953	3.8	4.4
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	105 (62) 79 22 (4)	1,208 (559) 939 187 (21)	6.2 4.7 1.3	5.6 4.4 0.9
	Residual		4	82	0.2	0.4
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	284 (181) 37 226 (181)	1,893 (882) 80 1,472 (882)	16.8 2.2 13.4	8.8 0.4 6.8
	Residual		21	341	1.2	1.6

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
30-32	6	Operations on heart and intrathoracic vessels	22	419	1.3	1.9
30.5	6(i)	Catheterization of the left heart	8	118	0.5	0.5
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	-	-	-	-
		Residual	14	301	0.8	1.4
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum	17	568	1.0	2.6
34.0	7(i)	Thoracotomy and pleurotomy	6	233	0.4	1.1
		Residual	11	335	0.7	1.6
38	8	Operations on breast	28	283	1.7	1.3
38.0	8(i)	Mastotomy	8	122	0.5	0.6
38.1-38.3	8(ii)	Mastectomy	9	76	0.5	0.4
		Residual	11	85	0.7	0.4
40-49	9	Operations on gastro-intestinal tract	162	2,711	9.6	12.6
45.1	9(i)	Appendectomy	(55)	(555)		
41.1	9(ii)	Exploratory laparotomy or celiotomy	8	226	0.5	1.1
40	9(iii)	Repair of hernia	52	886	3.1	4.1
44.2-44.3	9(iv)	Gastrectomy	5	101	0.3	0.5
45	9(v)	Operations on appendix	57	571	3.4	2.7
49.3	9(vi)	Hemorrhoidectomy	7	59	0.4	0.3
		Residual	33	868	2.0	4.0
51-56	10	Operations on liver, biliary tract, pancreas and spleen	44	649	2.6	3.0
53.5	10(i)	Cholecystectomy	(40)	(554)		
53.5	10(ii)	Cholecystectomy	40	554	2.4	2.6
		Residual	4	95	0.2	0.4

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
60-64 64.5	11 11(i)	Operations on urinary system Dilation of urethra	18 4	476 28	1.1 0.2
	Residual		14	448	0.8
66-69 69.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system Circumcision Prostatectomy Circumcision	45 (24) 3 24	466 (186) 52 186	2.7 0.2 1.4
	Residual		18	228	1.1
70-75 72.8 70.2-70.5 72.3-72.6 74.3 74.4 72.8	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs Dilation and curettage of uterus Oophorectomy Hysterectomy Colporrhaphy Repair of cystocele and/or rectocele Dilation and curettage of uterus	203 (98) 10 22 2 1 98	1,480 (396) 121 293 30 14 396	12.0 0.6 1.3 0.1 0.1 5.8
	Residual		70	626	4.1
76-78 77.1 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Dilation and curettage after delivery or abortion Episiotomy Dilation and curettage after delivery or abortion Caesarean section	189 (55) 68 55 25	1,391 (265) 441 265 329	11.2 4.0 3.3 1.5
	Residual		41	356	2.4

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
80-87	15	Operations on musculoskeletal system	206	4,289	12.2	20.0
82.0	15(i)	Closed reduction of fracture of long bone	(39)	(503)		
82	15(ii)	Reduction of fracture	94	1,573	5.6	7.3
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(57)	(626)		
87	15(iv)	Amputation and disarticulation of extremities	7	100	0.4	0.5
		Residual	105	2,616	6.2	12.2
88	16	Operations on peripheral blood vessels and lymphatic system	15	202	0.9	0.9
88.4	16(i)	Excision and ligation of varicose veins	(9)	(85)		
88.4	16(ii)	Excision and ligation of varicose veins	9	85	0.5	0.4
		Residual	6	117	0.4	0.5
89	17	Operations on skin and subcutaneous tissue	126	1,849	7.5	8.6
89.0	17(i)	Incision of skin and subcutaneous tissue	(44)	(466)		
89.0	17(ii)	Incision of skin and subcutaneous tissue	44	466	2.6	2.2
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	31	455	1.8	2.1
89.2	17(iv)	Removal of nail	4	11	0.2	0.1
89.4	17(v)	Suture	29	112	1.7	0.5
		Residual	18	805	1.1	3.7

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	85	1,372	5.0	6.4
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(26)	(397)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	9	89	0.5	0.4
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	26	397	1.5	1.8
92.0	18(iv)	Encephalography and ventriculography	2	89	0.1	0.4
93.1-93.2	18(v)	Pyelography	7	52	0.4	0.2
99.3	18(vi)	Exchange transfusion	6	40	0.4	0.2
		Residual	35	705	2.1	3.3
		Total	1,687	21,493	100.0	100.0

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1962.

(2) Includes out-of-territories hospitalization.

TABLE 10 - SEPARATIONS AND PATIENT-DAYS FOR THE CATEGORIES IN THE LIST OF INFANT DIAGNOSES, BY SEX, FOR NEWBORN PATIENTS AND FOR INFANTS UNDER ONE YEAR OF AGE, WHO ARE PROVINCIAL PLAN(1) IN-PATIENTS (INCLUDING OUT-OF-PROVINCE HOSPITALIZATION) FOR EIGHT PROVINCES AND TWO TERRITORIES, 1968.

I.S.C. NUMBER	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants		Total	
		M	F	M	F			M	F	M	F		
470-475	Acute upper respiratory infections												
	Nfld.	-	2	351	291	644		-	11	1,803	1,708	3,522	
	P.E.I.	-	-	68	49	117		-	-	505	397	902	
	N.B.	-	-	460	304	764		-	-	3,737	2,175	5,912	
	Que.	-	-	823	586	1,409		-	-	8,483	5,831	14,314	
	Man.	-	-	508	445	953		-	-	3,009	2,331	5,340	
	Sask.	1	-	277	201	479		6	-	1,881	1,356	3,243	
	Alta.	-	-	880	694	1,574		-	-	5,572	4,438	10,010	
	B.C.	5	1	660	546	1,212		56	12	4,484	3,650	8,202	
	Yukon	-	-	2	8	10		-	-	9	23	32	
	N.W.T.	1	-	12	16	29		8	-	86	112	206	
480-483, 490-493, 500-502, 763	Influenza, pneumonia and bronchitis	7	3	4,041	3,140	7,191		70	23	29,569	22,021	51,683	
	Nfld.	31	25	1,161	858	2,075		460	347	13,481	7,164	21,452	
	P.E.I.	1	-	243	161	405		6	-	2,319	1,441	3,766	
	N.B.	-	-	730	541	1,271		-	-	7,211	5,313	12,524	
	Que.	127	76	4,136	2,748	7,087		1,823	918	56,820	35,991	95,552	
	Man.	17	14	1,721	1,251	3,003		213	214	14,886	10,474	25,787	
	Sask.	32	23	829	589	1,473		369	258	8,489	5,706	14,822	
	Alta.	2	2	2,483	1,784	4,271		3	6	21,915	15,359	37,283	
	B.C.	33	20	2,056	1,526	3,635		540	349	20,552	15,684	37,125	
	Yukon	-	-	23	23	46		-	-	181	152	333	
	N.W.T.	-	2	314	229	545		-	23	2,848	2,032	4,903	
243		243	162	13,696	9,710	23,811		3,414	2,115	148,702	99,316	253,547	

TABLE 10 - (Cont'd)

I.S.C. NUMBER	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn		Other Infants		Total	M	Newborn		Other Infants		Total	
		M	F	M	F			M	F	M	F		
560-561, 570	Hernia of abdominal cavity and intestinal obstruction	7	4	115	20	146	155	111	155	1,268	418	1,952	
	Nfld.	-	-	14	3	17	-	-	-	128	25	153	
	P.E.I.	-	-	107	32	139	-	-	-	960	233	1,193	
	N.B.	9	3	733	241	986	92	94	92	5,017	1,845	7,048	
	Que.	-	-	144	30	174	-	-	-	783	168	951	
	Man.	9	4	91	23	127	217	67	217	539	146	969	
	Sask.	-	1	274	84	359	-	186	-	1,499	652	2,337	
	Alta.	21	16	58	95	490	139	338	139	2,095	540	3,112	
	B.C.	-	-	5	-	5	-	-	-	28	-	28	
	Yukon	-	-	8	6	14	-	-	-	268	61	329	
	N.W.T.												
571, 764	Gastro-enteritis and colitis and diarrhoea of newborn	46	28	1,846	534	2,457	603	796	603	12,585	4,088	18,072	
	Nfld.	14	12	296	236	558	141	144	141	2,181	1,604	4,070	
	P.E.I.	-	-	52	48	100	-	-	-	441	357	798	
	N.B.	-	-	381	297	678	-	-	-	3,031	2,322	5,353	
	Que.	104	76	2,035	1,736	3,951	1,573	981	1,573	24,387	20,690	47,631	
	Man.	5	7	608	576	1,196	81	71	81	4,882	4,507	9,541	
	Sask.	7	5	503	356	871	75	108	75	4,277	3,249	7,709	
	Alta.	1	-	1,277	1,035	2,313	4	-	4	10,343	8,497	18,844	
	B.C.	18	15	790	649	1,472	161	394	161	5,937	4,845	11,337	
	Yukon	-	-	5	7	12	-	-	-	13	63	76	
	N.W.T.	2	-	29	20	51	17	-	17	160	157	334	
571, 764	Gastro-enteritis and colitis and diarrhoea of newborn	151	115	5,976	4,960	11,202	2,052	1,698	2,052	55,652	46,291	105,693	

TABLE 10 - (Cont'd)

I. S. C. NUMBER	DIAGNOSIS	CASES					PATIENT-DAYS				
		Newborn		Other Infants		Total	Newborn		Other Infants		Total
		M	F	M	F		M	F	M	F	
690-698	Infection of skin and subcutaneous tissue	2	1	32	27	62	44	3	331	270	648
	Nfld.	-	-	5	4	9	-	-	61	32	93
	P.E.I.	-	-	30	22	52	-	-	322	218	540
	N.B.	-	-	165	135	300	-	-	2,021	1,591	3,612
	Que.	-	-	46	53	99	-	-	380	467	847
	Man.	1	5	26	22	54	11	34	226	178	449
	Sask.	-	-	70	65	135	-	-	652	523	1,175
	Alta.	5	3	49	40	97	42	29	635	395	1,101
	B.C.	-	-	1	-	1	-	-	5	-	5
	Yukon	-	-	6	3	9	-	-	62	20	82
	N.W.T.	-	-	-	-	-	-	-	-	-	-
		8	9	430	371	818	97	66	4,695	3,694	8,552
750-753	Congenital malformations of nervous system and sense organs	14	13	31	25	83	946	359	1,015	849	3,169
	Nfld.	1	-	4	-	5	37	-	73	-	110
	P.E.I.	-	-	5	14	19	-	-	77	292	369
	N.B.	83	116	148	117	464	1,531	1,980	3,251	3,276	10,038
	Que.	6	9	26	30	71	21	185	341	543	1,090
	Man.	14	22	11	13	60	220	230	177	132	759
	Sask.	-	-	49	42	91	-	-	826	876	1,702
	Alta.	32	29	64	26	151	795	1,391	2,338	789	5,313
	B.C.	-	-	-	-	-	-	-	-	-	-
	Yukon	-	-	-	-	-	-	-	-	-	-
	N.W.T.	1	-	-	2	3	41	-	-	19	60
		151	189	338	269	947	3,591	4,145	8,098	6,776	22,610

TABLE 10 - (Cont'd)

I. S. C. NUMBER	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn			Other Infants			Newborn			Other Infants		
		M	F	M	M	F	Total	M	F	M	M	F	Total
754	Congenital malformations of circulatory system												
	Nfld.	13	13		47	37	110	119	100		796	710	1,725
	P. E. I.	-	-	5	5	4	9	-	-		119	60	179
	N. B.	-	-	16	16	14	30	-	-		210	168	378
	Que.	52	47	233	233	172	504	684	873		6,153	4,440	12,150
	Man.	9	7	44	44	20	80	75	155		776	320	1,326
	Sask.	23	24	23	23	16	86	173	402		344	153	1,072
	Alta.	-	-	68	68	44	112	-	-		1,020	655	1,675
	B. C.	43	53	63	63	81	240	653	634		1,035	2,729	5,051
	Yukon	-	-	3	3	-	3	-	-		7	-	7
	N. W. T.	1	1	6	6	4	12	1	7		51	89	148
		141	145	508	508	392	1,186	1,705	2,171		10,511	9,324	23,711
615, 755-759	Other congenital malformations and repudant prepuce and phimosis												
	Nfld.	60	25	212	212	67	364	1,878	213		4,101	1,663	7,855
	P. E. I.	1	-	25	25	5	31	13	-		305	51	369
	N. B.	-	-	143	143	51	194	-	-		1,273	730	2,003
	Que.	304	95	1,158	1,158	453	2,010	3,449	1,515		14,389	9,678	29,031
	Man.	19	19	158	158	52	248	185	111		1,395	1,256	2,947
	Sask.	86	33	168	168	46	333	1,086	460		1,226	460	3,232
	Alta.	-	2	282	282	158	442	-	133		3,447	2,598	6,178
	B. C.	228	151	461	461	188	1,028	2,655	2,475		5,900	3,019	14,049
	Yukon	-	1	6	6	-	7	-	3		70	-	73
	N. W. T.	3	4	14	14	2	23	97	40		287	79	503
		701	330	2,627	2,627	1,022	4,680	9,363	4,950		32,393	19,534	66,240

TABLE 10 - (Cont'd)

- 276 -

I. S. C. NUMBER	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants		Total	
		M	F	M	F	M	F	M	F	M	F	M	F
760-761	Birth injury	40	25	7	3	75		498	193	83	48	822	
	Nfld.	-	1	-	-	1		-	45	-	-	45	
	P.E.I.	-	-	2	3	5		-	-	17	43	60	
	N.B.	143	88	56	30	317		2,023	1,044	757	344	4,168	
	Que.	14	6	4	5	29		240	101	23	78	442	
	Man.	77	53	4	3	137		631	332	71	5	1,039	
	Sask.	2	1	3	4	10		9	2	14	33	58	
	Alta.	296	191	12	11	510		2,090	1,299	361	108	3,858	
	B.C.	-	-	-	-	-		-	-	-	-	-	
	Yukon	1	-	-	-	1		46	-	-	-	46	
	N.W.T.												
		573	365	88	59	1,085		5,537	3,016	1,326	659	10,538	
762	Postnatal asphyxia and atelectasis	185	143	13	4	345		1,770	1,402	313	32	3,517	
	Nfld.	-	-	1	-	1		-	-	5	-	5	
	P.E.I.	-	-	5	3	8		-	-	35	72	107	
	N.B.	212	125	80	47	464		2,123	1,144	1,256	992	5,515	
	Que.	25	16	11	3	55		230	153	203	69	655	
	Man.	62	34	3	4	103		446	407	33	19	905	
	Sask.	2	-	9	7	18		15	-	154	107	276	
	Alta.	109	62	5	8	184		1,295	880	78	104	2,357	
	B.C.	-	-	-	-	-		-	-	-	-	-	
	Yukon	1	2	1	4	8		1	9	1	159	170	
	N.W.T.												
		596	382	128	80	1,186		5,880	3,995	2,078	1,554	13,507	

TABLE 10 - (Cont'd)

I. S. C. NUMBER	DIAGNOSIS	CASES				PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants	
		M	F	M	F	M	F	M	F	M	F
765-768	Ophthalmia and pemphigus neonatorum, umbilical and other sepsis	46	36	12	5	99		555	404	126	41
	Nfld.	-	-	-	-	-		-	-	-	-
	P. E. I.	-	-	2	3	5		-	-	24	32
	N. B.	235	176	116	89	616		3,105	2,280	1,502	1,252
	Que.	10	11	3	5	29		196	185	27	39
	Man.	24	11	7	7	49		246	109	57	34
	Sask.	-	-	12	7	19		-	-	123	111
	Alta.	72	48	13	11	144		840	793	165	131
	B. C.	-	-	-	-	-		-	-	-	-
	Yukon	-	-	2	-	2		-	-	15	-
	N. W. T.	-	-	-	-	-		-	-	-	15
		387	282	167	127	963		4,942	3,771	2,039	1,640
											12,392
770	Erythroblastosis	51	46	8	11	116		682	562	186	90
	Nfld.	-	-	-	-	-		-	-	-	-
	P. E. I.	-	-	6	6	12		-	-	48	87
	N. B.	170	139	117	86	512		2,242	1,664	1,531	994
	Que.	28	20	4	5	57		302	250	23	178
	Man.	65	55	11	6	137		668	488	161	29
	Sask.	1	-	12	17	30		6	-	83	169
	Alta.	175	174	16	12	377		2,034	2,142	131	107
	B. C.	1	-	1	-	2		1	-	38	-
	Yukon	-	1	-	-	1		-	-	-	-
	N. W. T.	-	-	-	-	-		-	-	-	-
		491	435	175	143	1,244		5,935	5,107	2,201	1,654
											14,897

TABLE 10 - (Cont'd)

I. S. C. NUMBER	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants		Total	
		M	F	M	F	M	F	M	F	M	F	M	F
771	Haemorrhagic disease of newborn	9	7	-	2	18		75	48	-	14	137	
	Nfld.	1	-	1	-	2		34	-	16	-	50	
	P.E.I.	-	-	1	1	2		-	-	9	3	12	
	N.B.	25	20	21	4	70		223	243	159	66	691	
	Que.	2	1	2	2	7		11	3	11	7	32	
	Man.	4	2	5	1	12		72	21	25	5	123	
	Sask.	-	-	8	8	16		-	-	71	108	179	
	Alta.	13	14	10	8	45		115	126	73	79	393	
	B.C.	-	-	-	-	-		-	-	-	-	-	
	Yukon	-	1	-	2	3		-	19	-	9	28	
	N.W.T.	-	-	-	-	-		-	-	-	-	-	
291, 772	Nutritional malad- justment and iron deficiency anaemia	54	45	48	28	175		530	460	364	291	1,645	
	Nfld.	108	94	94	89	385		1,209	1,068	1,013	829	4,119	
	P.E.I.	-	-	20	25	45		-	-	164	233	397	
	N.B.	-	-	97	98	195		-	-	952	839	1,791	
	Que.	230	225	751	562	1,768		2,845	2,657	10,840	7,207	23,549	
	Man.	16	14	78	66	174		177	250	691	657	1,775	
	Sask.	63	58	205	184	510		796	720	1,886	1,497	4,899	
	Alta.	-	-	219	182	401		-	-	2,277	1,695	3,972	
	B.C.	174	135	243	201	753		2,599	1,862	2,607	1,846	8,914	
	Yukon	-	-	1	-	1		-	-	2	-	2	
	N.W.T.	2	2	21	11	36		22	20	146	105	293	
593		593	528	1,729	1,418	4,268		7,648	6,577	20,578	14,908	49,711	

TABLE 10 - (Cont'd)

I. S. C. NUMBER	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn			Other Infants			Newborn			Other Infants		
		M	F	M	M	F		M	F	M	M	F	F
773-776	Immaturity and ill-defined diseases peculiar to early infancy												
	Nfld.	415	428	32	23	898	6,668	7,771	519	358	15,316		
	P.E.I.	-	-	4	2	6	-	-	37	14	51		
	N.B.	-	-	8	11	19	-	-	113	136	249		
	Que.	1,075	747	494	385	2,701	8,824	5,791	8,855	7,142	30,612		
	Man.	187	120	107	63	477	2,343	1,599	1,495	979	6,416		
	Sask.	228	181	35	34	478	1,924	1,831	450	486	4,691		
	Alta.	9	8	84	62	163	135	117	1,451	1,318	3,021		
	B.C.	719	557	44	35	1,355	7,886	6,135	676	733	15,430		
	Yukon	-	-	2	-	2	-	-	36	-	36		
	N.W.T.	11	5	18	12	46	77	106	506	308	997		
		2,644	2,046	828	627	6,145	27,857	23,350	14,138	11,474	76,819		
N800-	Skull fractures and												
N804,	head injuries												
N852-	Nfld.	-	-	16	15	31	-	-	110	91	201		
N856	P.E.I.	-	-	2	1	3	-	-	12	2	14		
	N.B.	-	1	13	16	30	-	1	59	134	194		
	Que.	-	-	146	111	257	-	-	1,117	612	1,729		
	Man.	-	-	31	21	52	-	-	567	122	689		
	Sask.	-	-	7	11	18	-	-	75	57	132		
	Alta.	3	-	53	49	105	16	-	414	294	724		
	B.C.	-	1	51	46	98	-	10	252	348	610		
	Yukon	-	-	-	-	-	-	-	-	-	-		
	N.W.T.	-	-	1	-	1	-	-	1	-	1		
		3	2	320	270	595	16	11	2,607	1,660	4,294		

TABLE 10 - (Cont'd)

I.S.C. NUMBER	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn			Other Infants			Newborn			Other Infants		
		M		F	M		F	M		F	M		F
				Total			Total			Total			Total
N940-	Burns	-	-	-	16	9	25	-	-	-	257	114	371
N949	Nfld.	-	-	-	2	2	4	-	-	-	19	13	32
	P.E.I.	-	-	-	9	4	13	-	-	-	73	37	110
	N.B.	-	-	-	51	32	83	-	-	-	775	593	1,368
	Que.	-	-	-	10	10	20	-	-	-	112	109	221
	Man.	-	-	-	8	4	12	-	-	-	38	31	69
	Sask.	-	-	-	25	31	56	-	-	-	247	308	555
	Alta.	-	-	-	31	28	59	-	-	-	374	389	763
	B.C.	-	-	-	-	-	-	-	-	-	-	-	-
	Yukon	-	-	-	-	1	1	-	-	-	-	9	9
	N.W.T.	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	121	152	121	273	-	-	-	1,895	1,603	3,498
N805-	Other accidents,												
N851,	poisonings and violence												
N860-	Nfld.	1	-	31	36	31	68	13	-	-	257	224	494
N936,	P.E.I.	-	-	2	4	2	6	-	-	-	21	16	37
N950-	N.B.	-	-	17	32	17	49	-	-	-	227	84	311
N999	Que.	-	-	124	151	124	275	-	-	-	1,526	1,355	2,881
	Man.	-	-	44	58	44	102	-	-	-	360	352	712
	Sask.	3	3	30	30	30	66	31	24	24	150	419	624
	Alta.	6	2	80	115	80	203	13	33	33	754	577	1,377
	B.C.	19	5	79	97	79	200	166	228	228	779	798	1,971
	Yukon	-	-	-	-	-	-	-	-	-	-	-	-
	N.W.T.	-	-	3	1	3	4	-	-	-	3	43	46
		29	10	410	524	410	973	223	285	285	4,077	3,868	8,453

APPENDIX I

THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955)

Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number
1	001-019	13	172-174	25	260	38	420-422
2	080-083	14	175	26	270-277	39	430-434
3	092	15	177	27	280-289	40	440-447
4	084-091, 093-096	16	180, 181	28	290-299	41	450-456
5	020-064, 070-074 100-108, 110-117, 120-138	17	204	29	300-309	42	460
		18	150, 152, 155-161, 164, 165, 176, 178, 179 190-199, 200-203, 205	30	310-318	43	461
6	140-148			31	320-326	44	463, 464
7	151	19	214, 215	32	330-334	45	462, 465-468
8	153	20	216	33	340-345, 350-357	46	470-475
9	154	21	210-213, 217-239	34	360-369	47	480-483
10	162, 163	22	241	35	370-389	48	490-493
11	170	23	240, 242-245	36	390-398	49	500-502
12	171	24	250-254	37	400-402, 410-416	50	510

Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number
51	511-527	65	602, 604	78	690-698	91	N830-N848
52	530-535	66	601, 603, 605-609	79	700-716	92	N860-N869
53	540-542	67	610	80	720-727	93	N940-N949
54	543-545	68	615	81	735	94	N850, N851, N870-N888, N890-N898, N900-N908, N910-N918, N920-N936, 1 N950-N999 22 22
55	550-553	69	622-626, 630	82	730-734, 736-738, 740-749		
56	560, 561	70	631				
57	570	71	634	83	750-759	95	Y00
58	571	72	611-614, 616, 617, 620, 621, 632, 633, 635-637	84	760-776	96	Y20, Y22, Y23, Y26, Y27
59	572			85	780-795	97	Y21, Y24, Y25, Y28, Y29
60	580-583	73	640-649	86	N800-N804, N852-N856	98	Y01-Y18, Y40-Y88
61	584-587	74	650-652	87	N805-N809		
62	536-539, 573-578	75	660	88	N810-N819		
63	590-594	76	670-678	89	N820, N821		
64	600	77	680-689	90	N822-N829		

APPENDIX 2

CANADA POPULATION EXCLUDING NOVA SCOTIA, 1968, UTILIZED IN TABLE 6

AGE GROUP	MALE POPULATION	FEMALE POPULATION
UNDER 1	178,700	171,400
1 - 4	823,300	779,700
5 - 14	2,231,100	2,135,000
15 - 24	1,760,200	1,728,900
25 - 44	2,533,600	2,498,600
45 - 59	1,461,800	1,469,900
60 - 74	782,200	846,100
75+	257,300	326,200
TOTAL	10,028,200	9,955,800

APPENDIX 3 - ESTIMATED POPULATION BY SEX AND AGE GROUP, FOR CANADA AND PROVINCES, 1968

Sex and Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
(In Thousands)													
Total (Both Sexes)	20,744.0	507.0	110.0	760.0	24.0	5,927.0	7,306.0	971.0	960.0	1,526.0	2,007.0	15.0	31.0
Under 1	363.8	13.1	2.0	13.7	12.0	97.5	126.1	17.1	17.6	30.4	32.7	0.4	1.2
1 - 4	1,666.2	54.0	9.3	63.2	54.2	470.6	575.8	76.0	79.4	131.0	146.8	1.5	4.4
5 - 9	2,330.7	67.2	13.0	87.0	75.3	675.3	793.9	104.7	109.0	185.3	213.5	2.0	4.5
10 - 14	2,204.8	64.7	12.4	82.4	73.8	652.8	738.1	100.7	105.0	169.5	200.5	1.6	3.3
15 - 19	1,968.0	58.5	11.7	77.9	69.5	593.0	649.8	92.4	94.5	141.7	175.3	1.1	2.6
20 - 24	1,658.7	42.0	8.3	59.7	50.4	520.4	561.2	74.7	70.1	114.5	153.9	1.0	2.5
25 - 29	1,363.6	29.1	5.7	44.0	34.3	419.7	484.4	57.8	52.8	98.4	133.6	1.3	2.5
30 - 34	1,258.1	25.1	5.4	40.2	31.0	371.6	460.4	52.7	49.9	95.2	123.2	1.1	2.3
35 - 39	1,286.2	24.6	5.4	40.2	31.5	375.3	476.2	54.5	52.3	97.0	126.2	1.1	1.9
40 - 44	1,289.9	23.7	5.3	41.2	33.0	365.9	485.6	58.0	54.1	92.8	127.8	1.0	1.5
45 - 49	1,153.4	22.8	5.4	41.3	32.1	316.9	424.1	55.8	53.2	82.4	117.4	0.8	1.2
50 - 54	1,020.1	21.4	5.4	39.8	29.4	275.1	365.9	52.1	50.5	71.1	107.9	0.6	0.9
55 - 59	873.7	17.7	4.8	34.4	25.7	234.8	314.3	45.8	44.4	59.1	91.4	0.5	0.8
60 - 64	702.1	13.2	4.0	26.9	20.6	186.0	256.7	37.4	36.3	48.3	71.7	0.4	0.6
65 - 69	555.5	10.3	3.5	21.8	16.7	141.9	207.5	29.6	28.3	37.7	57.6	0.2	0.4
70 - 74	438.0	8.4	3.3	18.6	14.2	104.4	164.3	24.5	23.5	28.6	47.8	0.2	0.2
75 - 79	314.5	5.9	2.4	13.7	10.2	69.0	115.3	18.7	19.1	21.5	38.4	0.1	0.2
80 - 84	185.3	3.4	1.6	8.3	6.1	36.6	65.9	11.6	12.5	13.6	25.6	0.1	(1)
85 - 89	82.9	1.4	0.8	4.0	2.9	15.2	29.9	5.1	5.7	6.0	11.9	(1)	(1)
90+	28.5	0.5	0.3	1.7	1.1	5.0	10.6	1.8	1.8	1.9	3.8	(1)	(1)

(1) Less than 50 persons

Source: Dominion Bureau of Statistics, Ottawa

Sex and Age	Canada	Nfld.	P. E. I.	N. S.	N. B.	Que.	Ont.	Man.	Sask.	Alta.	B. C.	Yukon	N. W. T.
(In Thousands)													
MALES													
Under 1	10,409.9	258.7	55.6	381.7	313.3	2,956.6	3,649.8	487.0	489.9	776.1	1,016.4	8.1	16.7
1 - 4	185.7	6.6	1.0	7.0	6.1	49.6	64.7	8.7	9.0	15.5	16.7	0.2	0.6
5 - 9	855.7	27.7	4.7	32.4	27.9	242.1	295.6	38.8	40.7	67.2	75.5	0.8	2.3
10 - 14	1,190.6	34.5	6.7	44.5	38.6	344.8	405.7	53.6	55.5	94.5	108.9	1.0	2.3
15 - 19	1,127.2	32.8	6.3	42.2	37.6	333.7	377.3	51.4	53.8	87.0	102.6	0.8	1.7
	1,000.3	29.5	5.9	39.6	35.2	300.0	331.4	46.8	48.1	72.0	89.9	0.6	1.3
20 - 24	829.7	20.8	4.2	30.2	25.6	258.3	280.7	37.8	35.6	56.4	78.2	0.5	1.4
25 - 29	680.8	14.6	2.9	22.1	17.3	208.8	240.7	29.2	26.7	48.4	68.0	0.7	1.4
30 - 34	637.6	13.0	2.8	20.4	15.4	186.0	233.1	26.7	25.4	48.5	64.4	0.6	1.3
35 - 39	653.1	12.8	2.8	20.0	15.5	186.9	242.6	27.3	26.8	50.4	66.3	0.6	1.1
40 - 44	644.9	12.4	2.7	20.3	16.3	181.1	243.1	28.4	27.4	47.1	64.6	0.6	0.9
45 - 49	571.3	12.0	2.7	20.3	15.9	156.2	210.3	27.3	26.6	41.4	57.4	0.5	0.7
50 - 54	509.4	11.2	2.7	19.9	14.8	135.5	183.7	25.9	25.5	36.1	53.3	0.3	0.5
55 - 59	439.1	9.4	2.5	17.8	13.2	115.9	157.1	23.0	22.9	30.3	46.2	0.3	0.5
60 - 64	348.2	6.9	2.1	13.7	10.3	89.7	125.4	18.7	19.1	25.3	36.5	0.2	0.3
65 - 69	265.8	5.1	1.8	10.5	8.0	66.0	97.0	14.5	14.6	19.6	28.4	0.1	0.2
70 - 74	201.0	4.1	1.6	8.6	6.6	47.4	72.1	11.6	12.0	14.5	22.3	0.1	0.1
75 - 79	141.3	2.8	1.1	6.2	4.7	30.4	48.4	8.8	9.9	11.0	17.8	0.1	0.1
80 - 84	82.2	1.6	0.7	3.7	2.7	15.9	26.2	5.5	6.6	7.0	12.2	0.1	(1)
85 - 89	35.4	0.7	0.3	1.7	1.2	6.4	11.3	2.3	2.9	3.0	5.6	(1)	(1)
90+	10.6	0.2	0.1	0.6	0.4	1.9	3.4	0.7	0.8	0.9	1.6	(1)	(1)

(1) Less than 50 persons

APPENDIX 3 - ESTIMATED POPULATION BY SEX AND AGE GROUP, FOR CANADA AND PROVINCES, 1968

Sex and Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	(In Thousands)												
FEMALES	10,334.1	248.3	54.4	378.3	310.7	2,970.4	3,656.2	484.0	470.1	749.9	990.6	6.9	14.3
Under 1	178.1	6.5	1.0	6.7	5.9	47.9	61.4	8.4	8.6	14.9	16.0	0.2	0.6
1 - 4	810.5	26.3	4.6	30.8	26.3	228.5	280.2	37.2	38.7	63.8	71.3	0.7	2.1
5 - 9	1,140.1	32.7	6.3	42.5	36.7	330.5	388.2	51.1	53.5	90.8	104.6	1.0	2.2
10 - 14	1,077.6	31.9	6.1	40.2	36.2	319.1	360.8	49.3	51.2	82.5	97.9	0.8	1.6
15 - 19	967.7	29.0	5.8	38.3	34.3	293.0	318.4	45.6	46.4	69.7	85.4	0.5	1.3
20 - 24	829.0	21.2	4.1	29.5	24.8	262.1	280.5	36.9	34.5	58.1	75.7	0.5	1.1
25 - 29	682.8	14.5	2.8	21.9	17.0	210.9	243.7	28.6	26.1	50.0	65.6	0.6	1.1
30 - 34	620.5	12.1	2.6	19.8	15.6	185.6	227.3	26.0	24.5	46.7	58.8	0.5	1.0
35 - 39	633.1	11.8	2.6	20.2	16.0	188.4	233.6	27.2	25.5	46.6	59.9	0.5	0.8
40 - 44	645.0	11.3	2.6	20.9	16.7	184.8	242.5	29.6	26.7	45.7	63.2	0.4	0.6
45 - 49	582.1	10.8	2.7	21.0	16.2	160.7	213.8	28.5	26.6	41.0	60.0	0.3	0.5
50 - 54	510.7	10.2	2.7	19.9	14.6	139.6	182.2	26.2	25.0	35.0	54.6	0.3	0.4
55 - 59	434.6	8.3	2.3	16.6	12.5	118.9	157.2	22.8	21.5	28.8	45.2	0.2	0.3
60 - 64	353.9	6.3	1.9	13.2	10.3	96.3	131.3	18.7	17.2	23.0	35.2	0.2	0.3
65 - 69	289.7	5.2	1.7	11.3	8.7	75.9	110.5	15.1	13.7	18.1	29.2	0.1	0.2
70 - 74	237.0	4.3	1.7	10.0	7.6	57.0	92.2	12.9	11.5	14.1	25.5	0.1	0.1
75 - 79	173.2	3.1	1.3	7.5	5.5	38.6	66.9	9.9	9.2	10.5	20.6	(1)	0.1
80 - 84	103.1	1.8	0.9	4.6	3.4	20.7	39.7	6.1	5.9	6.6	13.4	(1)	(1)
85 - 89	47.5	0.7	0.5	2.3	1.7	8.8	18.6	2.8	2.8	3.0	6.3	(1)	(1)
90+	17.9	0.3	0.2	1.1	0.7	3.1	7.2	1.1	1.0	1.0	2.2	(1)	(1)

(1) Less than 50 persons

Source: Dominion Bureau of Statistics, Ottawa

BINDING SECT.
DEC 7 1972

Government
Publications

